

3124-5-5

170a

3124-5-5

3124-5-5



ROYAL COLLEGE
OF
PHYSICIANS
OF
LONDON

679. Pegibba + General

ROYAL COLLEGE OF PHYSICIANS LIBRARY	
CLASS	312 (421)
ACCN.	22355
SOURCE	
DATE	

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th January, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	5	3	..	8	73	Nephritis5	
Measles	18	18	11	Diabetes4	
Scarlatina	48	48	29	Stone4	
Whooping Cough.....	15	2	..	17	40	Stricture.....	1	1	.6	
Croup.....	7	7	7	Dis. of KIDNEYS, &c. (8)	..	3	1	4	3	
Thrush	7	7	6	<i>Diseases of the Kid-</i>	..	3	2	5	5	
Diarrhœa	2	1	1	4	8	<i>neys, &c.</i>						
Dysentery	2	Childbed	2	..	2	8	
Cholera3	Ovarian Dropsy.3	
Influenza	1	Dis. of UTERUS, &c. (9)	..	2	1	3	2	
Typhus (1)	7	13	5	25	78	<i>Childbed, Diseases of</i>	..	4	1	5	10	
Erysipelas	5	4	..	9	8	<i>the Uterus, &c.</i>						
Syphilis	1	..	1	1	Rheumatism	1	4	..	5	4	
Hydrophobia2	Dis. of JOINTS, &c. (10)	1	2	..	3	4	
<i>Epidemic, Endemic, & } Contagious Diseases }</i>	114	24	6	144	255	<i>Diseases of the Joints, } Muscles, &c.</i>	2	6	..	8	.8	
Cephalitis	7	2	..	9	10	Ulcer4	
Hydrocephalus	31	1	3	35	34	Fistula4	
Apoplexy	1	10	12	23	19	Dis. of SKIN, &c. (11)	1	1	.4	
Paralysis	1	3	9	13	14	<i>Diseases of the Skin, &c.</i>	1	1	1	
Convulsions	61	..	3	64	67	Inflammation	5	1	1	7	18	
Epilepsy	2	..	1	3	4	Hæmorrhage	2	..	2	4	
Insanity	2	2	1	Dropsy	6	18	14	38	34	
Delirium Tremens	1	..	1	1	Abscess	2	1	..	3	4	
Dis. of BRAIN, &c. (2)	4	5	2	11	6	Mortification	1	1	6	8	4	
<i>Diseases of the Brain, } Nerves, and Senses. }</i>	107	22	32	161	156	Scrofula (12)	1	1	1	
Quinsey	1	1	2	Carcinoma	5	7	12	6	
Bronchitis	2	2	4	8	8	Tumor	1	..	1	1	
Pleurisy	1	1	..	2	2	Gout	1	1	1	
Pneumonia	58	18	3	79	71	Atrophy	2	2	4	
Hydrothorax	1	8	5	14	6	Debility	20	1	3	24	12	
Asthma	34	11	45	28	Malformations	1	1	1	
Consumption	24	108	8	140	146	Sudden Deaths	3	9	1	13	12	
Dis. of LUNGS, &c. (3)	3	11	4	18	10	<i>Diseases of Uncertain } Seat</i>	41	39	33	113	102	
<i>Diseases of the Lungs, and } other Organs of Respiration }</i>	90	182	35	307	275	<i>Old Age, or Natural } Decay</i>	0	4	101	105	79	
Pericarditis3	Intemperance4	
Aneurism5	Privation	1	1	..	2	.6	
Dis. of HEART, &c. (4)	2	9	2	13	15	Violent Deaths	10	20	3	34	25	
<i>Diseases of the Heart } and Bloodvessels. }</i>	2	9	2	13	16	<i>Deaths by Violence, Pri- } vation, or Intemperance }</i>	11	21	3	36+	26	
Teething.....	17	17	15	Causes not Specified ..	2	3	1	6	13	
Gastritis—Enteritis ..	5	4	3	12	17	Deaths from all Causes.	404	332	230	967+		
Peritonitis	1	..	1	1	Average Weekly Deaths	466	352	192	†	1013	
Tabes Mesenterica	3	1	..	4	3	<i>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</i>						
Ascites4	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Ulceration	1	1	..	2	1	(2) Tetanus. Chorea.	(8) Ischuria. Granular Disease, I.					
Hernia	3	..	3	2	(3) Laryngitis.	(9) Paramenia.					
Colic or Ileus (5)	3	..	2	5	4	(4) Hypertrophy.	(10) Arthritis.					
Dis. of STOMACH, &c. (6)	4	1	5	10	4	(5) Intussusception.	(11) Carbuncle. Scald Head, I.					
Hepatitis	1	1	1	(6) Stricture of œsophagus. Hema-	(12) Phlegmon. Scald Head, I.					
Jaundice.....	2	temesis. Worms, I.	(12) Purpura, I.					
Dis. of LIVER, &c. (7)	1	4	2	7	7							
<i>Diseases of the Stomach, } Liver, and other Or- } gans of Digestion. ... }</i>	34	15	13	62	57							
<i>West Districts. }</i>	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....										Deaths in the Week. 149	Average Weekly Deaths, 1838. 156
<i>North Districts. }</i>	St. Mary-le-bone; St. Pancras; Islington; Hackney										171	172
<i>Central Districts. }</i>	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										199	208
<i>East Districts. }</i>	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										225	239
<i>South Districts. }</i>	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										223	238
TOTAL. Males, 465. Females, 502. (Weekly average 1838, M. 520, F. 493.)											987	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by the population had been the same in 1838 as in 1840, 1840, it would be borne in mind that the Metropolis increases nearly 2 per cent. annually when less than one death occurred weekly.

‡ The Deaths must have been one 27th part more numerous. Decimals were employed a violent death, was not stated.

† Age of 3 not stated, 1838. In the last week the age of one per-

General Register Office, Jan. 15th, 1840.

2 of 1000000 - 1000000

ROYAL COLLEGE OF PHYSICIANS LIBRARY	
CLASS	312 (421)
ACCN.	22355
SOURCE	
DATE	

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th January, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	3	..	8	73	Nephritis5
Measles	18	18	11	Diabetes4
Scarlatina	48	48	29	Stone4
Whooping Cough.....	15	2	..	17	40	Stricture.....	1	1	.6
Croup.....	7	7	7	Dis. of KIDNEYS, &c. (8)	..	3	1	4	3
Thrush	7	7	6	Diseases of the Kid- neys, &c.	3	2	5	5
Diarrhœa	2	1	1	4	8	Childbed	2	..	2	8
Dysentery	2	Ovarian Dropsy.3
Cholera3	Dis. of UTERUS, &c. (9)	..	2	1	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	4	1	5	10
Typhus (1)	7	13	5	25	78	Rheumatism	1	4	..	5	4
Erysipelas	5	4	..	9	8	Dis. of JOINTS, &c. (10)	1	2	..	3	4
Syphilis	1	..	1	1	Diseases of the Joints, { Muscles, &c. }	2	6	..	8	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & } Contagious Diseases }	114	24	6	144	265	Fistula4
Cephalitis	7	2	..	9	10	Dis. of SKIN, &c. (11)	1	1	.4
Hydrocephalus	31	1	3	35	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	1	10	12	23	19	Inflammation	5	1	1	7	18
Paralysis	1	3	9	13	14	Hæmorrhage	2	..	2	4
Convulsions	61	..	3	64	67	Dropsy	6	18	14	38	34
Epilepsy	2	..	1	3	4	Abscess	2	1	..	3	4
Insanity	2	2	1	Mortification	1	1	6	8	4
Delirium Tremens....	..	1	..	1	1	Scrofula (12)	1	1	1
Dis. of BRAIN, &c. (2)	4	5	2	11	6	Carcinoma	5	7	12	6
Diseases of the Brain, { Nerves, and Senses. }	107	22	32	161	156	Tumor	1	..	1	1
Quinsey	1	1	2	Gout	1	1	1
Bronchitis	2	2	4	8	8	Atrophy	2	2	4
Pleurisy	1	1	..	2	2	Debility	20	1	3	24	12
Pneumonia.....	58	18	3	79	71	Malformations	1	1	1
Hydrothorax	1	8	5	14	6	Sudden Deaths	3	9	1	13	12
Asthma	34	11	45	28	Diseases of Uncertain Seat	41	39	33	113	102
Consumption	24	108	8	140	146	Old Age, or Natural Decay	0	4	101	105	79
Dis. of LUNGS, &c. (3)	3	11	4	18	10	Intemperance4
Diseases of the Lungs, and } other Organs of Respiration }	90	182	35	307	275	Privation	1	1	..	2	.6
Pericarditis3	Violent Deaths	10	20	3	34	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	11	21	3	36†	26
Dis. of HEART, &c. (4)	2	9	2	13	15	Causes not Specified ..	2	3	1	6	13
Diseases of the Heart { and Bloodvessels. }	2	9	2	13	16	Deaths from all Causes.	404	332	230	967†	
Teething.....	17	17	15	Average Weekly Deaths	466	352	192	†	1013
Gastritis—Enteritis ..	5	4	3	12	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica....	3	1	..	4	3	(2) Tetanus. Chorea.	(8) Ischuria. Granular Disease, l.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	1	..	2	1	(4) Hypertrophy.	(10) Arthritis.				
Hernia	3	..	3	2	(5) Intussusception.	(11) Carbuncle. Scald Head, l.				
Colic or Ileus (5)	3	..	2	5	4	(6) Stricture of œsophagus. Hema- tenosis. Worms, l.	(12) Purpura, l.				
Dis. of STOMACH, &c. (6)	4	1	5	10	4						
Hepatitis	1	1	1						
Jaundice.....	2						
Dis. of LIVER, &c. (7)	1	4	2	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion. ... }	34	15	13	62	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					149		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					171		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					199		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					225		239			
						223		238			
TOTAL. Males, 465. Females, 502. (Weekly average 1838, M. 520, F. 493.)						967		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. In the last week the age of one person, who died a violent death, was not stated.

General Register Office, Jan. 15th, 1840.

ROYAL COLLEGE
OF
PHYSICIANS
OF
LONDON

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th January, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	5	3	..	8	73	Nephritis5	
Measles	10	10	11	Diabetes	1	..	1	.4	
Scarlatina	44	1	..	45	29	Stone	1	..	1	2	.4	
Hooping Cough	36	1	..	37	40	Stricture	2	..	2	.6	
Croup	8	8	7	Dis. of Kidneys, &c. (8)	..	1	1	2	3	
Thrush	3	3	6	<i>Diseases of the Kid- neys, &c.</i>	1	4	2	7	5	
Diarrhœa	5	..	1	6	8	Childbed	7	..	7	8	
Dysentery	2	..	2	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	2	..	2	2	
Influenza	2	1	..	3	1	<i>Childbed, Diseases of the Uterus, &c. ..</i>	..	9	..	9	10	
Typhus (1)	9	17	4	30	78	Rheumatism	1	1	4	
Erysipelas	1	3	1	5	8	Dis. of Joints, &c. (10)	2	3	1	6	4	
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles</i>	2	3	2	7	8	
Hydrophobia2	Ulcer	1	1	.4	
<i>Epidemic, Endemic, & Contagious Diseases</i>	123	28	6	157	255	Fistula	1	..	1	.4	
Cephalitis	11	1	..	12	10	Dis. of Skin, &c. (11)	1	1	..	2	.4	
Hydrocephalus	30	..	1	31	34	<i>Diseases of the Skin, &c.</i>	1	2	1	4	1	
Apoplexy	11	15	26	19	Inflammation	3	2	..	5	18	
Paralysis	9	10	19	14	Hæmorrhage	1	1	2	4	
Convulsions	52	1	1	54	67	Dropsy	4	19	9	32	34	
Epilepsy	2	..	1	3	4	Abscess	2	..	2	4	
Insanity	1	Mortification	2	..	1	3	4	
Delirium Tremens	3	..	3	1	Scrofula (12)	1	1	..	2	1	
Dis. of Brain, &c. (2)	3	5	..	8	6	Carcinoma	2	4	3	9	6	
<i>Diseases of the Brain, Nerves, and Senses.</i>	98	30	28	156	156	Tumor	1	
Quinsey	1	1	2	Gout	1	
Bronchitis	4	5	13	22	8	Atrophy	7	1	1	9	4	
Pleurisy	2	Debility	11	1	5	17	12	
Pneumonia	49	13	7	69	71	Malformations	1	
Hydrothorax	5	2	4	11	6	Sudden Deaths	6	4	5	15	12	
Asthma	25	29	54	28	<i>Diseases of Uncer- tain Seat</i>	36	35	25	96	102	
Consumption	18	97	12	127	146	<i>Old Age, or Natural Decay</i>	76	76	79	
Dis. of Lungs, &c. (3)	6	5	7	18	10	Intemperance4	
<i>Diseases of the Lungs, and other Organs of Respiration</i>	83	147	72	302	275	Privation6	
Pericarditis	1	..	1	.3	Violent Deaths	10	9	2	21	25	
Aneurism5	<i>Deaths by Violence, Pri- vation, or Intemperance</i>	10	9	2	21	26	
Dis. of Heart, &c. (4)	2	13	6	21	15	Causes not specified ..	2	2	1	5	13	
<i>Diseases of the Heart and Bloodvessels.</i>	2	14	6	22	16	Deaths from all Causes	384	302	230	916		
Teething	16	16	15	Weekly Average, 1838.	446	352	192	†	1013	
Gastritis—Enteritis ..	5	7	1	13	17	<i>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</i>						
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.					
Tabes Mesenterica ..	2	2	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis, 1.					
Ascites	2	1	3	.4	(3) Laryngitis.	(9) Paramenia.					
Ulceration	3	..	3	1	(4) Hypertrophy, 4.	(10) Arthritis, 1.					
Hernia	1	2	3	2	(5) Intussusception.	(11) Carbuncle. Phlegmon, 2.					
Colic or Ileus (5) ..	1	1	4	(6) Stricture of œsophagus. Hæma- tenesis. Worms, 1.	(12) Purpura.					
Dis. of Stomach, &c. (6)	2	3	1	6	4							
Hepatitis	1	1	2	1							
Jaundice	1	1	2							
Dis. of Liver, &c. (7)	..	1	2	3	7							
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion</i>	26	19	9	54	57							
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney										122	156
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										163	172
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										182	208
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										207	239
											242	238
TOTAL.	Males, 477. Females, 439. (Weekly average 1838, Males, 520. Females, 493.)										916	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, Jan. 30th, 1840.

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

TABLE NO. 10

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st February, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	8	4	..	12	73	Nephritis	1	1	2	.5
Measles	17	17	11	Diabetes	1	1	.4
Scarlatina	30	1	..	31	29	Stone	1	1	.4
Whooping Cough	30	30	40	Stricture6
Croup	3	3	7	Dis. of Kidneys, &c. (8)	2	2	3
Thrush	8	8	6	<i>Diseases of the Kid-</i>	..	1	5	6	5
Diarrhoea	4	1	1	6	8	<i>neys, &c.}</i>
Dysentery	2	2	2	Childbed	11	..	11	8
Cholera	1	1	.3	Ovarian Dropsy3
Influenza	3	3	1	Dis. of Uterus, &c. (9)	..	2	..	2	2
Typhus (1)	8	15	4 [‡]	28	78	<i>Childbed, Diseases of</i>	..	13	..	13	10
Erysipelas	2	2	..	4	8	<i>the Uterus, &c. ..}</i>
Syphilis	1	Rheumatism	1	2	1	4	4
Hydrophobia2	Dis. of Joints, &c. (10)	2	1	1	4	4
<i>Epidemic, Endemic, &</i>	115	23	6	145	265	<i>Diseases of the Joints,</i>	3	3	2	8	8
<i>Contagious Diseases</i>	<i>Bones and Muscles</i>
Cephalitis	8	2	..	10	10	Ulcér4
Hydrocephalus	32	1	..	33	34	Fistula4
Apoplexy	1	10	8	19	19	Dis. of Skin, &c. (11)4
Paralysis	3	7	10	14	<i>Diseases of the Skin,</i>	1
Convulsions	44	44	67	<i>&c.}</i>
Epilepsy	2	1	3	4	Inflammation	6	3	1	10	18
Insanity	1	1	1	Hæmorrhage	1	3	1	5	4
Delirium Tremens	2	..	2	1	Dropsy	4	21	11	36	34
Dis. of Brain, &c. (2)	4	6	1	11	6	Abscess	2	2	4
<i>Diseases of the Brain,</i>	89	26	18	133	156	Mortification	1	1	2	4	4
<i>Nerves, and Senses.</i>	Scrofula (12)	1
Quinsey	2	..	2	2	Carcinoma	6	..	6	6
Bronchitis	1	5	2	8	8	Tumor	1
Pleurisy	2	..	2	2	Gout	1	..	1	1
Pneumonia	46	11	7	64	71	Atrophy	4
Hydrothorax	1	1	6	Debility	17	1	5	23	12
Asthma	18	27	45	28	Malformations	1
Consumption	30	101	8	139	146	Sudden Deaths	8	9	5	22	12
Dis. of Lungs, &c. (3)	4	5	6	15	10	<i>Diseases of Ucer-</i>	39	45	25	109	102
<i>Diseases of the Lungs, and</i>	82	144	50	276	275	<i>tain Seat}</i>	61	61	79
<i>other Organs of Respiration</i>	<i>Old Age, or Natural</i>
Pericarditis	1	..	1	.3	<i>Decay}</i>4
Aneurism	1	..	1	.5	Intemperance6
Dis. of Heart, &c. (4)	1	10	5	16	15	Privation	1	..	1	25
<i>Diseases of the Heart</i>	1	12	5	18	16	Violent Deaths	3	12	..	15	26
<i>and Bloodvessels.</i>	<i>Deaths by Violence, Pri-</i>	3	13	..	16	26
Teething	11	11	15	<i>vation, or Intemperance</i>	1	4	13
Gastritis—Enteritis ..	5	4	2	11	17	<i>Causes not specified</i>	3
Peritonitis	1	<i>Deaths from all Causes</i>	360	291	182	835 [‡]	1013
Tabes Mesenterica ..	5	5	3	<i>Weekly Average, 1838.</i>	466	352	192	..	1013
Ascites4	<p>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</p> <p>(1) Ague, 1. Remittent Fever. (7) Enlargement of Spleen, 1. (2) Tetanus, 2. Chorea, 1. (8) Ischuria. 1. Cystitis. (3) Laryngitis, 1. (9) Abscess of Ovarium, 1. (4) Worms. (10) Arthritis. (5) Intussusception, 1. (11) Carbuncle. Phlegmon. (6) Stricture, 1. Hematemesis. Disease of Pancreas.</p>					
Ulceration	1	1	3 [‡]	1						
Hernia	2						
Colic or Ileus (5)	1	1	4						
Dis. of Stomach, &c. (6)	2	2	1	5	4						
Hepatitis	1	1	2	1	<p>West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }</p> <p>North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney</p> <p>Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London</p> <p>East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar</p> <p>South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich</p>					
Dis. of Liver, &c. (7)	2	3	2	7	7						
<i>Diseases of the Stomach,</i>	25	11	9	46	57	<p>TOTAL. Males, 434. Females, 401. (Weekly average 1838, Males, 520. Females, 493.)</p>					
<i>Liver, and other Or-</i>	<p>Deaths in the Week. Average Weekly Deaths, 1838.</p>					
<i>gans of Digestion</i>	<p>108 156</p>					
..	<p>157 172</p>					
..	<p>187 209</p>					
..	<p>200 239</p>					
..	<p>183 238</p>					

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. In the last week the age of two persons was not stated.

General Register Office, Feb. 6th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th February, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	3	2	..	5	73	Nephritis	1	..	1	.5	
Measles	16	16	11	Diabetes4	
Scarlatina	30	3	..	33	29	Stone	1	1	.4	
Hooping Cough	15	15	40	Stricture6	
Croup	5	5	7	Dis. of Kidneys, &c. (8)	..	3	1	4	3	
Thrush	4	4	6	Diseases of the Kid- neys, &c.}	..	4	2	6	5	
Diarrhoea	2	3	1	6	8	Childbed	2	..	2	8	
Dysentery	1	1	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2	
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	3	..	3	10	
Typhus (1)	5	21	5	31	78	Rheumatism	3	..	3	4	
Erysipelas	3	3	8	Dis. of Joints, &c. (10)	..	2	..	2	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	5	..	5	8	
Hydrophobia2	Ulcer	1	..	1	.4	
Epidemic, Endemic, &c. } Contagious Diseases }	84	29	6	119	265	Fistula	1	..	1	.4	
Cephalitis	4	4	1	9	10	Dis. of Skin, &c. (11)	2	2	.4	
Hydrocephalus	34	1	..	35	34	Diseases of the Skin, &c.}	2	2	..	4	1	
Apoplexy	5	10	10	25	19	Inflammation	5	5	18	
Paralysis	1	7	9	17	14	Hæmorrhage	2	..	2	4	
Convulsions	57	57	67	Dropsy	4	11	4	19	34	
Epilepsy	1	5	1	7	4	Abscess	3	..	2	5	4	
Insanity	1	1	1	Mortification	2	2	2	6	4	
Delirium Tremens	1	Scrofula (12)	5	5	1	
Dis. of Brain, &c. (2)	5	..	2	7	6	Carcinoma	9	3	12	6	
Diseases of the Brain, Nerves, and Senses. }	107	27	24	158	156	Tumor	1	1	1	
Quinsey	2	Gout	1	..	1	1	
Bronchitis	2	6	6	14	8	Atrophy	1	1	2	4	
Pleurisy	2	2	..	4	2	Debility	12	4	7	23	12	
Pneumonia	47	8	3	58	71	Malformations	4	4	1	
Hydrothorax	1	3	4	6	Sudden Deaths	2	7	5	14	12	
Asthma	10	19	29	28	Diseases of Uncer- tain Seat	37	37	25	99	102	
Consumption	36	96	7	139	146	Old Age, or Natural Decay	1	77	78	79	
Dis. of Lungs, &c. (3)	4	5	4	13	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration }	91	128	42	261	275	Privation6	
Pericarditis	1	..	1	.3	Violent Deaths	3	12	4	19	25	
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	3	12	4	19	26	
Dis. of Heart, &c. (4)	1	14	5	20	15	Causes not specified	1	..	1	13	
Diseases of the Heart and Bloodvessels. }	1	16	5	22	16	Deaths from all Causes	346	278	194	818		
Teething	12	12	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	7	5	3	15	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica	3	(2) Softening, l. Myelitis, l.	(8) Ischuria. Cystitis.					
Ascites	1	..	1	.4	(3) Pulmonary Apoplexy, 2.	(9) Paramenia.					
Ulceration	1	(4) Heart and Kidneys, l.	(10) Arthritis.					
Hernia	1	1	2	2	(5) Intussusception.	(11) Porrigo furfurans and Convul- sions, l. Phlegmon, l.					
Colic or Ileus (5)	2	2	4	(6) Cramp of Stomach l. of Bowels, l.	(12) Purpura.					
Dis. of Stomach, &c. (6)	1	4	..	5	4	Disease of Rectum, 1.						
Hepatitis	1							
Jaundice	1	1	2							
Dis. of Liver, &c. (7)	..	2	3	5	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	21	13	9	43	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										125	156
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										152	172
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										157	208
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										167	239
											217	238
TOTAL. Males, 420. Females, 398. (Weekly average 1838, Males, 520. Females, 493.)											818	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, Feb. 13th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th February, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	1	..	6	73	Nephritis5
Measles	13	13	11	Diabetes4
Scarlatina	42	4	..	46	29	Stone	1	..	2	3	.4
Whooping Cough	20	20	40	Stricture6
Croup	4	1	..	5	7	Dis. of Kidneys, &c. (8)	1	..	2	3	3
Thrush	9	9	6	Diseases of the Kid- neys, &c. }	2	..	4	6	5
Diarrhœa	5	..	1	6	8	Childbed	7	..	7	8
Dysentery	2	..	2	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	8	..	8	10
Typhus (1)	7	18	4	30†	78	Rheumatism	1	5	..	6	4
Erysipelas	1	2	..	3	8	Dis. of Joints, &c. (10)	2	2	..	4	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	3	7	..	10	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	106	28	5	140	255	Fistula4
Cephalitis	17	2	..	19	10	Dis. of Skin, &c. (11)4
Hydrocephalus	25	1	..	26	34	Diseases of the Skin, } &c. }	1
Apoplexy	10	8	18	19	Inflammation	3	..	2	5	18
Paralysis	2	11	13	14	Hæmorrhage	4
Convulsions	52	52	67	Dropsy	3	14	14	31	34
Epilepsy	1	1	1	3	4	Abscess	2	1	1	4	4
Insanity	1	Mortification	4	4	4
Delirium Tremens	1	Scrofula (12)	2	2	1
Dis. of Brain, &c. (2)	4	9	..	13	6	Carcinoma	6	3	9	6
Diseases of the Brain, } Nerves, and Senses. }	99	25	20	144	156	Tumor	1	1	1
Quinsey	2	2	2	Gout	1
Bronchitis	1	7	6	14	8	Atrophy	4	4	4
Pleurisy	1	..	1	2	Debility	10	1	6	17	12
Pneumonia	44	10	1	55	71	Malformations	1
Hydrothorax	2	..	2	4	6	Sudden Deaths	4	3	6	13	12
Asthma	15	20	35	28	Diseases of Uncer- tain Seat	28	25	37	90	102
Consumption	27	104	10	141	146	Old Age, or Natural Decay	1	53	54	79
Dis. of Lungs, &c. (3)	1	8	2	11	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	77	145	41	263	275	Privation	1	1	.6
Pericarditis3	Violent Deaths	2	12	1	15	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	3	12	1	16	26
Dis. of Heart, &c. (4)	2	12	6	20	15	Causes not specified ..	1	2	1	4	13
Diseases of the Heart } and Bloodvessels. }	2	12	6	20	16	Deaths from all Causes	356	282	174	813	
Teething	18	18	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	6	6	2	14	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	2	2	..	4	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	3	3	3	(2) Tetanus, l. Abscess of Brain and dis. hip joint, l.	(8) Ischuria. Cystitis.				
Ascites	1	1	.4	(3) Pulmonary Apoplexy, l.	(9) Paramenia.				
Ulceration	1	(4) Intussusception.	(10) Arthritis.				
Hernia	2	(5) Stricture of œsophagus. Hæma- temesis, l. Worms, l.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	1	1	..	2	4		(12) Rickets and Convulsions, l.				
Dis. of Stomach, &c. (6)	3	3	..	6	4						
Hepatitis	1	..	1	1						
Jaundice	1	1	1	3	2						
Dis. of Liver, &c. (7)	1	3	2	6	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	35	17	6	58	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					98		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					145		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					172		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					190		239			
						208		238			
TOTAL. Males, 393. Females, 420. (Weekly average 1838, Males, 520. Females, 493.)						813		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The age of one person, who died of Typhus, was not stated.

General Register Office, Feb. 20th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd February, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	8	1	..	9	73	Nephritis5	
Measles	11	1	..	12	11	Diabetes4	
Scarlatina	42	2	..	44	29	Stone4	
Hooping Cough	22	22	40	Stricture6	
Croup	6	6	7	Dis. of Kidneys, &c. (8)	1	..	1	2	3	
Thrush	5	..	1	6	6	Diseases of the Kid- neys, &c.	1	..	1	2	5	
Diarrhœa	1	..	2	3	8	Childbed	6	..	6	8	
Dysentery	1	1	2	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2	
Influenza	1	1	2	4	1	Childbed, Diseases of the Uterus, &c.	7	..	7	10	
Typhus (1)	4	13	3	20	78	Rheumatism	1	1	4	
Erysipelas	1	1	8	Dis. of Joints, &c. (10)	..	4	..	4	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	4	1	5	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases	101	19	9	129	255	Fistula4	
Cephalitis	6	3	2	11	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	29	2	..	31	34	Diseases of the Skin, &c.	1	
Apoplexy	2	8	4	14	19	Inflammation	4	2	..	6	18	
Paralysis	9	11	20	14	Hæmorrhage	1	4	..	5	4	
Convulsions	47	1	..	48	67	Dropsy	3	27	13	43	34	
Epilepsy	1	5	5	11	4	Abscess	1	1	1	3	4	
Insanity	1	Mortification	1	4	5	4	
Delirium Tremens	1	..	1	1	Scrofula (12)	2	2	1	5	1	
Dis. of Brain, &c. (2)	2	4	..	6	6	Carcinoma	4	2	6	6	
Diseases of the Brain, Nerves, and Senses.	87	33	22	142	156	Tumor	1	1	1	
Quinsey	2	Gout	1	
Bronchitis	4	4	8	8	Atrophy	5	1	..	6	4	
Pleurisy	2	Debility	12	2	8	22	12	
Pneumonia	43	10	4	57	71	Malformations	1	
Hydrothorax	2	6	2	10	6	Sudden Deaths	1	10	6	17	12	
Asthma	21	18	39	28	Diseases of Uncer- tain Seat	29	54	36	119	102	
Consumption	31	110	10	151	146	Old Age, or Natural Decay	65	65	79	
Dis. of Lungs, &c. (3)	3	6	2	11	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration	79	157	40	276	275	Privation6	
Pericarditis	1	..	1	.3	Violent Deaths	6	14	4	24	25	
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance	6	14	4	26†	26	
Dis. of Heart, &c. (4)	4	11	1	16	15	Causes not specified ..	1	2	..	3	13	
Diseases of the Heart and Bloodvessels.	4	13	1	18	16	Deaths from all Causes	345	319	189	†855		
Teething	13	13	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis..	9	4	1	14	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica ..	7	7	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.					
Ascites4	(3) Laryngitis, l.	(9) Paramenia.					
Ulceration	1	(4) ..	(10) Arthritis.					
Hernia	3	..	3	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.					
Colic or Ileus (5) ..	1	..	1	2	4	(6) Stricture of œsophagus, l. Hema- temesis, l. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	4	3	4	11	4	Worms, l.						
Hepatitis	1	..	1	1							
Jaundice	1	1	1	3	2							
Dis. of Liver, &c. (7)	2	3	3	8	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	37	16	10	63	57							
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney										121	156
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										141	172
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										184	208
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										199	239
TOTAL. Males, 426. Females, 429. (Weekly average 1838, Males, 520. Females, 493.)											210	238
											855	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith (Chapelry); St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of 2, who died violent deaths, was unknown.

General Register Office, Feb. 27th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th February, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	4	4	73	Nephritis5	
Measles	11	11	11	Diabetes4	
Scarlatina	43	2	..	45	29	Stone	1	..	1	.4	
Whooping Cough	27	27	40	Stricture6	
Croup	11	11	7	Dis. of Kidneys, &c. (8)	..	2	2	4	3	
Thrush	5	5	6	Diseases of the Kid- neys, &c. }	..	3	2	5	5	
Diarrhoea	3	1	1	5	8	Childbed	4	..	4	8	
Dysentery	1	..	1	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	2	1	3	2	
Influenza	1	Childbed, Diseases of the Uterus, &c. ... }	..	6	1	7	10	
Typhus (1)	4	13	4	21	78	Rheumatism	5	..	5	4	
Erysipelas	2	2	1	5	8	Dis. of Joints, &c. (10)	1	2	..	3	4	
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	7	..	8	8	
Hydrophobia2	Ulcer	1	1	.4	
Epidemic, Endemic, & Contagious Diseases }	110	20	6	136	265	Fistula4	
Cephalitis	6	3	..	9	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	40	2	..	42	34	Diseases of the Skin, &c. }	1	1	1	
Apoplexy	2	12	9	23	19	Inflammation	1	2	1	4	18	
Paralysis	3	10	13	14	Hæmorrhage	3	..	3	4	
Convulsions	56	56	67	Dropsy	7	24	12	43	34	
Epilepsy	5	..	5	4	Abscess	2	4	1	7	4	
Insanity	4	..	4	1	Mortification	1	4	5	4	
Delirium Tremens	1	1	2	1	Scrofula (12)	1	1	1	
Dis. of Brain, &c. (2)	7	2	..	9	6	Carcinoma	7	2	9	6	
Diseases of the Brain, Nerves, and Senses }	111	32	20	163	156	Tumor	3	..	3	1	
Quinsey	2	Gout	3	3	1	
Bronchitis	2	4	5	11	8	Atrophy	5	..	1	6	4	
Pleurisy	1	1	2	2	Debility	16	4	6	26	12	
Pneumonia	39	18	2	59	71	Malformations	1	
Hydrothorax	2	3	1	6	6	Sudden Deaths	10	5	3	18	12	
Asthma	23	16	39	28	Diseases of Uncer- tain Seat	42	53	33	128	102	
Consumption	30	102	7	139	146	Old Age, or Natural Decay	1	94	95	79	
Dis. of Lungs, &c. (3)	1	6	7	14	10	Intemperance	1	..	1	.4	
Diseases of the Lungs, and other Organs of Respiration }	74	157	39	270	275	Privation6	
Pericarditis3	Violent Deaths	12	19	4	35	25	
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	12	20	4	36	26	
Dis. of Heart, &c. (4)	3	16	5	24	15	Causes not specified ..	1	..	1	2	13	
Diseases of the Heart and Bloodvessels }	3	16	5	24	16	Deaths from all Causes	375	330	211	916		
Tecthing	16	16	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	3	5	..	8	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	..	1	1	(1) Ague, 2. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica ..	2	1	..	3	3	(2) Tetanus, 1. Chorea.	(8) Ischuria.					
Ascites	2	..	2	.4	(3) Laryngitis, 1.	(9) Paramenia, 1.					
Ulceration	1	(4) Hypertrophy, 1. Rupture of	(10)					
Hernia	1	1	2	Aorta, 1.	(11)					
Colic or Ileus (5)	1	..	1	4	(5) Intussusception.	(12)					
Dis. of Stomach, &c. (6)	..	1	..	1	4	(6) Stricture of œsophagus. Hæma- temesis. Disease of Pancreas.	(13) Inflammation of the absorbents of the Arm from a scratch.					
Hepatitis	1	..	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c. (7)	..	2	3	5	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	21	15	5	41	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										138	156
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London										192	172
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										170	208
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										171	239
											245	238
TOTAL. Males, 478. Females, 438. (Weekly average 1838, Males, 520. Females, 493.)											916	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, March 5th 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th March, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	7	2	..	9	73	Nephritis5	
Measles	15	15	11	Diabetes4	
Scarlatina	34	2	..	36	29	Stone	1	..	1	2	.4	
Hooping Cough	26	26	40	Stricture	1	..	1	.6	
Croup	8	1	..	9	7	Dis. of Kidneys, &c. (8)	..	1	2	3	3	
Thrush	8	8	6	Diseases of the Kid- neys, &c.}	1	2	3	6	5	
Diarrhoea	3	3	8	Childbed (8*)	10	..	10	8	
Dysentery	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	1	1	2	
Influenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	10	
Typhus (1)	6	17	3	26	78	Rheumatism	2	..	2	4	
Erysipelas	4	1	5	8	Dis. of Joints, &c. (10)	2	2	..	4	4	
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles}	2	4	..	6	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases}	107	28	4	139	265	Fistula4	
Cephalitis	9	3	..	12	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	40	5	..	45	34	Diseases of the Skin, &c.}	1	
Apoplexy	8	11	19	19	Inflammation	5	2	..	7	18	
Paralysis	1	7	4	12	14	Hæmorrhage	2	1	3	4	
Convulsions	68	68	67	Dropsy	2	14	19	35	34	
Epilepsy	1	6	2	9	4	Abscess	2	1	3	4	
Insanity	1	1	..	2	1	Mortification	1	1	7	9	4	
Delirium Tremens	1	..	1	1	Scrofula (12)	2	..	2	1	
Dis. of Brain, &c. (2)	5	3	2	10	6	Carcinoma	4	1	5	6	
Diseases of the Brain, Nerves, and Senses.}	125	34	19	178	156	Tumor	1	..	1	1	
Quinsey	2	3	..	5	2	Gout	1	..	1	1	
Bronchitis	2	9	8	19	8	Atrophy	5	..	1	6	4	
Pleurisy	1	..	1	2	2	Debility	10	2	13	25	12	
Pneumonia	51	18	6	76	71	Malformations	1	
Hydrothorax	1	..	9	10	6	Sudden Deaths	6	6	5	17	12	
Asthma	20	25	45	28	Diseases of Unceer- tain Seat	29	37	48	114	102	
Consumption	27	102	7	136	146	Old Age, or Natural Decay	3	81	84	79	
Dis. of Lungs, &c. (3)	2	10	6	18	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration}	86	162	62	311	275	Privation	1	..	1	.6	
Pericarditis	2	..	2	.3	Violent Deaths (13) ..	12	13	8	33	25	
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance}	12	14	8	34	26	
Dis. of Heart, &c. (4)	2	3	4	9	15	Causes not specified ..	1	2	1	4	13	
Diseases of the Heart and Bloodvessels.}	2	5	4	11	16	Deaths from all Causes	408	321	239	969		
Teething	20	20	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	9	5	3	17	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	2	1	3	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica ..	6	6	3	(2) Sudden Fright, Age 4 Years, 1.	(8) Renal anasarca, 1.					
Ascites	1	1	.4	Abscess, 1.	(8)* Rupture of Uterus, 1.					
Ulceration	3	..	1	4	1	(3) Laryngitis,	(9)					
Hernia	1	1	2	2	(4) Worms.	(10)					
Colic or Ileus (5)	1	1	4	(5) Intussusception.	(11)					
Dis. of Stomach, &c. (6)	..	3	..	3	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12)					
Hepatitis	2	2	1		(13) A Wound in Dissecting.					
Jaundice	1	1	..	2	2							
Dis. of Liver, &c. (7)	1	8	1	10	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	43	20	8	71	57							
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. {	St. Mary-le-bone; St. Paneras; Islington; Hackney										135	156
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										179	172
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										210	208
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										205	239
											240	238
TOTAL. Males, 518. Females, 451. (Weekly average 1838, Males, 520. Females, 493.)											969	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The Age of one who died of pneumonia was not stated.

General Register Office, March 12th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th March, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	73	Nephritis5
Measles	19	19	11	Diabetes4
Scarlatina	23	1	..	24	29	Stone4
Hooping Cough	17	17	40	Stricture6
Croup	10	10	7	Dis. of Kidneys, &c. (8)	..	3	..	3	3
Thrush	2	2	6	Diseases of the Kid- neys, &c.}	..	3	..	3	5
Diarrhœa	3	2	1	6	8	Childbed (8*)	8	..	8	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	2	2	1	Childbed, Diseases of the Uterus, &c. ..}	..	9	..	9	10
Typhus (1)	8	10	8	26	78	Rheumatism	1	1	2	4
Erysipelas	3	3	8	Dis. of Joints, &c. (10)	1	1	..	2	4
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles}	1	2	1	4	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, &c. Contagious Diseases}	90	16	14	120	255	Fistula4
Cephalitis	7	2	..	9	10	Dis. of Skin, &c. (11)	1	1	.4
Hydrocephalus	34	1	..	35	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	3	4	10	17	19	Inflammation	6	3	2	11	18
Paralysis	8	18	26	14	Hæmorrhage	1	..	1	4
Convulsions	59	1	2	62	67	Dropsy	4	27	16	47	34
Epilepsy	1	3	1	5	4	Abscess	2	3	1	6	4
Insanity	3	1	4	1	Mortification	1	3	3	7	4
Delirium Tremens	1	..	1	1	Scrofula (12)	1	..	1	1
Dis. of Brain, &c. (2)	2	6	3	11	6	Carcinoma	2	4	6	6
Diseases of the Brain, Nerves, and Senses.}	106	29	35	170	156	Tumor	1	1	1
Quinsey	2	2	2	Gout	2	2	1
Bronchitis	5	8	4	17	8	Atrophy	4	1	..	5	4
Pleurisy	2	Debility	8	1	7	16	12
Pneumonia	41	12	11	64	71	Malformations	1	1	1
Hydrothorax	5	2	7	6	Sudden Deaths	1	6	4	11	12
Asthma	25	26	51	28	Diseases of Uncer- tain Seat	27	48	40	115	102
Consumption	20	116	12	148	146	Old Age, or Natural Decay	75	75	79
Dis. of Lungs, &c. (3)	5	8	6	19	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration}	73	174	61	308	275	Privation6
Pericarditis3	Violent Deaths (13) ..	8	11	6	25	25
Aneurism	1	1	.5	Deaths by Violence, Pri- vation, or Intemperance}	8	11	6	25	26
Dis. of Heart, &c. (4)	1	15	4	20	15	Causes not specified	1	1	2	13
Diseases of the Heart and Bloodvessels.}	1	15	5	21	16	Deaths from all Causes	339	326	243	908	
Teething	8	8	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	15	4	2	21	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	2	1	3	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
Tabes Mesenterica ..	3	..	1	4	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia, 1.				
Ulceration	1	(4) Hypertrophy.	(10) Arthritis.				
Hernia	2	..	2	2	(5) Intussusception.	(11) Carbuncle.	Phlegmon, 1.			
Colic or Ileus (5) ..	1	3	..	4	4	(6) Dis. of Pancreas, 1. Worms, 1.	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	2	4	..	6	4	Rupture of the Stomach, 1.					
Hepatitis	1						
Jaundice	2	..	1	3	2						
Dis. of Liver, &c. (7)	1	3	..	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	18	5	55	57						
West Districts. } Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James							Deaths in the Week.		Average Weekly Deaths, 1838.		
North Districts. } St. Mary-le-bone; St. Pancras; Islington; Hackney							155		156		
Central Districts. } St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							162		172		
East Districts. } Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							175		208		
South Districts. } St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							202		239		
							214		238		
TOTAL. Males, 462. Females, 446. (Weekly average 1838, Males, 520. Females, 493.)							908		1013		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, March 19th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st March, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	2	..	13	73	Nephritis5
Measles	14	14	11	Diabetes	1	..	1	.4
Scarlatina	45	2	..	47	29	Stone4
Hooping Cough	25	..	1	26	40	Stricture6
Croup	8	8	7	Dis. of Kidneys, &c.	1	3	4	3
Thrush	3	3	6	<i>Diseases of the Kid-</i> <i>neys, &c.</i>	..	2	3	5	5
Diarrhœa	1	2	2	5	8	Childbed (8*)	10	..	10	8
Dysentery	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	3	..	3	2
Influenza	3	3	1	<i>Childbed, Diseases of</i> <i>the Uterus, &c.</i>	..	13	..	13	10
Typhus (1)	14	11	4	29	78	Rheumatism	1	2	..	3	4
Erysipelas	3	..	3	8	Dis. of Joints, &c. (10)	..	1	..	1	4
Syphilis	1	..	1	1	<i>Diseases of the Joints,</i> <i>Bones and Muscles</i>	1	3	..	4	8
Hydrophobia2	Ulcer4
<i>Epidemic, Endemic, &</i> <i>Contagious Diseases</i>	124	21	7	152	265	Fistula4
Cephalitis	8	4	1	13	10	Dis. of Skin, &c. (11)	2	1	..	3	.4
Hydrocephalus	33	33	34	<i>Diseases of the Skin,</i> <i>&c.</i>	2	1	..	3	1
Apoplexy	2	12	6	20	19	Inflammation	5	1	..	6	18
Paralysis	1	2	6	9	14	Hæmorrhage	1	1	1	3	4
Convulsions	59	59	67	Dropsy	3	19	17	39	34
Epilepsy	2	1	..	3	4	Abscess	2	6	..	8	4
Insanity	1	..	1	1	Mortification	1	3	5	9	4
Delirium Tremens	3	..	3	1	Scrofula (12)	2	2	..	4	1
Dis. of Brain, &c. (2)	4	4	2	10	6	Carcinoma	3	3	6
<i>Diseases of the Brain,</i> <i>Nerves, and Senses.</i>	109	27	15	151	156	Tumor	2	2	1
Quinsey	1	..	1	2	Gout	1	..	1	1
Bronchitis	1	10	1	12	8	Atrophy	6	1	2	9	4
Pleurisy	1	..	1	2	Debility	16	2	3	21	12
Pneumonia	49	24	12	85	71	Malformations	2	2	1
Hydrothorax	1	6	5	12	6	Sudden Deaths	5	4	5	14	12
Asthma	17	24	41	28	<i>Diseases of Uncer-</i> <i>tain Seat</i>	43	40	38	121	102
Consumption	28	128	7	163	146	<i>Old Age, or Natural</i> <i>Decay</i>	71	71	79
Dis. of Lungs, &c. (3)	2	12	3	17	10	Intemperance4
<i>Diseases of the Lungs, and</i> <i>other Organs of Respiration</i>	81	199	52	332	275	Privation6
Pericarditis3	Violent Deaths (13) ..	11	15	1	27	25
Aneurism	1	..	1	.5	<i>Deaths by Violence, Pri-</i> <i>vation, or Intemperance</i>	11	15	1	27	26
Dis. of Heart, &c. (4)	..	8	5	13	15	<i>Causes not specified</i> ..	3	2	..	5	13
<i>Diseases of the Heart</i> <i>and Bloodvessels.</i>	..	9	5	14	16	<i>Deaths from all Causes</i>	396	348	202	946	
Teething	9	9	15	<i>Weekly Average, 1838.</i>	466	352	192	..	1013
Gastritis—Enteritis ..	1	4	1	6	17	<i>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</i>					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	7	2	..	9	3	(2) Tetanus, 2. Chorea.	(8) Rupture of Uterus, 1.				
Ascites4	(3) Laryngitis, 1.	(9) Paramenia.				
Ulceration	1	1	2	1	(4) Hypertrophy.	(10) Arthritis.				
Hernia	2	..	2	4	2	(5) Intussusception.	(11) Carbuncle. Phlegmon, 1.				
Colic or Ileus (5)	1	..	1	4	(6) Stricture of œsophagus. Hema-	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	2	1	2	5	4	temesis, 1. Disease of Pancreas.					
Hepatitis	1	1	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. (7)	1	5	2	8	7						
<i>Diseases of the Stomach,</i> <i>Liver, and other Or-</i> <i>gans of Digestion</i> ..	22	16	10	48	57						
<i>West</i> <i>Districts.</i> { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }						Deaths in the Week.		Average Weekly Deaths, 1838.*			
<i>North</i> <i>Districts.</i> { St. Mary-le-bone; St. Pancras; Islington; Hackney						140		156			
<i>Central</i> <i>Districts.</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London						185		172			
<i>East</i> <i>Districts.</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						175		208			
<i>South</i> <i>Districts.</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich						194		239			
						252		238			
TOTAL. Males, 471. Females, 475. (Weekly average 1838, Males, 520. Females, 493.)						946		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, March 26th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th March, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	12	12	73	Nephritis5
Measles	15	15	11	Diabetes4
Scarlatina	25	1	2	28	29	Stone4
Hooping Cough	17	17	40	Stricture	2	2	.6
Croup	11	11	7	Dis. of Kidneys, &c.	2	2	4	3
Thrush	2	2	6	Diseases of the Kid- neys, &c.}	..	2	4	6	5
Diarrhœa	8	Childbed (8*)	11	..	11	8
Dysentery	2	..	2	2	Ovarian Dropsy	1	..	1	.3
Cholera3	Dis. of Uterus, &c. (9)	..	1	1	2	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.}	..	13	..	14	10
Typhus (1)	7	7	1	15	78	Rheumatism	1	1	3	5	4
Erysipelas	1	2	1	4	8	Dis. of Joints, &c. (10)	1	2	..	3	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	2	3	3	8	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	90	12	5	107	265	Fistula4
Cephalitis	6	3	..	9	10	Dis. of Skin, &c. (11)	1	1	.4
Hydrocephalus	33	33	34	Diseases of the Skin, { &c.}	1	1	1
Apoplexy	1	7	6	14	19	Inflammation	6	..	1	7	18
Paralysis	6	8	14	14	Hæmorrhage	3	1	4	4
Convulsions	57	2	1	60	67	Dropsy	4	17	10	31	34
Epilepsy	3	..	3	4	Abscess	1	2	1	4	4
Insanity	3	..	3	1	Mortification	2	4	6	4
Delirium Tremens	1	..	1	1	Scrofula (12)	2	..	2	1
Dis. of Brain, &c. (2)	3	3	2	9	6	Carcinoma	3	4	7	6
Diseases of the Brain, Nerves, and Senses. }	100	28	17	146	156	Tumor	1	1	1
Quinsey	2	Gout	1	1	1
Bronchitis	4	6	6	16	8	Atrophy	4	4	4
Pleurisy	1	2	..	3	2	Debility	11	1	9	22	12
Pneumonia	49	16	6	71	71	Malformations	1
Hydrothorax	1	3	1	5	6	Sudden Deaths	4	5	4	13	12
Asthma	1	14	20	35	28	Diseases of Uncer- tain Seat	30	35	36	102	102
Consumption	25	122	3	151	146	Old Age, or Natural Decay	2	80	82	79
Dis. of Lungs, &c. (3)	9	7	6	22	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	90	170	42	303	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	8	12	4	24	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	8	12	4	24	26
Dis. of Heart, &c. (4)	1	11	3	15	15	Causes not specified ..	3	2	..	5	13
Diseases of the Heart and Bloodvessels. }	1	12	3	16	16	Deaths from all Causes	361	310	207	881	
Tecthing	14	14	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	13	3	4	20	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	3	..	3	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	5	3	(2) Paralysis from Lead, 1.	(8) Ischuria, 2. Cystitis.				
Ascites	2	2	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.				
Hernia	2	..	2	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	2	1	..	3	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	..	1	2	3	4						
Hepatitis	1	..	1	1						
Jaundice	1	1	2						
Dis. of Liver, &c. (7)	2	7	3	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	36	19	12	67	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					151		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					173		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					180		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					169		239			
TOTAL. Males, 459. Females, 422. (Weekly average 1838, Males, 520. Females, 493.)					208		238				
					881		1013				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated 1838. The Ages of 3 persons who died of "Disease of the Brain," "Consumption," and "Debility," were not stated.

General Register Office, April 2nd, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th April, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	2	..	7	73	Nephritis5
Measles	14	14	11	Diabetes4
Scarlatina	42	3	..	45	29	Stone4
Whooping Cough	16	16	40	Stricture6
Croup	8	8	7	Dis. of Kidneys, &c.	1	1	2	3
Thrush	4	4	6	Diseases of the Kid- neys, &c.}	..	1	1	2	5
Diarrhœa	1	..	1	2	8	Childbed (8*)	5	..	5	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera	1	1	.3	Dis. of Uterus, &c. (9)	..	5	1	6	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	10
Typhus (1)	12	17	1	30	78	Rheumatism	4	..	4	4
Erysipelas	3	4	2	9	8	Dis. of Joints, &c. (10)	..	1	1	2	4
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	..	5	1	6	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	107	28	4	139	255	Fistula4
Cephalitis	8	2	1	11	10	Dis. of Skin, &c. (11)4
Hydrocephalus	33	3	..	36	34	Diseases of the Skin, &c.}	1
Apoplexy	3	7	13	23	19	Inflammation	7	2	2	11	18
Paralysis	11	13	24	14	Hæmorrhage	1	1	2	4
Convulsions	50	1	..	51	67	Dropsy	2	22	19	43	34
Epilepsy	2	4	..	6	4	Abscess	1	1	..	2	4
Insanity	2	1	3	1	Mortification	1	3	4	8	4
Delirium Tremens	2	..	2	1	Scrofula (12)	1	2	..	3	1
Dis. of Brain, &c. (2)	6	6	1	13	6	Carcinoma	4	3	7	6
Diseases of the Brain, Nerves, and Senses. }	102	38	29	169	156	Tumor	1	1	1
Quinsey	3	1	1	5	2	Gout	1	..	1	1
Bronchitis	3	6	2	11	8	Atrophy	6	1	..	7	4
Pleurisy	1	2	..	3	2	Debility	21	..	12	33	12
Pneumonia	60	19	6	85	71	Malformations	1
Hydrothorax	2	2	2	6	6	Sudden Deaths	6	14	7	27	12
Asthma	21	14	35	28	Diseases of Uncer- tain Seat	45	51	49	145	102
Consumption	26	111	8	145	146	Old Age, or Natural Decay	78	78	79
Dis. of Lungs, &c. (3)	2	14	4	20	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	97	176	37	310	275	Privation6
Pericarditis3	Violent Deaths (13) ..	12	22	9	48	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	12	22	9	48	26
Dis. of Heart, &c. (4)	1	11	7	19	15	Causes not specified	3	1	4	13
Diseases of the Heart and Bloodvessels. }	1	12	7	20	16	Deaths from all Causes	387	361	223	976	
Teething	13	13	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	4	7	..	11	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever, 2.	(7) Disease of Spleen.				
Tabes Mesenterica ..	4	4	3	(2) Tetanus, 2. Chorea.	(8) Ischuria. Cystitis, 2.				
Ascites4	(3) Laryngitis.	(9) Paramenia, 2.				
Ulceration	1	1	1	3	1	(4)	(10) Arthritis, 1.				
Hernia	2	1	3	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	2	2	4						
Hepatitis	1						
Jaundice	1	2	..	3	2						
Dis. of Liver, &c. (7)	..	2	2	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	23	15	6	44	57						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.	158	156
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	180	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	189	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	203	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	246	238
TOTAL. Males, 501. Females, 475. (Weekly average 1838, Males, 520. Females, 493.)	976	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The Ages of 5 Persons who died “Violent Deaths” were not stated. This is the last Week in the Quarter; and the Number of Registered Deaths has been somewhat augmented by cases of Sudden and Violent Deaths, (Inquests) which, in some Districts, were allowed to accumulate for the Signature of the Coroner.

General Register Office, April 9th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th April, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	8	3	..	11	73	Nephritis5	
Measles	13	13	11	Diabetes4	
Scarlatina	31	3	..	34	29	Stone4	
Whooping Cough	17	17	40	Stricture	2	2	.6	
Croup	9	9	7	Dis. of Kidneys, &c. (8)	..	3	..	3	3	
Thrush	1	1	6	Diseases of the Kid- neys, &c. }	..	3	2	5	5	
Diarrhoea	2	2	8	Childbed	6	..	6	8	
Dysentery	1	..	1	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	2	
Influenza	1	1	2	1	Childbed, Diseases of the Uterus, &c. .. }	..	6	..	6	10	
Typhus (1)	6	12	5	23	78	Rheumatism	2	1	3	4	
Erysipelas	1	4	2	7	8	Dis. of Joints, &c. (10)	4	4	4	
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	4	2	1	7	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases }	88	25	8	121	265	Fistula	1	1	.4	
Cephalitis	8	1	..	9	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	36	36	34	Diseases of the Skin, &c. }	1	1	1	
Apoplexy	13	5	18	19	Inflammation	5	1	..	6	18	
Paralysis	2	7	9	18	14	Hæmorrhage	1	2	..	3	4	
Convulsions	56	56	67	Dropsy	6	16	8	30	34	
Epilepsy	5	..	5	4	Abscess	2	1	1	4	4	
Insanity	1	Mortification	2	3	5	4	
Delirium Tremens	1	Scrofula (12)	2	1	1	4	1	
Dis. of Brain, &c. (2)	2	2	..	4	6	Carcinoma	1	8	1	10	6	
Diseases of the Brain, Nerves, and Senses }	104	28	14	146	156	Tumor	1	..	1	1	
Quinsey	1	1	..	2	2	Gout	2	2	1	
Bronchitis	1	2	4	7	8	Atrophy	2	1	..	3	4	
Pleurisy	1	1	2	2	Debility	7	..	2	9	12	
Pneumonia	54	11	3	68	71	Malformations	1	1	1	
Hydrothorax	3	..	3	6	Sudden Deaths	2	6	1	9	12	
Asthma	11	12	23	28	Diseases of Uncer- tain Seat	29	39	19	87	102	
Consumption	34	116	9	159	146	Old Age, or Natural Decay	3	82	85	79	
Dis. of Lungs, &c. (3)	1	12	4	17	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration }	91	157	33	281	275	Privation6	
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	12	11	2	25	25	
Aneurism	1	1	2	.5	Deaths by Violence, Pri- vation, or Intemperance }	12	11	2	25	26	
Dis. of Heart, &c. (4)	2	16	4	22	15	Causes not specified ..	1	1	..	2	13	
Diseases of the Heart and Bloodvessels }	2	18	5	25	16	Deaths from all Causes	366	309	176	851		
Teething	14	14	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	11	4	1	16	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	3	3	1	(1) Ague. Remittent Fever, 2.	(7) Disease of Spleen.					
Tabes Mesenterica ..	6	6	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.					
Ascites4	(3) Laryngitis, 1.	(9) Paramenia.					
Ulceration	1	(4)	(10) Arthritis.					
Hernia	1	1	2	2	(5) Intussusception.	(11) Carbuncle.					
Colic or Ileus (5)	1	1	4	(6) Stricture of œsophagus, 2. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	1	4	2	7	4							
Hepatitis	1							
Jaundice	2	2	2							
Dis. of Liver, &c. (7)	1	7	1	9	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	16	9	60	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.					Average Weekly Deaths, 1838.	
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					134						
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					162						
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					155						
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					178						
	222					238						
TOTAL. Males, 439. Females, 412. (Weekly average 1838, Males, 520. Females, 493.)						851					1013	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, April 16th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th April, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	6	6	73	Nephritis	1	..	1	.5	
Measles	20	1	..	21	11	Diabetes4	
Scarlatina	30	5	1	36	29	Stone	1	1	.4	
Whooping Cough	30	30	40	Stricture6	
Croup	5	5	7	Dis. of Kidneys, &c. (8)	1	1	3	
Thrush	3	3	6	Diseases of the Kid- neys, &c. }	..	1	2	3	5	
Diarrhoea	8	Childbed	5	..	5	8	
Dysentery	1	..	1	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2	
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	6	..	6	10	
Typhus (1)	8	18	5	31	78	Rheumatism	1	1	2	4	
Erysipelas	1	3	1	5	8	Dis. of Joints, &c. (10)	2	3	..	5	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles }	2	4	1	7	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases }	103	28	7	138	255	Fistula	1	..	1	.4	
Cephalitis	8	..	2	10	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	41	41	34	Diseases of the Skin, &c. }	..	1	..	1	1	
Apoplexy	5	7	12	19	Inflammation	3	1	..	4	18	
Paralysis	7	7	14	14	Hæmorrhage	4	..	4	4	
Convulsions	74	74	67	Dropsy	7	15	10	32	34	
Epilepsy	5	1	6	4	Abscess	2	5	..	7	4	
Insanity	1	Mortification	1	2	4	7	4	
Delirium Tremens	3	..	3	1	Scrofula (12)	2	..	2	1	
Dis. of Brain, &c. (2)	4	1	1	6	6	Carcinoma	5	4	9	6	
Diseases of the Brain, Nerves, and Senses. }	127	21	18	166	156	Tumor	1	1	1	3	1	
Quinsey	1	1	2	Gout	1	1	1	
Bronchitis	8	4	3	15	8	Atrophy	2	2	4	
Pleurisy	1	1	2	Debility	11	3	4	18	12	
Pneumonia	49	12	13	74	71	Malformations	2	2	1	
Hydrothorax	2	1	3	6	Sudden Deaths	4	1	1	6	12	
Asthma	20	13	33	28	Diseases of Uncer- tain Seat	33	39	25	97	102	
Consumption	32	111	6	149	146	Old Age, or Natural Decay	3	65	68	79	
Dis. of Lungs, &c. (3)	2	8	3	13	10	Intemperance	1	..	1	.4	
Diseases of the Lungs, and other Organs of Respiration }	92	157	40	289	275	Privation6	
Pericarditis3	Violent Deaths (13) ..	6	18	7	31	25	
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	6	19	7	32	26	
Dis. of Heart, &c. (4)	1	13	6	20	15	Causes not specified ..	3	3	13	
Diseases of the Heart and Bloodvessels. }	1	13	6	20	16	Deaths from all Causes	399	311	175	885		
Teething	21	21	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	2	7	2	11	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	2	..	2	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.					
Tabes Mesenterica ..	3	1	..	4	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.					
Ascites4	(3) Laryngitis.	(9) Paramenia l.					
Ulceration	1	(4) Worms.	(10) Arthritis.					
Hernia	2	(5) Intussusception l.	(11) Carbuncle.					
Colic or Ileus (5)	1	..	1	4	(6) Stricture of œsophagus, l. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	3	5	1	9	4							
Hepatitis	2	..	2	1							
Jaundice	2	1	..	3	2							
Dis. of Liver, &c. (7)	1	..	1	2	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	19	4	55	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.					Average Weekly Deaths, 1838.	
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					144						
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					189						
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					151						
South Districts. }	St. Saviour; St. Olave; Bernondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					190						
TOTAL. Males. 467. Females, 418. (Weekly average 1838, Males, 520. Females, 493.)						211						238
						885						1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, April 23rd, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th April, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838									
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards											
Small Pox	5	1	..	6	73	Nephritis5									
Measles	20	20	11	Diabetes4									
Scarlatina	32	3	1	36	29	Stone	1	..	1	.4									
Hooping Cough	33	33	40	Stricture6									
Croup	9	9	7	Dis. of Kidneys, &c. (8)	..	3	..	3	3									
Thrush	2	2	6	<i>Diseases of the Kid-</i>	..	4	..	4	5									
Diarrhoea	3	1	1	5	8	<i>neys, &c.</i>									
Dysentery	2	Childbed	7	..	7	8									
Cholera3	Ovarian Dropsy3									
Influenza	1	Dis. of Uterus, &c. (9)	..	2	..	2	2									
Typhus (1)	12	16	2	30	78	<i>Childbed, Diseases of</i>	..	9	..	9	10									
Erysipelas	2	4	..	6	8	<i>the Uterus, &c. ..</i>									
Syphilis	1	Rheumatism	4	..	4	4									
Hydrophobia2	Dis. of Joints, &c. (10)	2	2	..	4	4									
<i>Epidemic, Endemic, &</i>	118	25	4	147	265	<i>Diseases of the Joints,</i>	2	6	..	8	8									
<i>Contagious Diseases</i>	<i>Bones and Muscles</i>									
Cephalitis	5	2	..	7	10	Ulcer4									
Hydrocephalus	46	46	34	Fistula	1	1	.4									
Apoplexy	1	6	10	17	19	Dis. of Skin, &c. (11)	1	1	.4									
Paralysis	5	6	11	14	<i>Diseases of the Skin,</i>	1	..	1	2	1									
Convulsions	65	65	67	<i>&c.</i>									
Epilepsy	3	1	4	4	Inflammation	3	4	..	7	18									
Insanity	1	..	1	1	Hæmorrhage	1	2	1	4	4									
Delirium Tremens	1	1	1	Dropsy	6	17	13	36	34									
Dis. of Brain, &c. (2)	5	6	2	13	6	Abscess	1	1	1	3	4									
<i>Diseases of the Brain,</i>	122	23	20	165	156	Mortification	3	3	6	4									
<i>Nerves, and Senses.</i>	Scrofula (12)	1	1	..	2	1									
Quinsey	2	Carcinoma	5	5	6									
Bronchitis	5	6	3	14	8	Tumor	1	..	1	2	1									
Pleurisy	2	Gout	1	1	1									
Pneumonia	59	16	3	78	71	Atrophy	4	1	..	5	4									
Hydrothorax	1	2	1	4	6	Debility	12	2	4	18	12									
Asthma	11	9	20	28	Malformations	1	1	1									
Consumption	24	109	11	144	146	Sudden Deaths	3	9	4	16	12									
Dis. of Lungs, &c. (3)	3	6	5	14	10	<i>Diseases of Uncer-</i>	33	40	33	106	102									
<i>Diseases of the Lungs, and</i>	92	150	32	274	275	<i>tain Seat</i>									
<i>other Organs of Respiration</i>	<i>Old Age, or Natural</i>	67	67	79									
Pericarditis3	<i>Decay</i>									
Aneurism	2	..	2	.5	Intemperance4									
Dis. of Heart, &c. (4)	1	10	6	17	15	Privation6									
<i>Diseases of the Heart</i>	1	12	6	19	16	<i>Violent Deaths (13) ..</i>	7	19	2	28	25									
<i>and Bloodvessels.</i>	<i>Deaths by Violence, Pri-</i>	7	19	2	28	26									
Teething	15	15	15	<i>vation, or Intemperance</i>									
Gastritis—Enteritis ..	7	2	2	11	17	Causes not specified ..	1	1	..	2	13									
Peritonitis	1	..	1	1	Deaths from all Causes	408	304	176	888										
Tabes Mesenterica ..	5	5	3	Weekly Average, 1838.	466	352	192	..	1013									
Ascites	1	1	2	.4	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.														
Ulceration	1	1	1	(1) Ague, 1. Remittent Fever, 1.	(7) Disease of Spleen.													
Hernia	2	3	5	2	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.													
Colic or Ileus (5) ..	1	1	..	2	4	(3) Laryngitis.	(9) Paramenia.													
Dis. of Stomach, &c. (6)	..	1	2	3	4	(4) Worms.	(10) Arthritis.													
Hepatitis	1	(5) Intussusception	(11) Carbuncle. Phlegmon.													
Jaundice	2	..	2	2	(6) Stricture of œsophagus. Hema-	(12) Purpura.													
Dis. of Liver, &c. (7)	3	5	2	10	7	temesis. Disease of Pancreas.														
<i>Diseases of the Stomach,</i>	31	15	11	57	57															
<i>Liver, and other Or-</i>															
<i>gans of Digestion</i>															
<i>West</i>											Deaths in the									
<i>Districts.</i>	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James										Week.									
											Average Weekly									
<i>North</i>	St. Mary-le-bone; St. Paneras; Islington; Hackney										Deaths, 1838.									
<i>Districts.</i>																				
<i>Central</i>	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London;																			
<i>Districts.</i>	City of London																			
<i>East</i>	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar																			
<i>Districts.</i>																				
<i>South</i>	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell;																			
<i>Districts.</i>	Rotherhithe; Greenwich																			
TOTAL. Males, 462. Females, 426. (Weekly average 1838, Males, 520. Females, 493.)																				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Paneras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, April 30th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd May, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	2	..	15	73	Nephritis5
Measles	21	21	11	Diabetes	1	..	1	.4
Scarlatina	31	4	..	35	29	Stone	2	2	.4
Hooping Cough	26	26	40	Stricture6
Croup	9	9	7	Dis. of Kidneys, &c. (8)	..	4	1	5	3
Thrush	9	9	6	Diseases of the Kid- neys, &c.	5	3	8	5
Diarrhoea	1	1	2	4	8	Childbed	7	..	7	8
Dysentery	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	1	1	2	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c.	8	1	9	10
Typhus (1)	8	12	5	25	78	Rheumatism	1	1	2	4
Erysipelas	1	3	1	5	8	Dis. of Joints, &c. (10)	..	1	..	1	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	2	1	3	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases	120	22	9	151	265	Fistula4
Cephalitis	10	4	..	14	10	Dis. of Skin, &c. (11)4
Hydrocephalus	30	..	2	32	34	Diseases of the Skin, &c.	1
Apoplexy	4	8	12	19	Inflammation	4	3	1	8	18
Paralysis	10	13	23	14	Hæmorrhage	5	..	5	4
Convulsions	40	1	..	41	67	Dropsy	3	15	11	29	34
Epilepsy	4	2	6	4	Abscess	3	4	..	7	4
Insanity	1	Mortification	2	2	4
Delirium Tremens	1	..	1	1	Scrofula (12)	2	1	1	4	1
Dis. of Brain, &c. (2)	2	2	1	5	6	Carcinoma	5	1	6	6
Diseases of the Brain, Nerves, and Senses.	82	26	26	134	156	Tumor	1
Quinsey	2	1	1	4	2	Gout	1	1	2	1
Bronchitis	1	5	2	8	8	Atrophy	7	..	1	8	4
Pleurisy	1	..	1	2	Debility	11	1	5	17	12
Pneumonia	71	16	5	92	71	Malformations	1
Hydrothorax	1	1	3	5	6	Sudden Deaths	5	7	4	16	12
Asthma	10	5	15	28	Diseases of Uncer- tain Seat	35	42	27	104	102
Consumption	24	99	8	131	146	Old Age, or Natural Decay	2	66	68	79
Dis. of Lungs, &c. (3)	2	6	2	10	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration	101	139	26	266	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	7	13	4	25	25
Aneurism	2	..	2	.5	Deaths by Violence, Pri- vation, or Intemperance	7	14	4	26	26
Dis. of Heart, &c. (4)	2	10	3	15	15	Causes not specified ..	1	3	..	4	13
Diseases of the Heart and Bloodvessels.	2	13	3	18	16	Deaths from all Causes	380	304	168	853	
Teething	18	18	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	5	7	1	13	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	2	..	3	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
Tabes Mesenterica ..	6	1	..	7	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis, 1.				
Ascites4	(3) Laryngitis, 1.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) ..	(10) Arthritis.				
Hernia	2	1	3	2	(5) Intussusception, 2.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus, 2. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	1	8	..	9	4	Worms, 1.					
Hepatitis	1	..	1	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c. (7)	1	5	..	6	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	28	2	62	57						
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney					140		156			
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London;					165		172			
East Districts. {	City of London					170		208			
South Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					151		239			
	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell;					227		238			
	Rotherhithe; Greenwich					853		1013			
TOTAL. Males, 459. Females, 394. (Weekly average 1838, Males, 520. Females, 493.)											

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1810, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The age of one person who died a violent death was not stated.

General Register Office, May 7th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th May, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	10	3	..	13	73	Nephritis5
Measles	19	19	11	Diabetes4
Scarlatina	38	4	..	42	29	Stone4
Hooping Cough	25	25	40	Stricture6
Croup	7	7	7	Dis. of Kidneys, &c. (8)	..	3	..	3	3
Thrush	4	4	6	Diseases of the Kid- neys, &c.}	..	3	..	3	5
Diarrhœa	3	..	3	6	8	Childbed	5	..	5	8
Dysentery	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ..}	..	5	..	5	10
Typhus (1)	13	18	10	41	78	Rheumatism	2	..	2	4
Erysipelas	1	4	5	8	Dis. of Joints, &c. (10)	1	..	1	2	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	1	2	1	4	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	119	26	17	162	255	Fistula4
Cephalitis	15	2	2	19	10	Dis. of Skin, &c. (11)4
Hydrocephalus	31	2	5	38	34	Diseases of the Skin, &c.}	1
Apoplexy	8	12	20	19	Inflammation	3	3	..	6	18
Paralysis	4	..	4	14	Hæmorrhage	3	2	5	4
Convulsions	50	50	67	Dropsy	6	14	11	31	34
Epilepsy	5	1	6	4	Abscess	2	5	1	8	4
Insanity	1	..	1	1	Mortification	5	3	8	4
Delirium Tremens	4	..	4	1	Scrofula (12)	2	..	1	3	1
Dis. of Brain, &c. (2)	3	3	..	6	6	Carcinoma	7	1	8	6
Diseases of the Brain, Nerves, and Senses. }	99	29	20	148	156	Tumor	1	1	2	1
Quinsey	2	Gout	1
Bronchitis	1	5	4	10	8	Atrophy	4	..	1	5	4
Pleurisy	3	1	4	2	Debility	11	4	3	18	12
Pneumonia	44	15	7	66	71	Malformations	1
Hydrothorax	1	3	1	5	6	Sudden Deaths	2	3	1	7	12
Asthma	10	6	16	28	Diseases of Uncer- tain Seat	30	45	25	101	102
Consumption	31	114	3	148	146	Old Age, or Natural Decay	58	58	79
Dis. of Lungs, &c. (3)	4	4	5	13	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration }	81	154	27	262	275	Privation	1	..	1	.6
Pericarditis3	Violent Deaths (13) ..	2	17	1	21	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	2	19	1	23	26
Dis. of Heart, &c. (4)	1	9	2	12	15	Causes not specified ..	1	1	1	3	13
Diseases of the Heart and Bloodvessels. }	1	9	2	12	16	Deaths from all Causes	367	298	163	830	
Teething	21	21	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	6	2	2	10	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	4	4	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) ..	(10) Arthritis.				
Hernia	1	1	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	1	2	3	4	(6) Stricture of œsophagus, l. Hema- temesis. Disease of Pancreas. Worms, l.	(12) Purpura.				
Dis. of Stomach, &c. (6)	1	..	2	3	4						
Hepatitis	1						
Jaundice	2	2	2						
Dis. of Liver, &c. (7)	1	1	2	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	33	5	11	49	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}					Deaths in the Week.	136				
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					Average Weekly Deaths, 1838.	172				
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London						208				
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						239				
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich						223				
TOTAL. Males, 418. Females, 412. (Weekly average 1838, Males, 520. Females, 493.)							830				
							1013				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of two persons who died sudden and violent deaths were not stated.

General Register Office, May 14th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th May, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	15	3	..	18	73	Nephritis5	
Measles	17	17	11	Diabetes	1	1	2	.4	
Scarlatina	42	3	1	46	29	Stone	1	..	1	.4	
Whooping Cough	25	25	40	Stricture6	
Croup	9	9	7	Dis. of Kidneys, &c. (8)	..	3	..	3	3	
Thrush	4	4	6	Diseases of the Kid- neys, &c. }	..	5	1	6	5	
Diarrhoea	2	2	8	Childbed	4	..	4	8	
Dysentery	1	1	2	Ovarian Dropsy	2	..	2	.3	
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2	
Influenza	1	Childbed, Diseases of the Uterus, &c. }	..	7	..	7	10	
Typhus (1)	9	15	4	28	78	Rheumatism	3	..	3	4	
Erysipelas	3	2	2	7	8	Dis. of Joints, &c. (10)	2	4	1	7	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles }	2	7	1	10	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases }	127	23	7	157	265	Fistula	2	..	2	.4	
Cephalitis	13	2	..	15	10	Dis. of Skin, &c. (11)	1	1	.4	
Hydrocephalus	35	2	..	37	34	Diseases of the Skin, } &c. }	1	2	..	3	1	
Apoplexy	2	4	11	17	19	Inflammation	3	2	..	5	18	
Paralysis	11	7	18	14	Hæmorrhage	2	2	1	5	4	
Convulsions	53	1	..	54	67	Dropsy	7	16	14	37	34	
Epilepsy	2	1	3	4	Abscess	8	..	8	4	
Insanity	1	..	1	1	Mortification	2	..	2	4	4	
Delirium Tremens	2	..	2	1	Scrofula (12)	1	1	1	
Dis. of Brain, &c. (2)	3	2	..	5	6	Carcinoma	7	5	12	6	
Diseases of the Brain, } Nerves, and Senses. }	106	27	19	152	156	Tumor	1	..	1	1	
Quinsey	4	..	1	5	2	Gout	1	..	1	1	
Bronchitis	3	5	8	8	Atrophy	2	2	4	
Pleurisy	1	1	2	Debility	14	5	8	27	12	
Pneumonia	52	10	5	67	71	Malformations	2	2	1	
Hydrothorax	2	1	2	5	6	Sudden Deaths	4	8	3	15	12	
Asthma	11	6	17	28	Diseases of Uncer- tain Seat	37	50	33	120	102	
Consumption	22	96	5	123	146	Old Age, or Natural Decay	62	62	79	
Dis. of Lungs, &c. (3)	5	7	..	12	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration }	85	128	25	238	275	Privation6	
Pericarditis3	Violent Deaths (13) ..	2	10	3	15	25	
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	2	10	3	15	26	
Dis. of Heart, &c. (4)	1	12	2	16	15	Causes not specified	1	..	1	13	
Diseases of the Heart } and Bloodvessels. }	1	12	2	16	16	Deaths from all Causes	394	295	163	853		
Teething	17	17	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	7	11	2	20	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	(1) Ague. Remittent Fever, 3.	(7) Disease of Spleen, 1.					
Tabes Mesenterica ..	5	5	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis, 1.					
Ascites	1	1	2	.4	(3) Laryngitis, 1.	(9) Paramenia.					
Ulceration	1	1	1	(4) ..	(10) Arthritis.					
Hernia	1	1	2	(5) Intussusception, 1.	(11) Carbuncle.					
Colic or Ileus (5)	1	1	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	3	6	1	10	4	Worms, 1.	Phlegmon.					
Hepatitis	1							
Jaundice	2							
Dis. of Liver, &c. (7)	1	5	3	9	7							
Diseases of the Stomach, } Liver, and other Or- gans of Digestion ..	33	23	10	66	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										148	156
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London										148	172
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										158	208
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										182	239
											217	238
TOTAL. Males, 435. Females, 418. (Weekly average 1838, Males, 520. Females, 493.)											853	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The age of one person who died of disease of the heart was not stated.

General Register Office, May 21st, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd May, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	14	1	..	15	73	Nephritis5
Measles	18	18	11	Diabetes	1	..	1	.4
Scarlatina	31	4	..	35	29	Stone4
Hooping Cough	11	11	40	Stricture6
Croup	8	8	7	Dis. of Kidneys, &c. (8)	..	1	2	3	3
Thrush	2	1	..	3	6	Diseases of the Kid- neys, &c. }	..	2	2	4	5
Diarrhoea	2	2	8	Childbed	4	..	4	8
Dysentery	2	Ovarian Dropsy3
Cholera	1	1	.3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	5	..	5	10
Typhus (1)	10	11	4	25	78	Rheumatism	5	1	6	4
Erysipelas	4	3	7	8	Dis. of Joints, &c. (10)	3	3	..	6	4
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	3	8	1	12	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	98	21	7	126	265	Fistula	1	1	.4
Cephalitis	11	1	..	12	10	Dis. of Skin, &c. (11)4
Hydrocephalus	38	1	..	39	34	Diseases of the Skin, &c. }	1	1	1
Apoplexy	7	10	17	19	Inflammation	4	2	1	7	18
Paralysis	5	8	13	14	Hæmorrhage	4	..	4	4
Convulsions	43	43	67	Dropsy	2	15	8	25	34
Epilepsy	1	1	2	4	Abscess	3	4	..	7	4
Insanity	2	1	3	1	Mortification	2	3	3	8	4
Delirium Tremens	1	..	1	1	Scrofula (12)	1
Dis. of Brain, &c. (2)	6	1	..	7	6	Carcinoma	3	3	6	6
Diseases of the Brain, Nerves, and Senses. }	98	19	20	137	156	Tumor	1	1	1	3	1
Quinsey	2	Gout	1	1	1
Bronchitis	1	2	4	7	8	Atrophy	4	..	1	5	4
Pleurisy	1	..	1	2	Debility	13	2	6	21	12
Pneumonia	41	8	2	52	71	Malformations	1
Hydrothorax	1	1	1	3	6	Sudden Deaths	6	5	4	15	12
Asthma	8	7	15	28	Diseases of Uncer- tain Seat	35	39	28	102	102
Consumption	25	97	8	130	146	Old Age, or Natural Decay	2	47	49	79
Dis. of Lungs, &c. (3)	3	5	4	12	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	71	122	26	220	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	1	14	1	17	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	1	14	1	17	26
Dis. of Heart, &c. (4)	2	13	5	20	15	Causes not specified	13
Diseases of the Heart and Bloodvessels. }	2	14	5	21	16	Deaths from all Causes	344	264	146	756	
Teething	15	15	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	11	5	1	17	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever, 4.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	5	3	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.				
Ascites	1	..	1	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	(4) Worms.	(10) Arthritis.				
Hernia	1	4	1	6	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	1	1	..	2	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	3	..	3	6	4						
Hepatitis	1	1	1						
Jaundice	2						
Dis. of Liver, &c. (7)	..	6	2	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	18	8	62	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					114		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					151		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					145		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					152		239			
						194		238			
TOTAL. Males, 423. Females, 333. (Weekly average 1838, Males, 520. Females, 493.)						756		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of two persons who died of "Pneumonia," and by "Violence," were not stated.

General Register Office, May 28th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th May, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838									
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards											
Small Pox	14	1	..	15	73	Nephritis5									
Measles	16	16	11	Diabetes4									
Scarlatina	36	2	1	39	29	Stone	1	1	.4									
Hooping Cough	20	20	40	Stricture6									
Croup	6	6	7	Dis. of Kidneys, &c. (8)	6	6	3									
Thrush	3	3	6	<i>Diseases of the Kid-</i>	7	7	5									
Diarrhœa	1	1	..	2	8	<i>neys, &c.}</i>									
Dysentery	1	..	1	2	Childbed	9	..	9	8									
Cholera	1	..	1	.3	Ovarian Dropsy	1	..	1	.3									
Influenza	1	1	2	1	Dis. of Uterus, &c. (9)	..	2	..	2	2									
Typhus (1)	4	18	4	26	78	<i>Childbed, Diseases of</i>	..	12	..	12	10									
Erysipelas	2	2	4	8	<i>the Uterus, &c. ..}</i>									
Syphilis	1	Rheumatism	1	..	1	4									
Hydrophobia2	Dis. of Joints, &c. (10)	1	1	..	2	4									
<i>Epidemic, Endemic, &</i>	100	27	8	135	265	<i>Diseases of the Joints,</i>	1	2	..	3	8									
<i>Contagious Diseases}</i>	<i>Bones and Muscles}</i>									
Cephalitis	8	2	..	10	10	Ulcer4									
Hydrocephalus	30	..	2	32	34	Fistula4									
Apoplexy	5	6	11	19	Dis. of Skin, &c. (11)4									
Paralysis	11	8	19	14	<i>Diseases of the Skin,</i>	1									
Convulsions	49	49	67	<i>&c.}</i>									
Epilepsy	3	2	5	4	Inflammation	8	3	..	11	18									
Insanity	1	Hæmorrhage	1	2	..	3	4									
Delirium Tremens	1	..	1	1	Dropsy	5	17	12	34	34									
Dis. of Brain, &c. (2)	3	7	1	11	6	Abscess	1	2	..	3	4									
<i>Diseases of the Brain,</i>	90	29	19	138	156	Mortification	1	2	5	8	4									
<i>Nerves, and Senses.}</i>	Scrofula (12)	1	..	1	2	1									
Quinsey	2	Carcinoma	5	4	9	6									
Bronchitis	4	2	1	7	8	Tumor	1	..	1	1									
Pleurisy	1	..	1	2	Gout	1	1	1									
Pneumonia	47	13	8	69	71	Atrophy	5	5	4									
Hydrothorax	1	2	3	6	Debility	12	1	5	18	12									
Asthma	2	8	10	28	Malformations	1									
Consumption	32	106	8	147	146	Sudden Deaths	3	7	2	13	12									
Dis. of Lungs, &c. (3)	1	7	5	13	10	<i>Diseases of Uncer-</i>	37	40	30	108	102									
<i>Diseases of the Lungs, and</i>	84	132	32	250	275	<i>tain Seat}</i>	..	3	51	54	79									
<i>other Organs of Respiration}</i>	Old Age, or Natural									
Pericarditis	1	..	1	.3	<i>Decay</i>									
Aneurism	1	1	.5	Intemperance4									
Dis. of Heart, &c. (4)	1	11	7	19	15	Privation6									
<i>Diseases of the Heart</i>	1	12	8	21	16	Violent Deaths (13) ..	6	7	3	16	25									
<i>and Bloodvessels.}</i>	<i>Deaths by Violence, Pri-</i>	6	7	3	16	26									
Teething	13	13	15	<i>vation, or Intemperance}</i>									
Gastritis—Enteritis ..	5	6	2	13	17	Causes not specified	13									
Peritonitis	1	Deaths from all Causes	339	287	166	795	..									
Tabes Mesenterica	3	Weekly Average, 1838.	466	352	192	..	1013									
Ascites	1	1	2	.4	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.														
Ulceration	1	..	1	1	(1) Ague. Remittent Fever, 2.	(7) Disease of Spleen.													
Hernia	1	..	1	2	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.													
Colic or Ileus (5)	1	1	4	(3) Laryngitis, 4.	(9) Paramenia.													
Dis. of Stomach, &c. (6)	2	6	..	8	4	(4) ..	(10) Arthritis.													
Hepatitis	1	1	1	(5) Intussusception.	(11) Carbuncle.	Phlegmon.												
Jaundice	2	(6) Stricture of œsophagus. Hema-	(12) Purpura.													
Dis. of Liver, &c. (7)	..	8	3	11	7	temesis. Disease of Pancreas.														
<i>Diseases of the Stomach,</i>	20	23	8	51	57	Worms, 1.														
<i>Liver, and other Or-</i>															
<i>gans of Digestion ..}</i>															
<i>West</i>											Deaths in the									
<i>Districts. }</i>	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.										Week.									
<i>North</i>											Average Weekly									
<i>Districts. }</i>	St. Mary-le-bone; St. Pancras; Islington; Hackney										Deaths, 1838.									
<i>Central</i>																				
<i>Districts. }</i>	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London																			
<i>East</i>																				
<i>Districts. }</i>	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar																			
<i>South</i>																				
<i>Districts. }</i>	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich																			
TOTAL. Males, 423. Females, 372. (Weekly average 1838, Males, 520. Females, 493.)																				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of three persons who died of "Pneumonia," "Consumption," and "Suddenly," were not stated.

General Register Office, June 4th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th June, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	9	1	..	10	73	Nephritis5	
Measles	22	22	11	Diabetes4	
Scarlatina	32	1	..	33	29	Stone1	
Whooping Cough	28	28	40	Stricture6	
Croup	5	5	7	Dis. of Kidneys, &c. (8)	..	4	..	4	3	
Thrush	4	4	6	Diseases of the Kid- neys, &c. }	..	4	..	4	5	
Diarrhoea	4	3	..	7	8	Childbed	3	..	3	8	
Dysentery	1	1	2	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	2	..	2	2	
Influenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	5	..	5	10	
Typhus (1)	9	11	1	21	78	Rheumatism	1	2	..	3	4	
Erysipelas	3	2	1	6	8	Dis. of Joints, &c. (10)	2	4	2	8	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles }	3	6	2	11	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases }	116	20	3	139	255	Fistula	1	1	.4	
Cephalitis	12	3	..	15	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	29	1	..	30	34	Diseases of the Skin, &c. }	1	1	1	
Apoplexy	4	8	12	19	Inflammation	4	1	1	6	18	
Paralysis	7	5	12	14	Hæmorrhage	1	1	1	3	4	
Convulsions	65	65	67	Dropsy	1	16	13	30	34	
Epilepsy	2	1	3	4	Abscess	3	3	..	6	4	
Insanity	1	Mortification	1	2	2	5	4	
Delirium Tremens	2	1	3	1	Scrofula (12)	3	1	..	4	1	
Dis. of Brain, &c. (2)	2	3	1	6	6	Carcinoma	2	1	3	6	
Diseases of the Brain, Nerves, and Senses. }	108	22	16	146	156	Tumor	2	..	2	1	
Quinsey	2	Gout	1	1	1	
Bronchitis	1	1	5	7	8	Atrophy	3	1	7	11	4	
Pleurisy	1	2	..	3	2	Debility	14	1	..	15	12	
Pneumonia	44	2	3	49	71	Malformations	2	2	1	
Hydrothorax	1	4	1	6	6	Sudden Deaths	4	8	4	16	12	
Asthma	1	9	10	28	Diseases of Uncer- tain Seat	36	38	30	104	102	
Consumption	25	107	5	137	146	Old Age, or Natural Decay	4	52	56	79	
Dis. of Lungs, &c. (3)	2	8	1	11	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration }	74	125	24	223	275	Privation	1	1	.6	
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	6	14	1	21	25	
Aneurism	2	..	2	.5	Deaths by Violence, Pri- vation, or Intemperance }	6	14	2	22	26	
Dis. of Heart, &c. (4)	3	9	4	16	15	Causes not specified ..	1	1	13	
Diseases of the Heart and Bloodvessels. }	3	12	4	19	16	Deaths from all Causes	372	271	142	785		
Tecthing	12	12	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	10	8	2	20	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica	3	(2) Tetanus, l. Chorea.	(8) Ischuria. Cystitis.					
Ascites	2	..	2	.4	(3) Laryngitis.	(9) Paramenia, l.					
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.					
Hernia	2	2	2	(5) Intussusceptor, l.	(11) Carbuncle. Phlegmon.					
Colic or Ileus (5)	1	..	1	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura, 2.					
Dis. of Stomach, &c. (6)	2	1	2	5	4							
Hepatitis	1	1	1							
Jaundice	1	2	..	3	2							
Dis. of Liver, &c. (7)	..	5	1	6	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	25	21	8	54	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										123	156
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London										148	172
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										160	208
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										174	239
											180	238
TOTAL. Males, 407. Females, 378. (Weekly average 1838, Males, 520. Females, 493.)											785	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras: Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, June 11th, 1840.

Published by permission of the Registrar General by Head and Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, Price One Penny; or forwarded by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th June, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	73	Nephritis	1	1	.5
Measles	20	20	11	Diabetes4
Scarlatina	35	5	..	40	29	Stone4
Hooping Cough	26	26	40	Stricture6
Croup	9	9	7	Dis. of Kidneys, &c. (8)	2	2	3
Thrush	3	3	6	Diseases of the Kid- neys, &c.}	3	3	5
Diarrhoea	7	2	..	9	8	Childbed	5	..	5	8
Dysentery	1	1	2	Ovarian Dropsy3
Cholera	1	..	1	.3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	1	1	2	1	Childbed, Diseases of the Uterus, &c. ...}	..	6	..	6	10
Typhus (1)	8	13	2	23	78	Rheumatism	1	..	1	4
Erysipelas	3	2	5	8	Dis. of Joints, &c. (10)	..	4	..	4	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	5	..	6	8
Hydrophobia2	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases }	130	26	5	161	255	Fistula4
Cephalitis	12	3	1	17	10	Dis. of Skin, &c. (11)4
Hydrocephalus	26	3	..	29	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	1	1	6	8	19	Inflammation	1	..	1	18
Paralysis	2	6	8	14	Hæmorrhage	3	..	3	4
Convulsions	54	54	67	Dropsy	2	22	11	35	34
Epilepsy	2	2	4	4	Abscess	2	2	..	4	4
Insanity	2	..	2	1	Mortification	2	2	2	6	4
Delirium Tremens	3	..	3	1	Scrofula (12)	2	..	1	3	1
Dis. of Brain, &c. (2)	6	3	1	10	6	Carcinoma	7	3	10	6
Diseases of the Brain, Nerves, and Senses. }	99	19	16	135	156	Tumor	1	2	1	4	1
Quinsey	2	Gout	1
Bronchitis	4	1	3	8	8	Atrophy	2	1	..	3	4
Pleurisy	1	..	1	2	Debility	9	4	7	20	12
Pneumonia	43	9	2	54	71	Malformations	3	3	1
Hydrothorax	3	..	3	6	Sudden Deaths	7	8	4	19	12
Asthma	4	6	10	28	Diseases of Uncer- tain Seat	30	52	29	111	102
Consumption	21	103	4	128	146	Old Age, or Natural Decay	56	56	79
Dis. of Lungs, &c. (3)	1	11	1	13	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	69	132	16	217	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	11	24	1	36	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	11	24	1	36	26
Dis. of Heart, &c. (4)	3	15	..	18	15	Causes not specified ..	1	13	13
Diseases of the Heart and Bloodvessels. }	3	17	..	20	16	Deaths from all Causes	382	300	133	819	
Teething	17	17	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	12	6	4	22	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	5	3	(2) Tetanus. Chorea.	(8) Ischuria, l. Cystitis, l.				
Ascites4	(3) Laryngitis, l.	(9) Paramenia.				
Ulceration	1	2	..	3	1	(4) Worms.	(10) Arthritis.				
Hernia	1	1	2	2	(5) Intussusception.	(11) Carbuncle.				
Colic or Ileus (5) ..	1	1	..	2	4	(6) Stricture of œsophagus.	(12) Purpura.				
Dis. of Stomach, &c. (6)	..	2	..	2	4	Hema- temesis. Disease of Pancreas.	Phlegmon.				
Hepatitis	1						
Jaundice	1	1	2						
Dis. of Liver, &c. (7)	3	6	1	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	39	18	7	64	57						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	125	156
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	148	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	165	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	156	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	225	238
TOTAL. Males, 436. Females, 383. (Weekly average 1838, Males, 520. Females, 493.)	819	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of 4 persons were not stated, one of whom died from "Cephalitis," one from "Rheumatism," and two whose cause of death was not specified.

General Register Office, June 18th, 1840.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th June, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	10	1	..	11	73	Nephritis	1	..	1	.5
Measles	33	33	11	Diabetes4
Scarlatina	30	1	..	31	29	Stone4
Hooping Cough	14	14	40	Stricture6
Croup	4	4	7	Dis. of Kidneys, &c. (8)	1	1	3
Thrush	8	8	6	<i>Diseases of the Kid- neys, &c.</i>	..	1	1	2	5
Diarrhoea	3	1	..	4	8	Childbed	6	..	6	8
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.3
Cholera3	Dis. of Uterus, &c. (9)	..	3	..	3	2
Influenza	1	1	1	<i>Childbed, Diseases of the Uterus, &c.</i>	..	10	..	10	10
Typhus (1)	5	11	3	19	78	Rheumatism	2	1	..	3	4
Erysipelas	4	2	6	8	Dis. of Joints, &c. (10)	2	2	4
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles</i>	4	1	..	5	8
Hydrophobia	1	1	.2	Ulcer4
<i>Epidemic, Endemic, & Contagious Diseases</i>	108	19	6	133	265	Fistula4
Cephalitis	5	4	1	10	10	Dis. of Skin, &c. (11)	1	1	.4
Hydrocephalus	32	32	34	<i>Diseases of the Skin, &c.</i>	1	1	1
Apoplexy	5	9	14	19	Inflammation	3	2	1	6	18
Paralysis	9	6	15	14	Hæmorrhage	1	1	4
Convulsions	62	62	67	Dropsy	1	24	8	33	34
Epilepsy	1	..	1	4	Abscess	2	3	..	5	4
Insanity	1	Mortification	1	..	1	2	4
Delirium Tremens	1	Scrofula (12)	4	1	..	5	1
Dis. of Brain, &c. (2)	1	3	1	5	6	Carcinoma	2	6	8	6
<i>Diseases of the Brain, Nerves, and Senses.</i>	100	22	17	139	156	Tumor	1	1	2	1
Quinsey	2	Gout	1
Bronchitis	3	2	3	8	8	Atrophy	3	..	1	4	4
Pleurisy	2	..	2	2	Debility	13	1	5	19	12
Pneumonia	43	8	3	54	71	Malformations	1
Hydrothorax	3	1	4	6	Sudden Deaths	2	7	1	10	12
Asthma	6	2	8	28	<i>Diseases of Uncer- tain Seat</i>	29	41	25	95	102
Consumption	32	107	8	147	146	<i>Old Age, or Natural Decay</i>	..	2	52	54	79
Dis. of Lungs, &c. (3)	1	5	2	8	10	Intemperance	2	..	2	.4
<i>Diseases of the Lungs, and other Organs of Respiration</i>	79	133	19	231	275	Privation6
Pericarditis3	Violent Deaths (13) ..	6	11	2	19	25
Aneurism	1	1	2	.5	<i>Deaths by Violence, Pri- vation, or Intemperance</i>	6	13	2	21	26
Dis. of Heart, &c. (4)	3	10	3	16	15	Causes not specified ..	1	..	1	2	13
<i>Diseases of the Heart and Bloodvessels.</i>	3	11	4	18	16	Deaths from all Causes	374	262	135	771	
Teething	17	17	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	14	4	1	19	17	<p>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</p> <div> <div> (1) Ague. Remittent Fever. (2) Tetanus. Chorea. (3) Laryngitis. (4) Worms. (5) Intussusception. (6) Stricture of œsophagus. Hæmatemesis. Disease of Pancreas. </div> <div> (7) Disease of Spleen. (8) Ischuria. Cystitis. (9) Paramenia. (10) Arthritis. (11) Carbuncle. Phlegmon. (12) Purpura. </div> </div>					
Peritonitis	1						
Tabes Mesenterica ..	7	7	3						
Ascites4						
Ulceration	1						
Hernia	1	1	2	2						
Colic or Ileus (5)	1	..	1	4						
Dis. of Stomach, &c. (6)	3	1	..	4	4						
Hepatitis	1						
Jaundice	2	..	1	3	2						
Dis. of Liver, &c. (7)	..	2	5	7	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion</i> ..	43	9	8	60	57						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	110	156
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	139	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	158	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	170	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	194	238
TOTAL. Males, 402. Females, 369. (Weekly average 1838, Males, 520. Females, 493.)	771	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, June 25th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th June, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	1	..	12	73	Nephritis	1	..	1	.5
Measles	35	1	..	36	11	Diabetes4
Scarlatina	37	2	..	39	29	Stone4
Whooping Cough	21	21	40	Stricture6
Croup	6	6	7	Dis. of Kidneys, &c. (8)	..	2	2	4	3
Thrush	11	11	6	<i>Diseases of the Kid-</i>	..	3	2	5	5
Diarrhœa	7	..	1	8	<i>neys, &c.</i>						
Dysentery	2	2	2	Childbed	5	..	5	8
Cholera3	Ovarian Dropsy3
Influenza	1	1	1	Dis. of Uterus, &c. (9)	2
Typhus (1)	11	10	2	23	78	<i>Childbed, Diseases of</i>	..	5	..	5	10
Erysipelas	2	..	5	7	8	<i>the Uterus, &c. ..</i>					
Syphilis	1	..	1	1	Rheumatism	4
Hydrophobia2	Dis. of Joints, &c. (10)	1	5	..	6	4
<i>Epidemic, Endemic, &</i>	142	15	10	167	255	<i>Diseases of the Joints,</i>	1	5	..	6	8
<i>Contagious Diseases</i>						<i>Bones and Muscles</i>					
Cephalitis	10	1	..	11	10	Ulcer	2	2	.4
Hydrocephalus	31	31	34	Fistula4
Apoplexy	12	5	17	19	Dis. of Skin, &c. (11)4
Paralysis	3	6	9	14	<i>Diseases of the Skin,</i>	2	2	1
Convulsions	66	..	1	67	67	<i>&c.</i>					
Epilepsy	4	1	5	4	Inflammation	3	..	1	4	18
Insanity	1	..	1	1	Hæmorrhage	3	1	4	4
Delirium Tremens	6	..	6	1	Dropsy	7	19	11	37	34
Dis. of Brain, &c. (2)	3	6	1	10	6	Abscess	2	..	2	4
<i>Diseases of the Brain,</i>	110	33	14	157	156	Mortification	1	3	2	6	4
<i>Nerves, and Senses.</i>						Scrofula (12)	1	1	2	1
Quinsey	1	1	2	Carcinoma	4	1	6	6
Bronchitis	2	1	3	8	Tumor	1	..	1	1
Pleurisy	2	Gout	1
Pneumonia	40	7	7	54	71	Atrophy	9	2	1	12	4
Hydrothorax	1	1	2	4	6	Debility	17	2	2	21	12
Asthma	4	4	8	28	Malformations	1	1	1
Consumption	35	106	4	145	146	Sudden Deaths	5	7	2	14	12
Dis. of Lungs, &c. (3)	2	3	4	9	10	<i>Diseases of Uncer-</i>	43	44	22	110	102
<i>Diseases of the Lungs, and</i>	79	123	22	224	275	<i>tain Seat</i>					
<i>other Organs of Respiration</i>						Old Age, or Natural	48	48	79
Pericarditis3	Decay
Aneurism	1	..	1	.5	Intemperance4
Dis. of Heart, &c. (4)	1	11	4	16	15	Privation6
<i>Diseases of the Heart</i>	1	12	4	17	16	Violent Deaths (13) ..	7	17	4	28	25
<i>and Bloodvessels.</i>						<i>Deaths by Violence, Pri-</i>	7	17	4	28	26
Teething	11	11	15	<i>vation, or Intemperance</i>					
Gastritis—Enteritis ..	6	12	2	20	17	Causes not specified ..	1	1	..	2	13
Peritonitis	1	2	..	3	1	Deaths from all Causes	409	283	131	824	
Tabes Mesenterica ..	3	1	..	4	3	Weekly Average, 1838.	466	352	192	..	1013
Ascites	1	..	1	.4	<i>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</i>					
Ulceration	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Hernia	1	1	2	2	(2) Tetanus. Chorea, 1.	(8) Ischuria, 2. Cystitis.				
Colic or Ileus (5)	4	(3) Laryngitis, 1.	(9) Paramenia.				
Dis. of Stomach, &c. (6)	1	1	1	3	4	(4) Worms.	(10) Arthritis.				
Hepatitis	1	..	1	1	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Jaundice	1	..	1	2	2	(6) Stricture of œsophagus. Hæma-	(12) Purpura, 1.				
Dis. of Liver, &c. (7)	..	6	..	6	7	temesis, 1. Disease of Pancreas.					
<i>Diseases of the Stomach,</i>	23	25	5	53	57						
<i>Liver, and other Or-</i>											
<i>gans of Digestion ..</i>											

		Deaths in the Week.	Average Weekly Deaths, 1838.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	144	156
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	139	172
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	174	208
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	170	239
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	197	238
TOTAL. Males, 441. Females, 380. (Weekly average 1838, Males, 520. Females, 493.)		824	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The age of one person who died of "Carcinoma," was not stated. General Register Office, July 2nd, 1840.

A TREATISE ON THE

ARTS AND CRAFTS

OF THE

MANUFACTURE OF

IRON

AND

STEEL

IN

THE

UNITED STATES

OF AMERICA

BY

JOHN W. BARNES

OF THE

ARMY

OF THE

UNITED STATES

OF AMERICA

NEW YORK

1864

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th July, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	1	..	16	73	Nephritis5
Measles	19	19	11	Diabetes4
Scarlatina	52	1	..	53	29	Stone4
Whooping Cough	17	17	40	Stricture6
Croup	8	8	7	Dis. of Kidneys, &c. (8)	..	2	2	4	3
Thrush	9	9	6	Diseases of the Kid- neys, &c.}	..	2	2	4	5
Diarrhoea	8	..	2	10	8						
Dysentery	2	Childbed	5	..	5	8
Cholera3	Ovarian Dropsy	2	..	2	.3
Influenza	2	1	..	3	1	Dis. of Uterus, &c. (9)	..	2	..	2	2
Typhus (1)	8	15	1	24	78	Childbed, Diseases of the Uterus, &c. ..}	..	9	..	9	10
Erysipelas	1	3	..	4	8						
Syphilis	1	Rheumatism	2	..	2	4
Hydrophobia2	Dis. of Joints, &c. (10)	4	1	..	5	4
Epidemic, Endemic, & Contagious Diseases}	139	21	3	163	265	Diseases of the Joints, Bones and Muscles}	4	3	..	7	8
Cephalitis	14	5	..	19	10	Ulcer	2	2	.4
Hydrocephalus	28	2	..	30	34	Fistula4
Apoplexy	3	4	10	17	19	Dis. of Skin, &c. (11)4
Paralysis	7	5	12	14	Diseases of the Skin, &c.}	2	2	1
Convulsions	57	1	..	58	67						
Epilepsy	1	6	1	8	4	Inflammation	2	..	1	3	18
Insanity	2	1	3	1	Hæmorrhage	1	1	4
Delirium Tremens	1	1	2	1	Dropsy	3	17	14	35	34
Dis. of Brain, &c. (2)	2	5	1	8	6	Abscess	1	2	..	3	4
Diseases of the Brain, Nerves, and Senses.}	105	33	19	157	156	Mortification	2	2	4
Quinsey	3	..	1	4	2	Scrofula (12)	1
Bronchitis	2	4	1	7	8	Carcinoma	6	2	8	6
Pleurisy	2	..	2	2	Tumor	1	..	1	1
Pneumonia	33	8	3	44	71	Gout	1
Hydrothorax	6	Atrophy	4	1	..	5	4
Asthma	1	2	6	9	28	Debility	16	1	1	18	12
Consumption	36	109	11	156	146	Malformations	1
Dis. of Lungs, &c. (3)	2	2	1	5	10	Sudden Deaths	6	9	13	28	12
Diseases of the Lungs, and other Organs of Respiration}	77	127	23	227	275	Diseases of Uncer- tain Seat	33	37	33	104	102
Pericarditis	1	1	..	2	.3	Old Age, or Natural Decay	44	44	79
Aneurism	2	..	2	.5						
Dis. of Heart, &c. (4)	..	11	3	14	15	Intemperance	2	..	2	.4
Diseases of the Heart and Bloodvessels.}	1	14	3	18	16	Privation	1	..	1	2	.6
Teething	22	22	15	Violent Deaths (13) ..	5	12	5	22	25
Gastritis—Enteritis ..	11	5	3	19	17	Deaths by Violence, Pri- vation, or Intemperance}	6	14	6	26	26
Peritonitis	2	..	2	1						
Tabes Mesenterica ..	5	5	3	Causes not specified ..	3	2	1	6	13
Ascites4	Deaths from all Causes	408	281	141	831	
Ulceration	2	..	2	1	Weekly Average, 1838.	466	352	192	..	1013
Hernia	2	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Colic or Ileus (5)	1	1	4	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Dis. of Stomach, &c. (6)	..	5	..	5	4	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.				
Hepatitis	1	..	1	1	(3) Polypus in the nose.	(9) Paramenia.				
Jaundice	1	1	2	(4) Worms.	(10) Arthritis.				
Dis. of Liver, &c. (7)	..	4	2	6	7	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	38	19	7	64	57	(6) Stricture of œsophagus, 2. Hema- temesis. Disease of Pancreas.	(12) Purpura.				

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }	109	156
North Districts.		
{ St. Mary-le-bone; St. Pancras; Islington; Hackney	151	172
Central Districts.		
{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	158	208
East Districts.		
{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	165	239
South Districts.		
{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	248	238
TOTAL. Males, 447. Females, 384. (Weekly average 1838, Males, 520. Females, 493.)	831	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The age of one person who died of Dropsy was not stated. This is the last week in the 2nd quarter; and the Number of Registered Deaths has been somewhat augmented by cases of Sudden and Violent Deaths, (Inquests) which, in some districts, were allowed to accumulate for the Signature of the Coroner.

General Register Office, July 9th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th July, 1840.

Causes of Death.	Age			Total	Weekly Average, 1833	Causes of Death.	Age			Total	Weekly Average, 1833
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	10	1	..	11	73	Nephritis5
Measles	20	20	11	Diabetes4
Scarlatina	37	2	..	40	29	Stone4
Hooping Cough	16	16	40	Stricture6
Croup	7	7	7	Dis. of Kidneys, &c. (8)	..	4	3	7	3
Thrush	7	7	6	Diseases of the Kid- neys, &c. }	..	4	3	7	5
Diarrhoea	7	1	1	9	8	Childbed	9	..	9	8
Dysentery	2	Ovarian Dropsy3
Cholera	1	1	..	2	.3	Dis. of Uterus, &c. (9)	..	2	1	3	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	11	1	12	10
Typhus (1)	7	10	2	19	78	Rheumatism	1	..	1	4
Erysipelas	2	3	1	6	8	Dis. of Joints, &c. (10)	3	2	..	5	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	3	3	..	6	8
Hydrophobia2	Ulcer	1	1	2	.4
Epidemic, Endemic, & Contagious Diseases }	114	18	5	138	265	Fistula4
Cephalitis	6	2	..	8	10	Dis. of Skin, &c. (11)	1	1	.4
Hydrocephalus	25	2	..	27	34	Diseases of the Skin, } &c. }	1	1	1	3	1
Apoplexy	7	5	12	19	Inflammation	3	1	..	4	18
Paralysis	9	4	16	29	14	Hæmorrhage	9	3	12	4
Convulsions	51	51	67	Dropsy	2	11	14	27	34
Epilepsy	3	1	4	4	Abscess	2	2	4
Insanity	1	Mortification	1	4	5	4
Delirium Tremens	1	..	1	1	Scrofula (12)	3	1	4	1
Dis. of Brain, &c. (2)	4	2	1	7	6	Carcinoma	5	3	8	6
Diseases of the Brain, Nerves, and Senses }	95	21	23	139	156	Tumor	2	6	1	9	1
Quinsey	1	1	2	Gout	1
Bronchitis	1	1	2	8	Atrophy	2	2	4
Pleurisy	1	1	2	Debility	13	3	7	23	12
Pneumonia	48	12	2	62	71	Malformations	1	1	1
Hydrothorax	2	2	2	6	6	Sudden Deaths	2	7	7	16	12
Asthma	5	5	10	28	Diseases of Uncer- tain Seat	27	46	40	113	102
Consumption	34	102	8	144	146	Old Age, or Natural Decay	61	61	79
Dis. of Lungs, &c. (3)	6	6	2	14	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	91	128	21	240	275	Privation	1	..	1	.6
Pericarditis3	Violent Deaths (13) ..	2	17	4	24	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	2	18	4	25	26
Dis. of Heart, &c. (4)	4	8	6	18	15	Causes not specified ..	2	2	13
Diseases of the Heart } and Bloodvessels. }	4	8	6	18	16	Deaths from all Causes	387	282	169	840	
Teething	29	29	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	12	5	..	17	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen. 2.				
Tabes Mesenterica ..	2	1	..	3	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites	1	..	1	.4	(3) Laryngitis. 1.	(9) Paramenia.				
Ulceration	1	(4) Worms.	(10) Arthritis.				
Hernia	2	1	3	2	(5) Intussusception. 2.	(11) Carbuncle. Phlegmon. 1.				
Colic or Ileus (5) ..	1	1	4	(6) Stricture of œsophagus. 1. Hæma- temesis. 1. Disease of Pancreas.	(12) Purpura. 2.				
Dis. of Stomach, &c. (6)	4	6	1	11	4						
Hepatitis	3	..	3	1						
Jaundice	2						
Dis. of Liver, &c. (7)	..	6	2	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	48	24	4	76	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					123		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					169		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					172		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					161		239			
						215		238			
TOTAL. Males, 447. Females, 393. (Weekly average 1838, Males, 520. Females, 493.)						840		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. The ages of two persons who died of Scarlatina, and by Violence, were not stated.

General Register Office, July 16th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th July, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	11	2	..	13	73	Nephritis	1	..	1	.5	
Measles	22	22	11	Diabetes4	
Scarlatina	37	4	..	41	29	Stone4	
Whooping Cough	19	19	40	Stricture6	
Croup	5	1	..	6	7	Dis. of Kidneys, &c. (8)	2	2	3	
Thrush	2	2	6	Diseases of the Kid- neys, &c. }	..	1	2	3	5	
Diarrhœa	10	1	..	11	8	Childbed	5	..	5	8	
Dysentery	1	1	1	3	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	2	..	2	2	
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	7	..	7	10	
Typhus (1)	9	13	5	27	78	Rheumatism	3	1	4	4	
Erysipelas	8	3	1	12	8	Dis. of Joints, &c. (10)	1	..	1	2	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles }	1	3	2	6	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases }	125	25	7	157	265	Fistula4	
Cephalitis	14	2	..	16	10	Dis. of Skin, &c. (11)4	
Hydrocephalus	44	44	34	Diseases of the Skin, &c. }	1	
Apoplexy	2	7	6	15	19	Inflammation	6	1	..	7	18	
Paralysis	1	6	9	16	14	Hæmorrhage	1	2	3	4	
Convulsions	74	74	67	Dropsy	4	16	12	32	34	
Epilepsy	1	3	1	5	4	Abscess	2	2	..	4	4	
Insanity	1	..	1	1	Mortification	3	4	7	4	
Delirium Tremens	2	..	2	1	Scrofula (12)	4	1	..	5	1	
Dis. of Brain, &c. (2)	1	4	1	6	6	Carcinoma	4	3	7	6	
Diseases of the Brain, Nerves, and Senses. }	137	25	17	179	156	Tumor	2	..	2	1	
Quinsey	1	..	1	2	2	Gout	1	1	1	
Bronchitis	6	3	1	10	8	Atrophy	1	2	1	4	4	
Pleurisy	1	1	2	Debility	6	2	3	11	12	
Pneumonia	31	11	3	45	71	Malformations	1	
Hydrothorax	4	5	9	6	Sudden Deaths	2	9	..	11	12	
Asthma	1	7	7	15	28	Diseases of Uncer- tain Seat	25	43	26	94	102	
Consumption	37	100	5	142	146	Old Age, or Natural Decay	1	63	64	79	
Dis. of Lungs, &c. (3)	1	3	..	4	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration }	77	128	23	228	275	Privation6	
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	2	17	6	25	25	
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	2	17	6	25	26	
Dis. of Heart, &c. (4)	1	16	3	20	15	Causes not specified ..	2	2	13	
Diseases of the Heart and Bloodvessels. }	1	18	3	22	16	Deaths from all Causes	420	288	159	867		
Teething	24	24	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	15	7	3	25	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.					
Tabes Mesenterica ..	5	5	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.					
Ascites	1	1	.4	(3) Laryngitis.	(9) Paramenia.					
Ulceration	1	1	2	1	(4)	(10) Arthritis.					
Hernia	2	(5) Intussusception, 1.	(11) Carbuncle. Phlegmon.					
Colic or Ileus (5) ..	1	1	..	2	4	(6) Stricture of œsophagus, 2. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	3	2	3	8	4	Worms, 2.						
Hepatitis	1	1	1							
Jaundice	1	1	1	3	2							
Dis. of Liver, &c. (7)	..	7	1	8	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	50	20	10	80	57							
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										132	156
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										172	172
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										182	208
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										182	239
											199	238
TOTAL.	Males, 478. Females, 389. (Weekly average 1838, Males, 520. Females, 493.)										867	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, July 23rd, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th July, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	19	2	..	21	73	Nephritis5
Measles	29	29	11	Diabetes4
Scarlatina	30	2	..	32	29	Stone	1	..	1	.4
Hooping Cough	16	16	40	Stricture6
Croup	2	2	7	Dis. of Kidneys, &c. (8)	2	2	3
Thrush	9	9	6	Diseases of the Kid- neys, &c. }	..	1	2	3	5
Diarrhœa	9	2	..	11	8	Childbed	7	..	7	8
Dysentery	2	2	2	Ovarian Dropsy	1	1	2	.3
Cholera	1	2	..	3	.3	Dis. of Uterus, &c. (9)	..	3	1	4	2
Influenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	11	2	13	10
Typhus (1)	11	8	2	21	78	Rheumatism	2	..	2	4
Erysipelas	1	8	1	10	8	Dis. of Joints, &c. (10)	2	2	..	4	4
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	2	4	..	6	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	130	25	3	158	255	Fistula4
Cephalitis	6	3	..	9	10	Dis. of Skin, &c. (11)4
Hydrocephalus	33	2	1	36	34	Diseases of the Skin, } &c. }	1
Apoplexy	2	5	7	14	19	Inflammation	4	1	..	5	18
Paralysis	6	9	15	14	Hæmorrhage	1	..	1	4
Convulsions	55	55	67	Dropsy	2	17	10	29	34
Epilepsy	4	..	4	4	Abscess	2	..	2	4
Insanity	1	1	3+	1	Mortification	2	3	..	5	4
Delirium Tremens	1	Scrofula (12)	1	..	1	1
Dis. of Brain, &c. (2)	3	6	2	11	6	Carcinoma	4	6	10	6
Diseases of the Brain, } Nerves, and Senses. }	99	27	20	147	156	Tumor	4	..	4	1
Quinsey	1	1	2	Gout	1	1	1
Bronchitis	2	5	4	11	8	Atrophy	7	..	2	9	4
Pleurisy	3	1	4	2	Debility	14	4	5	23	12
Pneumonia	35	11	3	49	71	Malformations	1
Hydrothorax	2	4	6	6	Sudden Deaths	3	8	1	12	12
Asthma	3	6	9	28	Diseases of Uncer- tain Seat	32	45	25	102	102
Consumption	34	93	8	135	146	Old Age, or Natural Decay	2	59	61	79
Dis. of Lungs, &c. (3)	2	8	1	11	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	74	125	27	226	275	Privation6
Pericarditis	2	..	2	.3	Violent Deaths (13) ..	3	22	1	27+	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	3	22	1	27	26
Dis. of Heart, &c. (4)	4	13	3	20	15	Causes not specified	13
Diseases of the Heart } and Bloodvessels. }	4	16	3	23	16	Deaths from all Causes	396	304	149	851	
Teething	29	29	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	15	9	1	25	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	1	..	6	3	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.				
Ascites	1	..	1	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	2	1	3	1	(4) Worms.	(10) Arthritis.				
Hernia	1	1	..	2	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	1	..	1	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	2	2	1	5	4						
Hepatitis	1						
Jaundice	3	1	4	2						
Dis. of Liver, &c. (7)	..	6	3	9	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion ..	52	26	7	85	57						
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James							Deaths in the Week.		Average Weekly Deaths, 1838.		
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney							115		156		
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							171		172		
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							156		208		
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							197		239		
							212		238		
TOTAL. Males, 433. Females, 413. (Weekly average 1838, Males, 520. Females, 493.)							851		1013		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. ‡ The ages of Two Persons who died of Insanity and by Violence were not stated.

General Register Office, July 30th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st August, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	17	17	73	Nephritis	1	1	.5
Measles	34	34	11	Diabetes4
Scarlatina	37	1	..	38	29	Stone	1	1	.4
Hooping Cough	16	..	1	17	40	Stricture6
Croup	9	9	7	Dis. of Kidneys, &c. (8)	3	3	3
Thrush	10	10	6	Diseases of the Kid- neys, &c.	1	..	4	5	5
Diarrhœa	12	1	1	14	8	Childbed	5	..	5	8
Dysentery	3	3	2	Ovarian Dropsy3
Cholera	2	2	.3	Dis. of Uterus, &c. (9)	..	3	..	3	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c.	8	..	8	10
Typhus (1)	4	6	4	14	78	Rheumatism	3	..	3	4
Erysipelas	5	2	1	8	8	Dis. of Joints, &c. (10)	1	2	..	3	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	1	5	..	6	8
Hydrophobia2	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases	150	10	8	168	265	Fistula4
Cephalitis	8	..	1	9	10	Dis. of Skin, &c. (11)4
Hydrocephalus	27	27	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	1	6	8	15	19	Inflammation	7	1	1	9	18
Paralysis	7	7	14	14	Hæmorrhage	1	2	1	4	4
Convulsions	76	76	67	Dropsy	5	23	9	37	34
Epilepsy	2	..	2	4	Abscess	1	1	4
Insanity	1	Mortification	3	3	6	4
Delirium Tremens	2	..	2	1	Scrofula (12)	2	..	1	3	1
Dis. of Brain, &c. (2)	1	3	1	5	6	Carcinoma	1	5	3	9	6
Diseases of the Brain, Nerves, and Senses.	113	20	17	150	156	Tumor	2	..	2	1
Quinsey	1	1	2	Gout	1
Bronchitis	3	4	..	7	8	Atrophy	7	7	4
Pleurisy	1	1	2	Debility	15	4	7	26	12
Pneumonia	38	11	2	51	71	Malformations	2	2	1
Hydrothorax	2	1	3	6	Sudden Deaths	1	3	..	4	12
Asthma	1	8	9	28	Diseases of Unce- tain Seat'	42	43	25	110	102
Consumption	34	109	3	146	146	Old Age, or Natural Decay	3	39	42	79
Dis. of Lungs, &c. (3)	..	4	2	6	10	Intemperance	2	..	2	.4
Diseases of the Lungs, and other Organs of Respiration	76	131	17	224	275	Privation6
Pericarditis3	Violent Deaths (13) ..	2	5	1	11†	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance	2	7	1	13	26
Dis. of Heart, &c. (4)	4	9	3	16	15	Causes not specified ..	1	1	13
Diseases of the Heart and Bloodvessels.	4	10	3	17	16	Deaths from all Causes	446	250	130	829	
Teething	26	26	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	11	2	6	19	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	1	1	3	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
Tabes Mesenterica ..	8	8	3	(2) Tetanus. Chorea.	(8) Ischuria, 1. Cystitis, 1.				
Ascites	1	1	2	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	1	1	(4) ..	(10) Arthritis.				
Hernia	1	1	..	2	2	(5) Intussusception, 2.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus, 1. Hema- temesis, 1. Disease of Pancreas.	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	7	3	5	15	4	Worms, 1.					
Hepatitis	1						
Jaundice	1	1	2						
Dis. of Liver, &c. (7)	1	5	1	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	56	13	15	84	57						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.	124	156
North Districts.		
St. Mary-le-bone; St. Paneras; Islington; Hackney	157	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	181	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	154	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	213	238
TOTAL. Males, 419. Females, 380. (Weekly average 1838, Males, 520. Females, 493.)	829	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Paneras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1833 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. ‡ The ages of Three Persons who died Violent Deaths were not stated.

General Register Office, August 6th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th August, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	17	1	..	18	73	Nephritis	1	..	1	.5
Measles	24	24	11	Diabetes4
Scarlatina	32	3	..	35	29	Stone4
Hooping Cough	19	19	40	Stricture	1	..	1	.6
Croup	12	12	7	Dis. of Kidneys, &c. (8)	..	4	2	6	3
Thrush	8	8	6	Diseases of the Kid- neys, &c. }	..	6	2	8	5
Diarrhœa	13	1	..	14	8	Childbed	8	..	8	8
Dysentery	1	1	2	2	Ovarian Dropsy3
Cholera	2	1	1	4	.3	Dis. of Uterus, &c. (9)	2
Influenza	3	3	1	Childbed, Diseases of the Uterus, &c. }	..	8	..	8	10
Typhus (1)	4	12	1	17	78	Rheumatism	1	..	1	4
Erysipelas	2	5	1	8	8	Dis. of Joints, &c. (10)	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	1	..	1	8
Hydrophobia2	Ulcer	1	1	.4
Epidemic, Endemic, & } Contagious Diseases }	136	24	4	164	255	Fistula	1	..	1	.4
Cephalitis	10	3	..	13	10	Dis. of Skin, &c. (11)	1	..	2	3	.4
Hydrocephalus	38	38	34	Diseases of the Skin, &c. }	2	1	2	5	1
Apoplexy	3	4	2	9	19	Inflammation	2	2	..	4	18
Paralysis	1	6	6	13	14	Hæmorrhage	2	..	2	4
Convulsions	73	73	67	Dropsy	5	21	13	39	34
Epilepsy	6	..	6	4	Abscess	4	2	..	6	4
Insanity	1	..	1	1	Mortification	1	1	2	4
Delirium Tremens	1	..	1	1	Scrofula (12)	2	..	2	1
Dis. of Brain, &c. (2)	5	4	..	9	6	Carcinoma	1	1	2	4	6
Diseases of the Brain, } Nerves, and Senses. }	130	25	8	163	156	Tumor	1	1	1
Quinsey	2	Gout	1
Bronchitis	2	1	3	8	Atrophy	9	..	2	11	4
Pleurisy	3	..	3	2	Debility	13	1	6	20	12
Pneumonia	41	8	2	51	71	Malformations	1
Hydrothorax	1	..	1	6	Sudden Deaths	5	3	..	8	12
Asthma	3	2	5	28	Diseases of Uncer- tain Seat	39	35	25	99	102
Consumption	41	94	9	144	146	Old Age, or Natural Decay	2	55	57	79
Dis. of Lungs, &c. (3)	3	7	3	13	10	Intemperance4
Diseases of the Lungs, and } other Organs of Respiration }	85	118	17	220	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	4	11	2	18†	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	4	11	2	18	26
Dis. of Heart, &c. (4)	2	3	7	12	15	Causes not specified	3	..	3	13
Diseases of the Heart } and Bloodvessels. }	2	5	7	14	16	Deaths from all Causes	452	264	131	848	
Teething	22	22	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	19	7	2	28	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever, I.	(7) Disease of Spleen.				
Tabes Mesenterica ..	6	6	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	2	2	1	(4) Worms.	(10) Arthritis.				
Hernia	2	(5) Intussusception.	(11) Carbuncle, I. Phlegmon.				
Colic or Ileus (5)	2	..	2	4	(6) Stricture of œsophagus.	(12) Purpura.				
Dis. of Stomach, &c. (6)	2	..	3	5	4	Hema-temesis, I. Disease of Pancreas.					
Hepatitis	1	1	2	1						
Jaundice	2	3	5	2						
Dis. of Liver, &c. (7)	3	13	..	16	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion .. }	54	25	9	88	57						

		Deaths in the Week.	Average Weekly Deaths, 1838.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	146	156
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	157	172
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	157	208
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	205	239
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	183	238
TOTAL. Males, 437. Females, 411. (Weekly average 1838, Males, 520. Females, 493.)		848	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. † The age of One Person who died a Violent Death was not stated.

General Register Office, August 13th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th August, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	19	1	..	20	73	Nephritis5
Measles	18	18	11	Diabetes	1	..	1	.4
Scarlatina	37	37	29	Stone	1	..	1	.4
Whooping Cough	16	16	40	Stricture6
Croup	10	10	7	Dis. of Kidneys, &c. (8)	2	..	2	3
Thrush	15	15	6	Diseases of the Kid- neys, &c. }	..	4	..	4	5
Diarrhoea	23	3	5	31	8	Childbed	2	..	2	8
Dysentery	2	..	2	2	Ovarian Dropsy3
Cholera	4	2	6	.3	Dis. of Uterus, &c. (9)	1	..	1	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	3	..	3	10
Typhus (1)	7	10	9	26	78	Rheumatism	1	..	1	4
Erysipelas	1	2	..	3	8	Dis. of Joints, &c. (10)	1	1	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	1	1	2	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	147	22	16	185	265	Fistula4
Cephalitis	8	1	..	9	10	Dis. of Skin, &c. (11)4
Hydrocephalus	35	2	..	37	34	Diseases of the Skin, &c. }	1
Apoplexy	4	9	7	20	19	Inflammation	5	3	1	9	18
Paralysis	2	2	6	10	14	Hæmorrhage	2	1	3	4
Convulsions	66	66	67	Dropsy	5	14	12	31	34
Epilepsy	2	1	3	4	Abscess	4	2	..	6	4
Insanity	1	Mortification	1	2	4	7	4
Delirium Tremens	4	..	4	1	Scrofula (12)	1	..	1	2	1
Dis. of Brain, &c. (2) ..	4	6	1	11	6	Carcinoma	2	4	6	6
Diseases of the Brain, Nerves, and Senses. }	119	26	15	160	156	Tumor	1	..	1	1
Quinsey	2	..	2	2	Gout	1	1	1
Bronchitis	2	3	..	5	8	Atrophy	8	1	..	9	4
Pleurisy	2	Debility	22	1	2	25	12
Pneumonia	42	1	..	43	71	Malformations	2	2	1
Hydrothorax	6	Sudden Deaths	2	1	3	6	12
Asthma	4	6	10	28	Diseases of Uncer- tain Seat	50	29	29	108	102
Consumption	53	86	7	146	146	Old Age, or Natural Decay	2	44	46	79
Dis. of Lungs, &c. (3) ..	2	4	4	10	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	99	100	17	216	275	Privation	1	1	.6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	12	12	2	28†	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	13	12	2	29	26
Dis. of Heart, &c. (4) ..	1	11	6	18	15	Causes not specified ..	1	1	13
Diseases of the Heart and Bloodvessels. }	1	12	6	19	16	Deaths from all Causes	507	235	144	888	
Teething	25	25	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	31	11	5	47	17	<p>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</p> <p>(1) Ague. Remittent Fever, I. (7) Disease of Spleen. (2) Tetanus, I. Chorea. (8) Ischuria. Cystitis. (3) Laryngitis. (9) Paramenia. (4) Worms. (10) Arthritis. (5) Intussusception, 2. (11) Carbuncle. Phlegmon. (6) Stricture of œsophagus, I. Hæma-temesis. Disease of Pancreas.</p>					
Peritonitis	2	..	2	1						
Tabes Mesenterica ..	8	1	..	9	3						
Ascites	2	2	.4						
Ulceration	1						
Hernia	1	..	1	2						
Colic or Ileus (5) ..	2	1	..	3	4						
Dis. of Stomach, &c. (6) ..	10	1	..	11	4						
Hepatitis	1	1	1						
Jaundice	1	2	3	2						
Dis. of Liver, &c. (7) ..	1	6	4	11	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	77	24	14	115	57						

West districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	129	156
North districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	172	172
Central districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	170	208
East districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	189	239
South districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	228	238
TOTAL. Males, 446. Females, 442. (Weekly average 1838, Males, 520. Females, 493.)	888	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838. § The ages of Two Persons who died Violent Deaths were not stated.

General Register Office, August 20th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd August, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	12	12	73	Nephritis	1	..	1	.5
Measles	28	28	11	Diabetes4
Scarlatina	43	1	..	44	29	Stone	1	1	.4
Whooping Cough	16	16	40	Stricture	1	..	1	.6
Croup	6	6	7	Dis. of Kidneys, &c. (8)	3	1	4	3
Thrush	15	15	6	Diseases of the Kid- neys, &c. }	..	5	2	7	5
Diarrhoea	16	3	1	20	8	Childbed	9	..	9	8
Dysentery	3	1	..	4	2	Ovarian Dropsy3
Cholera	2	4	..	6	.3	Dis. of Uterus, &c. (9)	2	1	3	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. }	..	11	1	12	10
Typhus (1)	13	11	3	27	78	Rheumatism	4
Erysipelas	3	..	3	8	Dis. of Joints, &c. (10) ..	1	1	1	3	4
Syphilis	1	2	..	3	1	Diseases of the Joints, Bones and Muscles }	1	1	1	3	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & } Contagious Diseases }	155	25	5	185	265	Fistula4
Cephalitis	16	1	..	17	10	Dis. of Skin, &c. (11) ..	1	1	.4
Hydrocephalus	35	1	..	36	34	Diseases of the Skin, } &c. }	1	1	1
Apoplexy	1	7	9	17	19	Inflammation	3	1	..	4	18
Paralysis	2	8	10	14	Hæmorrhage	2	..	2	4
Convulsions	68	68	67	Dropsy	4	19	12	35	34
Epilepsy	4	Abscess	2	3	1	6	4
Insanity	1	Mortification	2	4	6	4
Delirium Tremens	1	..	1	1	Scrofula (12)	1	1	1
Dis. of Brain, &c. (2) ..	3	4	1	8	6	Carcinoma	1	7	..	8	6
Diseases of the Brain, } Nerves, and Senses. }	123	16	18	157	156	Tumor	1	1	1
Quinsey	1	2	1	4	2	Gout	2	2	2	1
Bronchitis	2	5	..	7	8	Atrophy	5	..	2	7	4
Pleurisy	2	Debility	17	6	4	27	12
Pneumonia	31	3	5	39	71	Malformations	2	2	1
Hydrothorax	1	..	1	6	Sudden Deaths	1	6	4	11	12
Asthma	4	4	8	28	Diseases of Uncer- tain Seat	36	46	30	112	102
Consumption	48	91	3	142	146	Old Age, or Natural Decay	1	55	56	79
Dis. of Lungs, &c. (3) ..	2	6	3	11	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	84	112	16	212	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	2	18	5	25	25
Aneurism	2	..	2	.5	Deaths by Violence, Pri- vation, or Intemperance }	2	18	5	25	26
Dis. of Heart, &c. (4)	9	..	9	15	Causes not specified ..	1	1	13
Diseases of the Heart } and Bloodvessels. }	..	12	..	12	16	Deaths from all Causes	474	265	136	875	
Teething	24	24	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	31	7	1	39	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	2	..	2	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	5	3	(2) Tetanus, 2. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	2	..	2	1	(4) Intussusception, 1.	(10) Arthritis.				
Hernia	2	(6) Stricture of œsophagus.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	1	1	4	Hema-temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6) ..	10	1	..	11	4	Worms, 1.					
Hepatitis	1	..	1	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. (7)	4	1	5	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion }	71	18	3	92	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					137		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					176		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					149		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					191		239			
TOTAL. Males, 454. Females, 421. (Weekly average 1838, Males, 520. Females, 493.)						222		238			
						875		1013			

Published by permission of the Registrar General by Head and Barnes at Mr. Hartwell's Printing Office, Red Lion Court, Fleet Street, Write One Penny; or forwarded, by Post, to any part of the Kingdom, 2s. 3d. per Quarter.

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

General Register Office, August 27th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th August, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	25	25	73	Nephritis	1	1	.5
Measles	21	21	11	Diabetes4
Scarlatina	35	35	29	Stone	1	1	.4
Hooping Cough	8	8	40	Stricture	1	..	1	.6
Croup	6	6	7	Dis. of Kidneys, &c. (8)	1	2	1	4	3
Thrush	20	20	6	Diseases of the Kid- neys, &c.	1	3	3	7	5
Diarrhœa	20	1	1	22	8	Childbed	2	..	2	8
Dysentery	3	3	2	Ovarian Dropsy3
Cholera	1	1	.3	Dis. of Uterus, &c. (9)	1	1	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.	2	1	3	10
Typhus (1)	11	11	1	23	78	Rheumatism	2	2	4
Erysipelas	1	..	1	8	Dis. of Joints, &c. (10)	..	3	1	4	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	3	3	6	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases	151	13	2	166	255	Fistula	1	1	.4
Cephalitis	18	4	..	22	10	Dis. of Skin, &c. (11)4
Hydrocephalus	34	1	1	36	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	1	7	3	11	19	Inflammation	5	1	..	6	18
Paralysis	1	4	14	19	14	Hæmorrhage	3	..	3	4
Convulsions	81	81	67	Dropsy	1	15	12	28	34
Epilepsy	4	..	4	4	Abscess	1	3	..	4	4
Insanity	1	Mortification	1	1	1	3	4
Delirium Tremens	1	..	1	1	Serofula (12)	3	..	1	4	1
Dis. of Brain, &c. (2)	4	2	1	7	6	Carcinoma	11	2	13	6
Diseases of the Brain, Nerves, and Senses.	139	23	19	181	156	Tumor	2	..	2	1
Quinsey	2	Gout	1
Bronchitis	1	4	2	7	8	Atrophy	6	1	..	7	4
Pleurisy	1	1	2	Debility	18	1	1	20	12
Pneumonia	25	6	1	32	71	Malformations	1	1	1
Hydrothorax	1	3	3	7	6	Sudden Deaths	2	2	2	6	12
Asthma	4	4	28	Diseases of Uncer- tain Seat	38	40	19	97	102
Consumption	34	88	9	131	146	Old Age, or Natural Decay	46	46	79
Dis. of Lungs, &c. (3)	1	6	1	8	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration	63	107	20	190	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	4	12	3	20†	25
Anenrism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance	4	12	3	20	26
Dis. of Heart, &c. (4)	2	6	2	10	15	Causes not specified	1	..	1	13
Diseases of the Heart and Bloodvessels.	2	8	2	12	16	Deaths from all Causes	457	234	128	820	
Teething	25	25	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	19	5	1	25	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	3	..	3	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	5	5	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	5	..	1	6	1	(4) ..	(10) Arthritis.				
Hernia	1	..	1	2	(5) Intussusception, 1.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	1	1	1	3	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	2	3	1	6	4	Worms, 1.					
Hepatitis	1						
Jaundice	1	1	..	2	2						
Dis. of Liver, &c. (7)	1	8	5	14	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	59	22	9	90	57						
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney					122		156			
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					148		172			
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					157		208			
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					190		239			
						203		238			
TOTAL. Males, 418. Females, 402. (Weekly average 1838, Males, 520. Females, 493.)						820		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died a Violent Death was not stated.

General Register Office, September 3rd, 1840.

A TABLE OF MORTALITY

1847

SHOWING THE NUMBER OF DEATHS IN EACH WEEK, AND THE TOTAL NUMBER OF DEATHS IN THE YEAR 1847

1847

Week	Deaths	Total	Males	Females	Infants	Children	Adults	Old	Total
1	1	1	1	0	0	0	0	0	1
2	1	1	1	0	0	0	0	0	1
3	1	1	1	0	0	0	0	0	1
4	1	1	1	0	0	0	0	0	1
5	1	1	1	0	0	0	0	0	1
6	1	1	1	0	0	0	0	0	1
7	1	1	1	0	0	0	0	0	1
8	1	1	1	0	0	0	0	0	1
9	1	1	1	0	0	0	0	0	1
10	1	1	1	0	0	0	0	0	1
11	1	1	1	0	0	0	0	0	1
12	1	1	1	0	0	0	0	0	1
13	1	1	1	0	0	0	0	0	1
14	1	1	1	0	0	0	0	0	1
15	1	1	1	0	0	0	0	0	1
16	1	1	1	0	0	0	0	0	1
17	1	1	1	0	0	0	0	0	1
18	1	1	1	0	0	0	0	0	1
19	1	1	1	0	0	0	0	0	1
20	1	1	1	0	0	0	0	0	1
21	1	1	1	0	0	0	0	0	1
22	1	1	1	0	0	0	0	0	1
23	1	1	1	0	0	0	0	0	1
24	1	1	1	0	0	0	0	0	1
25	1	1	1	0	0	0	0	0	1
26	1	1	1	0	0	0	0	0	1
27	1	1	1	0	0	0	0	0	1
28	1	1	1	0	0	0	0	0	1
29	1	1	1	0	0	0	0	0	1
30	1	1	1	0	0	0	0	0	1
31	1	1	1	0	0	0	0	0	1
32	1	1	1	0	0	0	0	0	1
33	1	1	1	0	0	0	0	0	1
34	1	1	1	0	0	0	0	0	1
35	1	1	1	0	0	0	0	0	1
36	1	1	1	0	0	0	0	0	1
37	1	1	1	0	0	0	0	0	1
38	1	1	1	0	0	0	0	0	1
39	1	1	1	0	0	0	0	0	1
40	1	1	1	0	0	0	0	0	1
41	1	1	1	0	0	0	0	0	1
42	1	1	1	0	0	0	0	0	1
43	1	1	1	0	0	0	0	0	1
44	1	1	1	0	0	0	0	0	1
45	1	1	1	0	0	0	0	0	1
46	1	1	1	0	0	0	0	0	1
47	1	1	1	0	0	0	0	0	1
48	1	1	1	0	0	0	0	0	1
49	1	1	1	0	0	0	0	0	1
50	1	1	1	0	0	0	0	0	1
51	1	1	1	0	0	0	0	0	1
52	1	1	1	0	0	0	0	0	1
53	1	1	1	0	0	0	0	0	1
54	1	1	1	0	0	0	0	0	1
55	1	1	1	0	0	0	0	0	1
56	1	1	1	0	0	0	0	0	1
57	1	1	1	0	0	0	0	0	1
58	1	1	1	0	0	0	0	0	1
59	1	1	1	0	0	0	0	0	1
60	1	1	1	0	0	0	0	0	1
61	1	1	1	0	0	0	0	0	1
62	1	1	1	0	0	0	0	0	1
63	1	1	1	0	0	0	0	0	1
64	1	1	1	0	0	0	0	0	1
65	1	1	1	0	0	0	0	0	1
66	1	1	1	0	0	0	0	0	1
67	1	1	1	0	0	0	0	0	1
68	1	1	1	0	0	0	0	0	1
69	1	1	1	0	0	0	0	0	1
70	1	1	1	0	0	0	0	0	1
71	1	1	1	0	0	0	0	0	1
72	1	1	1	0	0	0	0	0	1
73	1	1	1	0	0	0	0	0	1
74	1	1	1	0	0	0	0	0	1
75	1	1	1	0	0	0	0	0	1
76	1	1	1	0	0	0	0	0	1
77	1	1	1	0	0	0	0	0	1
78	1	1	1	0	0	0	0	0	1
79	1	1	1	0	0	0	0	0	1
80	1	1	1	0	0	0	0	0	1
81	1	1	1	0	0	0	0	0	1
82	1	1	1	0	0	0	0	0	1
83	1	1	1	0	0	0	0	0	1
84	1	1	1	0	0	0	0	0	1
85	1	1	1	0	0	0	0	0	1
86	1	1	1	0	0	0	0	0	1
87	1	1	1	0	0	0	0	0	1
88	1	1	1	0	0	0	0	0	1
89	1	1	1	0	0	0	0	0	1
90	1	1	1	0	0	0	0	0	1
91	1	1	1	0	0	0	0	0	1
92	1	1	1	0	0	0	0	0	1
93	1	1	1	0	0	0	0	0	1
94	1	1	1	0	0	0	0	0	1
95	1	1	1	0	0	0	0	0	1
96	1	1	1	0	0	0	0	0	1
97	1	1	1	0	0	0	0	0	1
98	1	1	1	0	0	0	0	0	1
99	1	1	1	0	0	0	0	0	1
100	1	1	1	0	0	0	0	0	1

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th September, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	22	1	..	23	73	Nephritis	2	..	2	.5
Measles	21	21	11	Diabetes4
Scarlatina	45	3	..	48	29	Stone4
Whooping Cough	16	16	40	Stricture6
Croup	6	6	7	Dis. of Kidneys, &c. (8)	..	1	..	1	3
Thrush	12	12	6	Diseases of the Kid- neys, &c. }	..	3	..	3	5
Diarrhœa	15	1	4	20	8	Childbed	3	..	3	8
Dysentery	1	1	1	3	2	Ovarian Dropsy3
Cholera	2	2	2	6	.3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	4	..	4	10
Typhus (1)	17	14	4	35	78	Rheumatism	1	1	4
Erysipelas	2	5	1	8	8	Dis. of Joints, &c. (10)	..	3	..	3	4
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	..	3	1	4	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & } Contagious Diseases }	159	27	13	199	265	Fistula	1	..	1	.4
Cephalitis	9	3	..	12	10	Dis. of Skin, &c. (11)4
Hydrocephalus	38	2	1	41	34	Diseases of the Skin, &c. }	..	1	..	1	1
Apoplexy	2	7	9	18	19	Inflammation	2	2	18
Paralysis	2	11	13	14	Hæmorrhage	1	..	1	4
Convulsions	58	58	67	Dropsy	3	11	12	26	34
Epilepsy	4	Abscess	4	..	4	4
Insanity	1	Mortification	3	1	4	4
Delirium Tremens	1	..	1	1	Scrofula (12)	1	2	..	3	1
Dis. of Brain, &c. (2)	4	4	..	8	6	Carcinoma	4	5	9	6
Diseases of the Brain, Nerves, and Senses. }	111	19	21	151	156	Tumor	1	..	1	1
Quinsey	1	1	2	Gout	1	..	1	1
Bronchitis	1	1	8	Atrophy	11	11	4
Pleurisy	2	..	1	3	2	Debility	12	4	3	19	12
Pneumonia	37	5	2	44	71	Malformations	1
Hydrothorax	4	1	5	6	Sudden Deaths	3	7	2	12	12
Asthma	6	6	12	28	Diseases of Uncer- tain Seat	32	38	23	93	102
Consumption	30	87	11	128	146	Old Age, or Natural Decay	49	49	79
Dis. of Lungs, &c. (3)	1	8	3	12	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	71	110	25	206	275	Privation6
Pericarditis3	Violent Deaths (13) ..	6	24	3	34†	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance }	6	24	3	34	26
Dis. of Heart, &c. (4)	2	7	5	14	15	Causes not specified	2	1	3	13
Diseases of the Heart and Bloodvessels. }	2	7	5	14	16	Deaths from all Causes	447	258	151	857	
Teething	27	27	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	23	12	5	40	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	2	..	2	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
Tabes Mesenterica ..	9	9	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites	1	1	.4	(3) Laryngitis, 1.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.				
Hernia	1	..	1	2	(5) Intussusception, 1.	(11) Carbuncle.				
Colic or Ileus (5)	1	1	2	4	(6) Stricture of œsophagus.	(12) Purpura, 1.				
Dis. of Stomach, &c. (6)	5	..	2	7	4	Hema- temesis. Disease of Pancreas.					
Hepatitis	1	1	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c. (7)	1	2	1	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	66	20	10	96	57						

		Deaths in the Week.	Average Weekly Deaths, 1838.
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	126	156
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney	163	172
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	160	208
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	194	239
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	214	238
TOTAL. Males, 436. Females, 421. (Weekly average 1838, Males, 520. Females, 493.)		857	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838, as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ Age of 3 not stated, 1838.

‡ The Age of One who died a Violent Death was not stated.

General Register Office, September 9th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th September, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	73	Nephritis5
Measles	13	13	11	Diabetes4
Scarlatina	35	5	..	40	29	Stone4
Hooping Cough	9	9	40	Stricture6
Croup	6	6	7	Dis. of Kidneys, &c. (8)	..	1	1	2	3
Thrush	10	10	6	<i>Diseases of the Kid- neys, &c.</i>	..	1	1	2	5
Diarrhœa	31	5	4	40	8	Childbed	6	..	6	8
Dysentery	1	1	2	Ovarian Dropsy3
Cholera	4	4	2	10	.3	Dis. of Uterus, &c. (9)	..	1	..	1	2
Influenza	1	1	1	<i>Childbed, Diseases of the Uterus, &c. ..</i>	..	7	..	7	10
Typhus (1)	9	14	..	23	78	Rheumatism	2	1	3	4
Erysipelas	1	1	8	Dis. of Joints, &c. (10)	1	1	4
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles</i>	1	2	1	4	8
Hydrophobia2	Ulcer	1	1	.4
<i>Epidemic, Endemic, & Contagious Diseases</i>	141	29	6	176	265	Fistula4
Cephalitis	12	3	..	15	10	Dis. of Skin, &c. (11)4
Hydrocephalus	42	1	..	43	34	<i>Diseases of the Skin, &c.</i>	1	1	1
Apoplexy	2	8	4	14	19	Inflammation	4	..	1	5	18
Paralysis	11	10	21	14	Hæmorrhage	1	..	1	4
Convulsions	59	59	67	Dropsy	6	20	8	34	34
Epilepsy	1	3	1	5	4	Abscess	1	2	..	3	4
Insanity	1	1	1	Mortification	1	2	1	4	4
Delirium Tremens	1	Scrofula (12)	1	1	1
Dis. of Brain, &c. (2)	8	6	..	14	6	Carcinoma	6	2	8	6
<i>Diseases of the Brain, Nerves, and Senses.</i>	124	32	16	172	156	Tumor	1	..	1	1
Quinsey	1	1	..	2	2	Gout	2	..	2	1
Bronchitis	1	1	2	4	8	Atrophy	9	9	4
Pleurisy	1	1	..	2	2	Debility	15	1	3	19	12
Pneumonia	32	4	2	38	71	Malformations	1	1	1
Hydrothorax	1	3	1	5	6	Sudden Deaths	2	7	2	11	12
Asthma	1	3	4	28	<i>Diseases of Uncer- tain Seat</i>	39	42	18	99	102
Consumption	32	101	4	137	146	Old Age, or Natural Decay	42	42	79
Dis. of Lungs, &c. (3)	1	5	2	8	10	Intemperance	2	..	2	.4
<i>Diseases of the Lungs, and other Organs of Respiration</i>	69	117	14	200	275	Privation6
Pericarditis	1	1	.3	Violent Deaths (13) ..	6	11	3	20	25
Aneurism5	<i>Deaths by Violence, Pri- vation, or Intemperance</i>	6	13	3	22	26
Dis. of Heart, &c. (4)	..	18	6	25+	15	Causes not specified	1	1	13
<i>Diseases of the Heart and Bloodvessels.</i>	..	18	7	26	16	Deaths from all Causes	449	282	121	853	
Teething	31	31	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	23	10	5	38	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
Tabes Mesenterica ..	11	11	3	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.				
Ascites	1	1	.4	(3) Laryngitis, 1.	(9) Paramenia.				
Ulceration	1	(4) Worms.	(10) Arthritis.				
Hernia	1	..	1	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5) ..	1	1	..	2	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	1	1	1	3	4						
Hepatitis	3	..	3	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c. (7)	..	5	4	9	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion ..</i>	68	21	12	101	57						

West Districts.		Deaths in the Week.	Average Weekly Deaths, 1838.
{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }		110	156
North Districts.			
{ St. Mary-le-bone; St. Pancras; Islington; Hackney		166	172
Central Districts.			
{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London		169	208
East Districts.			
{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		211	239
South Districts.			
{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich		197	238
TOTAL. Males, 431. Females, 422. (Weekly average 1838, Males, 520. Females, 493.)		853	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality:—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died of Disease of the Heart was not stated.

General Register Office, September 17th, 1840

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th September, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	2	..	23	73	Nephritis5
Measles	23	23	11	Diabetes4
Scarlatina	33	2	..	35	29	Stone	1	1	2	.4
Whooping Cough	12	12	40	Stricture6
Croup	3	3	7	Dis. of Kidneys, &c. (8)	..	1	..	1	3
Thrush	6	6	6	Diseases of the Kid- neys, &c.	2	1	3	5
Diarrhoea	24	3	2	29	8	Childbed	6	..	6	8
Dysentery	2	2	2	Ovarian Dropsy3
Cholera	3	3	1	7	.3	Dis. of Uterus, &c. (9)	..	2	..	2	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	8	..	8	10
Typhus (1)	5	7	..	12	78	Rheumatism	1	3	..	4	4
Erysipelas	4	..	4	8	Dis. of Joints, &c. (10)	1	2	..	3	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	2	5	..	7	8
Hydrophobia2	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases	130	21	5	156	265	Fistula4
Cephalitis	7	1	..	8	10	Dis. of Skin, &c. (11)4
Hydrocephalus	37	2	1	40	34	Diseases of the Skin, &c.	1	..	1	1
Apoplexy	2	4	10	16	19	Inflammation	2	1	..	3	18
Paralysis	5	11	16	14	Hæmorrhage	2	..	2	4
Convulsions	61	1	..	62	67	Dropsy	7	15	14	36	34
Epilepsy	2	..	2	4	Abscess	1	..	1	4
Insanity	1	..	1	1	Mortification	1	3	..	4	4
Delirium Tremens	2	..	2	1	Scrofula (12)	2	2	1
Dis. of Brain, &c. (2)	..	2	2	4	6	Carcinoma	4	2	6	6
Diseases of the Brain, Nerves, and Senses.	107	20	24	151	156	Tumor	2	2	4	1
Quinsey	1	1	2	Gout	1
Bronchitis	1	..	2	3	8	Atrophy	11	1	..	12	4
Pleurisy	1	..	1	2	Debility	11	3	..	14	12
Pneumonia	31	8	1	40	71	Malformations	1	1	1
Hydrothorax	2	..	2	6	Sudden Deaths	2	1	..	3	12
Asthma	7	4	12 ⁺	28	Diseases of Uncer- tain Seat	37	33	18	88	102
Consumption	41	90	5	136	146	Old Age, or Natural Decay	3	60	63	79
Dis. of Lungs, &c. (3)	3	1	2	6	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration	76	109	15	201	275	Privation6
Pericarditis3	Violent Deaths (13) ..	5	10	1	16	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance	5	11	1	17	26
Dis. of Heart, &c. (4)	1	7	7	15	15	Causes not specified ..	1	1	13
Diseases of the Heart and Bloodvessels.	1	7	7	15	16	Deaths from all Causes	432	249	139	821	
Teething	35	35	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	20	8	3	31	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	3	..	4	1	(1) Ague, 1. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	6	6	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.				
Hernia	2	(5) Intussusception, 1.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus. Hæma- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	7	4	2	13	4						
Hepatitis	1	1	2	1						
Jaundice	2	1	..	3	2						
Dis. of Liver, &c. (7)	2	11	2	15	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	73	29	8	110	57						
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney					110		156			
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					152		172			
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					151		208			
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					211		239			
TOTAL. Males, 393. Females, 428. (Weekly average 1838, Males, 520. Females, 493.)						197		238			
						821		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

The Age of 3 not stated 1838. ‡ The Age of One who died from Asthma was not stated.

General Register Office, September 22nd, 1840.

A TABLE OF MORTALITY

FOR THE YEAR 1847

PREPARED BY THE COMMISSIONERS OF THE GENERAL LAND OFFICE, IN ACCORDANCE WITH AN ACT OF PARLIAMENT, IN THAT BEHALF PASSED IN THE YEAR 1846.

AGE	MALES	FEMALES
0	1000	1000
1	990	990
2	980	980
3	970	970
4	960	960
5	950	950
6	940	940
7	930	930
8	920	920
9	910	910
10	900	900
11	890	890
12	880	880
13	870	870
14	860	860
15	850	850
16	840	840

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th September, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	18	18	73	Nephritis5	
Measles	27	27	11	Diabetes4	
Scarlatina	39	2	..	42†	29	Stone	1	1	.4	
Whooping Cough	17	17	40	Stricture6	
Croup	5	5	7	Dis. of Kidneys, &c. (8)	3	1	4	3	
Thrush	8	8	6	Diseases of the Kid- neys, &c.	3	2	5	5	
Diarrhœa	18	5	3	26	8	Childbed	4	..	4	8	
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.3	
Cholera	1	..	1	.3	Dis. of Uterus, &c. (9)	2	2	4	2	
Influenza	1	Childbed, Diseases of the Uterus, &c.	7	2	9	10	
Typhus (1)	10	19	4	33	78	Rheumatism	1	1	4	
Erysipelas	4	2	6	8	Dis. of Joints, &c. (10) ..	3	1	..	4	4	
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles	3	1	1	5	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases	142	32	10	185	265	Fistula4	
Cephalitis	5	1	..	6	10	Dis. of Skin, &c. (11)	1	..	1	.4	
Hydrocephalus	32	32	34	Diseases of the Skin, &c.	1	..	1	1	
Apoplexy	1	8	11	20	19	Inflammation	3	1	2	6	18	
Paralysis	3	9	12	14	Hæmorrhage	1	1	2	4	
Convulsions	51	..	1	53†	67	Dropsy	7	17	18	43†	34	
Epilepsy	1	1	2	4	Abscess	6	1	7	4	
Insanity	1	Mortification	2	3	2	7	4	
Delirium Tremens	2	..	2	1	Scrofula (12)	3	3	1	
Dis. of Brain, &c. (2)	3	7	1	11	6	Carcinoma	1	4	3	8	6	
Diseases of the Brain, Nerves, and Senses.	92	22	22	138	156	Tumor	1	1	..	2	1	
Quinsey	2	1	..	3	2	Gout	1	1	1	
Bronchitis	1	..	1	8	Atrophy	5	1	..	6	4	
Pleurisy	2	..	2	2	Debility	11	4	3	18	12	
Pneumonia	43	6	3	52	71	Malformations	2	2	1	
Hydrothorax	1	..	2	3	6	Sudden Deaths	5	7	3	15	12	
Asthma	9	7	16	28	Diseases of Uncer- tain Seat	40	45	34	120	102	
Consumption	31	31	6	118	146	Old Age, or Natural Decay	52	52	79	
Dis. of Lungs, &c. (3)	2	5	5	12	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration	79	105	23	207	275	Privation6	
Pericarditis	1	1	..	2	.3	Violent Deaths (13) ..	7	9	5	21	25	
Aneurism	3	..	3	.5	Deaths by Violence, Pri- vation, or Intemperance	7	9	5	21	26	
Dis. of Heart, &c. (4)	1	7	1	9	15	Causes not specified ..	1	1	13	
Diseases of the Heart and Bloodvessels.	2	11	1	14	16	Deaths from all Causes	422	253	159	838†		
Teething	22	22	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	29	3	2	34	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica ..	2	2	3	(2) Tetanus. Chorea.	(8) Ischuria, l. Cystitis.					
Ascites	1	..	1	.4	(3) Laryngitis.	(9) Paramenia.					
Ulceration	1	(4) Worms.	(10) Arthritis.					
Hernia	1	..	1	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.					
Colic or Ileus (5)	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	2	4	..	6	4							
Hepatitis	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. (7)	..	8	3	12†	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	56	17	6	80	57							
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....										Deaths in the Week.	Average Weekly Deaths, 1838.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney										119	156
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										143	172
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										159	208
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										191	239
											226	238
TOTAL. Males, 450. Females, 388. (Weekly average 1838, Males, 520. Females, 493.)											838	1013

Published (by permission of the Registrar General) by Head and Barnes at Mr. Hornell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Four Persons who died respectively of "Scarlatina," "Convulsions," "Liver Disease," and "Dropsy," were not stated.

General Register Office, October 1st, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd October, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	29	1	..	30	73	Nephritis5
Measles	28	28	11	Diabetes	1	1	.4
Scarlatina	48	..	1	49	29	Stone	1	1	.4
Hooping Cough	17	17	40	Stricture6
Croup	10	10	7	Dis. of Kidneys, &c. (8)	..	3	1	4	3
Thrush	9	9	6	Diseases of the Kid- neys, &c.	3	3	6	5
Diarrhoea	20	1	5	26	8	Childbed	6	..	6	8
Dysentery	1	1	1	3	2	Ovarian Dropsy3
Cholera	1	..	1	.3	Dis. of Uterus, &c. (9)	..	1	2	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	7	2	9	10
Typhus (1)	9	20	5	34	78	Rheumatism	2	1	1	4	4
Erysipelas	1	3	..	4	8	Dis. of Joints, &c. (10)	1	1	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	3	1	1	5	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases	172	27	12	211	265	Fistula	1	1	.4
Cephalitis	14	4	..	18	10	Dis. of Skin, &c. (11)4
Hydrocephalus	32	1	..	33	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	1	7	2	10	19	Inflammation	6	6	18
Paralysis	6	9	15	14	Hæmorrhage	3	1	4	4
Convulsions	46	46	67	Dropsy	2	12	5	19	34
Epilepsy	2	..	2	4	Abscess	1	1	4
Insanity	1	Mortification	2	6	9†	4
Delirium Tremens	1	1	1	Scrofula (12)	2	4	..	6	1
Dis. of Brain, &c. (2)	4	1	..	5	6	Carcinoma	1	1	..	2	6
Diseases of the Brain, Nerves, and Senses.	97	21	12	130	156	Tumor	1	..	1	2	1
Quinsey	1	1	2	Gout	1
Bronchitis	6	3	2	11	8	Atrophy	7	7	4
Pleurisy	3	..	3	2	Debility	12	2	6	20	12
Pneumonia	50	10	1	61	71	Malformations	1	1	1
Hydrothorax	1	1	2	4	6	Sudden Deaths	3	2	5	10	12
Asthma	5	9	14	28	Diseases of Uncer- tain Seat	36	26	24	87	102
Consumption	33	79	9	121	146	Old Age, or Natural Decay	1	66	67	79
Dis. of Lungs, &c. (3)	3	3	2	8	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration	94	104	25	223	275	Privation	1	1	.6
Pericarditis3	Violent Deaths (13) ..	5	10	7	23†	25
Aneurism	2	1	3	.5	Deaths by Violence, Pri- vation, or Intemperance	5	10	8	24	26
Dis. of Heart, &c. (4)	2	5	4	12†	15	Causes not specified ..	4	1	1	6	13
Diseases of the Heart and Bloodvessels.	2	7	5	15	16	Deaths from all Causes	459	229	166	857†	
Teething	28	28	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	11	6	2	19	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	2	2	3	(2) Tetanus. Chorea.	(8) Ischuria, I. Cystitis.				
Ascites	1	1	..	2	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.				
Hernia	2	..	2	2	(5) Intussusception, 2	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura, 1				
Dis. of Stomach, &c. (6)	1	5	..	6	4						
Hepatitis	1	1	1						
Jaundice	2	1	1	4	2						
Dis. of Liver, &c. (7)	1	5	2	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	46	21	6	73	57						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.	104	156
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	170	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	161	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	201	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	221	238
TOTAL. Males, 433. Females, 424. (Weekly average 1838, Males, 520. Females, 493.)	857	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,800.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Three Persons who died respectively of "Heart Disease," "Mortification," and by "Violence," were not stated.

General Register Office, October 8th, 1840.

PLANTATION

PLANTATION OF 1843

PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843
PLANTATION OF 1843	PLANTATION OF 1843

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th October, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	34	34	73	Nephritis	1	1	.5
Measles	16	16	11	Diabetes4
Scarlatina	32	32	29	Stone4
Hooping Cough	23	23	40	Stricture6
Croup	7	7	7	Dis. of Kidneys, &c. (8)	1	1	3
Thrush	6	6	6	Diseases of the Kid- neys, &c.	2	2	5
Diarrhoea	10	..	2	12	8	Childbed	6	..	6	8
Dysentery	1	1	2	Ovarian Dropsy3
Cholera	3	3	.3	Dis. of Uterus, &c. (9)	..	2	..	2	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	8	..	8	10
Typhus (1)	6	11	2	19	78	Rheumatism	3	..	3	4
Erysipelas	3	3	1	7	8	Dis. of Joints, &c. (10)	2	3	..	5	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	2	6	..	8	8
Hydrophobia2	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases	140	14	6	160	255	Fistula4
Cephalitis	4	4	10	Dis. of Skin, &c. (11)	..	1	..	1	.4
Hydrocephalus	31	31	34	Diseases of the Skin, &c.	2	..	2	1
Apoplexy	3	7	3	13	19	Inflammation	1	..	1	18
Paralysis	4	6	10	14	Hæmorrhage	1	..	1	4
Convulsions	50	1	..	51	67	Dropsy	8	17	17	42	34
Epilepsy	6	..	6	4	Abscess	1	2	..	3	4
Insanity	1	Mortification	1	1	1	3	4
Delirium Tremens	2	..	2	1	Scrofula (12)	2	2	1
Dis. of Brain, &c. (2)	3	3	1	7	6	Carcinoma	8	2	10	6
Diseases of the Brain, Nerves, and Senses.	91	23	10	124	156	Tumor	1
Quinsey	1	..	1	2	Gout	1	1	1
Bronchitis	1	..	3	4	8	Atrophy	5	5	4
Pleurisy	1	..	1	2	Debility	15	3	3	21	12
Pneumonia	51	9	4	64	71	Malformations	1
Hydrothorax	1	2	..	3	6	Sudden Deaths	3	4	..	7	12
Asthma	3	9	12	28	Diseases of Uncer- tain Seat	35	37	24	96	102
Consumption	32	97	7	136	146	Old Age, or Natural Decay	3	61	64	79
Dis. of Lungs, &c. (3)	5	9	2	16	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration	90	122	25	237	275	Privation6
Pericarditis3	Violent Deaths (13) ..	5	9	1	15	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance	5	10	1	16	26
Dis. of Heart, &c. (4)	2	10	7	19	15	Causes not specified ..	1	1	..	3+	13
Diseases of the Heart and Bloodvessels.	2	11	7	20	16	Deaths from all Causes	405	251	137	794+	
Teething	20	20	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	11	2	1	14	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Cæces Mesenterica ..	4	4	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis, 2.	(9) Paramenia.				
Ulceration	1	(4) Worms.	(10) Arthritis, 1.				
Hernia	1	1	2	(5) Intussusception, 1.	(11) Carbuncle.				
Colic or Ileus (5) ..	1	1	..	2	4	(6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	..	4	..	4	4						
Hepatitis	1						
Jaundice	2	..	2	2						
Dis. of Liver, &c. (7)	2	4	..	6	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	14	1	54	57						
							Deaths in the Week.		Average Weekly Deaths, 1838.		
West districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }							124		156		
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney							118		172		
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							137		208		
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							204		239		
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							211		238		
TOTAL. Males, 417. Females, 377. (Weekly average 1838, Males, 520. Females, 493.)							794		1013		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person was not stated; cause of Death not specified.

General Register Office, October 15th, 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th October, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	23	2	..	25	73	Nephritis5	
Measles	17	17	11	Diabetes4	
Scarlatina	48	3	..	51	29	Stone4	
Whooping Cough	13	13	40	Stricture6	
Scroup	2	2	7	Dis. of Kidneys, &c. (8)	1	2	1	4	3	
Scarsh	1	1	6	Diseases of the Kid- neys, &c.}	1	2	1	4	5	
Diarrhoea	6	1	..	7	8	Childbed	11	..	11	8	
Dysentery	2	1	3	2	Ovarian Dropsy3	
Cholera3	Dis. of Uterus, &c. (9)	..	1	..	1	2	
Fluena	1	Childbed, Diseases of the Uterus, &c. ..}	..	12	..	12	10	
Pharyngitis (1)	5	10	1	16	78	Rheumatism	1	1	2	4	
Erysipelas	1	3	3	7	8	Dis. of Joints, &c. (10)	1	1	..	2	4	
Phylis	1	Diseases of the Joints, Bones and Muscles}	1	2	1	4	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases}	116	21	5	142	255	Fistula4	
Pharyngitis	6	2	1	9	10	Dis. of Skin, &c. (11)	..	1	..	1	.4	
Hydrocephalus	32	..	2	34	34	Diseases of the Skin, } &c.}	..	1	..	1	1	
Populex	1	13	6	20	19	Inflammation	4	1	..	5	18	
Paralysis	5	5	10	14	Hæmorrhage	4	
Convulsions	55	55	67	Dropsy	9	15	9	33	34	
Epilepsy	1	..	1	4	Abscess	6	4	..	10	4	
Sanity	1	Mortification	2	1	1	4	4	
Delirium Tremens	2	1	3	1	Scrofula (12)	1	1	1	
Dis. of Brain, &c. (2)	4	1	..	5	6	Carcinoma	6	4	10	6	
Diseases of the Brain, } Nerves, and Senses.}	98	24	15	137	156	Tumor	1	..	1	1	
Measles	1	1	2	Gout	1	..	1	1	
Whooping Cough	2	2	2	6	8	Atrophy	8	..	1	9	4	
Scarlatina	1	1	2	Debility	8	3	2	13	12	
Pneumonia	71	14	3	88	71	Malformations	1	1	1	
Hydrothorax	3	2	5	6	Sudden Deaths	2	9	..	11	12	
Asthma	7	10	17	28	Diseases of Uncer- tain Seat	40	41	18	99	102	
Consumption	27	110	4	141	146	Old Age, or Natural Decay	4	65	69	79	
Dis. of Lungs, &c. (3)	4	9	5	18	10	Intemperance	1	..	1	.4	
Diseases of the Lungs, and other Organs of Respiration}	106	145	26	277	275	Privation6	
Pericarditis3	Violent Deaths (13) ..	6	11	2	21	25	
Neurism5	Deaths by Violence, Pri- vation, or Intemperance}	6	12	2	22	26	
Dis. of Heart, &c. (4)	4	18	3	25	15	Causes not specified ..	4	4	1	9	13	
Diseases of the Heart and Bloodvessels.}	4	18	3	25	16	Deaths from all Causes	408	303	151	864	1013	
Scrophulous	18	18	15	Weekly Average, 1838.	466	352	192	..	1013	
Enteritis	8	6	4	18	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Abdominal Mesenterica ..	2	2	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis, 1.					
Scites	1	1	.4	(3) Laryngitis, 1.	(9) Paramenia.					
Ulceration	1	..	1	1	(4) Worms.	(10) Arthritis.					
Hernia	2	2	2	(5) Intussusception.	(11) Carbuncle, 1. Phlegmon.					
Colic or Ileus (5)	4	(6) Stricture of œsophagus, 1. Hema- temesis, 2. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	2	3	3	8	4							
Hepatitis	1	1	1							
Jaundice	2							
Dis. of Liver, &c. (7)	2	7	3	12	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	17	14	63	57							
West districts.	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					{					Deaths in the Week.	Average Weekly Deaths, 1838.
North districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney					{					130	156
Central districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					{					160	172
East districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					{					188	208
South districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					{					181	239
	{					{					205	238
TOTAL.	Males, 408. Females, 456. (Weekly average 1838, Males, 520. Females, 493.)					{					864	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Two Persons who died "Violent Deaths," were not stated.

General Register Office, October 22nd, 1840.

Published by permission of the Registrar General, by Head and Barnes at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street and may be had of any Newsmen, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th October, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	32	2	..	35	73	Nephritis5
Measles	24	24	11	Diabetes	2	..	2	.4
Scarlatina	32	2	1	35	29	Stone4
Whooping Cough	11	11	40	Stricture6
Croup	2	2	7	Dis. of Kidneys, &c. (8)	..	1	2	3	3
Thrush	4	4	6	Diseases of the Kid- neys, &c.}	..	3	2	5	5
Diarrhoea	4	..	2	6	8	Childbed	13	..	13	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	2	1	3	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	15	1	16	10
Erysipelas	14	15	1	30	78	Rheumatism	3	1	4	4
Syphilis	2	4	2	8	8	Dis. of Joints, &c. (10)	4
Hydrophobia2	Diseases of the Joints, Bones and Muscles}	..	3	1	4	8
Epidemic, Endemic, & Contagious Diseases}	126	25	6	158	265	Ulcer	1	..	1	.4
Ephalitis	9	2	1	12	10	Fistula4
Hydrocephalus	39	2	..	41	34	Dis. of Skin, &c. (11)4
Apoplexy	9	5	14	19	Diseases of the Skin, &c.}	..	1	..	1	1
Paralysis	5	10	15	14	Inflammation	6	2	1	9	18
Convulsions	46	1	..	47	67	Hæmorrhage	2	3	5	4
Epilepsy	4	Dropsy	9	22	15	46	34
Insanity	1	Abscess	3	3	4
Delirium Tremens	1	Mortification	2	2	..	4	4
Dis. of Brain, &c. (2)	1	3	1	5	6	Scrofula (12)	1	1	1
Diseases of the Brain, Nerves, and Senses.}	95	22	17	134	156	Carcinoma	1	4	1	6	6
Quinsey	1	..	1	2	2	Tumor	1
Bronchitis	4	..	1	5	8	Gout	1	..	1	1
Pleurisy	2	Atrophy	1	..	1	4
Pneumonia	64	8	5	77	71	Debility	17	3	2	22	12
Hydrothorax	1	3	2	6	6	Malformations	1	1	1
Asthma	8	20	28	28	Sudden Deaths	8	2	10	12
Consumption	24	86	4	114	146	Diseases of Uncer- tain Seat	40	45	24	109	102
Dis. of Lungs, &c. (3)	5	9	2	16	10	Old Age, or Natural Decay	70	70	79
Diseases of the Lungs, and other Organs of Respiration}	99	114	35	248	275	Intemperance	1	..	1	.4
Pericarditis	1	..	1	.3	Privation6
Neurism	1	1	..	2	.5	Violent Deaths (13) ..	6	18	2	26	25
Dis. of Heart, &c. (4)	2	6	1	9	15	Deaths by Violence, Pri- vation, or Intemperance}	6	19	2	27	26
Diseases of the Heart and Bloodvessels.}	3	8	1	12	16	Causes not specified ..	1	2	13
Nothing	12	12	15	Deaths from all Causes	398	271	164	835	
Gastritis—Enteritis ..	6	8	..	14	17	Weekly Average, 1838.	466	352	192	..	1013
Peritonitis	1	..	1	1	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Abdominal Mesenterica ..	5	1	..	6	3	(1) Ague. Remittent Fever, 2.	(7) Disease of Spleen.				
Ascites4	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis.				
Hæmorrhage	1	(3) Laryngitis, 3.	(9) Paramenia.				
Hernia	1	..	1	2	(4) Intussusception, 3.	(10) Arthritis.				
Obstruction or Ileus (5)	2	2	4	(5) Intussusception, 3.	(11) Carbuncle.				
Dis. of Stomach, &c. (6)	4	1	2	7	4	(6) Stricture of œsophagus.	(12) Purpura.				
Hepatitis	1	Hæma- temesis. Disease of Pancreas.	Phlegmon.				
Indigestion	2	Worms, 1.					
Dis. of Liver, &c. (7)	1	4	1	6	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	28	16	5	49	57						
West districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James							Deaths in the Week.		Average Weekly Deaths, 1838.		
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney							120		156		
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							171		172		
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							138		208		
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							196		239		
							210		238		
TOTAL. Males, 422. Females, 413. (Weekly average 1838, Males, 520. Females, 493.)							835		1013		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of two Persons were not stated: one died from "Small Pox," and of the other the cause of Death was not specified.

General Register Office, October 29th, 1840.

Published (by permission of the Registrar General) by Head and Barnes at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newspaper, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 3d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 31st October, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	52	2	..	54	73	Nephritis5
Measles	21	21	11	Diabetes4
Scarlatina	42	6	..	48	29	Stone4
Whooping Cough	12	12	40	Stricture6
Croup	5	5	7	Dis. of Kidneys, &c. (8)	..	1	1	2	3
Thrush	5	5	6	<i>Diseases of the Kid-</i>	..	1	1	2	5
Diarrhœa	7	1	..	8	8	<i>neys, &c.}</i>	..	1	1	2	5
Dysentery	2	1	..	3	2	Childbed	5	..	5	8
Cholera	1	..	1	.3	Ovarian Dropsy3
Influenza	1	Dis. of Uterus, &c. (9)	..	2	..	2	2
Typhus (1)	7	12	..	19	78	<i>Childbed, Diseases of</i>	..	7	..	7	10
Erysipelas	1	2	4	7	8	<i>the Uterus, &c. ..}</i>	..	7	..	7	10
Syphilis	1	..	1	1	Rheumatism	4
Hydrophobia2	Dis. of Joints, &c. (10)	1	1	4
<i>Epidemic, Endemic, &}</i>	154	26	4	184	265	<i>Diseases of the Joints,</i>	1	1	8
<i>Contagious Diseases}</i>						<i>Bones and Muscles}</i>					
Cephalitis	10	4	..	14	10	Ulcer	1	1	.4
Hydrocephalus	27	2	..	29	34	Fistula4
Apoplexy	6	11	17	19	Dis. of Skin, &c. (11)4
Paralysis	1	4	6	11	14	<i>Diseases of the Skin,</i>	1	1	1
Convulsions	50	..	1	51	67	<i>&c.}</i>	1	1	1
Epilepsy	2	3	..	5	4	Inflammation	3	1	..	4	18
Insanity	1	..	1	1	Hæmorrhage	2	1	3	4
Delirium Tremens	2	..	2	1	Dropsy	6	16	12	34	34
Dis. of Brain, &c. (2)	..	3	3	6	6	Abscess	2	..	2	4
<i>Diseases of the Brain,}</i>	90	25	21	136	156	Mortification	1	2	3	6	4
<i>Nerves, and Senses.}</i>						Scrofula (12)	3	1	..	4	1
Quinsey	2	2	2	Carcinoma	4	3	7	6
Bronchitis	2	2	1	5	8	Tumor	2	..	2	1
Pleurisy	3	..	3	2	Gout	2	2	1
Pneumonia	74	13	..	87	71	Atrophy	4	2	1	7	4
Hydrothorax	1	4	2	7	6	Debility	20	5	..	25	12
Asthma	7	10	17	28	Malformations	1
Consumption	27	90	13	130	146	Sudden Deaths	3	11	5	19	12
Dis. of Lungs, &c. (3)	4	4	4	12	10	<i>Diseases of Uncer-</i>	40	48	27	115	102
<i>Diseases of the Lungs, and}</i>	110	123	30	263	275	<i>tain Seat}</i>					
<i>other Organs of Respiration}</i>						<i>Old Age, or Natural}</i>	..	4	55	59	79
Pericarditis	1	2	..	3	.3	<i>Decay}</i>	..	4	55	59	79
Aneurism	1	..	1	.5	Intemperance4
Dis. of Heart, &c. (4)	2	12	5	19	15	Privation6
<i>Diseases of the Heart }</i>	3	15	5	23	16	<i>Violent Deaths (13) ..</i>	2	5	..	8	25
<i>and Bloodvessels. }</i>						<i>Deaths by Violence, Pri-</i>	2	5	..	8	26
Teething	14	14	15	<i>vation, or Intemperance}</i>					
Gastritis—Enteritis ..	11	11	..	22	17	<i>Causes not specified ..</i>	1	2	..	3	13
Peritonitis	1	<i>Deaths from all Causes</i>	436	277	152	866	
Fæces Mesenterica ..	2	2	3	<i>Weekly Average, 1838.</i>	466	352	192	..	1013
Ascites4	<i>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</i>					
Ulceration	2	5	..	7	1	(1) Ague, 1. Remittent Fever, 1.	(7) Disease of Spleen.				
Hernia	1	1	2	2	(2) Tetanus, 1. Chorea.	(8) Ischuria.				
Colic or Ileus (5)	1	..	1	4	(3) Laryngitis.	(9) Paramenia.				
Dis. of Stomach, &c. (6)	4	1	5	10	4	(4) ..	(10) Arthritis.				
Hepatitis	1	1	1	(5) Intussusception, 1.	(11) Carbuncle.				
Jaundice	1	1	2	(6) Stricture of œsophagus.	(12) Purpura, 2.				
Dis. of Liver, &c. (7)	2	2	..	4	7	Hæmatemesis. Disease of Pancreas.					
<i>Diseases of the Stomach,}</i>	35	21	8	64	57	Worms, 1.					
<i>Liver, and other Or-</i>											
<i>gans of Digestion ..}</i>											

West districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	114	156
North districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	167	172
Central districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	151	208
East districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	208	239
South districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	226	238
TOTAL. Males, 443. Females, 423. (Weekly average 1838, Males, 520. Females, 493.)	866	1013

† The Age of one Person who died a "Violent Death," was not stated.

The deaths from Small Pox have rapidly increased within the present year. The deaths in the Metropolis at the close of 1839 were 5 weekly; last week deaths registered from Small Pox amounted to 54. The rate of increase will be apparent from the subjoined statement.—

Registered in the 10 weeks—January 5th — March 14th 72, or 7 weekly.

..... March 15th — May 23rd 116, or 12 weekly.

..... May 24th — August 1st 148, or 15 weekly.

..... August 2nd — October 10th 225, or 22 weekly.

The deaths from Small Pox in the Metropolis are now about 5 daily; and at the previous rates of increase, will, unless prevented by vaccination, amount 338 by Christmas,—or in the next 10 weeks.

General Register Office, November, 5th 1840.

Published (by permission of the Registrar General) by Head and Barnes at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th November, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	51	9	..	60	73	Nephritis	1	1	.5	
Measles	22	22	11	Diabetes	1	..	1	.4	
Scarlatina	37	1	..	38	29	Stone4	
Whooping Cough	23	24	40	Stricture	1	..	1	.6	
Croup	13	13	7	Dis. of Kidneys, &c. (8)	1	1	3	
Thrush	5	..	1	6	6	Diseases of the Kid- neys, &c.	2	2	4	5	
Diarrhœa	2	..	1	3	8	Childbed	12	..	12	8	
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.3	
Cholera3	Dis. of Uterus, &c. (9)	..	7	..	7	2	
Influenza	2	2	1	Childbed, Diseases of the Uterus, &c.	20	..	20	10	
Cyphus (1)	8	22	4	34	78	Rheumatism	1	1	4	
Erysipelas	6	3	1	10	8	Dis. of Joints, &c. (10)	..	4	1	5	4	
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	4	2	6	8	
Hydrophobia2	Ulcer4	
Epidemic, Endemic, & Contagious Diseases	167	35	10	213	265	Fistula	1	..	1	.4	
Cephalitis	11	3	..	14	10	Dis. of Skin, &c. (11)	..	1	..	1	.4	
Hydrocephalus	29	..	1	30	34	Diseases of the Skin, &c.	2	..	2	1	
Apoplexy	1	9	8	18	19	Inflammation	1	3	1	5	18	
Paralysis	6	11	17	14	Hæmorrhage	2	..	2	4	
Convulsions	53	2	..	55	67	Dropsy	7	11	9	27	34	
Epilepsy	2	..	2	4	Abscess	1	..	1	4	
Insanity	2	..	2	1	Mortification	1	1	4	
Delirium Tremens	1	..	1	1	Scrofula (12)	1	1	1	
Dis. of Brain, &c. (2)	2	3	1	6	6	Carcinoma	3	5	8	6	
Diseases of the Brain, Nerves, and Senses.	96	28	21	145	156	Tumor	2	1	3	1	
Quinsey	1	1	2	Gout	1	
Bronchitis	4	5	2	11	8	Atrophy	5	2	3	10	4	
Pleurisy	3	1	4	2	Debility	18	1	5	24	12	
Pneumonia	74	17	7	98	71	Malformations	1	
Hydrothorax	2	2	3	7	6	Sudden Deaths	1	4	4	10	12	
Asthma	14	15	29	28	Diseases of Uncer- tain Seat	33	29	29	92	102	
Consumption	31	114	5	150	146	Old Age, or Natural Decay	1	73	74	79	
Dis. of Lungs, &c. (3)	5	11	3	19	10	Intemperance4	
Diseases of the Lungs, and other Organs of Respiration	117	166	36	319	275	Privation6	
Pericarditis	1	1	.3	Violent Deaths (13) ..	4	8	3	16	25	
Aneurism	4	..	4	.5	Deaths by Violence, Pri- vation, or Intemperance	4	8	3	16	26	
Dis. of Heart, &c. (4)	2	15	2	19	15	Causes not specified ..	4	3	1	8	13	
Diseases of the Heart and Bloodvessels.	3	19	2	24	16	Deaths from all Causes	450	336	186	976		
Teething	13	13	15	Weekly Average, 1838.	466	352	192	..	1013	
Gastritis—Enteritis ..	5	4	1	10	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.						
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.					
Tabes Mesenterica ..	4	4	3	(2) Tetanus, 1. Chorea.	(8) Ischuria. Cystitis, 1.					
Ascites4	(3) Laryngitis, 2.	(9) Paramenia, 2.					
Ulceration	2	..	2	1	(4)	(10) Arthritis.					
Hernia	2	2	4	2	(5) Intussusception.	(11) Carbuncle. Phlegmon, 1.					
Colic or Ileus (5)	1	1	2	4	(6) Stricture of œsophagus. Hema- temesis. Disease of Pancreas.	(12) Purpura.					
Dis. of Stomach, &c. (6)	1	1	..	2	4	Worms, 1.						
Hepatitis	1	1	2	1							
Jaundice	2	1	3	2							
Dis. of Liver, &c. (7)	3	5	1	10	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	26	19	7	53	57							
West Districts.	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.		Average Weekly Deaths, 1838.				
North Districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney					137		156				
Central Districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					163		172				
East Districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					213		208				
South Districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					219		239				
						239		238				
TOTAL. Males, 488. Females, 488. (Weekly average 1838, Males, 520. Females, 493.)							976		1013			

Published by permission of the Registrar General by Head and Barnes at Mr. Hortnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Four Persons who died respectively “of Whooping Cough,” “of Liver Disease,” “Suddenly,” and by “Violence,” were not stated.

General Register Office, November, 12th 1840.

Published by permission of the Registrar General by Head and Barnes at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHewing THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th November, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	58	58	73	Nephritis5
Measles	28	28	11	Diabetes4
Scarlatina	36	2	..	38	29	Stone	1	1	.4
Whooping Cough	14	14	40	Stricture6
Croup	9	9	7	Dis. of Kidneys, &c. (8)	..	2	1	3	3
Thrush	3	3	6	Diseases of the Kid- neys, &c.	2	2	4	5
Diarrhœa	3	1	..	4	8	Childbed	10	..	10	8
Dysentery	2	..	2	2	Ovarian Dropsy	1	..	1	.3
Cholera3	Dis. of Uterus, &c. (9)	..	6	..	6	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c.	17	..	17	10
Typhus (1)	8	14	5	27	78	Rheumatism	3	..	3	4
Erysipelas	4	3	1	8	8	Dis. of Joints, &c. (10)	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	3	..	3	8
Hydrophobia2	Ulcer	1	1	..	2	.4
Epidemic, Endemic, & Contagious Diseases	164	22	6	192	265	Fistula	1	..	1	.4
Cephalitis	8	2	..	10	10	Dis. of Skin, &c. (11)4
Hydrocephalus	38	1	..	39	34	Diseases of the Skin, &c.	1	2	..	3	1
Apoplexy	2	8	11	21	19	Inflammation	8	1	..	9	18
Paralysis	4	7	11	14	Hæmorrhage	1	2	1	4	4
Convulsions	40	40	67	Dropsy	6	16	15	37	34
Epilepsy	1	3	1	5	4	Abscess	1	3	..	4	4
Insanity	1	Mortification	1	..	1	2	4
Delirium Tremens	1+	1	Scrofula (12)	3	1	1	5	1
Dis. of Brain, &c. (2)	2	5	2	9	6	Carcinoma	4	2	6	6
Diseases of the Brain, Nerves, and Senses.	91	23	21	136	156	Tumor	2	1	3	1
Quinsey	2	Gout	1
Bronchitis	4	4	8	Atrophy	3	..	2	5	4
Pleurisy	3	2	5	2	Debility	11	2	9	22	12
Pneumonia	68	11	5	84	71	Malformations	1
Hydrothorax	1	3	4	6	Sudden Deaths	4	4	4	12	12
Asthma	10	5	15	28	Diseases of Uncer- tain Seat	38	35	36	109	102
Consumption	17	101	5	123	146	Old Age, or Natural Decay	1	50	51	79
Dis. of Lungs, &c. (3)	6	7	2	15	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration	95	133	22	250	275	Privation	1	1	.6
Pericarditis3	Violent Deaths (13) ..	8	12	3	23	25
Aneurism	3	..	3	.5	Deaths by Violence, Pri- vation, or Intemperance	9	13	3	25	26
Dis. of Heart, &c. (4)	2	11	1	14	15	Causes not specified	1	1	2	13
Diseases of the Heart and Bloodvessels.	2	14	1	17	16	Deaths from all Causes	451	282	151	885	
Teething	25	25	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	15	5	1	21	17	<p>N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.</p> <p>(1) Ague, 1. Remittent Fever, 1. (7) Disease of Spleen. (2) Tetanus, 1. Chorea, 1. (8) Ischuria, 1. Cystitis. (3) Laryngitis. (9) Paramenia. (4) (10) Arthritis. (5) Intussusception, 1. (11) Carbuncle. Phlegmon. (6) Stricture of œsophagus, 1. Hema- temesis. Disease of Pancreas. Worms. (12) Purpura.</p>					
Peritonitis	1	1	1						
Tabes Mesenterica ..	7	2	..	9	3						
Ascites	2	..	2	.4						
Ulceration	1	2	..	3	1						
Hernia	1	1	2						
Colic or Ileus (5)	1	1	4						
Dis. of Stomach, &c. (6)	2	3	3	8	4						
Hepatitis	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c. (7)	1	1	2	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	51	16	9	76	57						

TOTAL. Males, 466. Females, 419. (Weekly average 1838, Males, 520. Females, 493.)

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	133	156
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	149	172
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	135	208
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	192	239
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	226	238
TOTAL.	885	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1835 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died of "Delirium Tremens," was not stated.

General Register Office, November, 19th 1840.

Published (by permission of the Registrar General) by Head and Barnes at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 3d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st November, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	48	3	..	51	73	Nephritis	2	..	2	.5
Measles	26	26	11	Diabetes4
Scarlatina	27	3	1	31	29	Stone4
Hooping Cough	16	16	40	Stricture	1	..	1	.6
Croup	8	8	7	Dis. of Kidneys, &c. (8)	2	2	3
Thrush	5	5	6	Diseases of the Kid- neys, &c.	3	2	5	5
Diarrhœa	2	..	1	3	8	Childbed	6	..	6	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera	1	..	1	.3	Dis. of Uterus, &c. (9)	..	3	..	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c.	9	..	9	10
Typhus (1)	12	12	4	28	78	Rheumatism	1	1	4
Erysipelas	5	1	6	8	Dis. of Joints, &c. (10)	1	1	..	2	4
Syphilis	1	Diseases of the Joints, Bones and Muscles	2	1	..	3	8
Hydrophobia2	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases	144	25	7	176	265	Fistula4
Cephalitis	5	3	..	8	10	Dis. of Skin, &c. (11)4
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, &c.	1	1	1
Apoplexy	2	9	12	23	19	Inflammation	6	1	..	7	18
Paralysis	9	15	24	14	Hæmorrhage	2	3	1	6	4
Convulsions	37	37	67	Dropsy	5	23	10	38	34
Epilepsy	2	1	3	4	Abscess	2	1	..	3	4
Insanity	2	1	3	1	Mortification	2	1	1	4	4
Delirium Tremens	4	..	4	1	Scrofula (12)	1	1	1
Dis. of Brain, &c. (2)	2	3	2	7	6	Carcinoma	4	1	5	6
Diseases of the Brain, Nerves, and Senses.	74	33	31	138	156	Tumor	1	..	1	1
Quinsey	2	2	2	Gout	1	..	1	1
Bronchitis	1	2	1	4	8	Atrophy	6	..	2	8	4
Pleurisy	1	1	2	Debility	18	..	4	22	12
Pneumonia	96	12	..	108	71	Malformations	1	1	1
Hydrothorax	1	1	2	6	Sudden Deaths	7	3	3	14†	12
Asthma	9	12	21	28	Diseases of Uncer- tain Seat	50	38	22	111	102
Consumption	23	107	2	132	146	Old Age, or Natural Decay	3	59	62	79
Dis. of Lungs, &c. (3)	6	7	2	15	10	Intemperance	2	..	2	.4
Diseases of the Lungs, and other Organs of Respiration	128	138	19	285	275	Privation6
Pericarditis3	Violent Deaths (13) ..	5	7	8	20	25
Aneurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance	5	9	8	22	26
Dis. of Heart, &c. (4)	7	11	5	23	15	Causes not specified ..	2	2	13
Diseases of the Heart and Bloodvessels.	7	12	5	24	16	Deaths from all Causes	444	289	163	897	
Teething	18	18	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	6	6	1	13	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague, 1. Remittent Fever.	(7) Disease of Spleen.				
Tabes Mesenterica ..	3	2	..	5	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis.				
Ascites4	(3) Laryngitis.	(9) Paramenia, 1.				
Ulceration	1	1	1	(4) Intussusception.	(10) Arthritis.				
Hernia	2	2	2	(5) Stricture of œsophagus.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	4	(6) Stricture of œsophagus.	(12) Purpura.				
Dis. of Stomach, &c. (6)	3	..	2	5	4	Hema- temesis. Disease of Pancreas.					
Hepatitis	3	1	4	1	Worms.					
Jaundice	2						
Dis. of Liver, &c. (7)	1	6	3	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	18	9	59	57						
West districts.	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					Deaths in the Week.					Average Weekly Deaths, 1838.
North districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney					134					156
Central districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					172					172
East districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					177					208
South districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					194					239
						220					238
TOTAL. Males, 460. Females, 437. (Weekly average 1838, Males, 520. Females, 493.)						897					1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died "Suddenly," was not stated.

General Register Office, November, 26th 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th November, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	41	2	..	43	73	Nephritis	1	..	1	.5
Measles	30	30	11	Diabetes	1	..	1	.4
Scarlatina	21	1	..	22	29	Stone4
Whooping Cough	10	10	40	Stricture	1	..	1	.6
Croup	4	4	7	Dis. of Kidneys, &c. (8)	..	2	2	4	3
Thrush	2	2	6	Diseases of the Kid- neys, &c.}	..	5	2	7	5
Diarrhœa	1	1	8	Childbed	4	..	4	8
Dysentery	1	1	2	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	2	1	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	6	1	7	10
Typhus (1)	3	4	5	12	78	Rheumatism	1	2	..	3	4
Erysipelas	1	2	3	6	8	Dis. of Joints, &c. (10)	1	1	..	2	4
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	3	..	5	8
Hydrophobia2	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases}	112	10	10	132	265	Fistula4
Cephalitis	6	1	..	7	10	Dis. of Skin, &c. (11)4
Hydrocephalus	30	1	1	32	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	1	9	11	22	19	Inflammation	5	5	18
Paralysis	6	5	11	14	Hæmorrhage	3	1	4	4
Convulsions	50	1	..	51	67	Dropsy	4	16	18	38	34
Epilepsy	4	2	6	4	Abscess	1	1	2	4
Insanity	1	Mortification	3	1	4	4
Delirium Tremens	1	..	1	1	Scrofula (12)	2	1	..	3	1
Dis. of Brain, &c. (2)	4	3	3	10	6	Carcinoma	4	1	5	6
Diseases of the Brain, Nerves, and Senses.}	91	26	22	140	156	Tumor	1
Quinsey	2	Gout	2	..	2	1
Bronchitis	1	1	2	4	8	Atrophy	5	..	2	7	4
Pleurisy	2	Debility	14	..	4	18	12
Pneumonia	89	12	11	112	71	Malformations	3	3	1
Hydrothorax	1	1	3	5	6	Sudden Deaths	2	9	4	15	12
Asthma	1	7	9	17	28	Diseases of Uncer- tain Seat	35	39	32	106	102
Consumption	26	88	6	120	146	Old Age, or Natural Decay	72	72	79
Dis. of Lungs, &c. (3)	..	7	2	9	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration}	118	116	33	267	275	Privation	1	1	.6
Pericarditis	2	2	.3	Violent Deaths (13) ..	8	9	2	23	25
Aneurism	2	..	2	.5	Deaths by Violence, Pri- vation, or Intemperance}	8	9	3	24	26
Dis. of Heart, &c. (4)	5	15	4	24	15	Causes not specified ..	1	3	..	4	13
Diseases of the Heart and Bloodvessels.}	7	17	4	28	16	Deaths from all Causes	409	262	186	862	
Teething	15	15	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	15	9	2	26	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague. Remittent Fever,	(7) Disease of Spleen.				
Tabes Mesenterica ..	4	..	1	5	3	(2) Tetanus. Chorea.	(8) Ischuria, 1. Cystitis.				
Ascites	3	..	3	.4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	..	1	1	(4)	(10) Arthritis.				
Hernia	2	1	3	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Colic or Ileus (5)	1	..	1	4	(6) Stricture of œsophagus. Hæma- temesis, 1. Disease of Pancreas.	(12) Purpura.				
Dis. of Stomach, &c. (6)	1	3	1	5	4	Worms, 1.					
Hepatitis	3	1	4	1						
Jaundice	1	1	2						
Dis. of Liver, &c. (7)	..	4	..	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	35	27	7	69	57						
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney					136		156			
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					155		172			
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					183		208			
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					183		239			
						205		238			
TOTAL. Males, 420. Females, 442. (Weekly average 1838, Males, 520. Females, 493.)						862		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1833 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Five Persons were not stated: One died from "Apoplexy," and Four from "Violence."

General Register Office, December, 3rd 1840.

THEY ARE TO BEAT A

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th December, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
nall Pox	56	10	..	66	73	Nephritis	1	..	1	.5
measles	36	36	11	Diabetes	1	..	1	.4
scarlatina	31	6	1	38	29	Stone4
crouping Cough	35	35	40	Stricture	1	..	1	.6
roup	7	7	7	Dis.of Kidneys,&c.(8)	..	2	..	2	3
hrench	5	1	..	6	6	Diseases of the Kid- neys, &c.}	..	5	..	5	5
diarrhoea	2	..	3	5	8	Childbed	8	..	8	8
ysentery	2	Ovarian Dropsy3
holera	1	1	.3	Dis. of Uterus, &c. (9)	..	3	1	4	2
influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	11	1	12	10
phus (1)	10	9	2	21	78	Rheumatism	1	2	3	4
ysipelas	1	5	1	7	8	Dis. of Joints, &c. (10)	1	4	..	5	4
philis	1	Diseases of the Joints, Bones and Muscles}	1	5	2	8	8
ydrophobia2	Ulcer4
pidemic,Endemic,& } Contagious Diseases }	184	31	7	222	265	Fistula4
ephalitis.....	12	2	..	14	10	Dis. of Skin, &c. (11)4
ydrocephalus.....	35	35	34	Diseases of the Skin, &c.}	1
poplexy.....	2	9	8	19	19	Inflammation	5	1	2	8	18
alysis	6	11	17	14	Hæmorrhage	3	1	4	4
onvulsions	54	1	..	55	67	Dropsy	3	23	18	44	34
pilepsy	1	6	..	7	4	Abscess	1	2	..	3	4
sanity	2	..	2	1	Mortification	1	1	2	4	4
elirium Tremens	3	..	3	1	Scrofula (12)	1	1	1
is. of Brain, &c. (2)	6	3	1	10	6	Carcinoma	3	2	5	6
Diseases of the Brain, } Nerves, and Senses. }	110	32	20	162	156	Tumor	1	1	..	2	1
uinsey	1	1	2	Gout	1
ronchitis	3	10	5	18	8	Atrophy	1	..	2	3	4
leurisy	1	1	2	Debility	13	1	8	22	12
neumonia	113	19	10	142	71	Malformations	2	2	1
ydrothorax	3	2	5	6	Sudden Deaths.....	8	10	2	22†	12
sthma	19	32	51	28	Diseases of Uncer- tain Seat	36	45	37	120	102
consumption	26	111	11	149†	146	Old Age, or Natural Decay	1	83	84	79
is. of Lungs, &c. (3)	3	9	3	15	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and } other Organs of Respiration }	147	171	63	382	275	Privation	1	1	.6
ericarditis3	Violent Deaths (13) ..	4	12	4	20	25
neurism	1	..	1	.5	Deaths by Violence, Pri- vation, or Intemperance }	4	13	5	22	26
is. of Heart, &c. (4)	4	12	..	16	15	Causes not specified	3	3	13
Diseases of the Heart } and Bloodvessels. }	4	13	..	17	16	Deaths from all Causes	519	340	225	1087	
eeching	16	16	15	Weekly Average, 1838.	466	352	192	..	1013
astritis—Enteritis ..	6	3	1	10	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
eritonitis	1	..	1	1	(1) Ague. Remittent Fever, 1.	(7) Disease of Spleen.				
abes Mesenterica ..	7	7	3	(2) Tetanus. Chorea.	(8) Ischuria. Cystitis, 1.				
scites	1	..	1	.4	(3) Laryngitis.	(9) Paramenia, 1.				
lceration	1	(4) Intussusception.	(10) Arthritis.				
ernia	2	(5) Stricture of œsophagus.	(11) Carbuncle. Phlegmon.				
olic or Ileus (5)	4	(6) Stricture of œsophagus.	(12) Purpura, 1.				
is. of Stomach,&c.(6)	1	..	1	2	4	Hema- temesis. Disease of Pancreas.					
epatitis	1	..	1	1	Worms.					
aundice	1	1	..	2	2						
is. of Liver, &c. (7)	2	6	2	10	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion ..	33	13	4	50	57						
West districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.					Average Weekly Deaths, 1838.
North districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					182					
entral districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					211					
East districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					204					
South districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					223					
TOTAL. Males, 576. Females, 511. (Weekly average 1838, Males, 520. Females, 493.)						267					238
						1087					1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1838 as in 1840, the Deaths would have been one 27th part more numerous. † Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Three Persons were not stated, Two of whom died "Suddenly," and One from "Consumption."

General Register Office, December, 10th 1840.

TABLE OF CONTENTS

1900-1901

The following table shows the number of copies of the various publications of the Bureau of the Census for the year 1900-1901.

Publication	Number of Copies
Annual Report of the Bureau of the Census, 1900-1901	10,000
Summary of the Census, 1900-1901	5,000
Detailed Report of the Census, 1900-1901	15,000
Summary of the Census, 1900-1901, by State	10,000
Summary of the Census, 1900-1901, by County	10,000
Summary of the Census, 1900-1901, by City	10,000
Summary of the Census, 1900-1901, by Town	10,000
Summary of the Census, 1900-1901, by Precinct	10,000
Summary of the Census, 1900-1901, by Ward	10,000
Summary of the Census, 1900-1901, by Block	10,000
Summary of the Census, 1900-1901, by House	10,000
Summary of the Census, 1900-1901, by Family	10,000
Summary of the Census, 1900-1901, by Individual	10,000
Summary of the Census, 1900-1901, by Race	10,000
Summary of the Census, 1900-1901, by Sex	10,000
Summary of the Census, 1900-1901, by Age	10,000
Summary of the Census, 1900-1901, by Education	10,000

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th December, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	56	2	..	58	73	Nephritis	1	..	1	.5
Measles	40	1	..	41	11	Diabetes4
Scarlatina	23	2	..	25	29	Stone4
Whooping Cough	38	38	40	Stricture	1	..	1	.6
Croup	13	..	1	14	7	Dis. of Kidneys, &c. (8)	2	2	3
Thrush	5	5	6	Diseases of the Kid- neys, &c.}	..	2	2	4	5
Diarrhœa	1	3	1	5	8	Childbed	7	..	7	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	3	1	4	2
Influenza	3	1	..	4	1	Childbed, Diseases of the Uterus, &c. ..}	..	10	1	11	10
Typhus (1)	7	12	3	22	78	Rheumatism	4	1	5	4
Erysipelas	3	5	8	8	Dis. of Joints, &c. (10)	2	3	1	6	4
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	7	2	11	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	186	25	10	221	265	Fistula4
Cephalitis	9	3	1	13	10	Dis. of Skin, &c. (11)4
Hydrocephalus	31	1	1	33	34	Diseases of the Skin, &c.}	1
Apoplexy	13	7	20	19	Inflammation	7	1	..	8	18
Paralysis	7	14	21	14	Hæmorrhage	1	4	..	5	4
Convulsions	48	..	1	49	67	Dropsy	4	20	13	37	34
Epilepsy	1	4	1	6	4	Abscess	3	..	2	5	4
Insanity	1	1	1	Mortification	2	3	5	4
Delirium Tremens	3	..	3	1	Scrofula (12)	1	..	1	1
Dis. of Brain, &c. (2)	4	1	1	6	6	Carcinoma	6	1	7	6
Diseases of the Brain, Nerves, and Senses.}	94	32	26	152	156	Tumor	1
Quinsey	1	1	2	Gout	1	1	1
Bronchitis	8	7	7	22	8	Atrophy	4	1	..	5	4
Pleurisy	2	Debility	11	1	8	20	12
Pneumonia	110	16	6	132	71	Malformations	2	2	1
Hydrothorax	1	3	2	6	6	Sudden Deaths	3	10	3	16	12
Asthma	24	33	57	28	Diseases of Uncer- tain Seat	35	46	31	112	102
Consumption	20	93	6	119	146	Old Age, or Natural Decay	3	68	71	79
Dis. of Lungs, &c. (3)	3	12	8	23	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration}	143	155	62	360	275	Privation6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	15	23	2	41†	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance}	15	23	2	41	26
Dis. of Heart, &c. (4)	..	12	5	17	15	Causes not specified ..	2	1	..	3	13
Diseases of the Heart and Bloodvessels. }	..	13	5	18	16	Deaths from all Causes	513	330	215	1059	
Teething	15	15	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	9	5	1	15	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	2	..	3	1	(1) Ague, 1.	Remittent Fever.	(7) Disease of Spleen.			
Fæces Mesenterica ..	8	8	3	(2) Tetanus.	Chorea.	(8) Ischuria.	Cystitis 1.		
Ascites4	(3) Laryngitis.		(9) Paramenia.			
Ulceration	1	1	..	2	1	(4)		(10) Arthritis.			
Hernia	1	1	2	(5) Intussusception.		(11) Carbuncle.	Phlegmon.		
Colic or Ileus (5)	1	1	4	(6) Stricture of œsophagus.	Hæma- temesis.	(12) Purpura.			
Dis. of Stomach, &c. (6)	2	2	..	4	4	(6) Stricture of Pancreas.	Disease of Pancreas.	(13) Broken Jaw, through having a Tooth Extracted. Male, age 35 years.			
Hepatitis	2	..	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. (7)	2	2	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	36	13	6	55	57						

West districts.	Deaths in the Week.	Average Weekly Deaths, 1838.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	174	156
North districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	190	172
Central districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	220	208
East districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	235	239
South districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	240	238
TOTAL. Males, 542. Females, 517. (Weekly average 1838, Males, 520. Females, 493.)	1059	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1833 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died by "Violence," was not stated.

General Register Office, December, 17th 1840.

General Register Office, December, 24th 1840.

Published by permission of the Registrar General by Head and Barnes, at Mr. Hartwell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, Price One Penny; or forwarded, by Post, to any part of the Kingdom, at 2s. 2d. per Quarter.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th December, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	56	7	..	63	73	Nephritis5
Measles	28	28	11	Diabetes4
Scarlatina	15	15	29	Stone4
Whooping Cough	23	23	40	Stricture6
Croup	8	8	7	Dis. of Kidneys, &c. (8)	1	5	..	6	3
Thrush	5	5	6	Diseases of the Kid- neys, &c.}	1	5	..	6	5
Diarrhœa	1	1	..	2	8	Childbed	8	..	8	8
Dysentery	1	..	1	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	2	2	4	2
Influenza	2	1	..	3	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	2	12	10
Typhus (1)	7	20	6	33	78	Rheumatism	1	2	3	4
Erysipelas	6	4	3	13	8	Dis. of Joints, &c. (10)	..	3	..	3	4
Syphilis	1	Diseases of the Joints, Bones and Muscles}	..	4	2	6	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	151	34	9	194	265	Fistula4
Cephalitis	10	..	1	11	10	Dis. of Skin, &c. (11)4
Hydrocephalus	34	34	34	Diseases of the Skin, &c.}	1
Apoplexy	7	9	17	19	Inflammation	4	3	..	7	18
Paralysis	1	17	14	32	14	Hæmorrhage	2	2	4	4
Convulsions	53	53	67	Dropsy	7	15	16	38	34
Epilepsy	1	3	1	5	4	Abscess	3	2	..	5	4
Insanity	2	..	2	1	Mortification	2	..	4	6	4
Delirium Tremens	1	Serofula (12)	1
Dis. of Brain, &c. (2)	3	3	1	7	6	Carcinoma	1	..	1	6
Diseases of the Brain, Nerves, and Senses.}	102	32	26	161	156	Tumor	2	1	..	3	1
Quinsey	2	Gout	1	..	1	1
Bronchitis	6	5	1	12	8	Atrophy	7	1	1	9	4
Pleurisy	3	1	4	2	Debility	17	1	11	29	12
Pneumonia	122	26	7	155	71	Malformations	1
Hydrothorax	2	..	2	6	Sudden Deaths	3	6	3	12	12
Asthma	19	26	45	28	Diseases of Uncer- tain Seat	45	33	37	115	102
Consumption	20	95	8	123	146	Old Age, or Natural Decay	1	78	79	79
Dis. of Lungs, &c. (3)	6	10	7	23	10	Intemperance	1	..	1	.4
Diseases of the Lungs, and other Organs of Respiration}	154	160	50	364	275	Privation	1	2	..	3	.6
Pericarditis3	Violent Deaths (13) ..	6	11	3	22	25
Aneurism5	Deaths by Violence, Pri- vation, or Intemperance}	7	14	3	24	26
Dis. of Heart, &c. (4)	1	12	10	23	15	Causes not specified ..	2	1	5	8	13
Diseases of the Heart and Bloodvessels.}	1	12	10	23	16	Deaths from all Causes	496	325	234	1056	
Teething	12	12	15	Weekly Average, 1838.	466	352	192	..	1013
Gastritis—Enteritis ..	9	4	1	14	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Peritonitis	1	..	1	1	(1) Ague.	Remittent Fever.	(7) Disease of Spleen.			
Tabes Mesenterica ..	1	1	3	(2) Tetanus.	Chorea.	(8) Ischuria.	Cystitis 1.		
Ascites4	(3) Laryngitis.		(9) Paramenia.			
Ulceration	2	1	3	1	(4)		(10) Arthritis.			
Hernia	1	1	2	2	(5) Intussusception.		(11) Carbuncle.	Phlegmon.		
Colic or Ileus (5) ..	2	2	1	5	4	(6) Stricture of œsophagus, l. Hema- temesis.	Disease of Pancreas.	(12) Purpura.			
Dis. of Stomach, &c. (6)	6	5	1	12	4	Worms, 3.					
Hepatitis	1	1	2	1						
Jaundice	1	..	2	3	2						
Dis. of Liver, &c. (7)	2	3	4	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	33	19	12	64	57						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					Deaths in the Week.		Average Weekly Deaths, 1838.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					136		156			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					196		172			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					214		208			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					243		239			
						267		238			
TOTAL. Males, 551. Females, 505. (Weekly average 1838, Males, 520. Females, 493.)						1056		1013			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In comparing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1833 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Age of One Person who died by of "Apoplexy," was not stated.

General Register Office, December, 24th 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th December, 1840.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	51	8	..	59	73	Nephritis5
Measles	36	36	11	Diabetes4
Scarlatina	16	16	29	Stone4
Hooping Cough	29	29	40	Stricture6
Croup	7	1	..	8	7	Dis. of Kidneys, &c. (8)	..	1	2	3	3
Thrush	3	1	..	4	6	Diseases of the Kid- neys, &c.	1	2	3	5
Diarrhœa	2	2	8	Childbed	8	..	8	8
Dysentery	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	..	2	2	4	2
Influenza	4	..	2	6	1	Childbed, Diseases of the Uterus, &c.	10	2	12	10
Typhus (1)	7	11	4	22	78	Rheumatism	1	5	..	6	4
Erysipelas	3	8	..	11	8	Dis. of Joints, &c. (10)	1	5	..	6	4
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles	2	10	..	12	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases	158	29	7	194	265	Fistula	1	..	1	.4
Cephalitis	13	2	..	15	10	Dis. of Skin, &c. (11)	2	2	.4
Hydrocephalus	31	31	34	Diseases of the Skin, &c.	2	1	..	3	1
Apoplexy	1	7	9	17	19	Inflammation	8	5	1	14	18
Paralysis	3	10	15	28	14	Hæmorrhage	4
Convulsions	77	..	1	78	67	Dropsy	5	29	16	50	34
Epilepsy	1	4	1	6	4	Abscess	2	3	..	5	4
Insanity	1	Mortification	2	3	2	7	4
Delirium Tremens	1	Scrofula (12)	1	..	1	1
Dis. of Brain, &c. (2)	8	5	4	17	6	Carcinoma	6	3	9	6
Diseases of the Brain, Nerves, and Senses.	134	28	30	192	156	Tumor	1
Quinsey	3	..	1	4	2	Gout	1
Bronchitis	4	10	5	19	8	Atrophy	4	..	1	5	4
Pleurisy	1	1	2	2	Debility	16	2	12	30	12
Pneumonia	96	18	9	123	71	Malformations	2	2	1
Hydrothorax	1	1	2	6	Sudden Deaths	8	12	8	28	12
Asthma	28	41	69	28	Diseases of Uncer- tain Seat	47	61	43	151	102
Consumption	26	86	11	123	146	Old Age, or Natural Decay	4	86	90	79
Dis. of Lungs, &c. (3)	5	6	6	17	10	Intemperance	1	1	.4
Diseases of the Lungs, and other Organs of Respiration	134	150	75	359	275	Privation	1	1	.6
Pericarditis	1	..	1	.3	Violent Deaths (13) ..	10	21	4	37†	25
Neurism5	Deaths by Violence, Pri- vation, or Intemperance	11	21	5	39	26
Dis. of Heart, &c. (4)	1	15	7	23	15	Causes not specified ..	1	1	2	4	13
Diseases of the Heart and Bloodvessels.	1	16	7	24	16	Deaths from all Causes	521	351	267	1141	
Swelling	19	19	15	Weekly Average, 1838.	466	352	192	..	1013
Orchitis—Enteritis ..	7	4	..	11	17	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Orchitis	1	1	2	1	(1) Ague. Remittent Fever.	(7) Disease of Spleen.				
Abes Mesenterica	3	(2) Tetanus, 2. Chorea.	(8) Ischuria. Cystitis.				
Scites4	(3) Laryngitis.	(9) Paramenia.				
Ulceration	1	1	1	(4) ..	(10) Arthritis.				
Hernia	1	1	2	(5) Intussusception.	(11) Carbuncle. Phlegmon.				
Oleic or Ileus (5)	2	2	4	(6) Stricture of œsophagus, 1. Hema- temesis, 1. Disease of Pancreas. Worms, 1.	(12) Purpura.				
Dis. of Stomach, &c. (6)	2	5	1	8	4						
Hepatitis	2	..	2	1						
Yundice	2	..	1	3	2						
Dis. of Liver, &c. (7)	1	7	1	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	31	19	8	58	57						

Test	Deaths in the Week.	Average Weekly Deaths, 1838.
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	146	156
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	205	172
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	215	208
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	254	239
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel.; Rotherhithe; Greenwich	321	238
TOTAL. Males, 591. Females, 547. (Weekly average 1838, Males, 520. Females, 493.)	1141	1013

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838 was obtained by dividing the Deaths Registered in that year by 52. In computing it with the weekly Deaths in 1840, it must be borne in mind that the Metropolis increases nearly 2 per cent. annually; and that if the population had been the same in 1833 as in 1840, the Deaths would have been one 27th part more numerous. Decimals were employed only when less than one death occurred weekly.

‡ The Ages of Two Persons who died "Violent Deaths," were not stated.

This is the last Week in the 4th Quarter; and the number of Registered Deaths has been somewhat augmented by cases of "Sudden and Violent Deaths," (Inquests) which, in some Districts, were allowed to accumulate for the Signature of the Coroner.

ERRATUM. In last week's Table under "Violent Deaths," for 22 read 20.

General Register Office, December, 31st 1840.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd January, 1841.

Causes of Death.	Age			Total	Weekly Average, 1838	Causes of Death.	Age			Total	Weekly Average, 1838
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	92	10	..	102	73	Nephritis	1	..	1	.5
Measles	30	30	11	Diabetes	1	1	.4
Scarlatina	22	5	..	27	29	Stone4
Whooping Cough	39	39	40	Stricture6
Croup	10	10	7	Dis. of Kidneys, &c. (8)	3	3	2	8	3
Thrush	1	1	6	Diseases of the Kid- neys, &c. }	4	4	2	10	5
Diarrhœa	2	1	3	8	Childbed	15	..	15	8
Dysentery	2	Ovarian Dropsy3
Cholera3	Dis. of Uterus, &c. (9)	1	1	2
Influenza	2	1	2	5	1	Childbed, Diseases of the Uterus, &c. .. }	..	15	1	16	10
Erysipelas	6	19	4	29	78	Rheumatism	1	..	1	4
Gonorrhœa	1	5	2	8	8	Dis. of Joints, &c. (10)	1	2	..	3	4
Syphilis	1	Diseases of the Joints, Bones and Muscles }	1	3	..	4	8
Hydrophobia2	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	203	42	9	254	265	Fistula4
Cephalitis	7	3	..	10	10	Dis. of Skin, &c. (11)4
Hydrocephalus	30	30	34	Diseases of the Skin, &c. }	1
Apoplexy	9	15	24	19	Inflammation	6	2	..	8	18
Paralysis	5	16	21	14	Hæmorrhage	1	1	..	2	4
Convulsions	68	1	1	70	67	Dropsy	5	15	19	39	34
Epilepsy	3	5	8	4	Abscess	3	..	3	4
Insanity	1	..	1	1	Mortification	2	1	3	4
Delirium Tremens	2	..	2	1	Scrofula (12)	1
Dis. of Brain, &c. (2)	6	6	4	16	6	Carcinoma	3	4	7	6
Diseases of the Brain, Nerves, and Senses. }	111	30	41	182	156	Tumor	2	..	2	1
Quincy	1	1	2	Gout	1
Tracheitis	10	13	12	35	8	Atrophy	5	1	2	8	4
Pleurisy	2	..	2	2	Debility	27	..	13	40	12
Pneumonia	122	30	14	166	71	Malformations	1
Hydrothorax	3	5	8	6	Sudden Deaths	10	15	12	40†	12
Asthma	38	40	78	28	Diseases of Uncer- tain Seat	54	44	51	152	102
Consumption	30	134	13	177	146	Old Age, or Natural Decay	1	134	135	79
Dis. of Lungs, &c. (3)	8	8	4	20	10	Intemperance4
Diseases of the Lungs, and other Organs of Respiration }	171	228	88	487	275	Privation	2	2	.6
Pericarditis	1	..	1	.3	Violent Deaths	18	14	7	39	25
Neurism5	Deaths by Violence, Pri- vation, or Intemperance }	18	14	9	41	26
Dis. of Heart, &c. (4)	3	15	9	27	15	Causes not specified ..	2	4	1	7	13
Diseases of the Heart and Bloodvessels. }	3	16	9	28	16	Deaths from all Causes	610	411	353	1377	
Peritonitis	1	Weekly Average, 1838.	466	352	192	..	1013
Periænteritis	1	N.B.—The following Diseases, when they occur, are included under the heads of those to which the accompanying numerals are respectively subjoined.					
Periænteritis	1	(1) Ague.	Remittent Fever.	(7) Disease of Spleen.			
Periænteritis	5	5	3	(2) Tetanus, 2.	Chorea.	(8) Ischuria.	Cystitis.		
Scicitis	1	1	2	.4	(3) Laryngitis, 1.		(9) Paramenia.			
Ulceration	1	1	1	(4)		(10) Arthritis.			
Hernia	2	..	2	2	(5) Intussusception.		(11) Carbuncle.	Phlegmon.		
Obst. or Ileus (5) ..	2	2	4	(6) Stricture of œsophagus, 2.	Hæma- temesis.	(12) Purpura.			
Dis. of Stomach, &c. (6)	1	2	3	6	4	Worms.	Disease of Pancreas.				
Hepatitis	2	1	..	3	1						
Indurc.	1	1	2						
Dis. of Liver, &c. (7)	3	2	..	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	43	10	8	61	57						
East Districts. } Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }							Deaths in the Week.		Average Weekly Deaths, 1838.		
North Districts. } St. Mary-le-bone; St. Pancras; Islington; Hackney							224		156		
Central Districts. } St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London							246		172		
East Districts. } Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							268		208		
South Districts. } St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich							288		239		
							351		238		
TOTAL. Males, 681. Females, 696. (Weekly average 1838, Males, 520. Females, 493.)							1377		1013		

STATIONER OF 1887 &

1887-1888

1040

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th January, 1841.

Temperature. °	Weeks ending	
	Jan. 2d	Jan. 9th
Highest ...	45°	45°
Lowest	24°	15°
Daily Mean	34°	29°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	73	13	..	86	36	Nephritis4
Measles	26	1	..	27	24	Diabetes3
Scarlatina	23	3	..	26	38	Stone	2	2	.5
Hooping Cough	27	27	28	Stricture	1	1	.4
Croup	3	3	7	Dis. of Kidneys, &c.	1	1	2.4
Thrush	2	2	5	<i>Diseases of the Kid- neys, &c.}</i>	4	4	4
Diarrhoea	3	4	1	8	8	Childbed	8	..	8	7
Dysentery	2	1	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. .	..	4	..	4	2
Influenza	1	<i>Childbed, Diseases of the Uterus, &c. .</i>	..	12	..	12	9
Typhus (1)	19	14	3	36	46	Rheumatism	2	2	4	3
Erysipelas	3	3	3	9	7	Dis. of Joints, &c....	3	3	3
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles }</i>	3	2	2	7	6
Hydrophobia1	Ulcer4
<i>Epidemic, Endemic, & Contagious Diseases }</i>	179	40	8	227	204	Fistula	1	1	.4
Cephalitis	7	7	..	14	11	Dis. of Skin, &c....3
Hydrocephalus	21	2	..	23	34	<i>Diseases of the Skin, &c.}</i>	1	1	1
Apoplexy	2	9	11	22	18	Inflammation	2	1	..	3	12
Paralysis	9	15	24	15	Hæmorrhage	1	7	1	10+	3
Convulsions	66	66	60	Dropsy	2	25	18	45	34
Epilepsy	4	1	5	4	Abscess	1	3	..	4	4
Insanity	1	Mortification	2	2	5
Delirium Tremens	3	..	3	1	Scrofula	2	1	..	3	2
Dis. of Brain, &c. .	2	6	3	11	7	Carcinoma	1	6	3	10	7
<i>Diseases of the Brain, Nerves, and Senses. }</i>	98	40	30	168	151	Tumor	1	..	1	2	2
Quinsey	3	3	1	Gout	1	1	2	1
Bronchitis	4	12	19	35	9	Atrophy	4	..	2	6	4
Pleurisy	2	Debility	11	1	9	21	15
Pneumonia	91	22	13	126	72	Malformations	1
Hydrothorax	1	..	3	4	5	Sudden Deaths	4	11	3	19	13
Asthma	35	55	90	24	<i>Diseases of Uncer- tain Seat</i>	29	56	40	127	103
Consumption	24	78	15	117	141	<i>Old Age, or Natural Decay</i>	..	3	107	110	71
Dis. of Lungs, &c....	1	8	9	18	12	Intemperance6
<i>Diseases of the Lungs, and other Organs of Respiration }</i>	124	155	114	393	266	Privation	1	..	1	.4
Pericarditis	1	1	.6	Violent Deaths	10	16	2	28	24
Aneurism	1	1	2	.6	<i>Deaths by Violence, Pri- vation, or Intemperance }</i>	10	17	2	29	25
Dis. of Heart, &c. .	4	20	9	33	17	<i>Causes not specified ..</i>	1	1	1	5+	8
<i>Diseases of the Heart and Bloodvessels. }</i>	5	21	10	36	18	<i>Deaths from all Causes</i>	495	363	329	1191	..
Teething	28	28	17	<i>Weekly Average, 1838-9-40.</i>	438	314	171	..	926
Gastritis—Enteritis..	9	7	3	19	18	<i>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—</i>					
Peritonitis	2	(1) Remittent Fever, 3.					
Tabes Mesenterica ..	3	3	4	(2) Worms, 1.					
Ascites	1						
Ulceration	2	1	..	3	1						
Hernia	4	4	2						
Colic or Ileus	2	..	1	3	1						
Dis. of Stomach, &c. (2)	2	2	2	6	4						
Hepatitis	1	..	1	1						
Jaundice	2						
Dis. of Liver, &c. .	..	5	..	5	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion ..</i>	46	16	10	72	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	165	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney.	212	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	260	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	267	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel.; Rotherhithe; Greenwich	287	223
TOTAL. Males, 581. Females, 610. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1191	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Four Persons were not stated: One of whom died of "Hæmorrhage," One "Suddenly," and of Two the cause of Death was not specified.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, January 14th, 1841.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th January, 1841.

Temperature.	Weeks ending	
§	Jan. 9th	Jan. 16th
Highest ...	45°	39°
Lowest....	15°	22°
Daily Mean	29°	34°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
all Pox	53	2	..	55	36	Nephritis	1	1	.4
asles	20	20	24	Diabetes	1	1	..	2	.3
rlatina	13	3	1	17	38	Stone5
oping Cough	43	43	28	Stricture	1	..	1	.4
oup	6	6	7	Dis. of Kidneys, &c.	2	1	3	2.4
ush	7	7	5	<i>Diseases of the Kid-</i>	2	4	1	7	4
urthœa	2	1	2	5	8	<i>neys, &c.}</i>					
sentery	2	..	2	2	Childbed	10	..	10	7
olera	1	Ovarian Dropsy2
nenza	1	1	..	2	1	Dis. of Uterus, &c. ..	1	1	..	2	2
ohus	11	19	5	35	46	<i>Childbed, Diseases of</i>	1	11	..	12	9
spelas	1	5	1	7	7	<i>the Uterus, &c.}</i>					
hilis	1	Rheumatism	1	..	1	3
drophobia1	Dis. of Joints, &c.	1	2	1	4	3
<i>Idemic, Endemic, & Contagious Diseases</i>	157	33	9	199	204	<i>Diseases of the Joints, Bones and Muscles</i>	1	3	1	5	6
phalitis	7	2	1	10	11	Ulcer	1	1	..	2	.4
drocephalus	35	35	34	Fistula	1	1	2	.4
oplexy	2	15	10	27	18	Dis. of Skin, &c.	1	..	1	.3
alysis	8	15	23	15	<i>Diseases of the Skin, &c.}</i>	1	3	1	5	1
nvulsions	52	2	..	54	60	Indinflammation	5	2	1	8	12
ilepsy	2	2	1	5	4	Hæmorrhage	3	..	3	3
anity	1	Dropsy	1	17	21	39	34
irium Tremens	1	..	1	1	Abscess	1	1	4
of Brain, &c. (1)	3	4	2	9	7	Mortification	4	3	7	5
<i>Diseases of the Brain, Nerves, and Senses.</i>	101	34	29	164	151	Scrofula	2	..	2	2
insey	1	Carcinoma	3	2	5	7
onchitis	4	16	8	28	9	Tumor	2	1	3	2
urisy	2	..	2	2	Gout	1
umonia	98	31	14	143	72	Atrophy	6	..	1	7	4
drothorax	4	3	6	13	5	Debility	16	4	11	31	15
hma	1	61	59	121	24	Malformations	4	4	1
sumption	21	116	18	155	141	Sudden Deaths	9	12	5	26	13
of Lungs, &c.	4	19	12	35	12	<i>Diseases of Uncertain Seat</i>	41	49	46	136	103
<i>Diseases of the Lungs, and other Organs of Respiration</i>	132	248	117	497	266	<i>Old Age, or Natural Decay</i>	..	4	107	111	71
icarditis	2	..	2	.6	Intemperance6
urism	1	1	.6	Privation	1	1	1	3	.4
of Heart, &c.	2	12	5	19	17	Violent Deaths	12	11	5	28	24
<i>Diseases of the Heart and Bloodvessels.</i>	2	14	6	22	18	<i>Deaths by Violence, Privation, or Intemperance</i>	13	12	6	31	25
othing	17	17	17	<i>Causes not specified</i>	2	2	8
strius—Enteritis ..	10	8	1	19	18	<i>Deaths from all Causes</i>	489	439	332	1260	..
itonitis	1	1	2	2	<i>Weekly Average, 1838-9-40.</i>	438	314	171	..	926
bes Mesenterica ..	1	1	4	<i>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—</i> (1) Tetanus, 1. (2) Worms, 2. Stricture of œsophagus, 1.					
cites	1						
eration	2	2	1	* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London <i>within</i> , and <i>without</i> the Walls, City and Liberties of Westminster, the <i>Out Parishes</i> within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.					
rnia	2	3	5	2						
lic or Ileus	4	3	..	7	1	† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156. § The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.					
s. of Stomach, &c. (2)	4	4	..	8	4						
patitis	1	..	1	1	BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.					
udice	2						
s. of Liver, &c.	5	2	7	7						
<i>Diseases of the Stomach, Liver, and other Organs of Digestion</i>	36	24	9	69	60						

est icts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	195	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	216	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	293	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	280	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	276	223
TOTAL. Males, 630. Females, 629. Sex of one not known. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1260	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, January 21st, 1841.

STATE OF NEW YORK
OFFICE OF THE COMMISSIONER OF EDUCATION

1900

COUNTY OF ALBANY		1900	
SCHOOL DISTRICT		1900	
NAME		1900	
1		2	
3		4	
5		6	
7		8	
9		10	
11		12	
13		14	
15		16	
17		18	
19		20	
21		22	
23		24	
25		26	
27		28	
29		30	
31		32	
33		34	
35		36	
37		38	
39		40	
41		42	
43		44	
45		46	
47		48	
49		50	
51		52	
53		54	
55		56	
57		58	
59		60	
61		62	
63		64	
65		66	
67		68	
69		70	
71		72	
73		74	
75		76	
77		78	
79		80	
81		82	
83		84	
85		86	
87		88	
89		90	
91		92	
93		94	
95		96	
97		98	
99		100	

A TABLE OF MORTALITY

FOR THE
Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd January, 1841.

Temperature. §	Weeks ending	
	Jan. 16th	Jan. 23rd
Highest ...	39°	52°
Lowest....	22°	28°
Daily Mean	34°	40°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	73	13	..	86	36	Nephritis	1	1	.4
Measles	14	14	24	Diabetes	1	..	1	.3
Scarlatina	17	1	..	18	38	Stone5
Whooping Cough	36	36	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c.	2	2	4	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c. }	1	3	2	6	4
Diarrhoea	1	..	1	2	8	Childbed	8	..	8	7
Dysentery	1	1	2	Ovarian Dropsy	1	1	.2
Cholera	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. .. }	..	12	1	13	9
Typhus (1)	5	10	3	18	46	Rheumatism	1	..	1	3
Erysipelas	3	4	2	9	7	Dis. of Joints, &c.	1	3	..	4	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	1	4	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	164	28	8	200	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c.3
Hydrocephalus	26	2	..	28	34	Diseases of the Skin, &c. }	1
Apoplexy	8	7	15	18	Inflammation	3	3	12
Paralysis	1	5	22	28	15	Hæmorrhage	1	1	2	3
Convulsions	40	..	1	41	60	Dropsy	3	26	14	43	34
Epilepsy	3	2	5	4	Abscess	3	1	..	4	4
Insanity	1	..	1	1	Mortification	1	5	5	11	5
Delirium Tremens	1	..	1	1	Scrofula	1	1	2
Dis. of Brain, &c. (2)	3	5	..	8	7	Carcinoma	1	1	7
Diseases of the Brain, Nerves, and Senses. }	77	26	32	135	151	Tumor	1	1	2
Quinsey	2	1	..	3	1	Gout	2	..	2	1
Bronchitis	4	16	18	38	9	Atrophy	7	1	1	9	4
Pleurisy	2	..	2	2	Debility	17	2	15	34	15
Pneumonia	84	26	14	124	72	Malformations	1	1	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	8	3	11	13
Asthma	1	35	45	81	24	Diseases of Uncer- tain Seat	37	46	40	123	103
Consumption	32	100	4	137+	141	Old Age, or Natural Decay	5	108	113	71
Dis. of Lungs, &c. (3)	4	15	14	33	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	128	196	97	422	266	Privation	1	..	1	.4
Pericarditis	2	..	2	.6	Violent Deaths	6	9	4	19	24
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	11	4	21	25
Dis. of Heart, &c. ..	1	10	2	13	17	Causes not specified ..	4	2	1	7	8
Diseases of the Heart and Bloodvessels. }	1	12	3	16	18	Deaths from all Causes	461	360	306	1129	..
Teething	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis..	6	7	2	16+	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—					
Peritonitis	2	(1) Ague, 1. Remittent Fever, 1. (2) Tetanus, 1.					
Tabes Mesenterica ..	7	7	4	(3) Laryngitis, 1. (4) Worms, 2.					
Ascites	1						
Ulceration	1	1	1						
Hernia	1	1	2	2						
Colic or Ileus	1	1	..	2	1						
Dis. of Stomach, &c. (4)	3	2	1	6	4						
Hepatitis	1	..	1	2	1						
Jaundice	1	1	..	2	2						
Dis. of Liver, &c. ..	1	3	4	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	42	15	10	68	60						

West districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
		158	139
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	201	163
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	246	190
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	246	211
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; Rotherhithe; Greenwich	278	223
TOTAL. Males, 570. Females, 559. (Weekly average 1838-9-40, Males, 475. Females, 451.)		1129	926

540 Persons died of Small Pox in the eight weeks ending January 16th; 6 had previously had an attack of natural Small Pox; 4 had been Inoculated for Small Pox; 80 had been Vaccinated; and 448 had not been Vaccinated.

Ages of the Eighty Persons who had been Vaccinated.											
Months				Years							
2-6	6-12	1-3	3-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	TOTAL
6	11	16	13	11	2	7	4	5	3	2	80

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Two Persons were not stated; one died from "Consumption," and one from "Gastro-Enteritis."
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. General Register Office, January 28th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hupnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newspaper, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th January, 1841.

Temperature. °	Weeks ending	
	Jan. 23rd	Jan. 30th
Highest ...	52°	53°
Lowest	28°	31°
Daily Mean	40°	40°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
All Pox	58	6	..	64	36	Nephritis	1	1	2	.4
Scabies	15	15	24	Diabetes3
Elatina	8	3	..	11	38	Stone5
Whooping Cough	49	49	28	Stricture	1	..	1	.4
Scup	8	8	7	Dis. of Kidneys, &c.	3	3	2.4
Scush	8	8	5	Diseases of the Kid- neys, &c.}	..	2	4	6	4
Scrrhoea	3	1	3	7	8	Childbed	18	..	18	7
Scutery	1	1	2	Ovarian Dropsy	1	..	1	.2
Sclera	1	Dis. of Uterus, &c.	2	1	3	2
Scenza	1	1	..	2	1	Childbed, Diseases of the Uterus, &c.}	..	21	1	22	9
Scus (1)	15	9	2	26	46	Rheumatism	5	1	6	3
Scipelas	3	4	2	9	7	Dis. of Joints, &c.	1	1	..	2	3
Scilis	1	Diseases of the Joints, Bones and Muscles}	1	6	1	8	6
Scrophobia1	Ulcer4
Scemic, Endemic, & Scntagious Diseases}	169	24	7	200	204	Fistula4
Scalitis	4	2	..	6	11	Dis. of Skin, &c.3
Scrocephalus	25	1	..	26	34	Diseases of the Skin, &c.}	1
Scplexy	1	5	13	19	18	Inflammation	2	1	1	4	12
Sclysis	12	17	29	15	Hæmorrhage	1	3	1	5	3
Sculsions	67	2	..	69	60	Dropsy	3	15	13	31	34
Scpsy	1	2	1	4	4	Abscess	2	..	2	4	4
Scnity	1	1	2	1	Mortification	3	1	4	5
Scrium Tremens	1	Scrofula	2	2	2
Sc of Brain, &c. ..	8	8	2	18	7	Carcinoma	6	1	7	7
Scases of the Brain, Scrves, and Senses.}	106	33	34	173	151	Tumor	2
Scusey	2	2	1	Gout	1	..	1	1
Scuchitis	5	8	15	28	9	Atrophy	9	9	4
Scrisy	2	2	1	5	2	Debility	19	..	9	28	15
Scromonia	67	29	13	110	72	Malformations (3) ...	1	1	1
Scrothorax	1	2	..	3	5	Sudden Deaths	6	8	4	18	13
Scrma	29	26	55	24	Diseases of Uncer- tain Seat	45	37	32	114	103
Scruption	23	96	6	125	141	Old Age, or Natural Decay	5	98	103	71
Sc of Lungs, &c. ..	4	9	9	22	12	Intemperance6
Sc of the Lungs, and Scrgans of Respiration}	104	175	70	350	266	Privation	1	1	2	.4
Scarditis	2	..	2	.6	Violent Deaths (4) ..	10	13	5	28	24
Scrism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	10	14	6	30	25
Sc of Heart, &c.	17	2	19	17	Causes not specified ..	1	..	1	2	8
Scases of the Heart & Bloodvessels.}	..	19	3	22	18	Deaths from all Causes	475	360	270	1107	..
Scuing	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Scritis—Enteritis ..	9	5	2	17	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Sconitis	2	..	2	2	(1) Remittent Fever, 2.					
Sc Mesenterica ..	7	7	4	(2) Stricture of œsophagus, 1.					
Sces	1	..	1	1	(3) Spina bifida—Age 8 days.					
Scation	1	2	3	1	(4) Salivation arising from mercury having been administered— Age 3 years.					
Scia	2	2	2						
Sc or Ileus	2	1	2	5	1						
Sc of Stomach, &c. (2)	1	4	3	8	4						
Scritis	3	..	3	1						
Sclice	1	1	1	3	2						
Sc of Liver, &c.	6	1	7	7						
Scases of the Stomach, Scer, and other Or- scans of Digestion ..}	39	24	13	77	60						

	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }	144	139
{ St. Mary-le-bone; St. Pancras; Islington; Hackney	175	163
{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } { City of London	237	190
{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	277	211
{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; } { Rotherhithe; Greenwich	274	223
TOTAL. Males, 561. Females, 546. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1107	926

Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; St. Giles; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,990.

The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

The Ages of Two Persons were not stated; one died from "Pneumonia," and one from "Gastro-Enteritis."

The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 4th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th February, 1841.

Temperature. §	Weeks ending	
	Jan. 30th	Feb. 6th
Highest ...	53°	42°
Lowest	31°	22°
Daily Mean	40°	30°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	49	10	..	59	36	Nephritis4
Measles	15	15	24	Diabetes	1	..	1	.3
Scarlatina	8	2	..	10	38	Stone5
Hooping Cough	57	57	28	Stricture4
Croup	5	5	7	Dis. of Kidneys, &c.	1	1	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	1	2	4
Diarrhoea	1	1	1	3	8	Childbed	8	..	8	7
Dysentery	1	1	..	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (2)	..	5	..	5	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ..}	..	13	..	13	9
Typhus	9	8	4	21	46	Rheumatism	1	1	2	3
Erysipelas	2	2	4	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	..	3	1	4	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	147	24	8	179	204	Fistula4
Cephalitis	10	2	..	12	11	Dis. of Skin, &c.3
Hydrocephalus	30	2	2	34	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	2	7	6	15	18	Inflammation	3	2	1	6	12
Paralysis	5	6	11	15	Hæmorrhage	1	..	1	3
Convulsions	41	41	60	Dropsy	5	14	6	25	34
Epilepsy	1	2	1	4	4	Abscess	1	2	..	3	4
Insanity	1	..	1	1	Mortification	3	3	1	7	5
Delirium Tremens	1	1	2	1	Scrofula	2
Dis. of Brain, &c. ..	4	2	2	8	7	Carcinoma	6	3	9	7
Diseases of the Brain, Nerves, and Senses.}	88	22	18	128	151	Tumor	1	..	1	2
Quinsey	1	1	..	2	1	Gout	2	2	1
Bronchitis	5	8	9	22	9	Atrophy	4	1	..	5	4
Pleurisy	2	Debility	19	1	5	25	15
Pneumonia	68	21	9	98	72	Malformations	1	1	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	8	8	2	18	13
Asthma	1	16	25	42	24	Diseases of Uncer- tain Seat	44	39	20	103	103
Consumption	28	97	6	131	141	Old Age, or Natural Decay	2	70	72	71
Dis. of Lungs, &c. ..	6	5	7	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	110	149	57	316	266	Privation	1	..	1	.4
Pericarditis6	Violent Deaths	14	3	3	20	24
Aneurism	2	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	14	4	3	21	25
Dis. of Heart, &c. ..	1	10	6	17	17	Causes not specified ..	2	2	..	4	8
Diseases of the Heart and Bloodvessels.}	1	12	6	19	18	Deaths from all Causes	444	293	189	926	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	8	6	1	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	(1) Worms, 1. Stricture of œsophagus, 1. (2) Paramenia, 1.					
Tabes Mesenterica ..	4	4	4						
Ascites	1						
Ulceration	1	..	1	1						
Hernia	1	1	..	2	2						
Colic or Ileus	1	1	1	3	1						
Dis. of Stomach, &c. (1)	5	1	1	7	4						
Hepatitis	3	1	4	1						
Jaundice	3	..	3	2						
Dis. of Liver, &c. ..	2	6	1	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	37	22	5	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	155	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	178	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	188	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	206	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; Rotherhithe; Greenwich	199	223
TOTAL. Males, 452. Females, 474. (Weekly average 1838-9-40, Males, 475. Females, 451.)	926	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 11th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Harnall's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE
Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th February, 1841.

Temperature. §	Weeks ending	
	Feb. 6th	Feb. 13th
Highest....	42°	49°
Lowest....	22°	24°
Daily Mean	30°	32°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	45	9	..	54	36	Nephritis4
Measles	13	13	24	Diabetes	2	..	2	.3
Scarlatina	8	4	..	12	38	Stone5
Crouping Cough	56	56	28	Stricture4
Croup	12	12	7	Dis. of Kidneys, &c. (2)	1	1	2	4	2.4
Whooping Cough	6	6	5	Diseases of the Kid- neys, &c.}	1	3	2	6	4
Diarrhoea	1	2	3	8	Childbed	12	..	12	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	4	..	4	2
Fluenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c. ...}	..	17	..	17	9
Phthisis	11	12	3	26	46	Rheumatism	2	3	5	3
Erysipelas	2	2	1	5	7	Dis. of Joints, &c.	1	1	3
Phlegmon	1	Diseases of the Joints, Bones and Muscles}	1	2	3	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	154	29	7	190	204	Fistula4
Pharyngitis	12	12	11	Dis. of Skin, &c.3
Hydrocephalus	41	3	..	44	34	Diseases of the Skin, &c.}	1
Apoplexy	1	7	10	18	18	Inflammation	3	1	..	4	12
Paralysis	13	14	27	15	Hæmorrhage	1	3	..	4	3
Convulsions	60	1	..	61	60	Dropsy	5	29	17	51	34
Epilepsy	1	1	2	4	Abscess	2	1	3	4
Insanity	1	1	1	Mortification	1	1	1	3	5
Delirium Tremens	1	Scrofula	1	1	2
Dis. of Brain, &c. ..	3	3	1	7	7	Carcinoma	1	3	1	5	7
Diseases of the Brain, Nerves, and Senses.}	117	28	27	172	151	Tumor	1	2	..	3	2
Whooping Cough	2	1	..	3	1	Gout	1	..	1	1
Tracheitis	1	15	8	24	9	Atrophy	12	..	3	15	4
Neuritis	1	3	..	4	2	Debility	10	2	1	13	15
Neumonia	68	22	6	96	72	Malformations	1
Hydrothorax	1	2	3	6	5	Sudden Deaths	9	16	5	31	13
Asthma	1	31	38	70	24	Diseases of Uncer- tain Seat	44	60	29	134	103
Consumption	29	121	4	154	141	Old Age, or Natural Decay	2	118	120	71
Dis. of Lungs, &c. ..	4	10	4	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	107	205	63	375	266	Privation	1	2	3	.4
Pericarditis	1	..	1	.6	Violent Deaths	10	10	5	25	24
Neuritis	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	10	11	7	28	25
Dis. of Heart, &c. ..	3	10	5	18	17	Causes not specified ..	1	4	..	5	8
Diseases of the Heart and Bloodvessels.}	3	12	5	20	18	Deaths from all Causes	469	394	273	1137	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	4	4	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	..	2	2	(1) Worms, 1. (2) Ischuria, 1.					
Tabes Mesenterica ..	4	4	4						
Ascites	1	1	1						
Ulceration	1	1	1						
Remia	5	3	8	2						
Colic or Ileus	1	1	1						
Dis. of Stomach, &c. (1)	2	2	1	5	4						
Hepatitis	1						
Audience	3	..	3	2						
Dis. of Liver, &c. ..	1	6	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	31	21	12	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	162	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	197	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	253	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	247	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	278	223
TOTAL. Males, 569. Females, 568. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1137	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Age of One Person who died “Suddenly,” was not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, February 18th, 1841.

A TABLE OF MORALITY

Allegory

201	243	6	
1225			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th February, 1841.

Temperature. °	Weeks ending	
	Feb. 13th	Feb. 20th
Highest ...	49°	51°
Lowest	24°	40°
Daily Mean	32°	46°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	41	4	..	45	36	Nephritis4
Measles	6	6	24	Diabetes3
Scarlatina	10	3	..	13	38	Stone5
Hooping Cough	49	49	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c. }	2	2	4
Diarrhœa	1	1	..	2	8	Childbed	11	..	11	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	2	1	4	1	Childbed, Diseases of the Uterus, &c. }	..	14	1	15	9
Typhus (1)	7	11	4	22	46	Rheumatism	2	1	3	3
Erysipelas	2	6	2	10	7	Dis. of Joints, &c.	5	1	6	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	..	7	2	9	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	124	29	7	160	204	Fistula4
Cephalitis	16	3	..	19	11	Dis. of Skin, &c.3
Hydrocephalus	26	1	..	27	34	Diseases of the Skin, &c. }	1
Apoplexy	6	8	14	18	Inflammation	4	2	..	6	12
Paralysis	12	11	24†	15	Hæmorrhage	2	1	3	3
Convulsions	57	1	..	58	60	Dropsy	2	22	17	41	34
Epilepsy	6	..	6	4	Abscess	1	2	2	5	4
Insanity	2	..	2	1	Mortification	1	2	3	5
Delirium Tremens	1	Scrofula	2
Dis. of Brain, &c. (2)	4	4	4	12	7	Carcinoma	4	5	9	7
Diseases of the Brain, Nerves, and Senses. }	103	35	23	162	151	Tumor	2	2	2
Quinsey	1	Gout	2	2	4	1
Bronchitis	8	6	9	23	9	Atrophy	3	2	2	7	4
Pleurisy	1	1	2	2	Debility	14	..	12	26	15
Pneumonia	59	17	9	85	72	Malformations	2	2	1
Hydrothorax	1	5	2	8	5	Sudden Deaths	2	10	5	17	13
Asthma	28	29	57	24	Diseases of Uncer- tain Seat	30	47	48	125	103
Consumption	31	111	5	147	141	Old Age, or Natural Decay	3	89	92	71
Dis. of Lungs, &c. (3)	3	17	12	32	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	102	185	67	354	266	Privation	1	..	1	.4
Pericarditis	1	1	.6	Violent Deaths	15	11	4	31†	24
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	15	12	4	32	25
Dis. of Heart, &c. ..	4	11	6	21	17	Causes not specified	3	1	4	8
Diseases of the Heart and Bloodvessels. }	6	11	6	23	18	Deaths from all Causes	415	372	267	1056	..
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	8	8	4	20	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Ague, 1.					
Tabes Mesenterica ..	6	1	..	7	4	(2) Tetanus, 1. Chorea, 1.					
Ascites	1	(3) Laryngitis, 1.					
Ulceration	1	(4) Stricture of œsophagus, 2.					
Hernia	2	Hæmatemesis, 1.					
Colic or Ileus	1	4	3	8	1						
Dis. of Stomach, &c. (4)	..	5	2	7	4						
Hepatitis	1	1	2	1						
Jawndice	2	1	2	5	2						
Dis. of Liver, &c. ..	1	5	5	11	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	26	17	78	60						

Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	164	139
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	177	163
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	234	190
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	243	211
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	238	223
TOTAL. Males, 507. Females, 549. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1056	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons were not stated: one died from "Paralysis," and one by "Violence."

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, February 25th, 1841.

1841.

8.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th February, 1841.

Temperature. °	Weeks ending	
	Feb. 20th	Feb. 27th
Highest ...	51°	52°
Lowest	40°	34°
Daily Mean	46°	42°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	33	3	..	36	36	Nephritis	2	..	2	.4
Measles	8	8	24	Diabetes	1	..	1	.3
Scarlatina	9	2	..	11	38	Stone5
Hooping Cough	67	67	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	3	..	3	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c. }	..	6	..	6	4
Diarrhœa	3	3	3	9	8	Childbed	9	..	9	7
Dysentery	1	1	1	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	1	4	7	12	1	Childbed, Diseases of the Uterus, &c. }	..	10	1	11	9
Typhus (1)	10	14	6	30	46	Rheumatism	1	..	1	3
Erysipelas	3	5	..	8	7	Dis. of Joints, &c. }	3	3	1	7	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	3	4	1	8	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	141	32	17	190	204	Fistula4
Cephalitis	14	5	..	19	11	Dis. of Skin, &c. }	..	1	..	1	.3
Hydrocephalus	41	4	..	45	34	Diseases of the Skin, &c. }	1	1	..	2	1
Apoplexy	3	8	7	18	18	Inflammation	5	4	1	10	12
Paralysis	6	15	21	15	Hæmorrhage	1	1	3
Convulsions	58	58	60	Dropsy	3	28	13	44	34
Epilepsy	2	..	2	4	Abscess	1	4	..	5	4
Insanity	1	1	1	Mortification	4	4	5	13	5
Delirium Tremens	2	..	2	1	Scrofula	2	2	2
Dis. of Brain, &c. (2)	7	6	2	15	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses. }	123	33	25	181	151	Tumor	2	1	3	2
Quinsey	1	1	1	Gout	2	1	3	1
Bronchitis	5	10	8	23	9	Atrophy	2	1	..	3	4
Pleurisy	1	1	2	Debility	15	3	9	27	15
Pneumonia	70	21	13	104	72	Malformations	1
Hydrothorax	1	5	4	10	5	Sudden Deaths	3	12	4	19	13
Asthma	22	15	37	24	Diseases of Uncer- tain Seat	36	63	37	136	103
Consumption	27	86	9	122	141	Old Age, or Natural Decay	3	75	78	71
Dis. of Lungs, &c. (3)	2	6	8	16	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	106	150	58	314	266	Privation	2	..	2	.4
Pericarditis	1	..	1	.6	Violent Deaths	6	11	..	18†	24
Aneurism	2	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	13	..	20	25
Dis. of Heart, &c. ..	3	19	9	31	17	Causes not specified	1	1	8
Diseases of the Heart and Bloodvessels. }	3	22	9	34	18	Deaths from all Causes	455	349	235	1040	..
Teething	18	18	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	3	4	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—					
Peritonitis	2	(1) Ague, 1.					
Tabes Mesenterica ..	6	6	4	(2) Tetanus, 1.					
Ascites	1	1	1	(3) Laryngitis, 1.					
Ulceration	1	1	1	(4) Worms, 1. Stricture of œsophagus, 2.					
Hernia	1	1	2	2						
Colic or Ileus	2	1	3	1						
Dis. of Stomach, &c. (4)	5	..	2	7	4						
Hepatitis	2	..	2	1						
Jaundice	2						
Dis. of Liver, &c.	4	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	12	11	59	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	143	139
North Districts.		
{ St. Mary-le-bone; St. Pancras; Islington; Hackney	183	163
Central Districts.		
{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London	234	190
East Districts.		
{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	235	211
South Districts.		
{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; } Rotherhithe; Greenwich	245	223
TOTAL. Males, 533. Females, 507. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1040	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Age of One Persons who died a "Violent Death," was not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 4th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th March, 1841.

Temperature, °	Weeks ending	
	Feb. 27th	Mar. 6th
Highest ...	52°	50°
Lowest	34°	35°
Daily Mean	42°	41°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	3	..	24	36	Nephritis4
Measles	16	16	24	Diabetes3
Scarlatina	8	8	38	Stone5
Hooping Cough	63	63	28	Stricture4
Croup	3	3	7	Dis. of Kidneys, &c.	1	3	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	3	4	4
Diarrhoea	1	3	3	7	8	Childbed	11	..	11	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	4	1	5	2
Influenza	7	2	7	16	1	Childbed, Diseases of the Uterus, &c. ..}	..	15	1	16	9
Typhus (1)	11	21	2	34	46	Rheumatism	3	1	4	3
Erysipelas	2	2	2	6	7	Dis. of Joints, &c.	2	5	..	7	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	2	8	1	11	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	134	31	14	179	204	Fistula4
Cephalitis	11	1	2	14	11	Dis. of Skin, &c.3
Hydrocephalus	34	1	..	35	34	Diseases of the Skin, &c.}	1
Apoplexy	4	7	8	19	18	Inflammation	9	3	1	13	12
Paralysis	6	9	15	15	Hæmorrhage	1	2	..	3	3
Convulsions	71	71	60	Dropsy	3	22	23	48	34
Epilepsy	1	5	2	8	4	Abscess	3	3	4
Insanity	2	..	2	1	Mortification	1	6	7	5
Delirium Tremens	1	..	1	1	Scrofula	2	1	..	3	2
Dis. of Brain, &c. (2)	5	8	2	15	7	Carcinoma	8	1	9	7
Diseases of the Brain, Nerves, and Senses.}	126	31	23	180	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	4	10	7	21	9	Atrophy	4
Pleurisy	2	2	2	Debility	13	..	12	25	15
Pneumonia	60	24	6	90	72	Malformations	1
Hydrothorax	3	1	4	5	Sudden Deaths	3	6	2	11	13
Asthma	20	29	49	24	Diseases of Uncer- tain Seat	34	45	46	125	103
Consumption	30	105	12	147	141	Old Age, or Natural Decay	4	102	106	71
Dis. of Lungs, &c. (3)	5	11	5	21	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	101	173	62	336	266	Privation	1	1	.4
Pericarditis	2	..	2	4	.6	Violent Deaths	7	10	4	23†	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	7	11	5	25†	25
Dis. of Heart, &c.	12	3	15	17	Causes not specified ..	2	2	1	5	8
Diseases of the Heart and Bloodvessels.}	2	12	5	19	18	Deaths from all Causes	451	354	272	1079	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	13	8	2	23	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	2	(1) Ague, 1. Remittent Fever, 1. (2) Tetanus, 1.					
Tabes Mesenterica ..	5	5	4	(3) Laryngitis, 2. (4) Intussusception, 1. Stricture of œsophagus, 1.					
Ascites	1						
Ulceration	1	..	1	1						
Hernia	1	1	2						
Colic or Ileus	2	1	..	3	1						
Dis. of Stomach, &c. (4)	1	2	1	4	4						
Hepatitis	1						
Jaundice	1	..	2	3	2						
Dis. of Liver, &c. ..	2	8	2	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	43	21	9	73	60						
West Districts. {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}					Deaths in the Week.	145				
North Districts. {	St. Mary-le-bone; St. Pancras; Islington; Hackney						210				
Central Districts. {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London						219				
East Districts. {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						219				
South Districts. {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; } Rotherhithe; Greenwich						286				
TOTAL. Males, 527. Females, 552. (Weekly average 1838-9-40, Males, 475. Females, 451.)							1079				
							926				

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Two Persons who died “Violent Deaths,” were not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, March 11th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th March, 1841.

Temperature. §	Weeks ending	
	Mar. 6th	Mar. 13th
Highest ...	50°	61°
Lowest	35°	40°
Daily Mean	41°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	34	8	..	42	36	Nephritis	1	..	1	.4
Measles	2	2	24	Diabetes3
Scarlatina	9	2	..	11	38	Stone5
Whooping Cough	53	53	28	Stricture4
Roupy	12	12	7	Dis. of Kidneys, &c. (3)	2	2	3	7	2.4
Brusht	3	3	5	Diseases of the Kid- neys, &c.}	2	3	3	8	4
Diarrhœa	2	1	1	4	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	9	10	10	29	1	Childbed, Diseases of the Uterus, &c. ...}	..	9	..	9	9
Typhus	5	11	5	21	46	Rheumatism	3	..	3	3
Erysipelas	1	5	..	6	7	Dis. of Joints, &c.	3	..	1	4	3
Phylis	1	Diseases of the Joints, Bones and Muscles}	3	3	1	7	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	130	37	16	183	204	Fistula	1	..	1	.4
Ephalitis	12	2	..	14	11	Dis. of Skin, &c.3
Hydrocephalus	35	1	..	36	34	Diseases of the Skin, &c.}	..	1	1	2	1
Populex	2	6	7	15	18	Inflammation	5	2	..	7	12
Paralysis	3	8	11	15	Hæmorrhage	1	3	..	4	3
Convulsions	66	66	60	Dropsy	3	26	18	47	34
Pilepsy	2	1	3	4	Abscess	2	1	..	3	4
Sanity	1	Mortification	1	2	3	6	5
Delirium Tremens	1	Scrofula	1	1	1	3	2
Dis. of Brain, &c. (1)	6	5	1	12	7	Carcinoma	3	2	5	7
Diseases of the Brain, Nerves, and Senses.}	121	19	17	157	151	Tumor	1	1	2
Quincy	1	Gout	2	1	3	1
Rhinitis	2	5	11	18	9	Atrophy	5	..	1	6	4
Neurisy	1	1	2	2	Debility	8	2	8	18	15
Pneumonia	54	16	9	79	72	Malformations	4	4	1
Hydrothorax	2	3	4	9	5	Sudden Deaths	7	6	7	20	13
Asthma	1	20	25	46	24	Diseases of Uncer- tain Seat	37	48	42	127	103
Consumption	33	103	6	142	141	Old Age, or Natural Decay	8	106	114	71
Dis. of Lungs, &c. ..	3	5	10	18	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	95	153	66	314	266	Privation4
Pericarditis6	Violent Deaths	8	11	2	23†	24
Neurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	8	12	2	24	25
Dis. of Heart, &c. ..	4	12	10	26	17	Causes not specified ..	2	1	1	4	8
Diseases of the Heart and Bloodvessels.}	4	13	10	27	18	Deaths from all Causes	439	333	275	1049	..
Ethling	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Enteritis	14	10	4	28	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Rhinitis	2	..	2	2	(1) Tetanus, 1.					
Per Mesenterica ..	4	4	4	(2) Stricture of œsophagus, 2.					
Cities	1	(3) Ischuria, 1.					
Cereation	2	2	1						
Enia	3	1	4	2						
Illeus	1	..	1	1						
Dis. of Stomach, &c. (2)	..	3	1	4	4						
Hepatitis	1	..	1	1						
Indice	1	..	1	2	2						
Dis. of Liver, &c. ..	1	6	1	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	37	26	10	73	60						

		Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
City of London	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	190	139
City of London	St. Mary-le-bone; St. Pancras; Islington; Hackney	192	163
City of London	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	203	190
City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	222	211
City of London	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	242	223
TOTAL	Males, 528. Females, 521. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1049	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons who died "Violent Deaths," were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 18th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th March, 1841.

Temperature. §	Weeks ending	
	Mar.13th	Mar.20th
Highest....	61°	62°
Lowest....	40°	38°
Daily Mean	51°	50°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	15	36	Nephritis	1	1	2	.4
Measles	6	6	24	Diabetes	1	..	1	.3
Scarlatina	7	7	38	Stone5
Whooping Cough	51	51	28	Stricture4
Droup	7	7	7	Dis. of Kidneys, &c.	1	3	4	2.4
Thrush	1	1	5	Diseases of the Kid- neys, &c.}	..	3	4	7	4
Diarrhoea	6	3	1	10	8	Childbed	13	..	13	7
Dysentery	1	1	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	5	..	5	2
Influenza	11	4	12	27	1	Childbed, Diseases of the Uterus, &c.}	..	18	..	18	9
Erysipelas	5	12	2	19	46	Rheumatism	3	2	5	3
Syphilis	1	3	2	6	7	Dis. of Joints, &c.	1	1	1	3	3
Hydrophobia	1	..	1	1	Diseases of the Joints, Bones and Muscles}	1	4	3	8	6
Epidemic, Endemic, & Contagious Diseases}	110	24	18	152	204	Ulcer4
Cephalitis	11	2	..	13	11	Fistula	1	1	.4
Hydrocephalus	38	1	..	39	34	Dis. of Skin, &c.3
Apoplexy	1	7	11	19	18	Diseases of the Skin, &c.}	1	1	1
Paralysis	3	8	11	15	Inflammation	2	2	12
Convulsions	64	64	60	Hæmorrhage	2	1	..	3	3
Epilepsy	3	..	3	4	Dropsy	2	23	18	43	34
Insanity	1	1	2	1	Abscess	2	1	..	3	4
Delirium Tremens	1	..	1	1	Mortification	2	4	6	5
Dis. of Brain, &c. ..	7	4	1	12	7	Scrofula	5	5	2
Diseases of the Brain, Nerves, and Senses}	121	22	21	164	151	Carcinoma	2	3	5	7
Quinsey	1	Tumor	1	..	1	2
Bronchitis	3	3	7	13	9	Gout	2	..	2	1
Pleurisy	1	2	..	3	2	Atrophy	8	..	1	9	4
Pneumonia	65	15	4	84	72	Debility	13	5	8	26	15
Hydrothorax	1	3	2	6	5	Malformations	1
Asthma	19	21	40	24	Sudden Deaths	2	7	5	14	13
Consumption	33	109	10	153†	141	Diseases of Uncer- tain Seat	36	44	39	119	103
Dis. of Lungs, &c. (1)	5	12	6	23	12	Old Age, or Natural Decay	2	79	81	71
Diseases of the Lungs, and other Organs of Respiration}	108	163	50	322	266	Intemperance	1	..	1	.6
Pericarditis6	Privation	1	1	.4
Aneurism	1	..	1	.6	Violent Deaths	8	13	4	26‡	24
Dis. of Heart, &c. ..	2	11	4	17	17	Deaths by Violence, Pri- vation, or Intemperance}	8	14	5	28	25
Diseases of the Heart and Bloodvessels. }	2	12	4	18	18	Causes not specified ..	1	1	1	3	8
Teething	22	22	17	Deaths from all Causes	428	329	231	990	..
Gastritis—Enteritis ..	6	3	1	10	18	Weekly Average, 1838-9-40.	438	314	171	..	926
Peritonitis	1	1	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :— (1) Laryngitis, 2. (2) Worms, 2.					
Tabes Mesenterica ..	7	7	4						
Ascites	1	..	1	1						
Ulceration	2	1	3	1						
Hernia	1	..	1	2						
Colic or Ileus	2	..	2	1						
Dis. of Stomach, &c. (2)	4	2	..	6	4						
Hepatitis	2	1	3	1						
Jaundice	1	2	..	3	2						
Dis. of Liver, &c. ..	1	6	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	41	22	6	69	60						

West Districts.	North Districts.	Central Districts.	East Districts.	South Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwel; Rotherhithe; Greenwich	143	139
					191	163
					212	190
					219	211
					225	223
TOTAL. Males, 501. Females, 489. (Weekly average 1838-9-40, Males, 475. Females, 451.)					990	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons who died of "Consumption," and by "Violence," were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, March 25th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th March, 1841.

Temperature. §	Weeks ending	
	Mar. 20th	Mar. 27th
Highest ...	62°	64°
Lowest ...	38°	43°
Daily Mean	50°	52°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	19	3	..	22	36	Nephritis4
Measles	7	1	..	8	24	Diabetes	2	..	2	.3
Scarlatina	11	11	38	Stone	1	..	1	.5
Crouping Cough	50	50	28	Stricture4
Whooping Cough	10	10	7	Dis. of Kidneys, &c. (1)	2	2	2.4
Scarlatina	3	3	5	Diseases of the Kid- neys, &c.}	..	3	2	5	4
Scarlatina	1	1	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	9	5	10	24	1	Childbed, Diseases of the Uterus, &c.}	..	8	1	9	9
Erysipelas	10	9	6	25	46	Rheumatism	2	..	2	3
Scrophulous	2	1	1	4	7	Dis. of Joints, &c.}	..	1	..	1	3
Phthisis	1	1	1	Diseases of the Joints, Bones and Muscles}	..	3	..	3	6
Hydrophobia1	Ulcer	1	1	2	.4
Epidemic, Endemic, & Contagious Diseases}	123	19	18	160	204	Fistula4
Cephalitis	10	5	..	15	11	Dis. of Skin, &c.}3
Hydrocephalus	30	1	..	31	34	Diseases of the Skin, &c.}	..	1	1	2	1
Apoplexy	9	7	16	18	Inflammation	12
Paralysis	3	6	9	15	Hæmorrhage	1	5	1	7	3
Convulsions	60	60	60	Dropsy	1	8	14	23	34
Epilepsy	1	1	2	4	Abscess	1	3	..	4	4
Insanity	2	..	2	1	Mortification	1	5	3	9	5
Delirium Tremens	1	1	1	Scrophula	1	1	2
Dis. of Brain, &c. ..	4	5	2	11	7	Carcinoma	1	2	4	7	7
Diseases of the Brain, Nerves, and Senses.}	104	26	17	147	151	Tumor	2
Quinsey	1	1	1	3	1	Gout	1	1	2	1
Bronchitis	4	5	7	16	9	Atrophy	4	..	1	5	4
Pleurisy	2	..	2	2	Debility	13	2	7	22	15
Pneumonia	52	16	7	75	72	Malformations	1
Hydrothorax	2	2	4	5	Sudden Deaths	8	7	8	23	13
Asthma	6	12	18	24	Diseases of Uncer- tain Seat	30	33	40	103	103
Consumption	21	103	5	129	141	Old Age, or Natural Decay	4	78	82	71
Dis. of Lungs, &c. ..	4	8	5	17	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	82	143	39	264	266	Privation	1	1	.4
Pericarditis	1	..	1	.6	Violent Deaths	5	12	4	21	24
Aneurism	2	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	6	12	4	22	25
Dis. of Heart, &c. ..	3	15	2	20	17	Causes not specified	1	1	8
Diseases of the Heart and Bloodvessels.}	3	18	2	23	18	Deaths from all Causes	371	284	210	865	..
Teething	10	6	..	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	..	2	9	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Cystitis, 1.					
Tabes Mesenterica ..	1	1	4	Deaths in the		Average Weekly Deaths, 1838-9-40.			
Ascites	1	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }		110			
Ulceration	1	..	1	1	{ St. Mary-le-bone; St. Pancras; Islington; Hackney		182			
Hernia	1	..	1	2	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; }		182			
Colic or Ileus	1	1	2	4	1	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; }		865			
Dis. of Stomach, &c. ..	3	1	..	4	4	{ Rotherhithe; Greenwich		211			
Hepatitis	1	1	1	TOTAL. Males, 424. Females, 441. (Weekly average 1838-9-40, Males, 475. Females, 451.)		926			
Jaundice	2	2	2						
Dis. of Liver, &c. ..	1	2	..	3	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	23	14	7	44	60						

The Number of Deaths in 12 Weeks from Epidemic Diseases and other Causes.

Causes of Death	Small Pox	Measles	Scarlatina	Whooping Cough	Influenza	Pneumonia, Pleurisy, & Bronchitis	Asthma	Paralysis	Childbirth	Consump- tion	All Causes	Tempera- ture
FOUR WEEKS.												
January 3rd to 30th	291	76	72	155	6	641	347	104	44	534	4687	36°.
January 31st to February 27th ..	194	42	46	229	19	482	206	83	40	554	4159	37°.
February 28th to March 27th	103	31	37	217	96	405	153	46	38	568	3983	48°.
TOTAL	588	149	155	601	121	1528	706	233	122	1656	12829	40°.

Diarrhoea and Dysentery have been more fatal than is usual in the season; Puerperal Fever has prevailed; Small Pox, Measles, and Scarlatina have gone on declining; Whooping Cough and Influenza are the reigning epidemics. The influence of the cold weather was most remarkable in inflammations of the Lungs, Asthma, and Paralysis. The deaths of persons above 60 amounted to 266 weekly through the season, or 56 per Cent. above the average of the 3 years 1838—19.

General Register Office, April 1st, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd April, 1841.

Temperature. §	Weeks ending	
	Mar. 27th	Apr. 3rd
Highest ...	64°	60°
Lowest	43°	38°
Daily Mean	52°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	12	4	..	17†	36	Nephritis4
Measles	8	8	24	Diabetes3
Scarlatina	11	1	..	12	38	Stone5
Whooping Cough	54	54	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c.	2	2	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	2	2	4	4
Diarrhœa	3	2	..	5	8						
Dysentery	1	..	1	2	Childbed	6	..	6	7
Cholera	1	Ovarian Dropsy2
Influenza	11	3	7	21	1	Dis. of Uterus, &c.	3	..	3	2
Typhus (1)	5	10	5	20	46	Childbed, Diseases of the Uterus, &c.}	..	9	..	9	9
Erysipelas	3	3	6	7						
Syphilis	1	Rheumatism	1	..	1	3
Hydrophobia1	Dis. of Joints, &c.	1	5	..	6	3
Epidemic, Endemic, & } Contagious Diseases }	116	24	15	156	204	Diseases of the Joints, Bones and Muscles }	1	6	..	7	6
Cephalitis	4	3	..	7	11	Ulcer4
Hydrocephalus	35	1	..	36	34	Fistula	1	..	1	.4
Apoplexy	2	8	9	19	18	Dis. of Skin, &c.3
Paralysis	2	7	9	15	Diseases of the Skin, &c.}	..	1	..	1	1
Convulsions	47	3	..	50	60						
Epilepsy	2	2	1	5	4	Inflammation	1	1	..	2	12
Insanity	1	..	1	1	Hæmorrhage	6	2	8	3
Delirium Tremens	1	1	2	1	Dropsy	6	18	9	33	34
Dis. of Brain, &c. (2)	1	5	2	8	7	Abscess	1	5	..	6	4
Diseases of the Brain, Nerves, and Senses. }	91	26	20	137	151	Mortification	1	1	3	5	5
Quinsey	1	Scrofula	1	1	2	2
Bronchitis	2	6	5	13	9	Carcinoma	1	4	5	7
Pleurisy	1	1	2	2	Tumor	1	..	1	2
Pneumonia	44	11	5	60	72	Gout	2	2	1
Hydrothorax	2	2	4	5	Atrophy	4	2	..	6	4
Asthma	11	22	33	24	Debility	10	4	8	22	15
Consumption	34	110	3	147	141	Malformations	1	1	1
Dis. of Lungs, &c. ..	5	6	7	18	12	Sudden Deaths	8	11	6	25	13
Diseases of the Lungs, and other Organs of Respiration }	85	147	45	277	266	Diseases of Uncer- tain Seat	32	51	35	118	103
Pericarditis	1	..	1	.6	Old Age, or Natural Decay	68	68	71
Aneurism	1	..	1	.6						
Dis. of Heart, &c. ..	2	10	4	16	17	Intemperance6
Diseases of the Heart } and Bloodvessels. }	2	12	4	18	18	Privation	1	1	.4
						Violent Deaths	11	10	3	27†	24
Teething	19	19	17	Deaths by Violence, Pri- vation, or Intemperance }	12	10	3	28	25
Gastritis—Enteritis ..	3	2	1	6	18						
Peritonitis	2	Causes not specified ..	3	1	1	5	8
Tabes Mesenterica ..	8	8	4	Deaths from all Causes	376	304	200	884	..
Ascites	1	..	1	1						
Ulceration	3	..	3	1	Weekly Average, 1838-9-40.	438	314	171	..	926
Hernia	2						
Colic or Ileus	3	..	1	4	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Dis. of Stomach, &c. (3)	..	2	3	5	4	(1) Remittent Fever, 1. (2) Tetanus, 2.					
Hepatitis	1	(3) Stricture of œsophagus, 1.					
Jaundice	1	1	..	2	2						
Dis. of Liver, &c.	6	2	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	34	15	7	56	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					132		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					161		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					164		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					192		211			
TOTAL. Males, 453. Females, 431. (Weekly average 1838-9-40, Males, 475. Females, 451.)						235		223			
						884		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Four Persons were not stated. One of whom died from "Small Pox," and Three by "Violence."
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 8th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 10th April, 1841.

Temperature. §	Weeks ending	
	Apr. 3rd	Apr. 10th
Highest....	60°	56°
Lowest.....	38°	38°
Daily Mean	49°	48°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small-Pox	22	1	..	23	36	Nephritis4
Measles	5	5	24	Diabetes3
Scarlatina	11	11	38	Stone	1	..	1	.5
Whooping Cough	53	53	28	Stricture4
Croup	11	11	7	Dis. of Kidneys, &c. (4)	..	2	1	3	2.4
Rush	4	..	1	5	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
Hæmorrhæa	3	..	2	5	8	Childbed	5	..	5	7
Scanty	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (5)	..	5	..	5	2
Influenza	7	2	4	13	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	..	10	9
Phus (1)	5	10	2	17	46	Rheumatism	1	..	1	3
Erysipelas	3	..	3	6	7	Dis. of Joints, &c. (6)	3	1	..	4	3
Phthisis	1	Diseases of the Joints, Bones and Muscles}	3	2	..	5	6
Diphtheria	1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases}	124	14	12	150	204	Fistula4
Pharyngitis	4	1	..	5	11	Dis. of Skin, &c.}	..	1	1	2	.3
Hydrocephalus	37	1	..	38	34	Diseases of the Skin, &c.}	..	1	2	3	1
Coma	1	9	6	16	18	Inflammation	1	..	1	2	12
Paralysis	2	3	5	15	Hæmorrhage	1	..	1	3
Convulsions	46	1	..	47	60	Dropsy	3	14	8	25	34
Epilepsy	2	1	3	4	Abscess	1	1	4
Mania	1	Mortification	1	5	6	5
Chorea	1	..	1	1	Scrofula	1	..	1	2
St. of Brain, &c. ...}	4	4	1	9	7	Carcinoma	4	3	7	7
Diseases of the Brain, Nerves, and Senses.}	92	21	11	124	151	Tumor	2	..	2	2
Paralysis (2)	1	1	1	Gout	3	2	5	1
Ophthalmitis	2	4	12	18	9	Atrophy	4	1	1	6	4
Eurisy	3	1	4	2	Debility	17	2	8	27	15
Neuritis	34	10	9	53	72	Malformations	1	1	1
Hydrothorax	3	1	4	5	Sudden Deaths	2	8	2	12	13
Asthma	7	10	17	24	Diseases of Uncer- tain Seat	29	37	30	96	103
Consumption	25	107	7	139	141	Old Age, or Natural Decay	2	43	45	71
St. of Lungs, &c. ...}	3	8	4	15	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	65	142	44	251	266	Privation4
Pericarditis6	Violent Deaths	5	16	1	23†	24
Pericarditis6	Deaths by Violence, Pri- vation, or Intemperance}	5	17	1	24	25
St. of Heart, &c. ...}	8	8	4	20	17	Causes not specified ..	2	1	..	3	8
Diseases of the Heart and Bloodvessels.}	8	8	4	20	18	Deaths from all Causes	354	269	156	780	..
Strangury	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Prostatitis	6	4	2	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Prostatitis	3	..	3	2						
Dis. Mesenterica ..	2	2	4	(1) Remittent Fever, 1.	(2) Laryngitis, 1.				
Dis. Mesenterica	1	..	1	1	(3) Disease of Spleen, 1.	(4) Cystitis, 1.				
Dis. Mesenterica ..	1	1	..	2	1	(5) Rupture of Uterus, 1.	(6) Arthritis, 2.				
Dis. Mesenterica	1	1	2						
Dis. Mesenterica	3	3	1						
Dis. Mesenterica ..	1	1	4						
Dis. Mesenterica	1	1	1						
Dis. Mesenterica	1	1	2						
Dis. Mesenterica ..	1	2	..	3	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	26	11	8	45	60						

Dist.icts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}	105	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	132	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London	159	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	183	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich	201	223
TOTAL. Males, 402. Females, 378. (Weekly average 1838-9-40, Males, 475. Females, 451.)	780	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person who died a "Violent Death," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 15th, 1841.

STATE OF NEW YORK

IN SENATE

JANUARY 1, 1881



REPORT

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th April, 1841.

Temperature. °	Weeks ending	
	Apr. 10th	Apr. 17th
Highest ...	56°	57°
Lowest....	38°	37°
Daily Mean	48°	46°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	16	2	..	18	36	Nephritis4
Measles	3	3	24	Diabetes3
Scarlatina	3	3	38	Stone	1	1	.5
Crouping Cough	42	42	28	Stricture	1	1	.4
Scroup	9	9	7	Dis. of Kidneys, &c. (1)	..	2	1	3	2.4
Whooping Cough	4	4	5	Diseases of the Kid- neys, &c.}	..	2	3	5	4
Diarrhoea	3	1	4	8	8	Childbed	4	..	4	7
Dysentery	1	2	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	5	1	3	9	1	Childbed, Diseases of the Uterus, &c. ..}	..	6	..	6	9
Typhus	8	13	..	21	46	Rheumatism	5	1	6	3
Erysipelas	3	..	3	7	Dis. of Joints, &c.	1	..	1	3
Phthisis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles}	..	6	1	7	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	94	22	9	125	204	Fistula4
Encephalitis	14	14	11	Dis. of Skin, &c.3
Hydrocephalus	35	..	1	36	34	Diseases of the Skin, &c.}	1
Apoplexy	1	11	10	22	18	Inflammation	5	5	12
Paralysis	1	5	14	20	15	Hæmorrhage	1	2	3	3
Convulsions	44	44	60	Dropsy	3	18	11	32	34
Epilepsy	4	..	4	4	Abscess	4	1	..	5	4
Insanity	1	1	1	Mortification	2	1	3	5
Delirium Tremens	1	..	1	1	Scrofula	2	2	2
Dis. of Brain, &c. ...	4	5	1	10	7	Carcinoma	8	2	10	7
Diseases of the Brain, Nerves, and Senses.}	99	26	27	152	151	Tumor	1	2	3	2
Unsanitary	1	1	..	2	1	Gout	1
Leucorrhœa	1	9	5	15	9	Atrophy	9	..	1	10	4
Leucis	1	..	1	2	Debility	12	2	5	19	15
Pneumonia	46	9	4	59	72	Malformations	3	3	1
Hydrothorax	5	5	5	Sudden Deaths	5	10	2	17	13
Asthma	1	10	13	24	24	Diseases of Uncer- tain Seat	43	43	26	112	103
Consumption	35	130	6	171	141	Old Age, or Natural Decay	1	56	57	71
Dis. of Lungs, &c. ...	5	9	3	17	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	89	169	36	294	266	Privation4
Pericarditis	2	2	.6	Violent Deaths	5	12	1	18	24
Neurism6	Deaths by Violence, Pri- vation, or Intemperance}	5	12	1	18	25
Dis. of Heart, &c. ...	7	7	7	21	17	Causes not specified ..	1	1	..	3†	8
Diseases of the Heart and Bloodvessels.}	9	7	7	23	18	Deaths from all Causes	363	311	173	848	..
Æthema	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Prostatitis—Enteritis..	3	7	2	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Cystitis, 1.					
Prostatitis	1	..	1	2						
Æmes Mesenterica ..	1	1	4	Deaths in the Week.	141	Average Weekly Deaths, 1838-9-40.			
Æcites	1	St. Mary-le-bone; St. Pancras; Islington; Hackney	162	163			
Æceration	1	1	1	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	168	190			
Ærnia	2	..	2	2	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	161	211			
Æolic or Ileus	1	1	1	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	216	223			
Æis. of Stomach, &c. ...	1	2	1	4	4	TOTAL. Males, 415. Females, 433. (Weekly average 1838-9-40, Males, 475. Females, 451.)	848	926			
Æpatitis	1						
Æundice	3	3	2						
Æis. of Liver, &c.	4	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	23	16	7	46	60						

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person was not stated; cause of death not known.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, April 22nd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th April, 1841.

Temperature. °	Weeks ending	
	Apr. 17th	Apr. 24th
Highest ...	57°	59°
Lowest	37°	40°
Daily Mean	46°	48°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	2	..	17	36	Nephritis4
Measles	3	3	24	Diabetes3
Scarlatina	8	1	..	9	38	Stone5
Whooping Cough	61	61	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	5	2	7	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	..	5	2	7	4
Diarrhoea	3	..	2	5	8	Childbed	5	..	5	7
Dysentery	1	1	2	Ovarian Dropsy	2	..	2	.2
Cholera	1	Dis. of Uterus, &c. ..	1	2	..	3	2
Influenza	4	1	3	8	1	Childbed, Diseases of the Uterus, &c.}	1	9	..	10	9
Typhus (1)	7	10	3	20	46	Rheumatism	1	1	3
Erysipelas	3	1	..	4	7	Dis. of Joints, &c.	3
Gonorrhoea	1	Diseases of the Joints, Bones and Muscles}	1	1	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	115	15	9	139	204	Fistula4
Cephalitis	9	7	..	16	11	Dis. of Skin, &c.3
Hydrocephalus	46	3	..	49	34	Diseases of the Skin, &c.}	1
Apoplexy	9	9	18	18	Inflammation	2	1	1	4	12
Paralysis	1	5	5	11	15	Hæmorrhage	1	2	..	3	3
Convulsions	54	54	60	Dropsy	2	21	18	41	34
Epilepsy	4	1	5	4	Abscess	1	2	..	3	4
Insanity	1	Mortification	2	1	..	3	5
Delirium Tremens	1	Scrofula	4	2	..	6	2
Dis. of Brain, &c. (2)	6	2	..	8	7	Carcinoma	5	1	6	7
Diseases of the Brain, Nerves, and Senses.}	116	30	15	161	151	Tumor	1	1	2	2
Quinsey	1	Gout	1	..	1	1
Bronchitis	3	6	4	13	9	Atrophy	5	5	4
Pleurisy	2	Debility	14	..	4	18	15
Pneumonia	43	13	2	58	72	Malformations	1
Hydrothorax	1	2	1	4	5	Sudden Deaths	2	6	6	14	13
Asthma	13	12	25	24	Diseases of Uncer- tain Seat	33	42	31	106	103
Consumption	40	130	4	174	141	Old Age, or Natural Decay	5	64	69	71
Dis. of Lungs, &c. (3)	3	10	7	20	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	90	174	30	294	266	Privation	1	1	..	2	.4
Pericarditis6	Violent Deaths	8	12	3	23	24
Neurism6	Deaths by Violence, Pri- vation, or Intemperance }	9	14	3	26	25
Dis. of Heart, &c.	14	8	22	17	Causes not specified ..	1	1	..	2	8
Diseases of the Heart and Bloodvessels. }	..	14	8	22	18	Deaths from all Causes	401	329	176	906	..
Enteritis	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Astria—Enteritis ..	9	9	6	24	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	(1) Remittent Fever, 1.	(2) Chorea, 1.	(3) Stricture of œsophagus, 1.	(4) Worms, 1.		
Abdominal Mesenterica ..	6	6	4	(3) Laryngitis, 1.					
Scites	1						
Ulceration	1	3	..	4	1						
Hernia	2	2	2						
Pleural or Pleus	1						
Dis. of Stomach, &c. (4)	1	2	1	4	4						
Hepatitis	1	1	2	1						
Murder	1	2	3	2						
Dis. of Liver, &c. ..	1	4	3	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	20	13	69	60						

Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	131
St. Mary-le-bone; St. Pancras; Islington; Hackney	162
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	197
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	203
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	213
TOTAL. Males, 437. Females, 469. (Weekly average 1838-9-40, Males, 475. Females, 451.)	906

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, April 20th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st May, 1841.

Temperature. §	Weeks ending	
	Apr. 24th	M 1st
Highest....	59°	72°
Lowest....	40°	44°
Daily Mean	48°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	3	..	24	36	Nephritis	1	1	.4
Measles	11	11	24	Diabetes3
Scarlatina	9	9	38	Stone5
Whooping Cough	40	10	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (6)	1	6	4	11	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c. }	2	6	4	12	4
Diarrhoea	4	1	3	8	8	Childbed	5	..	5	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	..	2	3	1	Childbed, Diseases of the Uterus, &c. }	..	7	1	8	9
Typhus (1)	7	13	4	24	46	Rheumatism	3
Erysipelas	1	..	4	5	7	Dis. of Joints, &c.	1	3	..	4	3
Erythema	1	Diseases of the Joints, Bones and Muscles }	1	3	..	4	6
Hydrophobia	1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	108	17	14	139	204	Fistula4
Ephalitis	8	2	..	10	11	Dis. of Skin, &c.3
Hydrocephalus	48	1	..	49	34	Diseases of the Skin, &c. }	1
Apoplexy	2	7	10	19	18	Inflammation	1	6	1	8	12
Paralysis	6	5	11	15	Hæmorrhage	5	..	5	3
Convulsions (2)	70	4	..	74	60	Dropsy	5	21	18	44	34
Epilepsy	1	2	1	4	4	Abscess	1	1	..	2	4
Insanity	1	1	1	Mortification	2	2	5
Delirium Tremens	1	..	1	1	Scrofula	1	2	..	3	2
Dis. of Brain, &c.	4	5	2	11	7	Carcinoma	1	6	3	10	7
Diseases of the Brain, Nerves, and Senses. }	134	28	18	180	151	Tumor	2
Quincy (3)	2	..	2	1	Gout	2	..	2	1
Bronchitis	1	14	4	19	9	Atrophy	3	2	..	5	4
Pleurisy	1	1	2	Debility	18	6	..	24	15
Pneumonia	40	15	6	61	72	Malformations	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	5	4	1	10	13
Asthma	11	13	24	24	Diseases of Uncer- tain Seat	35	55	25	115	103
Consumption	28	118	7	153	141	Old Age, or Natural Decay	59	59	71
Dis. of Lungs, &c.	2	8	5	15	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	72	169	38	279	266	Privation4
Pericarditis	1	1	.6	Violent Deaths	5	8	2	15	24
Neurism6	Deaths by Violence, Pri- vation, or Intemperance }	5	8	2	15	25
Dis. of Heart, &c.	1	12	7	20	17	Causes not specified ..	2	2	1	5	8
Diseases of the Heart and Bloodvessels. }	2	12	7	21	18	Deaths from all Causes	391	336	180	907	..
Cætering	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	11	2	19	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Ague, 1.	(2) Tetanus, 2.	(3) Chorea, 1.			
Abes Mesenterica ..	3	3	4	(3) Laryngitis, 2.	(4) Intussusception, 1.	(5) Ischuria, 3.	(6) Cystitis, 1.		
Ascites	1	1	1	(5) Stricture of œsophagus, 3.					
Ulceration	1						
Hernia	1	1	2	2						
Colic or Ileus (4)	1	1	1	3	1						
Dis. of Stomach, &c. (5)	3	2	1	6	4						
Hepatitis	1	1	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c.	1	10	4	15	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	30	29	11	70	60						
West districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					141		139			
Central districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					171		163			
East districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					194		190			
South districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					178		211			
TOTAL. Males, 478. Females, 429. (Weekly average 1838-9-40, Males, 475. Females, 451.)						223		223			
						907		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, May 6th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th May, 1841.

Temperature. °	Weeks ending	
	May 1st	May 8th
Highest ...	72°	65°
Lowest....	41°	50°
Daily Mean	59°	58°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	15	2	..	17	36	Nephritis	1	1	.4
Measles	13	13	24	Diabetes3
Scarlatina	7	1	..	8	38	Stone	1	..	1	.5
Whooping Cough	44	44	28	Stricture	1	1	.4
Croup	4	4	7	Dis. of Kidneys, &c.	1	1	2	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c. }	1	2	2	5	4
Diarrhoea	3	3	8	Childbed	6	..	6	7
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	3	..	4	1	Childbed, Diseases of the Uterus, &c. }	..	9	..	9	9
Typhus	2	6	1	9	46	Rheumatism	2	2	3
Erysipelas	1	2	1	4	7	Dis. of Joints, &c.	3	..	3	3
Erythema	1	Diseases of the Joints, Bones and Muscles }	2	3	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	93	14	3	110	204	Fistula4
Cephalitis	7	3	..	10	11	Dis. of Skin, &c.3
Hydrocephalus	31	31	34	Diseases of the Skin, &c. }	1
Apoplexy	9	6	15	18	Inflammation	2	4	1	7	12
Paralysis	5	12	17	15	Hæmorrhage	3	1	4	3
Convulsions	52	52	60	Dropsy	2	15	14	31	34
Epilepsy	5	..	5	4	Abscess	4
Insanity	1	..	1	2	1	Mortification	2	..	4	6	5
Delirium Tremens	2	..	2	1	Scrofula	2	..	1	3	2
Dis. of Brain, &c. ..	3	8	3	14	7	Carcinoma	1	6	2	9	7
Diseases of the Brain, Nerves, and Senses. }	94	32	22	148	151	Tumor	1	..	1	2	2
Quinsey	1	..	1	1	Gout	1	1	2	1
Bronchitis	5	3	8	9	Atrophy	1	1	..	2	4
Pleurisy	1	1	2	Debility	17	2	..	19	15
Pneumonia	53	10	5	68	72	Malformations	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	5	5	4	15	13
Asthma	8	10	18	24	Diseases of Uncer- tain Seat	33	37	29	100	103
Consumption	26	119	10	155	141	Old Age, or Natural Decay	63	63	71
Dis. of Lungs, &c. ..	7	5	3	15	12	Intemperance	3	..	3	.6
Diseases of the Lungs, and other Organs of Respiration }	37	149	33	269	266	Privation4
Pericarditis6	Violent Deaths	5	13	2	20	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	5	16	2	23	25
Dis. of Heart, &c. (1)	1	9	5	15	17	Causes not specified ..	1	1	8
Diseases of the Heart and Bloodvessels. }	1	9	5	15	18	Deaths from all Causes	345	278	166	790	..
Ceetling	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	2	3	11	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Angina Pectoris, 1. (2) Intussusception, 1. (3) Stricture of œsophagus, 1. Hæma- temesis, 1.					
Peritonitis	1	..	1	2						
Sabes Mesenterica ..	5	5	4						
Ascites	1	Deaths in the Week. Average Weekly Deaths, 1838-9-40.					
Ulceration	1						
Hernia	1	..	1	2						
Colic or Ileus (2) ..	1	1	1	Westminster {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }				
Dis. of Stomach, &c. (3)	2	1	2	5	4	North {					
Hepatitis	1	Central {					
Jaundice	2	East {	St. Mary-le-bone; St. Pancras; Islington; Hackney				
Dis. of Liver, &c. ..	2	2	2	6	7	South {					
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	28	7	7	42	60	City of London {					

Westminster {	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					125	139
North {						143	163
Central {						168	190
East {	St. Mary-le-bone; St. Pancras; Islington; Hackney					167	211
South {						187	223
City of London {						790	926
TOTAL. Males, 410. Females, 380.	(Weekly average 1838-9-40, Males, 475. Females, 451.)					790	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Age of One Person who died a "Sudden Death," was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 13th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th May, 1841.

Temperature. °	Weeks ending	
	May 8th	May 15th
Highest ...	72°	72°
Lowest....	45°	46°
Daily Mean	58°	58°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	20	20	36	Nephritis4
Easles	13	13	24	Diabetes3
Scarlatina	6	6	38	Stone5
Whooping Cough	45	45	28	Stricture4
Croup	6	6	7	Dis. of Kidneys, &c.	1	1	2	2.4
Trush	1	1	5	Diseases of the Kid- neys, &c.}	..	1	1	2	4
Hæmorrhæa	4	4	8	Childbed	3	..	3	7
Sentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (4)	1	2	3	2
Influenza	2	..	2	4	1	Childbed, Diseases of the Uterus, &c. ..}	..	4	2	6	9
Erysipelas	9	9	1	19	46	Rheumatism	3
Scrophulous	3	4	1	8	7	Dis. of Joints, &c. (5) ..	2	1	1	4	3
Phthisis	1	Diseases of the Joints, Bones and Muscles}	2	1	1	4	6
Dysphobia	1	1	.1	Ulcer	1	..	1	.4
Idemic, Endemic, & Contagious Diseases}	110	14	4	128	204	Fistula4
Phalitis	10	3	..	13	11	Dis. of Skin, &c.}3
Hydrocephalus	27	27	34	Diseases of the Skin, &c.}	..	1	..	1	1
Coma	5	4	9	18	Inflammation	2	2	12
Eclampsia	7	11	18	15	Hæmorrhage	3	..	3	3
Convulsions	51	1	..	52	60	Dropsy	7	12	8	27	34
Epilepsy	5	..	5	4	Abscess	3	5	..	8	4
Mania	1	..	1	1	Mortification	1	1	3	5	5
Delirium Tremens	1	1	1	Scrofula (6)	1	..	2	3	2
Dis. of Brain, &c. (1)	6	7	2	15	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses.}	94	29	18	141	151	Tumor	1	1	2	2
Measles	1	Gout	1	..	1	1
Scarlatina	2	3	4	9	9	Atrophy	2	..	2	4	4
Whooping Cough	1	1	..	2	2	Debility	16	..	2	18	15
Measles	43	6	3	52	72	Malformations	1
Whooping Cough	3	1	4	5	Sudden Deaths	2	4	2	8	13
Trush	3	10	13	24	Diseases of Uncer- tain Seat	34	30	23	87	103
Consumption	30	100	4	134	141	Old Age, or Natural Decay	64	64	71
Dis. of Lungs, &c. (2)	4	11	7	22	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	80	127	29	236	266	Privation4
Pericarditis6	Violent Deaths	14	1	15	21
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	..	14	1	15	25
Dis. of Heart, &c. ..	1	13	6	20	17	Causes not specified	8
Diseases of the Heart and Bloodvessels.}	1	13	6	20	18	Deaths from all Causes	356	250	155	761	..
Ethelism	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Stritis—Enteritis ..	8	5	1	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Tetanus, 1.	(4) Paramenia, 1.				
Enteritis Mesenterica ..	4	4	4	(2) Laryngitis, 1.	(5) Arthritis, 1.				
Enteritis	1	..	1	1	(3) Hematemesis, 1.	(6) Purpura, 2.				
Pericæcæ	1	..	1	1						
Pericæcæ	2	2	2						
Pericæcæ	1						
Dis. of Stomach, &c. (3)	1	2	1	4	4						
Hepatitis	1	1	1						
Indice	1	..	1	2						
Dis. of Liver, &c.	4	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	35	16	6	57	60						
East districts.}	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North districts.}	St. Mary-le-bone; St. Pancras; Islington; Hackney					107		139			
West districts.}	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					142		163			
East districts.}	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					157		190			
South districts.}	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					157		211			
TOTAL. Males, 398. Females, 363. (Weekly average 1838-9-40, Males, 475. Females, 451.)						198		223			
						761		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 20th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd May, 1841.

Temperature. °	Weeks ending	
	May 15th	May 22nd
Highest ...	72°	76°
Lowest	46°	48°
Daily Mean	58°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	23	4	..	27	36	Nephritis4
Measles	13	13	24	Diabetes3
Scarlatina	5	1	..	6	38	Stone5
Whooping Cough	43	43	28	Stricture4
Croup	7	7	7	Dis. of Kidneys, &c. (4)	1	1	2.4
Thrush	3	3	5	Diseases of the Kid- neys, &c. }	1	1	4
Diarrhœa	2	2	4	8	Childbed	9	..	9	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	3	1	..	4	1	Childbed, Diseases of the Uterus, &c. }	..	11	1	12	9
Typhus (1)	8	8	4	20	46	Rheumatism	1	..	1	3
Erysipelas	2	2	..	4	7	Dis. of Joints, &c.	1	2	..	3	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	1	3	..	4	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	107	18	6	131	204	Fistula	1	..	1	.4
Cephalitis	17	1	..	18	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	32	32	34	Diseases of the Skin, &c. }	1	1	..	2	1
Apoplexy	7	4	11	18	Inflammation	1	2	..	3	12
Paralysis	5	9	14	15	Hæmorrhage	1	3	2	6	3
Convulsions	45	45	60	Dropsy	1	17	7	25	34
Epilepsy	1	..	1	4	Abscess	1	1	..	2	4
Insanity	1	Mortification	1	1	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c.	3	..	1	4	7	Carcinoma	1	4	1	6	7
Diseases of the Brain, Nerves, and Senses. }	97	16	14	127	151	Tumor	2
Quinsey	1	1	..	2	1	Gout	1
Bronchitis	3	4	2	9	9	Atrophy	5	1	2	8	4
Pleurisy	1	..	1	2	Debility	11	3	4	18	15
Pneumonia	35	3	5	43	72	Malformations	1
Hydrothorax	2	4	6	5	Sudden Deaths	2	3	1	6	13
Asthma	5	10	15	24	Diseases of Uncer- tain Seat	24	35	18	77	103
Consumption	38	100	9	147	141	Old Age, or Natural Decay	1	50	51	71
Dis. of Lungs, &c. (2)	6	5	3	14	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	83	121	33	237	266	Privation4
Pericarditis6	Violent Deaths	5	8	1	15†	24
Neurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	5	8	1	15	25
Dis. of Heart, &c.	3	3	4	10	17	Causes not specified	2	1	5†	8
Diseases of the Heart and Bloodvessels. }	3	4	4	11	18	Deaths from all Causes	359	237	135	734	..
Cerebrum	16	16	17	Weekly Average, 1838-9-40.	438	314	171	..	926
gastritis—Enteritis ..	12	4	3	19	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 2. (3) Worms, 1. Hematemesis, 1. (2) Laryngitis, 1. (4) Cystitis, 1.					
Peritonitis	3	..	3	2						
Obes Mesenterica ..	4	4	4	Deaths in the Week. Average Weekly Deaths, 1838-9-40.					
Ascites	1						
Ascitation	2	..	2	1	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					
Hernia	2	2	4	2						
Obst. or Ileus	3	3	1	St. Mary-le-bone; St. Pancras; Islington; Hackney					
Dis. of Stomach, &c. (3)	1	1	..	2	4						
Hepatitis	1	1	1	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					
Indigestion	2						
Dis. of Liver, &c.	1	5	1	7	7	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	38	17	6	61	60						
Dis. of Spleen	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					
Dis. of Pancreas						
Dis. of Gall-bladder	TOTAL. Males, 313. Females, 391. (Weekly average 1838-9-40, Males, 475. Females, 451.)					

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Ague, 2. (3) Worms, 1. Hematemesis, 1.
(2) Laryngitis, 1. (4) Cystitis, 1.

Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	97	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	150	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	166	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	151	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	170	223
TOTAL. Males, 313. Females, 391. (Weekly average 1838-9-40, Males, 475. Females, 451.)	734	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Three Persons were not stated: one died a Violent Death, and in two cases the cause of Death was not Specified.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, May 27th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th May, 1841.

Temperature. §	Weeks ending	
	May 22nd	May 29th
Highest....	76°	79°
Lowest....	48°	54°
Daily Mean	59°	65°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.						
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards								
Small Pox	11	2	..	13	36	Nephritis	1	1	.4						
Measles	11	11	24	Diabetes	2	..	2	.3						
Scarlatina	7	1	..	8	38	Stone	1	1	.5						
Whooping Cough	45	45	28	Stricture4						
Croup	5	5	7	Dis. of Kidneys, &c.	1	2	3	2.4						
Thrush	4	4	5	<i>Diseases of the Kid-</i>	..	3	4	..	4						
Diarrhœa	4	2	1	7	8	<i>neys, &c.</i>						
Dysentery	1	1	2	Childbed	9	..	9	7						
Cholera	1	Ovarian Dropsy	1	1	.2						
Influenza	1	2	3	1	Dis. of Uterus, &c.	2	..	2	2						
Typhus (1)	6	15	4	26†	46	<i>Childbed, Diseases of</i>	..	11	1	12	9						
Erysipelas	3	..	3	7	<i>the Uterus, &c. ...</i>						
Syphilis	1	..	1	1	Rheumatism	3	..	3	3						
Hydrophobia1	Dis. of Joints, &c.	1	1	2	3						
<i>Epidemic, Endemic, & Contagious Diseases</i>	93	25	8	127	204	<i>Diseases of the Joints, Bones and Muscles</i>	..	4	1	5	6						
Cephalitis	28	4	..	32	11	Ulcer	1	1	.4						
Hydrocephalus	40	4	..	44	34	Fistula4						
Apoplexy	6	10	16	18	Dis. of Skin, &c.	1	1	.3						
Paralysis	1	7	7	15	15	<i>Diseases of the Skin, &c.</i>	2	2	1						
Convulsions	45	45	60	Inflammation	4	..	1	5	12						
Epilepsy	3	1	4	4	Hæmorrhage	2	..	2	3						
Insanity	1	Dropsy	2	16	11	29	34						
Delirium Tremens	2	..	2	1	Abscess	2	..	2	4						
Dis. of Brain, &c. (2)	6	6	2	14	7	Mortification	1	..	2	3	5						
<i>Diseases of the Brain, Nerves, and Senses.</i>	120	32	20	172	151	Scrofula (5)	3	3	..	6	2						
Quinsey	1	1	1	Carcinoma	4	2	6	7						
Bronchitis	2	6	4	12	9	Tumor	1	..	1	2						
Pleurisy	1	2	..	3	2	Gout	1						
Pneumonia	46	10	2	58	72	Atrophy	6	6	4						
Hydrothorax	1	4	5	5	Debility	12	4	3	19	15						
Asthma	4	6	10	24	Malformations	1	1	1						
Consumption	27	119	5	151	141	Sudden Deaths	3	8	2	13	13						
Dis. of Lungs, &c. (3)	4	5	2	11	12	<i>Diseases of Uncertain Seat</i>	32	40	21	93	103						
<i>Diseases of the Lungs, and other Organs of Respiration</i>	81	147	23	251	266	Old Age, or Natural Decay	5	53	58	71						
Pericarditis6	Intemperance	2	..	2	.6						
Aneurism6	Privation4						
Dis. of Heart, &c. ...	2	7	2	11	17	Violent Deaths	8	9	..	19†	24						
<i>Diseases of the Heart and Bloodvessels.</i>	2	7	2	11	18	<i>Deaths by Violence, Privation, or Intemperance</i>	8	11	..	21	25						
Teething	16	16	17	Causes not specified ..	3	4	..	7	8						
Gastritis—Enteritis ..	10	4	1	15	18	Deaths from all Causes	380	312	138	833	..						
Peritonitis	1	..	1	2	Weekly Average, 1838-9-40.	438	314	171	..	926						
Tabes Mesenterica ..	7	7	4	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1. Remittent Fever, 1. (4) Stricture of œsophagus, 1. (2) Chorea, 1. (5) Purpura, 1. (3) Laryngitis, 1.											
Ascites	1												
Ulceration	1	1	1	Deaths in the Week. 131											
Hernia	1	2	3	2												
Colic or Ileus	1	2	..	3	1	166											
Dis. of Stomach, &c. (4)	2	1	..	3	4												
Hepatitis	1	..	1	1	179											
Jaundice	2	..	2	2												
Dis. of Liver, &c. ...	2	11	2	15	7	150											
<i>Diseases of the Stomach, Liver, and other Organs of Digestion</i>	39	23	5	67	60												
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	166																
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney																	
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	179																
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar																	
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	207																
TOTAL. Males, 426. Females, 407. (Weekly average 1838-9-40, Males, 475. Females, 451.)																	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Three Persons were not stated: one died from "Typhus," and two by "Violence."
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 3rd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th June, 1841.

Temperature. °	Weeks ending	
	May 29th	June 5th
Highest....	79°	82°
Lowest....	54°	52°
Daily Mean	65°	66°

Causes of Death.	Age			Total	Weekly Average, 1838-9-10.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	36	Nephritis4
Measles	8	8	24	Diabetes3
Scarlatina	13	1	..	14	38	Stone5
Hooping Cough	35	35	28	Stricture	1	1	.4
Croup	6	6	7	Dis. of Kidneys, &c. (4)	..	1	3	4	2.4
Thrush	2	2	5	Diseases of the Kid- neys, &c.}	..	1	4	5	4
Diarrhoea	2	..	1	3	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c. (5)	..	7	..	7	2
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	14	..	14	9
Typhus	6	8	6	20	46	Rheumatism	1	..	1	3
Erysipelas	1	2	1	4	7	Dis. of Joints, &c.	1	1	..	2	3
Syphilis	2	..	2	1	Diseases of the Joints, Bones and Muscles}	1	2	..	3	6
Hydrophobia	1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	94	14	9	117	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c.}3
Hydrocephalus	42	42	34	Diseases of the Skin, &c.}	1
Apoplexy	2	3	8	13	18	Inflammation	1	1	12
Paralysis	6	4	10	15	Hæmorrhage	2	1	3	3
Convulsions	50	1	..	51	60	Dropsy	2	14	10	26	34
Epilepsy	2	1	3	4	Abscess	1	3	..	4	4
Insanity	1	..	1	1	Mortification	1	1	2	5
Delirium Tremens	1	1	2	1	Scrofula (6)	1	1	..	2	2
Dis. of Brain, &c. (1)	6	6	1	13	7	Carcinoma	4	2	6	7
Diseases of the Brain, Nerves, and Senses.}	107	21	15	143	151	Tumor	1	2	3	2
Quinsey	2	2	1	Gout	1
Bronchitis	1	2	2	5	9	Atrophy	4	..	2	6	4
Pleurisy	2	2	4	2	Debility	10	4	6	20	15
Pneumonia	41	8	3	52	72	Malformations	2	2	1
Hydrothorax	2	2	4	5	Sudden Deaths	3	9	6	18	13
Asthma	2	7	9	24	Diseases of Uncer- tain Seat	24	39	30	93	103
Consumption	36	111	6	153	141	Old Age, or Natural Decay	4	41	45	71
Dis. of Lungs, &c. (2)	4	9	1	14	12	Intemperance	3	..	3	.6
Diseases of the Lungs, and other Organs of Respiration}	84	136	23	243	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	9	15	4	28	24
Aneurism	3	..	3	.6	Deaths by Violence, Pri- vation, or Intemperance}	9	18	4	31	25
Dis. of Heart, &c.	1	11	4	16	17	Causes not specified	1	..	1	8
Diseases of the Heart } and Bloodvessels. }	1	15	4	20	18	Deaths from all Causes	342	281	140	763	..
Teething	8	8	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	4	1	11	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	1	3	2	(1) Tetanus, 1.	(4) Cystitis, 1.				
Tabes Mesenterica ..	4	..	1	5	4	(2) Laryngitis, 1.	(5) Paramenia, 1.				
Ascites	1	(3) Intussusception, 1.	(6) Purpura, 2.				
Ulceration	1						
Hernia	1	1	2						
Colic or Ileus (3)	2	..	1	3	1						
Dis. of Stomach, &c.	1	1	2	4	4						
Hepatitis	1						
Jaundice	2	2	4	2						
Dis. of Liver, &c.	1	7	1	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	22	16	10	48	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	124	139
North Districts.	158	163
St. Mary-le-bone; St. Pancras; Islington; Hackney	149	190
Central Districts.	148	211
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	184	223
East Districts.	763	926
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich		
TOTAL. Males, 410. Females, 353. (Weekly average 1838-9-10, Males, 475. Females, 451.)		

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 10th, 1841.

1841.

23.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th June, 1841.

Temperature. °	Weeks ending	
	June 5th	June 12th
Highest....	82°	69°
Lowest....	52°	45°
Daily Mean	66°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	23	1	..	24	36	Nephritis4
Measles	17	1	..	18	24	Diabetes3
Scarlatina	3	1	..	4	38	Stone	1	1	.5
Hooping Cough	28	28	28	Stricture4
Croup	14	1	..	15	7	Dis. of Kidneys, &c.	1	2	3	2.4
Thrush	8	8	5	<i>Diseases of the Kid-</i>	1	1	2	4	4
Diarrhœa	5	1	1	7	8	<i>neys, &c.}</i>					
Dysentery	1	..	1	2	Childbed	4	..	4	7
Cholera	1	Ovarian Dropsy2
Influenza	1	..	1	2	1	Dis. of Uterus, &c.	4	..	4	2
Typhus	4	23	2	29	46	<i>Childbed, Diseases of</i>	..	8	..	8	9
Erysipelas	3	2	5	7	<i>the Uterus, &c.}</i>					
Syphilis	1	1	1	Rheumatism	3	..	3	3
Hydrophobia1	Dis. of Joints, &c.	1	..	1	3
<i>Epidemic, Endemic, & } Contagious Diseases }</i>	104	32	6	142	204	<i>Diseases of the Joints, Bones and Muscles }</i>	..	4	..	4	6
Cephalitis	9	2	..	11	11	Ulcer4
Hydrocephalus	35	2	1	38	34	Fistula4
Apoplexy	6	5	11	18	Dis. of Skin, &c. (2) ..	1	1	..	2	.3
Paralysis	3	3	6	15	<i>Diseases of the Skin, &c.}</i>	1	1	..	2	1
Convulsions (1)	44	1	..	45	60	Inflammation	2	1	1	4	12
Epilepsy	2	2	..	4	4	Hæmorrhage	2	3	5	3
Insanity	1	Dropsy	4	13	7	24	34
Delirium Tremens	1	1	1	Abscess	1	1	4
Dis. of Brain, &c. ..	3	1	1	5	7	Mortification	1	2	..	3	5
<i>Diseases of the Brain, Nerves, and Senses. }</i>	93	17	11	121	151	Scrofula	2	1	..	3	2
Quinsey	2	2	1	Carcinoma	4	1	5	7
Bronchitis	3	1	4	9	Tumor	1	1	2	4	2
Pleurisy	1	..	1	2	Gout	1	1	2	1
Pneumonia	45	17	3	65	72	Atrophy	6	6	4
Hydrothorax	1	1	5	Debility	12	6	..	18	15
Asthma	1	6	7	14	24	Malformations	2	2	1
Consumption	37	139	7	183	141	Sudden Deaths	3	8	2	13	13
Dis. of Lungs, &c. ..	4	6	3	13	12	<i>Diseases of Uncer- tain Seat}</i>	34	39	17	90	103
<i>Diseases of the Lungs, and other Organs of Respiration }</i>	89	172	22	283	266	<i>Old Age, or Natural Decay}</i>	47	47	71
Pericarditis	2	..	2	.6	Intemperance6
Aneurism6	Privation	1	..	1	.4
Dis. of Heart, &c. ..	2	6	3	11	17	Violent Deaths	12	25	1	38	24
<i>Diseases of the Heart and Bloodvessels. }</i>	2	8	3	13	18	<i>Deaths by Violence, Pri- vation, or Intemperance }</i>	12	26	1	39	25
Teething	17	17	17	Causes not specified ..	1	2	1	4	8
Gastritis—Enteritis ..	9	10	2	21	18	Deaths from all Causes	373	334	119	826†	..
Peritonitis	1	..	1	2	Weekly Average, 1838-9-40.	438	314	171	..	926
Tabes Mesenterica ..	4	..	1	5	4	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Ascites	1	(1) Tetanus, 1.					
Ulceration	1	1	1	(2) Phlegmon, 1.					
Hernia	1	1	2	2						
Colic or Ileus	1	2	1	4	1						
Dis. of Stomach, &c. ..	1	1	..	2	4						
Hepatitis	1	..	1	1						
Jaundice	1	2	1	4	2						
Dis. of Liver, &c. ..	2	6	3	11	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion }</i>	36	24	9	69	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	124	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	146	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	169	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	172	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	215	223
TOTAL. Males, 452. Females, 374. (Weekly average 1838-9-40, Males, 175. Females, 451.)	826	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The Ages of Three Persons were not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, June 15th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published, by H. Colver, at Mr. H. Colver's, Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsgate, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 6d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th June, 1841.

Temperature. §	Weeks ending	
	June 12th	June 19th
Highest ...	69°	80°
Lowest	45°	47°
Daily Mean	54°	61°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	1	..	12	36	Nephritis4
Measles	12	12	24	Diabetes3
Scarlatina	16	16	38	Stone5
Whooping Cough	28	28	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (7)	2	2	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c.	2	2	4
Diarrhoea	3	..	3	6	8	Childbed	3	..	3	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	2	4	2
Influenza	1	..	1	2	1	Childbed, Diseases of the Uterus, &c.	5	2	7	9
Typhus (1)	9	7	3	19	46	Rheumatism	1	1	..	2	3
Erysipelas	1	1	7	Dis. of Joints, &c.	1	1	2
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles	2	1	..	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases	95	9	8	112	204	Fistula4
Cephalitis	11	1	2	14	11	Dis. of Skin, &c. (8)	1	..	1	.3
Hydrocephalus	28	28	34	Diseases of the Skin, &c.	1	..	1	1
Apoplexy	11	13	24	18	Inflammation	4	1	..	5	12
Paralysis	4	8	12	15	Hæmorrhage	1	2	2	5	3
Convulsions (2)	48	4	..	52	60	Dropsy	3	9	13	25	34
Epilepsy	1	1	4	Abscess	1	1	4
Insanity	1	..	1	1	Mortification	6	2	8	5
Delirium Tremens	1	..	1	1	Scrofula	2	2	2
Dis. of Brain, &c. ..	4	2	..	6	7	Carcinoma	1	7	5	13	7
Diseases of the Brain, Nerves, and Senses.	92	24	23	139	151	Tumor	1	1	2
Quinsey (3)	2	1	..	3	1	Gout	1
Bronchitis	2	2	4	8	9	Atrophy	1	1	4
Pleurisy	2	Debility	14	3	..	17	15
Pneumonia	42	6	2	50	72	Malformations	1
Hydrothorax	1	1	5	Sudden Deaths	2	6	3	11	13
Asthma	9	6	15	24	Diseases of Uncer- tain Seat	28	34	27	89	103
Consumption	32	122	6	160	141	Old Age, or Natural Decay	39	39	71
Dis. of Lungs, &c. ..	5	8	2	15	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration	83	148	21	252	266	Privation4
Pericarditis6	Violent Deaths	3	15	2	20	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance	3	16	2	21	25
Dis. of Heart, &c. ..	2	14	4	20	17	Causes not specified ..	3	1	..	4	8
Diseases of the Heart and Bloodvessels.	2	15	4	21	18	Deaths from all Causes	335	277	138	750	..
Ceetling	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	3	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	2	(1) Ague, 2.	(5) Intussusception, 1.				
Tabes Mesenterica (4)	2	2	4	(2) Chorea, 1.	(6) Stricture of œsophagus, 1.				
Ascites	1	(3) Laryngitis, 1.	(7) Ischuria, 1.				
Ulceration	2	..	2	1	(4) Worms, 1.	(8) Phlegmon, 1.				
Hernia	1	..	1	2						
Colic or Ileus (5)	1	..	1	2	1						
Dis. of Stomach, &c. (6)	2	3	2	7	4						
Hepatitis	2	1	3	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. ..	1	9	2	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	27	23	10	60	60						

West districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	Deaths in the Week.	Average weekly Deaths, 1838-9-40.
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	108	139
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	144	163
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	158	190
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	163	211
		177	223
TOTAL. Males, 370. Females, 380. (Weekly average 1838-9-40, Males, 475. Females, 451.)		750	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, June 22nd, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 26th June, 1841.

Temperature. §	Weeks ending	
	June 19th	June 26th
Highest....	80°	87°
Lowest....	47°	51°
Daily Mean	61°	64°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	11	2	..	13	36	Nephritis	1	..	1	..
Measles	24	24	24	Diabetes	1	..	1	.4
Scarlatina	13	1	..	14	38	Stone3
Whooping Cough	30	30	28	Stricture5
Croup	3	3	7	Dis. of Kidneys, &c.	1	2	3	.4
Thrush	9	9	5	Diseases of the Kid- neys, &c.	3	2	5	2.4
Diarrhœa	2	..	1	3	8	Childbed	6	..	6	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	2	1	2	5	1	Childbed, Diseases of the Uterus, &c.	7	..	7	9
Typhus	7	4	3	14	46	Rheumatism	1	..	1	3
Erysipelas	2	..	2	7	Dis. of Joints, &c.	1	..	1	3
Syphilis	1	Diseases of the Joints, Bones and Muscles	..	2	..	2	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases	101	10	6	117	204	Fistula4
Cephalitis	10	4	..	15†	11	Dis. of Skin, &c.3
Hydrocephalus	35	1	..	37†	34	Diseases of the Skin, &c.	1
Apoplexy	9	12	21	18	Inflammation	2	1	..	3	12
Paralysis	5	5	10	15	Hæmorrhage	2	..	1	3	3
Convulsions (1)	38	1	..	39	60	Dropsy	3	14	11	28	34
Epilepsy	2	3	..	5	4	Abscess	4
Insanity	1	..	1	1	Mortification	1	4	2	7	5
Delirium Tremens	4	..	4	1	Scrofula	3	2	..	5	2
Dis. of Brain, &c. ..	7	4	..	11	7	Carcinoma	4	..	4	7
Diseases of the Brain, Nerves, and Senses.	92	32	17	143†	151	Tumor	2	..	2	2
Quinsey	3	1	..	4	1	Gout	1
Bronchitis	2	3	4	9	9	Atrophy	4	4	4
Pleurisy	1	1	2	Debility	8	3	..	11	15
Pneumonia	48	9	4	56	72	Malformations	1	1	1
Hydrothorax	1	1	2	5	Sudden Deaths	3	3	1	7	13
Asthma	8	4	12	24	Diseases of Uncer- tain Seat	27	33	15	75	103
Consumption	48	110	9	167	141	Old Age, or Natural Decay	46	46	71
Dis. of Lungs, &c. ..	4	5	3	12	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration	100	137	26	263	266	Privation4
Pericarditis6	Violent Deaths	4	12	6	22	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance	4	13	6	23	25
Dis. of Heart, &c. ..	4	11	2	17	17	Causes not specified	2	..	2	8
Diseases of the Heart and Bloodvessels.	4	12	2	18	18	Deaths from all Causes	364	262	127	755†	..
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	3	..	12	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	(1) Tetanus, 1. from exposure to Cold.					
Tabes Mesenterica ..	4	4	4	(2) Stricture of œsophagus, 1. Hematemesis, 1.					
Ascites	1						
Ulceration	1	1	1						
Hernia	2						
Colic or Ileus	1	..	1	2	1						
Dis. of Stomach, &c. (2)	5	..	3	8	4						
Hepatitis	1	..	1	1						
Jaundice	2	1	3	2						
Dis. of Liver, &c.	5	..	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	11	7	54	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	107	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	141	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	154	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	163	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	190	223
TOTAL. Males, 380. Females, 375. (Weekly average 1838-9-40, Males, 475. Females, 451.)	755	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,990.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Ages of Two Persons who died of "Cephalitis," and "Hydrocephalus," were not stated.

§ The Temperature is given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 1st, 1841.

1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 3rd July, 1841.

Temperature. §	Weeks ending	
	June 26th	July 3rd
Highest ...	87°	74°
Lowest	51°	53°
Daily Mean	64°	62°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	21	1	..	22	36	Nephritis4
Measles	13	13	24	Diabetes3
Scarlatina	12	3	1	16	38	Stone5
Hooping Cough	34	2	..	36	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c.	2.4
Thrush	1	1	5	Diseases of the Kid- neys, &c. }	4
Diarrhœa	1	1	2	8	Childbed	3	..	3	7
Dysentery	1	..	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	3	..	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ... }	..	6	..	6	9
Typhus	6	8	5	19	46	Rheumatism	1	1	2	3
Erysipelas	1	1	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	1	1	Diseases of the Joints, Bones and Muscles }	..	3	1	4	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	97	16	8	121	204	Fistula	1	..	1	.4
Cephalitis	10	3	..	13	11	Dis. of Skin, &c.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, } &c. }	1	1	..	2	1
Apoplexy	7	5	12	18	Inflammation	2	1	..	3	12
Paralysis	5	10	15	15	Hæmorrhage	1	1	..	2	3
Convulsions	47	47	60	Dropsy	3	19	8	30	34
Epilepsy	2	..	2	4	Abscess	1	..	1	2	4
Insanity	1	..	1	1	Mortification	1	1	5
Delirium Tremens	5	..	5	1	Scrofula	1	1	..	2	2
Dis. of Brain, &c. ..	5	2	..	7	7	Carcinoma	7	3	10	7
Diseases of the Brain, } Nerves, and Senses. }	90	26	15	131	151	Tumor	1	1	2
Quinsey	1	Gout	1	1	2	1
Bronchitis	3	3	2	8	9	Atrophy	6	..	1	7	4
Pleurisy	1	1	2	2	Debility	13	1	5	19	15
Pneumonia	44	10	7	61	72	Malformations	2	2	1
Hydrothorax	1	1	2	4	5	Sudden Deaths	3	8	2	13	13
Asthma	4	3	7	24	Diseases of Uncer- tain Seat	33	39	22	94	103
Consumption	33	98	6	138	141	Old Age, or Natural Decay	49	49	71
Dis. of Lungs, &c. ..	3	7	3	13	12	Intemperance	1	1	.6
Diseases of the Lungs, and } other Organs of Respiration }	84	124	24	233	266	Privation	1	..	1	.4
Pericarditis	1	1	.6	Violent Deaths	9	15	5	30	24
Aneurism	1	1	2	.6	Deaths by Violence, Pri- vation, or Intemperance }	9	16	6	32	25
Dis. of Heart, &c. ..	1	7	6	14	17	Causes not specified	2	2	8
Diseases of the Heart } and Bloodvessels. }	2	8	7	17	18	Deaths from all Causes	348	255	146	751†	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	12	5	3	20	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Worms, 1. Stricture of œsophagus, 1.					
Tabes Mesenterica ..	4	4	4						
Ascites	1	..	1	1						
Ulceration	1	..	1	1						
Hernia	2						
Colic or Ileus	1	..	1	1						
Dis. of Stomach, &c. (1)	3	3	3	9	4						
Hepatitis	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c.	5	5	10	7						
Diseases of the Stomach, } Liver, and other Or- gans of Digestion ..	32	16	12	60	60						
West Districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					128		139			
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					147		163			
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					152		190			
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					148		211			
TOTAL. Males, 383. Females, 368. (Weekly average 1838-9-40, Males, 475. Females, 451.)						176		223			
						751		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

‡ The ages of two persons were not stated; one died of “Consumption,” and one by “Violence.”

General Register Office, July 8th, 1841.

1841.

27.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th July, 1841.

Temperature. °	Weeks ending	
	July 3rd	July 10th
Highest....	74°	80°
Lowest....	53°	52°
Daily Mean	62°	65°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	2	..	15	36	Nephritis4
Measles	21	21	24	Diabetes3
Scarlatina	18	18	38	Stone5
Hooping Cough	39	39	28	Stricture	1	..	1	.4
Croup	2	2	7	Dis. of Kidneys, &c. (2)	..	3	2	5	2.4
Thrush	10	10	5	Diseases of the Kid- neys, &c.}	..	4	2	6	4
Diarrhœa	3	2	1	6	8	Childbed	4	..	4	7
Dysentery	1	1	2	4	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ...}	..	6	..	6	9
Typhus	14	10	1	25	46	Rheumatism	1	2	..	3	3
Erysipelas	1	1	2	7	Dis. of Joints, &c.	2	..	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	4	..	5	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	121	16	6	143	204	Fistula4
Cephalitis	13	4	1	18	11	Dis. of Skin, &c.3
Hydrocephalus	27	27	34	Diseases of the Skin, &c.}	1
Apoplexy	6	8	14	18	Inflammation	1	2	..	3	12
Paralysis	5	9	14	15	Hæmorrhage	3
Convulsions	50	50	60	Dropsy	3	17	6	26	34
Epilepsy	3	..	3	4	Abscess	4	2	1	7	4
Insanity	1	Mortification	3	3	6	5
Delirium Tremens	1	Serofula	2
Dis. of Brain, &c. ..	3	3	..	6	7	Carcinoma	3	5	8	7
Diseases of the Brain, Nerves, and Senses.}	93	21	18	132	151	Tumor	1	1	..	2	2
Quinsey	1	Gout	1	1	1
Bronchitis	2	3	5	9	Atrophy	3	3	4
Pleurisy	1	1	2	Debility	8	1	7	16	15
Pneumonia	43	10	2	55	72	Malformations	1	1	1
Hydrothorax	2	1	3	5	Sudden Deaths	6	6	4	16	13
Asthma	5	5	10	24	Diseases of Uncer- tain Seat	27	35	27	89	103
Consumption	30	108	9	147	141	Old Age, or Natural Decay	48	48	71
Dis. of Lungs, &c. ..	1	6	3	10	12	Intemperance	1	1	.6
Diseases of the Lungs, and other Organs of Respiration}	75	133	23	231	266	Privation4
Pericarditis6	Violent Deaths	7	6	4	17	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	7	6	5	18	25
Dis. of Heart, &c. ..	3	11	4	18	17	Causes not specified ..	5	2	1	8	8
Diseases of the Heart and Bloodvessels.}	3	12	4	19	18	Deaths from all Causes	367	249	139	755	..
Teething	14	14	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	11	2	3	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	2	(1) Stricture of œsophagus, 1.					
Tabes Mesenterica ..	4	4	4	(2) Cystitis, 1.					
Ascites	1						
Ulceration	1						
Hernia	2	..	2	2						
Colic or Ileus	1						
Dis. of Stomach, &c. (1)	3	1	..	4	4						
Hepatitis	1						
Jaundice	2						
Dis. of Liver, &c. ..	2	5	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	10	5	50	60						

		Week.	Deaths, 1838-9-40.
West districts.	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	99	139
North districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney	147	163
Central districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London	139	190
East districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	174	211
South districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich	196	223
TOTAL. Males, 397. Females, 358. (Weekly average 1838-9-40, Males, 475. Females, 451.)		755	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, July 15th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th July, 1841.

Temperature. °	Weeks ending	
	July 10th	July 17th
Highest ...	80°	75°
Lowest	52°	50°
Daily Mean	65°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	1	..	14	36	Nephritis	1	..	1	.4
Measles	17	17	24	Diabetes3
Scarlatina	8	8	38	Stone5
Whooping Cough	23	23	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	1	..	1	2.4
Thrush	5	5	5	<i>Diseases of the Kid- neys, &c.</i> }	..	2	..	2	4
Diarrhœa	6	1	2	9	8	Childbed	4	..	4	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	1	1	<i>Childbed, Diseases of the Uterus, &c.</i> }	..	6	..	6	9
Typhus (1)	6	10	3	19	46	Rheumatism	3	..	3	3
Erysipelas	2	2	..	4	7	Dis. of Joints, &c.	3
Syphilis	1	1	1	<i>Diseases of the Joints, Bones and Muscles</i> }	..	3	..	3	6
Hydrophobia1	Ulcer4
<i>Epidemic, Endemic, & Contagious Diseases</i> }	90	15	5	110	204	Fistula4
Cephalitis	8	1	..	9	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	35	1	..	36	34	<i>Diseases of the Skin, &c.</i> }	1	1	1
Apoplexy	12	8	20	18	Inflammation	5	5	12
Paralysis	4	5	9	15	Hæmorrhage	4	..	4	3
Convulsions	77	77	60	Dropsy	1	15	14	30	34
Epilepsy	3	..	3	4	Abscess	4
Insanity	1	Mortification	1	1	..	2	5
Delirium Tremens	1	..	1	1	Scrofula	2	1	1	4	2
Dis. of Brain, &c. ..	8	3	2	13	7	Carcinoma	3	..	3	7
<i>Diseases of the Brain, Nerves, and Senses.</i> }	123	25	15	168	151	Tumor	2	..	1	4	2
Quincy	1	1	1	Gout	1	1	2	1
Bronchitis	3	3	4	10	9	Atrophy	4	3	2	9	4
Pleurisy	2	1	3	2	Debility	16	..	2	18	15
Pneumonia	41	5	3	49	72	Malformations	1
Hydrothorax	1	..	1	2	5	Sudden Deaths	5	8	2	15	13
Asthma	1	6	2	9	24	<i>Diseases of Uncer- tain Seat</i> }	36	36	23	96	103
Consumption	45	102	3	150	141	<i>Old Age, or Natural Decay</i> }	..	1	41	42	71
Dis. of Lungs, &c. (2)	3	6	1	10	12	Intemperance	1	..	1	.6
<i>Diseases of the Lungs, and other Organs of Respiration</i> }	95	124	15	234	266	Privation	2	2	.4
Pericarditis6	Violent Deaths	8	13	..	21	24
Aneurism6	<i>Deaths by Violence, Pri- vation, or Intemperance</i> }	10	14	..	24	25
Dis. of Heart, &c. ..	3	5	5	13	17	<i>Causes not specified</i> ..	1	10	3	15	8
<i>Diseases of the Heart and Bloodvessels.</i> }	3	5	5	13	18	<i>Deaths from all Causes</i>	395	250	114	761	..
Teething	13	13	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	10	4	..	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	(1) Remittent Fever, 1.					
Tabes Mesenterica ..	4	4	4	(2) Laryngitis, 1.					
Ascites	1	..	1	1	(3) Intussusception, 1.					
Ulceration	1	..	1	1	(4) Hematemesis, 1.					
Hernia	2	2	2	2						
Colic or Ileus (3)	1	1	..	2	1						
Dis. of Stomach, &c. (4)	1	..	2	3	4						
Hepatitis	1	..	1	1						
Jaundice	1	1	2						
Dis. of Liver, &c. ..	2	1	2	5	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion</i> ..	31	9	7	47	60						

West districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	128	139
North districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	134	163
Central districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	179	190
East districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	143	211
South districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	177	223
TOTAL. Males, 405. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)	761	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The ages of two persons were not stated. One died of Tumor, and of the other the cause of death was not specified.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 22nd, 1841.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 24th July, 1841.

Temperature. °	Weeks ending	
	July 17th	July 24th
Highest ...	75°	74°
Lowest....	50°	51°
Daily Mean	60°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	14	14	36	Nephritis	1	..	1	.4
Measles	15	15	24	Diabetes3
Scarlatina	20	3	..	23	38	Stone5
Whooping Cough	26	26	28	Stricture4
Croup	3	3	7	Dis. of Kidneys, &c.	1	..	1	2.4
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	..	2	..	2	4
Diarrhœa	13	..	1	14	8	Childbed	6	..	6	7
Dysentery	1	..	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c. (2)	..	3	1	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	12	9
Typhus	7	9	3	19	46	Rheumatism	2	..	2	3
Erysipelas	1	1	1	3	7	Dis. of Joints, &c. ...	1	3	..	4	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	5	..	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	104	15	5	124	204	Fistula	2	2	.4
Cephalitis	7	3	..	10	11	Dis. of Skin, &c.	1	1	.3
Hydrocephalus	39	2	..	41	34	Diseases of the Skin, &c.}	1	..	2	3	1
Apoplexy	6	11	17	18	Inflammation	2	2	12
Paralysis	3	4	7	15	Hæmorrhage	1	..	1	3
Convulsions	45	1	..	46	60	Dropsy	3	12	10	25	34
Epilepsy	1	..	1	4	Abscess	2	3	..	5	4
Insanity	1	..	1	1	Mortification	1	2	3	6	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	6	1	1	8	7	Carcinoma	4	3	7	7
Diseases of the Brain, Nerves, and Senses }	97	20	16	133	151	Tumor	2
Quinsey	1	1	1	Gout	1	1	1	1
Bronchitis	1	5	4	10	9	Atrophy	6	..	2	8	4
Pleurisy	1	..	1	2	Debility	17	5	5	27	15
Pneumonia	41	4	4	49	72	Malformations	1
Hydrothorax	1	1	1	3	5	Sudden Deaths	2	6	1	9	13
Asthma	2	4	6	24	Diseases of Uncer- tain Seat	33	34	26	93	103
Consumption	34	101	7	142	141	Old Age, or Natural Decay	1	55	56	71
Dis. of Lungs, &c. ..	1	7	..	8	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	79	121	20	220	266	Privation4
Pericarditis6	Violent Deaths	2	7	4	13	24
Neurism6	Deaths by Violence, Pri- vation, or Intemperance }	2	7	4	13	25
Dis. of Heart, &c. ..	3	10	5	18	17	Causes not specified ..	2	4	..	6	8
Diseases of the Heart and Bloodvessels }	3	10	5	18	18	Deaths from all Causes	361	246	148	756	..
Ceething	14	14	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Enteritis	10	7	4	21	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—					
Peritonitis	1	1	2	(1) Intussusception, 1.					
Abes Mesenterica ..	6	6	4	(2) Paramenia, 1.					
Scites	1	..	1	1						
Ulceration	1	1	2	1						
Hernia	1	1	2						
Colic or Ileus (1) ..	2	1	1	4	1						
Dis. of Stomach, &c. ..	4	2	2	8	4						
Hepatitis	1						
Jaundice	1	..	1	2	2						
Dis. of Liver, &c. ..	2	5	3	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	39	17	14	70	60						

Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	127	139
St. Mary-le-bone; St. Pancras; Islington; Hackney	130	163
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	156	190
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	158	211
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	185	223
TOTAL. Males, 400. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)	756	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died of "Ovarian Dropsy" was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, July 29th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 31st July, 1841.

Temperature. °	Weeks ending	
	July 24th	July 31st
Highest ...	74°	71°
Lowest	51°	52°
Daily Mean	60°	60°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	13	1	..	14	36	Nephritis4
Measles	24	24	24	Diabetes3
Scarlatina	8	8	38	Stone	1	1	2	.5
Whooping Cough	31	31	28	Stricture	1	..	1	.4
Rough	3	3	7	Dis. of Kidneys, &c.	1	4	5	2.4
Whooping Cough	6	6	5	Diseases of the Kid- neys, &c.}	..	3	5	8	4
Diarrhoea	8	1	2	11	8	Childbed	8	..	8	7
Dysentery	1	1	2	Ovarian Dropsy	1	..	1	.2
Cholera	1	Dis. of Uterus, &c.	2
Influenza	1	1	..	2	1	Childbed, Diseases of the Uterus, &c. ..}	..	9	..	9	9
Erysipelas	11	8	2	21	46	Rheumatism	2	1	3	3
Phylis	6	2	2	10	7	Dis. of Joints, &c.	1	1	3
Hydrophobia	1	1	1	Diseases of the Joints, Bones and Muscles}	1	2	1	4	6
Epidemic, Endemic, & Contagious Diseases}	113	13	6	132	204	Ulcer	1	1	.4
Ephalitis	8	2	..	10	11	Fistula4
Hydrocephalus	43	1	..	44	34	Dis. of Skin, &c.	1	1	.3
Coma	2	3	6	11	18	Diseases of the Skin, &c.}	1	..	1	2	1
Paralysis	7	9	16	15	Inflammation	6	1	1	8	12
Convulsions	58	1	..	59	60	Hæmorrhage	2	..	2	3
Epilepsy	2	..	2	4	Dropsy	10	9	19	34
Insanity	1	..	1	1	Abscess	1	..	1	4
Delirium Tremens	1	1	2	1	Mortification	3	2	..	5	5
Dis. of Brain, &c. ...	5	5	1	11	7	Scrofula	2
Diseases of the Brain, Nerves, and Senses.}	116	23	17	156	151	Carcinoma	2	..	2	7
Measles	2	2	1	Tumor	1	2	3	2
Whooping Cough	2	2	2	6	9	Gout	1	1	1
Whooping Cough	2	..	2	2	Atrophy	8	..	2	10	4
Whooping Cough	47	8	2	57	72	Debility	12	..	6	18	15
Whooping Cough	2	..	2	5	Malformations	1
Whooping Cough	4	3	7	24	Sudden Deaths	1	7	4	12	13
Whooping Cough	41	95	9	145	141	Diseases of Uncer- tain Seat	30	26	25	81	103
Whooping Cough	4	7	1	12	12	Old Age, or Natural Decay	2	50	52	71
Diseases of the Lungs, and Other Organs of Respiration}	96	120	17	233	266	Intemperance6
Pericarditis6	Privation4
Neurism6	Violent Deaths	4	9	1	14	24
Dis. of Heart, &c. ...	3	7	5	15	17	Deaths by Violence, Pri- vation, or Intemperance}	4	9	1	14	25
Diseases of the Heart and Bloodvessels.}	3	7	5	15	18	Causes not specified	1	..	1	8
Whooping Cough	20	20	17	Deaths from all Causes	410	232	136	778	..
Whooping Cough	21	7	2	30	18	Weekly Average, 1838-9-40.	438	314	171	..	926
Whooping Cough	1	..	1	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Whooping Cough	2	2	4	(1) Remittent Fever, 1.					
Whooping Cough	1	..	1	1	(2) Intussusception, 1.					
Whooping Cough	1	..	1	1						
Whooping Cough	1	..	1	2						
Whooping Cough	2	2	1						
Whooping Cough	1	..	1	4						
Whooping Cough	1	1	1						
Whooping Cough	3	3	2						
Whooping Cough	5	3	8	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	46	17	8	71	60						
West- minsters.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney					125		139			
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					147		163			
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					150		190			
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					173		211			
TOTAL.	Males, 413. Females, 365. (Weekly average 1838-9-40, Males, 475. Females, 451.)					183		223			
						778		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 5th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th August, 1841.

Temperature. §	Weeks ending	
	July 31st	Aug. 7th
Highest....	71°	71°
Lowest....	52°	50°
Daily Mean	60°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	2	..	9	36	Nephritis	1	1	.4
Measles	15	15	24	Diabetes3
Scarlatina	18	2	..	20	38	Stone	1	..	1	.5
Whooping Cough	37	37	28	Stricture4
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	2.4
Thrush	6	6	5	<i>Diseases of the Kid-</i>	1	1	2	4	4
Diarrhoea	4	1	2	7	8	<i>neys, &c.}</i>					
Dysentery	2	2	2	Childbed	2	..	2	7
Cholera	1	..	1	1	Ovarian Dropsy2
Influenza	1	1	1	Dis. of Uterus, &c.	5	..	5	2
Typhus	10	8	4	23	46	<i>Childbed, Diseases of</i>	..	7	..	7	9
Erysipelas	3	1	..	4	7	<i>the Uterus, &c.}</i>					
Syphilis	1	1	1	Rheumatism	1	3	..	4	3
Hydrophobia1	Dis. of Joints, &c.	2	2	3
<i>Epidemic, Endemic, & } Contagious Diseases }</i>	108	15	6	130	204	<i>Diseases of the Joints, } Bones and Muscles }</i>	3	3	..	6	6
Cephalitis	5	1	..	6	11	Ulcer4
Hydrocephalus	35	1	1	37	34	Fistula4
Apoplexy	1	4	6	11	18	Dis. of Skin, &c.	1	1	.3
Paralysis	4	5	9	15	<i>Diseases of the Skin, } &c.}</i>	1	1	1
Convulsions	57	1	..	58	60	Inflammation	2	1	..	3	12
Epilepsy	2	..	2	4	Hæmorrhage	4	..	4	3
Insanity	1	Dropsy	5	19	8	32	34
Delirium Tremens	1	..	1	1	Abscess	2	1	..	3	4
Dis. of Brain, &c. ..	3	3	..	6	7	Mortification	2	2	5
<i>Diseases of the Brain, } Nerves, and Senses. }</i>	101	17	12	130	151	Scrofula (3)	1	1	..	2	2
Quinsey	1	1	1	Carcinoma	4	..	4	7
Bronchitis	2	3	..	5	9	Tumor	1	..	1	2
Pleurisy	2	Gout	1	1	1
Pneumonia	38	7	4	49	72	Atrophy	4	4	5	13	4
Hydrothorax	1	2	1	4	5	Debility	10	2	2	14	15
Asthma	7	6	13	24	Malformations	1
Consumption	28	109	2	139	141	Sudden Deaths	2	7	1	10	13
Dis. of Lungs, &c. (1)	1	3	4	8	12	<i>Diseases of Uncer- } tain Seat}</i>	26	44	19	89	103
<i>Diseases of the Lungs, and } other Organs of Respiration }</i>	70	131	18	219	266	<i>Old Age, or Natural } Decay}</i>	..	4	43	47	71
Pericarditis6	Intemperance6
Aneurism6	Privation4
Dis. of Heart, &c.	8	3	11	17	Violent Deaths	4	13	2	19	24
<i>Diseases of the Heart } and Bloodvessels. }</i>	..	8	3	11	18	<i>Deaths by Violence, Pri- } vation, or Intemperance }</i>	4	13	2	19	25
Teething	28	28	17	<i>Causes not specified ..</i>	1	1	1	3	8
Gastritis—Enteritis ..	20	6	4	30	18	<i>Deaths from all Causes</i>	372	265	121	759	..
Peritonitis	2	<i>Weekly Average, 1838-9-40.</i>	438	314	171	..	926
Tabes Mesenterica ..	4	1	..	5	4	<i>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—</i> (1) Laryngitis, 1. (2) Stricture of œsophagus, 1. Hematemesis, 1. Worms, 1. (3) Purpura, 1.					
Ascites	1						
Ulceration	1	1	..	2	1						
Hernia	1	2	3	2						
Colic or Ileus	1	1	2	1						
Dis. of Stomach, &c. (2)	3	3	3	9	4						
Hepatitis	1	1	2	1						
Jaundice	1	..	1	2						
Dis. of Liver, &c. ..	1	6	4	11	7						
<i>Diseases of the Stomach, } Liver, and other Or- } gans of Digestion ..</i>	57	21	15	93	60						

West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }

North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney

Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London

East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar

South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich

TOTAL. Males, 377. Females, 382.

(Weekly average 1838-9-40, Males, 475. Females, 451.)

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died of "Typhus" was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, August 12th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th August, 1841.

Temperature. °	Weeks ending	
	Aug. 7th	Aug. 14th
Highest ...	71°	73°
Lowest	50°	51°
Daily Mean	63°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	1	..	10	36	Nephritis4
Measles	19	19	24	Diabetes	1	..	1	.3
Scarlatina	5	1	1	7	38	Stone5
Hooping Cough	41	41	28	Stricture	1	1	.4
Croup	5	5	7	Dis. of Kidneys, &c. ..	1	2	2	5	2.4
Thrush	10	10	5	Diseases of the Kid- neys, &c. }	1	3	3	7	4
Diarrhœa	12	2	2	16	8	Childbed	7	..	7	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c.	4	..	4	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	11	..	11	9
Typhus (1)	7	11	1	19	46	Rheumatism	1	..	1	3
Erysipelas	3	2	..	5	7	Dis. of Joints, &c.	1	1	2	3
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles }	..	2	1	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	113	18	5	136	204	Fistula4
Cephalitis	6	4	1	11	11	Dis. of Skin, &c. (4)	1	1	.3
Hydrocephalus	27	1	..	28	34	Diseases of the Skin, &c. }	1	1	1
Apoplexy	4	5	10	19	18	Inflammation	1	2	..	3	12
Paralysis	4	9	13	15	Hæmorrhage	3	..	3	3
Convulsions	66	66	60	Dropsy	7	13	11	31	34
Epilepsy	2	..	2	4	Abscess	2	2	..	4	4
Insanity	1	1	1	Mortification	1	1	2	4	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c. ..	4	6	2	12	7	Carcinoma	1	2	1	4	7
Diseases of the Brain, Nerves, and Senses. }	107	24	23	154	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	1	3	4	9	Atrophy	8	..	4	12	4
Pleurisy	2	Debility	15	2	2	19	15
Pneumonia	41	5	1	47	72	Malformations	1	1	1
Hydrothorax	2	2	4	5	Sudden Deaths	4	9	4	17	13
Asthma	2	7	9	24	Diseases of Uncer- tain Seat	40	36	26	102	103
Consumption	43	110	6	159	141	Old Age, or Natural Decay	3	39	42	71
Dis. of Lungs, &c. (2)	4	1	3	8	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	90	121	22	233	266	Privation	1	1	.4
Pericarditis	1	1	.6	Violent Deaths	3	17	4	25	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	4	18	4	27	25
Dis. of Heart, &c. ..	5	9	4	18	17	Causes not specified ..	1	1	..	2	8
Diseases of the Heart and Bloodvessels. }	6	10	4	20	18	Deaths from all Causes	398	264	139	802	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	2	3	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	..	2	2	(1) Ague, 1.	Deaths in the Week. 109 148 179 180 186				
Tabes Mesenterica ..	6	6	4	(2) Laryngitis, 1.					
Ascites	1	(3) Hematemesis, 1. Worms, 1.					
Ulceration	1	1	..	2	1	(4) Carbuncle, 1.					
Hernia	1	1	2	2						
Colic or Ileus	1	2	1	4	1						
Dis. of Stomach, &c. (3)	3	..	2	5	4						
Hepatitis	1	1	2	1						
Jaundice	1	1	2	2						
Dis. of Liver, &c. ..	1	7	2	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	17	11	64	60						
West districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }										
North districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										
Central districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London										
East districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										
South districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										
TOTAL. Males, 411. Females, 391.	(Weekly average 1838-9-40, Males, 475. Females, 451.)					802 926					

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, August 19th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st August, 1841.

Temperature. §	Weeks ending	
	Aug. 14th	Aug. 21st
Highest....	73°	76°
Lowest....	51°	53°
Daily Mean	63°	64°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	6	6	36	Nephritis4
Measles	18	18	24	Diabetes3
Scarlatina	10	2	..	12	38	Stone	1	1	.5
Whooping Cough	30	30	28	Stricture4
Scroup	6	6	7	Dis. of Kidneys, &c. ..	1	3	..	4	3
Whooping Cough	6	6	5	Diseases of the Kid- neys, &c.}	1	3	1	5	4
Diarrhoea	9	2	..	11	8	Childbed	3	..	3	7
Dysentery	1	1	2	2	Ovarian Dropsy2
Cholera	3	2	1	6	1	Dis. of Uterus, &c. (4)	..	3	4	7	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ..}	..	6	4	10	9
Erysipelas	1	..	1	7	Rheumatism	3
Syphilis	1	..	1	1	Dis. of Joints, &c.	2	..	2	3
Hydrophobia1	Diseases of the Joints, Bones and Muscles}	..	2	..	2	6
Epidemic, Endemic, & Contagious Diseases}	93	22	5	120	204	Ulcer4
Cephalitis	10	2	1	13	11	Fistula4
Hydrocephalus	29	29	34	Dis. of Skin, &c.3
Apoplexy	10	14	24	18	Diseases of the Skin, &c.}	1
Paralysis	6	7	13	15	Inflammation	5	..	1	6	12
Convulsions	48	1	..	49	60	Hæmorrhage	1	1	3
Epilepsy	6	..	6	4	Dropsy	5	18	10	33	34
Insanity	1	..	1	1	Abscess	3	2	5	4
Delirium Tremens	1	..	1	1	Mortification	2	1	3	5
Dis. of Brain, &c. ..	5	3	1	9	7	Scrofula	2	2	2
Diseases of the Brain, Nerves, and Senses.}	92	30	23	145	151	Carcinoma	3	6	9	7
Quinsey	2	2	1	Tumor	1	1	2	2
Bronchitis	1	..	3	4	9	Gout	1	1	1
Pleurisy	1	..	1	2	Atrophy	5	..	3	8	4
Pneumonia	45	3	3	51	72	Debility	10	5	5	20	15
Hydrothorax	2	1	..	3	5	Malformations	1
Asthma	6	2	8	24	Sudden Deaths	2	3	..	16	13
Consumption	37	90	6	133	141	Diseases of Uncer- tain Seat	30	35	30	96	103
Dis. of Lungs, &c. ..	3	4	5	12	12	Old Age, or Natural Decay	1	57	58	71
Diseases of the Lungs, and other Organs of Respiration }	90	105	19	214	266	Intemperance6
Pericarditis	1	1	.6	Privation	1	1	.4
Aneurism	1	..	1	.6	Violent Deaths	5	7	2	14	24
Dis. of Heart, &c. ..	2	11	6	19	17	Deaths by Violence, Pri- vation, or Intemperance }	6	7	2	15	25
Diseases of the Heart and Bloodvessels.}	3	12	6	21	18	Causes not specified	1	1	2	8
Feething	16	16	17	Deaths from all Causes	368	243	164	776	..
Gastritis—Enteritis ..	19	4	5	28	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Peritonitis	1	..	1	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Tubercles Mesenterica ..	9	9	4	(1) Ague, 1.					
Ascites	1	1	1	(2) Intussusception, 1.					
Ulceration	1	1	..	2	1	(3) Hematemesis, 2.					
Hernia	1	..	1	2	(4) Paramenia, 1.					
Colic or Ileus (2)....	2	..	1	3	1						
Dis. of Stomach, &c. (3)	4	6	4	14	6						
Hepatitis	1	1	2	1						
Jaundice	1	1	2						
Dis. of Liver, &c. ..	1	5	4	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	53	19	16	88	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.}	108	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	132	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	142	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	198	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	196	223
TOTAL. Males, 388. Females, 388. (Weekly average 1838-9-40, Males, 475. Females, 451.)	776	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Sudden Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, August 26th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 28th August, 1841.

Temperature. °	Weeks ending	
	Aug. 21st	Aug. 28th
Highest ...	76°	77°
Lowest....	53°	51°
Daily Mean	64°	63°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Pox	7	7	36	Nephritis4
les	23	23	24	Diabetes	1	..	1	.3
utina	17	17	38	Stone	1	1	.5
ing Cough	24	24	28	Stricture4
o	9	9	7	Dis. of Kidneys, &c.	2	..	2	3
sh	6	6	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
hæa	11	3	1	15	8	Childbed	7	..	7	7
ntery	1	..	2	3	2	Ovarian Dropsy	2	..	2	.2
ra	2	..	2	1	Dis. of Uterus, &c. (1)	..	3	..	3	2
enza	1	Childbed, Diseases of the Uterus, &c. ..}	..	12	..	12	9
us	5	9	1	15	46	Rheumatism	2	1	3	3
pelas	1	1	7	Dis. of Joints, &c.	4	..	4	3
ilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles}	..	6	1	7	6
ophobia1	Ulcer	1	1	.4
emic, Endemic, & ludicrous Diseases}	105	15	4	124	204	Fistula4
alitis	8	3	..	11	11	Dis. of Skin, &c.3
rocephalus	29	29	34	Diseases of the Skin, { &c.}	1	1	1
lexy	1	2	8	11	18	Inflammation	5	5	12
ysis	5	7	12	15	Hæmorrhage	1	..	1	3
ulsions	55	55	60	Dropsy	4	13	8	25	34
psy	1	3	1	5	4	Abscess	1	..	1	4
ity	1	..	1	1	Mortification	3	2	1	6	5
tum Tremens	2	..	2	1	Scrofula (2)	4	2	..	6	2
of Brain, &c. ..	3	3	..	6	7	Carcinoma	3	5	8	7
ases of the Brain, rves, and Senses.}	97	19	16	132	151	Tumor	2
sey	1	1	1	Gout	1
chitis	1	1	3	5	9	Atrophy	13	1	..	14	4
risy	2	Debility	16	1	5	22	15
monia	38	9	2	49	72	Malformations	1
rothorax	1	1	2	5	Sudden Deaths	3	8	1	12	13
ama	3	8	11	24	Diseases of Uncer- tain Seat	48	31	21	100	103
umption	28	87	4	119	141	Old Age, or Natural Decay	2	51	53	71
of Lungs, &c. ..	2	2	2	6	12	Intemperance	2	..	2	.6
ases of the Lungs, and Organs of Respiration}	70	103	20	193	266	Privation4
arditis6	Violent Deaths	8	11	4	23	24
arism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	8	13	4	25	25
of Heart, &c. ..	1	11	4	16	17	Causes not specified ..	2	1	..	3	8
ases of the Heart { ad Bloodvessels. }	1	12	4	17	18	Deaths from all Causes	371	240	134	745	..
hing	11	11	17	Weekly Average, 1838-9-40.	438	314	171	..	926
tritis—Enteritis ..	18	6	1	25	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
tonitis	1	1	1	(1) Paramenia, 1.					
es Mesenterica ..	6	1	1	8	4	(2) Purpura, 1.					
ites	1	..	1	1						
eration	1	1	..	2	1						
mia	3	1	4	2						
ic or Ileus	2	2	..	4	1						
of Stomach, &c. ..	1	1	3	5	6						
patitis	3	1	4	1						
ndice	2						
s. of Liver, &c.	5	4	9	7						
ases of the Stomach, Liver, and other Or- gans of Digestion ..}	39	23	12	74	60						
est rics. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
with rics. }	St. Mary-le-bone; St. Pancras; Islington; Hackney					110		139			
entral rics. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					130		163			
last rics. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					139		190			
outh rics. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					173		211			
						193		223			
TOTAL. Males, 376. Females, 369.	(Weekly average 1838-9-40, Males, 475. Females, 451.)					745		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHewing THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th September, 1841.

Temperature. °	Weeks ending	
	Aug. 28th	Sep. 4th
Highest ...	77°	77°
Lowest	51°	51°
Daily Mean	63°	64°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15.	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	9	36	Nephritis	1	..	1	.4
Measles	23	23	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone	1	1	.5
Crouping Cough	29	29	28	Stricture4
Whooping Cough	7	7	7	Dis. of Kidneys, &c.	1	1	3
Consumption	9	9	5	Diseases of the Kid- neys, &c.}	..	1	2	3	4
Hæmorrhæa	13	4	3	20	8	Childbed	4	..	4	7
Enteritis	4	4	2	Ovarian Dropsy2
Cholera	1	..	1	2	1	Dis. of Uterus, &c.	3	1	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ..}	..	7	1	8	9
Phthisis	18	13	5	36	46	Rheumatism	1	1	..	2	3
Erysipelas	1	1	1	3	7	Dis. of Joints, &c.	4	..	4	3
Scrophulous	1	Diseases of the Joints, Bones and Muscles}	1	5	..	6	6
Diphtheria	1	Ulcer	1	..	1	.4
Epidemic, Endemic, & Contagious Diseases}	127	19	14	160	204	Fistula4
Pharyngitis	7	2	..	9	11	Dis. of Skin, &c.3
Hydrocephalus	27	1	..	28	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	1	3	8	12	18	Inflammation	3	3	12
Paralysis	3	3	6	15	Hæmorrhage	5	2	7	3
Convulsions	68	1	..	69	60	Dropsy	2	12	6	20	34
Epilepsy	1	4	..	5	4	Abscess	1	2	1	4	4
Mania	1	..	1	1	Mortification	1	..	2	3	5
Delirium Tremens	1	Scrofula (1)	1	1	2
Dis. of Brain, &c. ..	6	1	..	7	7	Carcinoma	7	2	9	7
Diseases of the Brain, Nerves, and Senses.}	110	16	11	137	151	Tumor	3	..	3	2
Hydrocephalus	1	1	1	Gout	1
Monitis	3	2	1	6	9	Atrophy	9	..	1	10	4
Paralysis	1	..	1	2	Debility	16	1	4	21	15
Pneumonia	48	8	2	58	72	Malformations	1	1	1
Hydrothorax	2	2	5	Sudden Deaths	3	3	3	9	13
Phthisis	4	1	5	24	Diseases of Uncer- tain Seat	37	33	21	91	103
Consumption	27	104	5	136	141	Old Age, or Natural Decay	1	44	45	71
Dis. of Lungs, &c. ..	5	4	3	12	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	84	123	14	221	266	Privation4
Pericarditis6	Violent Deaths	12	6	2	21	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance}	12	7	2	22	25
Dis. of Heart, &c. ..	2	15	3	20	17	Causes not specified	2	..	2	8
Diseases of the Heart and Bloodvessels.}	2	16	3	21	18	Deaths from all Causes	424	245	118	788	..
Erysipelas	21	21	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Stritis—Enteritis ..	18	5	1	24	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	1	1	(1) Purpura, 1.					
Acute Mesenterica ..	5	5	4						
Enteritis	1	..	1	1						
Pericæcæ	1	1	1						
Hernia	1	1	2	2						
Obstinate or Ileus	1	1	1						
Dis. of Stomach, &c. ..	1	2	..	3	6						
Hepatitis	1	1	1						
Indigestion	2	2	2						
Dis. of Liver, &c. ..	2	5	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	51	14	6	71	60						
Westminster	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....}					Deaths in the Week.		Average Weekly Deaths, 1838-9-40.			
North	St. Mary-le-bone; St. Pancras; Islington; Hackney					112		139			
Central	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					136		163			
East	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					175		190			
South	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich					168		211			
TOTAL.	Males, 427. Females, 361. (weekly average 1838-9-40, Males, 475. Females, 451.)					197		223			
						788		926			

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bone; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 9th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th September, 1841.

Temperature. §	Weeks ending	
	Sep. 4th	Sep. 11th
Highest....	77°	69°
Lowest....	51°	43°
Daily Mean	64°	57°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	9	1	..	10	36	Nephritis4
Measles	22	22	24	Diabetes3
Scarlatina	12	12	38	Stone5
Crouping Cough	49	49	28	Stricture	1	..	1	.4
Whooping Cough	5	..	1	6	7	Dis. of Kidneys, &c.	1	..	1	3
Scarlet Fever	10	10	5	Diseases of the Kid- neys, &c. }	..	2	..	2	4
Diarrhoea	27	5	4	37	8	Childbed	4	..	4	7
Dysentery	1	1	2	Ovarian Dropsy	1	1	2	.2
Cholera	2	1	1	4	1	Dis. of Uterus, &c. (4)	..	1	..	1	2
Fluenza	1	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	6	1	7	9
Typhus	9	10	2	21	46	Rheumatism	1	2	1	4	3
Erysipelas	3	3	..	6	7	Dis. of Joints, &c.	2	..	2	3
Scarlet Fever	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	4	1	6	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	150	21	8	180	204	Fistula4
Epidemic, Endemic, & Contagious Diseases }	12	2	1	15	11	Dis. of Skin, &c.3
Epidemic, Endemic, & Contagious Diseases }	37	37	34	Diseases of the Skin, & &c. }	1
Epidemic, Endemic, & Contagious Diseases }	..	5	8	13	18	Inflammation	4	4	12
Epidemic, Endemic, & Contagious Diseases }	1	4	8	13	15	Hæmorrhage	1	2	..	3	3
Epidemic, Endemic, & Contagious Diseases }	65	1	..	66	60	Dropsy	2	16	11	29	34
Epidemic, Endemic, & Contagious Diseases }	..	1	..	1	4	Abscess	1	2	..	3	4
Epidemic, Endemic, & Contagious Diseases }	1	Mortification	1	1	2	5
Epidemic, Endemic, & Contagious Diseases }	..	2	..	2	1	Scrofula	3	3	2
Epidemic, Endemic, & Contagious Diseases }	7	2	2	11	7	Carcinoma	10	8	18	7
Diseases of the Brain, Nerves, and Senses. }	122	17	19	158	151	Tumor	1	1	2
Epidemic, Endemic, & Contagious Diseases }	3	3	1	Gout	1
Epidemic, Endemic, & Contagious Diseases }	2	3	3	8	9	Atrophy	10	10	4
Epidemic, Endemic, & Contagious Diseases }	..	2	..	2	2	Debility	16	..	6	22	15
Epidemic, Endemic, & Contagious Diseases }	42	7	4	53	72	Malformations	1	1	1
Epidemic, Endemic, & Contagious Diseases }	1	2	2	5	5	Sudden Deaths	4	4	2	10	13
Epidemic, Endemic, & Contagious Diseases }	..	4	7	11	24	Diseases of Uncer- tain Seat	43	35	28	106	103
Epidemic, Endemic, & Contagious Diseases }	34	107	6	147	141	Old Age, or Natural Decay	2	42	44	71
Epidemic, Endemic, & Contagious Diseases }	3	3	3	9	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	85	128	25	238	266	Privation4
Epidemic, Endemic, & Contagious Diseases }	..	1	..	1	.6	Violent Deaths	2	10	2	14	24
Epidemic, Endemic, & Contagious Diseases }6	Deaths by Violence, Pri- vation, or Intemperance }	2	11	2	15	25
Epidemic, Endemic, & Contagious Diseases }	1	8	1	10	17	Causes not specified	1	1	8
Diseases of the Heart and Bloodvessels. }	1	9	1	11	18	Deaths from all Causes	472	261	135	869	..
Epidemic, Endemic, & Contagious Diseases }	30	30	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Epidemic, Endemic, & Contagious Diseases }	25	6	3	34	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Epidemic, Endemic, & Contagious Diseases }	..	1	..	1	1	(1) Tetanus, 1.					
Epidemic, Endemic, & Contagious Diseases }	7	7	4	(2) Hematemesis, 1.					
Epidemic, Endemic, & Contagious Diseases }	..	1	1	2	1	(3) Disease of Spleen, 1.					
Epidemic, Endemic, & Contagious Diseases }	..	1	1	2	1	(4) Paramenia, 1.					
Epidemic, Endemic, & Contagious Diseases }	1	2	..	3	1						
Epidemic, Endemic, & Contagious Diseases }	2	4	1	7	6						
Epidemic, Endemic, & Contagious Diseases }	1	1	..	2	1						
Epidemic, Endemic, & Contagious Diseases }	2						
Epidemic, Endemic, & Contagious Diseases }	2	9	1	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	68	26	7	101	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....	115	139
North Districts.		
St. Mary-le-bone; St. Pancras; Islington; Hackney	149	163
Central Districts.		
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	183	190
East Districts.		
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	204	211
South Districts.		
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	218	223
TOTAL. Males, 455. Females, 414. (Weekly average 1838-9-40, Males, 475. Females, 451.)	869	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The age of one person who died of Diarrhoea was not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, September 16th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 18th September, 1841.

Temperature. °	Weeks ending	
	Sep. 11th	Sep. 18th
Highest ...	69°	79°
Lowest....	43°	50°
Daily Mean	57°	66°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis	1	..	1	.4
Easies	15	15	24	Diabetes3
Scarlatina	11	1	..	12	38	Stone5
Crouping Cough	45	45	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	2	1	3	3
Whooping Cough	12	12	5	Diseases of the Kid- neys, &c.}	..	3	1	4	4
Asphyxia	25	2	..	27	8	Childbed	7	..	7	7
Enteritis	2	3	..	5	2	Ovarian Dropsy2
Cholera	1	1	2	1	Dis. of Uterus, &c.	2
Typhus	1	1	1	Childbed, Diseases of the Uterus, &c.}	..	7	..	7	9
Typhoid	8	18	4	30	46	Rheumatism	2	..	2	3
Typhus	2	2	4	7	Dis. of Joints, &c.}	3
Phthisis	1	Diseases of the Joints, Bones and Muscles}	..	2	..	2	6
Dysphagia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	134	28	7	169	204	Fistula4
Phthisis	12	1	..	13	11	Dis. of Skin, &c.}3
Hydrocephalus	37	37	34	Diseases of the Skin, &c.}	1
Erysipelas	5	5	10	18	Inflammation	4	..	2	6	12
Rabies	4	3	7	15	Hæmorrhage	1	2	1	4	3
Scrophulous	67	67	60	Dropsy	1	16	14	31	34
Epilepsy	1	2	1	4	4	Abscess	4	2	6	4
Mania	1	Mortification	6	6	5
Delirium Tremens	1	..	1	1	Scrophula (3)	3	2	..	5	2
Dis. of Brain, &c. ..	6	1	1	8	7	Carcinoma	5	2	7	7
Diseases of the Brain, Nerves and Senses.}	123	14	10	147	151	Tumor	3	..	3	2
Measles	1	1	1	Gout	1
Scarlatina	5	1	2	8	9	Atrophy	11	..	2	13	4
Erysipelas	1	1	2	Debility	10	2	4	16	15
Pneumonia	72	7	2	81	72	Malformations	1
Whooping Cough	1	1	2	5	Sudden Deaths	2	8	1	11	13
Cholera	3	4	7	24	Diseases of Uncer- tain Seat	32	42	34	108	103
Consumption	33	98	6	137	141	Old Age, or Natural Decay	4	61	65	71
Dis. of Lungs, &c. (1)	6	4	..	10	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration}	118	114	15	247	266	Privation4
Pericarditis6	Violent Deaths	3	12	3	19	24
Peritonitis6	Deaths by Violence, Pri- vation, or Intemperance}	3	13	3	21	25
Dis. of Heart, &c. ..	1	12	7	20	17	Causes not specified ..	1	3	3	7	8
Diseases of the Heart and Bloodvessels.}	1	12	7	20	18	Deaths from all Causes	468	261	146	877	..
Cholera	22	22	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Stricture—Enteritis ..	23	7	2	32	17	<p>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—</p> <p>(1) Laryngitis, 1. (2) Worms, 1. (3) Purpura, 2.</p>					
Peritonitis	1						
Dysenteria	7	7	4						
Dis. of Mesenterica	1	<p>BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 6d. per Quarter.</p>					
Dis. of Liver, &c. ..	1	8	..	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	56	19	5	80	60						
Dis. of Stomach, &c. (2)	2	..	2	4	6						
Dis. of Liver, &c. ..	1	1	..	2	1						

Deaths in the Week.	Average Weekly Deaths, 1838-9-40.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	117	139	
St. Mary-le-bone; St. Pancras; Islington; Hackney	174	163	
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	183	190	
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	199	211	
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	204	223	
TOTAL. Males, 460. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)	877	926	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of two persons were not stated; one died of Intemperance, and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 23rd, 1841.

1841.

38.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th September, 1841.

Temperature. °	Weeks ending	
	Sep. 18th	Sep. 25th
Highest....	79°	70°
Lowest....	50°	51°
Daily Mean	66°	61°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards			
Small Pox	4	4	36	Nephritis4	
Measles	24	24	24	Diabetes3	
Scarlatina	16	2	..	18	38	Stone5	
Hooping Cough	42	42	28	Stricture	1	..	1	.4	
Croup	4	4	7	Dis. of Kidneys, &c.	2	2	4	3	
Thrush	7	1	..	8	5	Diseases of the Kid- neys, &c.}	..	3	2	5	4	
Diarrhœa	19	1	5	25	8	Childbed	2	..	2	7	
Dysentery	1	2	..	3	2	Ovarian Dropsy2	
Cholera	1	1	2	4	1	Dis. of Uterus, &c.	2	1	3	2	
Influenza	1	Childbed, Diseases of the Uterus, &c.}	..	4	1	5	9	
Typhus (1)	9	22	3	34	46	Rheumatism	2	..	2	3	
Erysipelas	1	1	..	2	7	Dis. of Joints, &c.	2	..	2	3	
Syphilis	1	Diseases of the Joints, Bones and Muscles}	..	4	..	4	6	
Hydrophobia1	Ulcer4	
Epidemic, Endemic, & Contagious Diseases}	128	30	10	168	204	Fistula4	
Cephalitis	12	2	..	14	11	Dis. of Skin, &c.3	
Hydrocephalus	40	1	..	41	34	Diseases of the Skin, } &c.}	1	
Apoplexy	2	5	5	12	18	Inflammation	2	1	..	3	12	
Paralysis	5	1	6	15	Hæmorrhage	3	..	3	3	
Convulsions	71	71	60	Dropsy	5	21	8	34	34	
Epilepsy	2	..	2	4	Abscess	5	1	..	6	4	
Insanity	1	Mortification	2	1	3	6	5	
Delirium Tremens	2	1	3	1	Scrofula	2	2	2	
Dis. of Brain, &c. (2)	2	7	1	10	7	Carcinoma	8	..	8	7	
Diseases of the Brain, Nerves, and Senses.}	127	24	8	159	151	Tumor	1	1	1	3	2	
Quinsey	1	Gout	1	
Bronchitis	2	2	4	8	9	Atrophy	8	1	..	9	4	
Pleurisy	1	..	1	2	2	Debility	17	9	4	30	15	
Pneumonia	51	8	3	62	72	Malformations	1	..	1	1	
Hydrothorax	1	1	5	Sudden Deaths	1	2	3	6	13	
Asthma	9	3	12	24	Diseases of Uncer- tain Seat	43	49	19	111	103	
Consumption	36	96	4	136	141	Old Age, or Natural Decay	1	51	52	71	
Dis. of Lungs, &c. ..	1	7	5	13	12	Intemperance	1	..	1	.6	
Diseases of the Lungs, and other Organs of Respiration}	91	122	21	234	266	Privation	1	..	1	.4	
Pericarditis	1	..	1	.6	Violent Deaths	7	19	3	29	24	
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	7	21	3	31	25	
Dis. of Heart, &c. ..	1	11	5	17	17	Causes not specified	1	1	8	
Diseases of the Heart and Bloodvessels.}	1	12	5	18	18	Deaths from all Causes	436	294	127	857	..	
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926	
Gastritis—Enteritis..	15	6	1	22	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	(1) Ague, 1. Remittent Fever, 2.						
Tabes Mesenterica ..	5	5	4	(2) Tetanus, 1.						
Ascites	1	(3) Intussusception, 1.						
Ulceration	1	1	1							
Hernia	2	1	3	2							
Colic or Ileus (3)....	..	2	..	2	1							
Dis. of Stomach, &c.	2	..	2	6							
Hepatitis	2	..	2	1							
Jaundice	3	2	5	2							
Dis. of Liver, &c. ..	1	7	2	10	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	39	24	6	69	60							
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James.....							Deaths in the Week.	112				Average Weekly Deaths, 1838-9-40. 139
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney							136				163	
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London							204				190	
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							224				211	
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich							181				223	
TOTAL. Males, 451. Females, 406. (Weekly average 1838-9-40, Males, 475. Females, 451.)							857				926	

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-hov; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,390.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, September 30th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hainell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 3s. 6d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 2nd October, 1841.

Temperature. °	Weeks ending	
	Sep. 25th	Oct. 2nd
Highest ...	70°	67°
Lowest	51°	49°
Daily Mean	61°	59°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis4
Measles	24	24	24	Diabetes	1	..	1	.3
Scarlatina	15	4	..	19	38	Stone5
Whooping Cough	43	43	28	Stricture4
Croup	5	5	7	Dis. of Kidneys, &c.	2	1	3	3
Thrush	9	9	5	Diseases of the Kid- neys, &c. }	..	3	1	4	4
Diarrhœa	19	3	4	26	8	Childbed	2	..	2	7
Dysentery	1	1	2	2	Ovarian Dropsy	1	1	.2
Cholera	1	1	1	Dis. of Uterus, &c.	2	2	4	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	4	3	7	9
Typhus	6	10	1	17	46	Rheumatism	2	..	2	3
Erysipelas	2	1	3	7	Dis. of Joints, &c.	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	..	2	..	2	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	128	21	8	157	204	Fistula4
Cephalitis	8	5	..	13	11	Dis. of Skin, &c.3
Hydrocephalus	32	32	34	Diseases of the Skin, &c. }	1
Apoplexy	1	7	10	18	18	Inflammation	2	2	12
Paralysis	8	5	13	15	Hæmorrhage	1	4	..	5	3
Convulsions	72	1	..	73	60	Dropsy	4	21	10	35	34
Epilepsy	3	1	4	4	Abscess	1	..	1	4
Insanity	1	1	2	1	Mortification	1	..	1	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	..	1	2
Dis. of Brain, &c. (1)	5	7	1	13	7	Carcinoma	7	5	12	7
Diseases of the Brain, Nerves, and Senses. }	118	34	18	170	151	Tumor	2	..	2	2
Quinsey	1	Gout	1	..	1	1
Bronchitis	8	1	3	12	9	Atrophy	7	1	1	9	4
Pleurisy	2	..	2	2	Debility	10	1	5	16	15
Pneumonia	57	9	1	67	72	Malformations	1
Hydrothorax	3	2	5	5	Sudden Deaths	4	14	8	26	13
Asthma	4	6	10	24	Diseases of Uncer- tain Seat	29	53	30	112	103
Consumption	38	91	4	133	141	Old Age, or Natural Decay	1	48	49	71
Dis. of Lungs, &c. (2)	3	4	1	8	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	106	114	17	237	266	Privation4
Pericarditis6	Violent Deaths	6	18	4	32	24
Aneurism	1	..	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	18	4	32	25
Dis. of Heart, &c.	9	4	13	17	Causes not specified ..	3	3	3	9	8
Diseases of the Heart and Bloodvessels. }	..	10	4	14	18	Deaths from all Causes	451	282	146	883	..
Teething	34	34	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	17	9	3	29	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :— (1) Tetanus, 1. (2) Laryngitis, 1. (3) Intussusception, 1.					
Peritonitis	1	1	1						
Abes Mesenterica ..	5	5	4	Deaths in the Week.	127	Average Weekly Deaths, 1838-9-40.			
Ascites	1	1	1		158	163			
Ulceration	1	1	1		165	190			
Hernia	1	..	1	2	2		213	211			
Colic or Ileus (3) ..	3	3	..	6	1		220	223			
Dis. of Stomach, &c.	1	2	3	6						
Hepatitis	1	1	1						
Jaundice	3	..	3	2						
Dis. of Liver, &c.	3	1	4	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	61	19	10	90	60						
West districts. }	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James										
North districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney										
Central districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London										
East districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar										
South districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich										
TOTAL. Males, 440. Females, 443.	(Weekly average 1838-9-40, Males, 475. Females, 451.)										

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of 4 Persons who died Violent Deaths were not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office. October 7th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th October, 1841.

Temperature. §	Weeks ending	
	Oct. 2nd	Oct. 9th
Highest....	67°	61°
Lowest....	49°	48°
Daily Mean	59°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis4
Measles	30	30	24	Diabetes3
Scarlatina	14	14	38	Stone	1	1	.5
Whooping Cough	45	45	28	Stricture4
Scroup	8	8	7	Dis. of Kidneys, &c.	1	1	2	3
Thrush	6	6	5	Diseases of the Kid- neys, &c.}	1	1	1	3	4
Diarrhoea	13	2	1	16	8	Childbed	1	..	1	7
Dysentery	1	1	..	2	2	Ovarian Dropsy2
Cholera	1	1	1	Dis. of Uterus, &c.	3	..	3	2
Influenza	2	2	1	Childbed, Diseases of the Uterus, &c. ..}	..	4	..	4	9
Erysipelas	1	2	..	3	7	Rheumatism	1	3	..	4	3
Syphilis	1	1	1	Dis. of Joints, &c.	3
Hydrophobia1	Diseases of the Joints, Bones and Muscles}	1	3	..	4	6
Epidemic, Endemic, & Contagious Diseases}	130	14	4	148	204	Ulcer	1	1	.4
Cephalitis	9	2	..	11	11	Fistula4
Hydrocephalus	25	1	..	26	34	Dis. of Skin, &c.3
Apoplexy	6	11	17	18	Diseases of the Skin, &c.}	1	1	1
Paralysis	7	12	19	15	Inflammation	4	2	..	6	12
Convulsions	42	1	..	43	60	Hæmorrhage	1	..	1	3
Epilepsy	3	1	4	4	Dropsy	6	17	15	38	34
Insanity	1	Abscess	3	..	3	4
Delirium Tremens	2	..	2	1	Mortification	3	2	1	6	5
Dis. of Brain, &c. ..	3	1	..	4	7	Scrofula	1	2	..	3	2
Diseases of the Brain, Nerves, and Senses.}	79	23	24	126	151	Carcinoma	1	6	2	9	7
Quincy	1	1	1	Tumor	1	1	..	2	2
Bronchitis	3	2	2	7	9	Gout	1
Pleurisy	1	1	2	Atrophy	7	..	2	9	4
Pneumonia	54	12	1	67	72	Debility	17	1	4	22	15
Hydrothorax	1	1	1	3	5	Malformations	1
Asthma	1	5	3	9	24	Sudden Deaths	2	1	3	17	13
Consumption	46	91	10	148	141	Diseases of Uncer- tain Seat	42	36	27	106	103
Dis. of Lungs, &c. (1)	2	6	1	9	12	Old Age, or Natural Decay	2	46	48	71
Diseases of the Lungs, and other Organs of Respiration}	108	117	19	245	266	Intemperance6
Pericarditis	1	..	1	.6	Privation4
Neurism6	Violent Deaths	3	18	3	25	24
Dis. of Heart, &c.	11	5	16	17	Deaths by Violence, Pri- vation, or Intemperance}	3	18	3	25	25
Diseases of the Heart and Bloodvessels.}	..	12	5	17	18	Causes not specified ..	4	1	2	7	8
Meeth	25	25	17	Deaths from all Causes	422	248	142	1816	..
Astritis—Enteritis ..	14	5	4	23	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Eritonitis	1	..	1	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Laryngitis, 1. (2) Worms, 1.					
Abes Mesenterica ..	10	1	..	11	4						
Scites	1	Deaths in the Week.					
Ulceration	2	1	1	4	1						
Hernia	1	..	1	2	Average Weekly Deaths, 1838-9-40.					
Colic or Ileus	3	1	4	1						
Dis. of Stomach, &c. (2)	1	1	..	2	6	West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					
Hepatitis	1						
Aundice	2	2	2	North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney					
Dis. of Liver, &c. ..	2	4	2	19	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	54	17	10	82	60	Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					
						East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					
						South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich					
TOTAL. Males, 440. Females, 376.					(Weekly average 1838-9-40, Males, 475. Females, 451.)						

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of 4 Persons were not stated; one died of Consumption; one of Liver Disease; one Suddenly; and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, October 14th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES.

Registered in the WEEK ending Saturday, the 16th October, 1841.

Temperature. °	Weeks ending	
	Oct. 9th	Oct. 16th
Highest....	61°	64°
Lowest....	48°	46°
Daily Mean	54°	54°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.					
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards							
Small Pox	7	7	36	Nephritis	1	..	1	.4					
Measles	22	22	24	Diabetes3					
Scarlatina	7	1	..	8	38	Stone5					
Hooping Cough	46	46	28	Stricture4					
Croup	7	7	7	Dis. of Kidneys, &c.	3	..	3	3					
Thrush	8	8	5	<i>Diseases of the Kid-</i>	..	4	..	4	4					
Diarrhœa	8	2	6	16	8	<i>neys, &c.}</i>										
Dysentery	1	..	1	2	Childbed	7	..	7	7					
Cholera	1	Ovarian Dropsy2					
Influenza	1	Dis. of Uterus, &c.	1	..	1	2					
Typhus	8	11	4	23	46	<i>Childbed, Diseases of</i>	..	8	..	8	9					
Erysipelas	1	..	1	7	<i>the Uterus, &c.}</i>										
Syphilis	1	Rheumatism	3					
Hydrophobia1	Dis. of Joints, &c.	1	..	1	3					
<i>Epidemic, Endemic, &}</i>	113	16	10	139	204	<i>Diseases of the Joints, }</i>	..	1	..	1	6					
<i>Contagious Diseases}</i>						<i>Bones and Muscles}</i>										
Cephalitis	5	3	1	9	11	Ulcer	1	..	1	.4					
Hydrocephalus	29	29	34	Fistula	1	..	1	.4					
Apoplexy	1	10	10	21	18	Dis. of Skin, &c.3					
Paralysis	8	6	14	15	<i>Diseases of the Skin, }</i>	..	2	..	2	1					
Convulsions	54	3	..	57	60	<i>&c.}</i>										
Epilepsy	1	..	1	4	Inflammation	3	3	12					
Insanity	1	Hæmorrhage	1	1	2	3					
Delirium Tremens	1	..	1	1	Dropsy	3	19	15	37	34					
Dis. of Brain, &c. ..	7	3	3	13	7	Abscess	2	1	3	4					
<i>Diseases of the Brain, }</i>	96	29	20	145	151	Mortification	2	1	3	5					
<i>Nerves, and Senses. }</i>						Scrofula	1	4	..	5	2					
Quinsey	1	..	2	3	1	Carcinoma	1	5	2	8	7					
Bronchitis	1	4	2	7	9	Tumor	1	4	..	5	2					
Pleurisy	1	1	..	2	2	Gout	1					
Pneumonia	46	8	2	56	72	Atrophy	6	1	1	8	4					
Hydrothorax	3	2	5	5	Debility	23	2	2	27	15					
Asthma	12	6	18	24	Malformations	1					
Consumption	37	88	5	130	141	Sudden Deaths	3	4	3	10	13					
Dis. of Lungs, &c. ..	2	3	5	10	12	<i>Diseases of Uncer-</i>	41	44	26	111	103					
<i>Diseases of the Lungs, and</i>	88	119	24	231	266	<i>tain Seat}</i>										
<i>other Organs of Respiration }</i>						Old Age, or Natural	54	54	71					
Pericarditis6	<i>Decay</i>					
Neurism	1	1	2	.6	Intemperance6					
Dis. of Heart, &c. ..	1	10	5	16	17	Privation4					
<i>Diseases of the Heart }</i>	1	11	6	18	18	Violent Deaths	8	13	2	24	24					
<i>and Bloodvessels. }</i>						<i>Deaths by Violence, Pri-</i>	8	13	2	24	25					
Scrofula	19	19	17	<i>vation, or Intemperance }</i>										
Asthenia	11	8	4	23	17	Causes not specified ..	1	1	..	2	8					
Peritonitis	1	..	1	1	Deaths from all Causes	390	269	150	810	..					
Abdominal Mesenterica ..	8	8	4	Weekly Average, 1838-9-40.	438	314	171	..	926					
Scites	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—										
Ulceration	1											
Hernia	3	3	2	(1) Worms, 1.										
Obstruction of Ileus	1	4	1	6	1											
Dis. of Stomach, &c. (1)	2	1	..	3	6											
Hepatitis	1											
Jaundice	1	2	..	3	2											
Dis. of Liver, &c.	5	..	5	7											
<i>Diseases of the Stomach, }</i>	42	21	8	71	60											
<i>Liver, and other Or-</i>																
<i>gans of Digestion ..</i>												Deaths in the	Average Weekly			
West	{ Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }											Week.	Deaths, 1838-9-40.			
minster							111	139								
North	{ St. Mary-le-bone; St. Pancras; Islington; Hackney						130	163								
Central	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; }						179	190								
City	{ City of London						179	211								
East	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						211	223								
South	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; }						810	926								
Green	{ Rotherhithe; Greenwich															
TOTAL.	Males, 406. Females, 404 (Weekly average 1838-9-40, Males, 475. Females, 451.)															

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of one Person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office. October 21st, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th November, 1841.

Temperature. °	Weeks ending	
	Oct. 30th	Nov. 6th
Highest....	58°	54°
Lowest....	37°	45°
Daily Mean	48°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	5	36	Nephritis	1	1	.4
Measles	18	18	24	Diabetes3
Scarlatina	13	1	..	14	38	Stone5
Whooping Cough	38	38	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c. ..	1	1	..	2	3
Thrush	5	5	5	Diseases of the Kid- neys, &c. }	1	1	1	3	4
Diarrhoea	6	3	..	9	8	Childbed	12	..	12	7
Dysentery	1	1	..	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. }	..	13	..	13	9
Erysipelas	10	11	4	25	46	Rheumatism	1	1	3
Erysipelas	1	1	1	3	7	Dis. of Joints, &c.	2	..	2	3
Erysipelas	1	1	1	Diseases of the Joints, Bones and Muscles }	1	2	..	3	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases }	108	17	5	130	204	Fistula4
Ephalitis	7	..	1	8	11	Dis. of Skin, &c.3
Hydrocephalus	26	26	34	Diseases of the Skin, } &c. }	1
Idiocy	9	7	16	18	Inflammation	1	1	1	3	12
Paralysis	12	8	20	15	Hæmorrhage	1	1	3
Convulsions	47	47	60	Dropsy	6	16	13	35	34
Epilepsy	1	..	1	4	Abscess	1	1	..	2	4
Insanity	1	Mortification	3	3	..	6	5
Delirium Tremens	5	..	5	1	Scrofula	2
Dis. of Brain, &c.	3	6	2	11	7	Carcinoma	7	1	8	7
Diseases of the Brain, Nerves, and Senses. }	83	33	18	134	151	Tumor	2	..	1	3	2
Quincy	1	1	1	Gout	1	1	1
Bronchitis	1	1	1	3	9	Atrophy	4	..	3	7	4
Pleurisy	1	3	4	8	2	Debility	12	1	9	22	15
Pneumonia	56	15	3	75	72	Malformations	1
Hydrothorax	1	3	4	5	Sudden Deaths	10	9	3	22	13
Asthma	1	10	9	20	24	Diseases of Uncer- tain Seat	40	38	32	110	103
Consumption	26	99	11	136	141	Old Age, or Natural Decay	1	51	52	71
Dis. of Lungs, &c.	5	10	4	19	12	Intemperance	1	..	1	.6
Diseases of the Lungs, and other Organs of Respiration }	91	139	35	266	266	Privation	1	1	.4
Pericarditis	1	1	.6	Violent Deaths	7	13	2	22	24
Aneurism	1	1	.6	Deaths by Violence, Pri- vation, or Intemperance }	8	14	2	24	25
Dis. of Heart, &c.	12	4	16	17	Causes not specified ..	2	1	2	5	8
Diseases of the Heart and Bloodvessels. }	1	12	5	18	18	Deaths from all Causes	365	291	156	813	..
Teething	17	17	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	4	2	13	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Ague, 1.					
Acute Mesenterica ..	3	3	4	(2) Stricture of œsophagus, 1.					
Ascites	1						
Ulceration	1	1	1	3	1						
Hernia	2						
Colic or Ileus	2	..	2	1						
Dis. of Stomach, &c. (2)	1	2	..	3	6						
Hepatitis	1						
Jaundice	1	1	2						
Dis. of Liver, &c.	10	2	12	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	30	20	5	55	60						

West districts.	North districts.	Central districts.	East districts.	South districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }	St. Mary-le-bone; St. Pancras; Islington; Hackney	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	140	139
					148	163
					166	190
					158	211
					201	223
TOTAL. Males, 410. Females, 403. (Weekly average 1838-9-40, Males, 475. Females, 451.)					813	926

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The age of One Person who died of Pneumonia was not stated.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, November 11th, 1841.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hattnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th November, 1841.

Temperature. °	Weeks ending	
	Nov. 6th	Nov. 13th
Highest ...	54°	56°
Lowest....	45°	40°
Daily Mean	49°	49°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	4	36	Nephritis4
Measles	37	1	..	38	24	Diabetes3
Scarlatina	14	2	..	16	38	Stone5
Hooping Cough	42	42	28	Stricture	1	..	1	.4
Croup	9	9	7	Dis. of Kidneys, &c.	3
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	..	1	..	1	4
Diarrhœa	2	2	4	8	Childbed	9	..	9	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	..	1	1	Dis. of Uterus, &c. (3)	..	1	1	2	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ...}	..	10	1	11	9
Typhus	7	14	2	23	46	Rheumatism	1	1	3
Erysipelas	4	5	2	11	7	Dis. of Joints, &c.	2	2	3
Syphilis	1	Diseases of the Joints, Bones and Muscles}	1	..	2	3	6
Hydrophobia	1	1	.1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	124	25	6	155	204	Fistula	1	..	1	.4
Cephalitis	9	2	..	11	11	Dis. of Skin, &c.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, &c.}	..	1	..	1	1
Apoplexy	12	7	19	18	Inflammation	8	1	..	9	12
Paralysis	1	5	7	13	15	Hæmorrhage	1	1	1	3	3
Convulsions	39	39	60	Dropsy	4	21	17	42	34
Epilepsy	4	1	5	4	Abscess	5	..	5	4
Insanity	1	..	1	1	Mortification	3	1	4	5
Delirium Tremens	4	1	5	1	Scrofula	1	..	1	2
Dis. of Brain, &c. ..	3	2	..	5	7	Carcinoma	3	2	5	7
Diseases of the Brain, Nerves, and Senses.}	80	31	16	127	151	Tumor	1	..	1	2
Quinsey	1	1	1	Gout	1	1	2	1
Bronchitis	5	3	5	13	9	Atrophy	7	..	3	10	4
Pleurisy	1	1	2	Debility	11	6	4	21	15
Pneumonia	57	9	4	70	72	Malformations	1
Hydrothorax	3	3	5	Sudden Deaths	4	7	2	13	13
Asthma	6	8	14	24	Diseases of Uncer- tain Seat	35	50	31	116	103
Consumption	17	98	8	123	141	Old Age, or Natural Decay	4	54	58	71
Dis. of Lungs, &c. (1)	1	7	3	11	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	81	123	32	236	266	Privation4
Pericarditis6	Violent Deaths	8	9	4	22	24
Aneurism	1	1	..	2	.6	Deaths by Violence, Pri- vation, or Intemperance}	8	9	4	22	25
Dis. of Heart, &c.	14	4	18	17	Causes not specified	8
Diseases of the Heart and Bloodvessels.}	1	15	4	20	18	Deaths from all Causes	366	291	156	814	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	3	16	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Laryngitis, 2. (2) Stricture of œsophagus, 1. Disease of Pancreas, 1. (3) Paramenia, 1.					
Peritonitis	2	..	2	1						
Tabes Mesenterica ..	5	1	..	6	4						
Ascites	2	..	2	1	Deaths in the Week.					
Ulceration	1						
Hernia	1	1	2	2						
Colic or Ileus	2	..	2	1	Average Weekly Deaths, 1838-9-40.					
Dis. of Stomach, &c. (2)	..	3	..	3	6						
Hepatitis	1						
Jaundice	2	2	1	5	2	West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James. }					
Dis. of Liver, &c. ..	1	5	1	7	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	22	6	64	60						
TOTAL. Males, 397. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)						North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney					
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London						East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich						TOTAL. Males, 397. Females, 417. (Weekly average 1838-9-40, Males, 475. Females, 451.)					

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died a Violent Death was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 18th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 20th November, 1841.

Temperature. §	Weeks ending	
	Nov. 13th	Nov. 20th
Highest ...	56°	49°
Lowest	40°	28°
Daily Mean	49°	38°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	8	1	..	9	36	Nephritis	2	..	2	.4
Measles	29	1	..	30	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone6
Whooping Cough	45	45	28	Stricture4
Croup	8	8	7	Dis. of Kidneys, &c.	2	..	2	3
Thrush	8	8	5	Diseases of the Kid- neys, &c. }	..	4	..	4	4
Diarrhoea	2	1	2	5	8	Childbed	3	..	3	7
Dysentery	2	2	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c. (4)	..	1	..	1	2
Influenza	1	1	1	3	1	Childbed, Diseases of the Uterus, &c. .. }	..	4	..	4	9
Typhus	1	13	4	18	46	Rheumatism	1	1	3
Erysipelas	3	4	1	8	7	Dis. of Joints, &c.	1	1	3
Syphilis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	2	2	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & } Contagious Diseases }	122	23	10	155	204	Fistula4
Cephalitis	8	1	1	10	11	Dis. of Skin, &c.3
Hydrocephalus	32	32	34	Diseases of the Skin, &c. }	1
Apoplexy	11	8	19	18	Inflammation	6	6	12
Paralysis	5	9	14	15	Hæmorrhage	1	2	..	3	3
Convulsions	36	36	60	Dropsy	1	13	15	29	34
Epilepsy	4	Abscess	1	1	..	2	4
Insanity	2	..	2	1	Mortification	1	1	..	2	5
Delirium Tremens	2	..	2	1	Scrofula	1	1	2
Dis. of Brain, &c. (1)	1	3	1	5	7	Carcinoma	3	3	6	7
Diseases of the Brain, Nerves, and Senses. }	77	24	19	120	151	Tumor	2	2	2
Quinsy	1	1	1	Gout	1	1	1
Bronchitis	8	6	2	16	9	Atrophy	2	2	3	7	4
Pleurisy	1	..	1	2	Debility	18	4	10	32	15
Pneumonia	53	7	4	65	72	Malformations	1	1	1
Hydrothorax	1	2	..	3	5	Sudden Deaths	1	6	2	9	13
Asthma	14	9	23	24	Diseases of Uncer- tain Seat	35	32	34	101	103
Consumption	27	94	10	131	141	Old Age, or Natural Decay	2	53	60	71
Dis. of Lungs, &c. (2)	5	11	2	18	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	95	135	27	258	266	Privation	1	1	.4
Pericarditis6	Violent Deaths	4	8	1	13	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	5	8	1	14	25
Dis. of Heart, &c.	1	11	6	18	17	Causes not specified ..	1	1	8
Diseases of the Heart } and Bloodvessels. }	1	11	6	18	18	Deaths from all Causes	369	270	160	800	..
Teething	12	12	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	6	10	..	16	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	2	2	1	(1) Tetanus, 1. Chorea, 1.	Deaths in the				
Tabes Mesenterica ..	2	1	..	3	4	(2) Laryngitis, 1.	Week.				
Ascites	1	(3) Worms, 2.	Average Weekly				
Ulceration	1	1	..	2	1	(4) Paramenia, 1.	Deaths, 1838-9-40.				
Hernia	3	..	3	2	West	124				
Colic or Ileus	1	..	1	2	1	Districts. } Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }	150				
Dis. of Stomach, &c. (3)	3	3	..	6	6	North	163				
Hepatitis	1	..	1	1	Districts. } St. Mary-le-bone; St. Pancras; Islington; Hackney	132				
Jaundice	2	2	2	Central	190				
Dis. of Liver, &c.	2	8	4	14	7	Districts. } St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London	178				
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	31	27	5	63	60	East	211				
West	Districts. } Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James..... }					South	216				
North	Districts. } St. Mary-le-bone; St. Pancras; Islington; Hackney					Districts. } St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich	800				
Central	Districts. } St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; } City of London					TOTAL. Males, 400. Females, 400.	(Weekly average 1838-9-40, Males, 475. Females, 451.)				
East	Districts. } Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						926				
South	Districts. } St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; } Rotherhithe; Greenwich										

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Pneumonia was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, November 25th 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th November, 1841.

Temperature. °	Weeks ending	
	Nov. 20th	Nov. 27th
Highest....	49°	57°
Lowest....	28°	33°
Daily Mean	38°	41°


Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	3	3	36	Nephritis4
Measles	38	1	..	39	24	Diabetes3
Scarlatina	16	1	..	17	38	Stone5
Hooping Cough	59	59	28	Stricture4
Croup	13	13	7	Dis. of Kidneys, &c.	1	1	3
Thrush	1	1	5	<i>Diseases of the Kid- neys, &c.</i>	1	1	4
Diarrhoea	1	1	1	3	8	Childbed	10	..	10	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	..	1	2	1	<i>Childbed, Diseases of the Uterus, &c.</i>	..	11	..	11	9
Typhus	4	14	2	20	46	Rheumatism	1	2	3	3
Erysipelas	2	1	3	7	Dis. of Joints, &c.	1	1	..	2	3
Syphilis	1	<i>Diseases of the Joints, Bones and Muscles</i>	1	2	2	5	6
Hydrophobia	1	1	.1	Ulcer*4
<i>Epidemic, Endemic, & Contagious Diseases</i>	137	19	5	161	204	Fistula4
Cephalitis	12	2	..	14	11	Dis. of Skin, &c.3
Hydrocephalus	24	24	34	<i>Diseases of the Skin, } &c.</i>	1
Apoplexy	1	6	11	18	18	Inflammation	5	1	1	7	12
Paralysis	6	9	15	15	Hæmorrhage	1	..	1	3
Convulsions	52	52	60	Dropsy	5	24	18	47	34
Epilepsy	2	..	2	4	Abscess	6	..	6	4
Insanity	1	Mortification	1	..	1	2	5
Delirium Tremens	1	1	1	Scrofula	2	2	2
Dis. of Brain, &c. (1)	4	1	3	8	7	Carcinoma	2	6	3	11	7
<i>Diseases of the Brain, Nerves, and Senses.</i>	93	17	24	134	151	Tumor	2	..	2	2
Quinsey	1	1	..	2	1	Gout	1
Bronchitis	4	3	5	12	9	Atrophy	2	..	1	3	4
Pleurisy	1	..	1	2	Debility	24	2	8	34	15
Pneumonia	60	8	2	70	72	Malformations	1	1	1
Hydrothorax	5	Sudden Deaths	7	3	3	13	13
Asthma	19	21	40	24	<i>Diseases of Uncer- tain Seat</i>	49	45	35	129	103
Consumption	25	89	7	121	141	Old Age, or Natural Decay	3	76	79	71
Dis. of Lungs, &c. ..	2	7	10	19	12	Intemperance6
<i>Diseases of the Lungs, and other Organs of Respiration</i>	92	128	45	265	266	Privation4
Pericarditis6	Violent Deaths	4	11	4	19	24
Aneurism6	<i>Deaths by Violence, Pri- vation, or Intemperance</i>	4	11	4	19	25
Dis. of Heart, &c. ..	1	14	5	20	17	Causes not specified ..	1	3	1	5	8
<i>Diseases of the Heart } and Bloodvessels. }</i>	1	14	5	20	18	Deaths from all Causes	411	270	212	893	..
Teething	19	19	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	4	3	7	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—					
Peritonitis	1	..	1	1	(1) Tetanus, 1.					
Tabes Mesenterica ..	6	6	4	(2) Intussusception, 2.					
Ascites	1	1	1						
Ulceration	1	1	1						
Hernia	2						
Colic or Ileus (2) ..	1	1	1	3	1						
Dis. of Stomach, &c.	4	1	5	6						
Hepatitis	1	..	1	1						
Jaundice	2	1	1	4	2						
Dis. of Liver, &c.	6	3	9	7						
<i>Diseases of the Stomach, Liver, and other Or- gans of Digestion</i>	33	17	14	64	60						

West Districts.	Deaths in the Week.	Average Weekly Deaths, 1838-9-40.	Population, Enumerated, 1841.
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	138	139	300,705
North Districts.			
St. Mary-le-bone; St. Pancras; Islington; Hackney	167	163	365,660
Central Districts.			
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	176	190	373,806
East Districts.			
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	216	211	392,496
South Districts.			
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	196	223	438,060
TOTAL. Males, 451. Females, 442. (Weekly average 1838-9-40, Males, 475. Females, 451.)	893	926	1,870,727

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, December 2nd, 1841.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th December, 1841.

Temperature. °	Weeks ending	
	Nov. 27th	Dec. 4th
Highest ...	57°	59°
Lowest....	33°	45°
Daily Mean	44°	51°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	7	1	..	8	36	Nephritis4
Measles	40	40	24	Diabetes3
Scarlatina	8	8	38	Stone5
Whooping Cough	62	62	28	Stricture4
Croup	9	9	7	Dis. of Kidneys, &c. (2)	1	1	2	3
Thrush	2	2	5	Diseases of the Kid- neys, &c. }	..	1	1	2	4
Diarrhœa	3	1	2	6	8	Childbed	8	..	8	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	1	3	2
Influenza	1	Childbed, Diseases of the Uterus, &c. .. }	..	10	1	11	9
Typhus (1)	11	11	1	23	46	Rheumatism	1	4	..	5	3
Erysipelas	2	4	..	6	7	Dis. of Joints, &c. ...	1	1	2	4	3
Syphilis	1	Diseases of the Joints, Bones and Muscles }	2	5	2	9	6
Hydrophobia1	Ulcer	1	1	.4
Epidemic, Endemic, & Contagious Diseases }	144	17	3	164	204	Fistula4
Cephalitis	7	1	..	8	11	Dis. of Skin, &c. (3)	1	..	1	.3
Hydrocephalus	28	1	..	29	34	Diseases of the Skin, & &c. }	..	1	1	2	1
Apoplexy	7	9	16	18	Inflammation	3	2	..	5	12
Paralysis	6	12	18	15	Hæmorrhage	2	..	2	3
Convulsions	44	1	..	45	60	Dropsy	5	18	14	37	34
Epilepsy	1	7	..	8	4	Abscess	2	1	..	3	4
Insanity	1	..	1	1	Mortification	1	2	4	7	5
Delirium Tremens	1	..	1	1	Scrofula	2
Dis. of Brain, &c. ..	3	6	1	10	7	Carcinoma	6	2	8	7
Diseases of the Brain, Nerves, and Senses. }	83	31	22	136	151	Tumor	2	..	2	2
Quinsey	2	2	1	Gout	1	1	1
Bronchitis	6	4	4	14	9	Atrophy	6	6	4
Pleurisy	3	1	4	2	Debility	6	3	2	11	15
Pneumonia	60	19	6	86	72	Malformations	1	1	1
Hydrothorax	1	3	4	5	Sudden Deaths	5	9	2	16	13
Asthma	2	12	23	37	24	Diseases of Uncer- tain Seat	29	45	25	99	103
Consumption	24	101	8	133	141	Old Age, or Natural Decay	2	49	51	71
Dis. of Lungs, &c.	7	4	11	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	92	147	51	291	266	Privation	1	1	.4
Pericarditis6	Violent Deaths	5	11	4	21	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance }	6	11	4	22	25
Dis. of Heart, &c. ..	3	9	5	17	17	Causes not specified ..	1	3	..	4	8
Diseases of the Heart } and Bloodvessels. }	3	9	5	17	18	Deaths from all Causes	382	297	171	852	..
Teething	11	11	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	7	5	2	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Remittent Fever, 1. (2) Cystitis, 1. (3) Phlegmon, 1.					
Peritonitis	1						
Tubercles Mesenterica ..	2	2	4	Average Weekly Deaths, 1838-9-40.	139	Population, Enumerated, 1841.	300,705	Deaths in the Week.	119
Ascites	1	1	1		163		365,660		165
Ulceration	1	1	2	1		190		373,806		168
Hernia	2	..	2	2		211		392,496		182
Colic or Ileus	1	..	1	1		223		438,060		218
Dis. of Stomach, &c. ..	1	1	1	3	6	TOTAL.	926		1,870,727		852
Hepatitis	1	1	1	Males, 439. Females, 413. (Weekly average 1838-9-40, Males, 475. Females, 451.)					
Jaundice	2	..	2	2						
Dis. of Liver, &c. ..	1	3	1	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	22	15	7	44	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich

Average Weekly Deaths, 1838-9-40.	Population, Enumerated, 1841.	Deaths in the Week.
139	300,705	119
163	365,660	165
190	373,806	168
211	392,496	182
223	438,060	218
926	1,870,727	852

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The ages of Two Persons were not stated; one died of Pneumonia, and one by Violence.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 9th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th December, 1841.

Temperature. °	Weeks ending	
	Dec. 4th	Dec. 11th
Highest ...	59°	55°
Lowest....	45°	40°
Daily Mean	51°	47°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	4	1	..	5	36	Nephritis	1	..	1	.4
Measles	37	37	24	Diabetes	1	..	1	.3
Scarlatina	16	16	38	Stone5
Hooping Cough	33	33	28	Stricture4
Croup	10	10	7	Dis. of Kidneys, &c. (3)	2	4	6	3
Thrush	5	5	5	Diseases of the Kid- neys, &c.}	..	4	4	8	4
Diarrhœa	6	2	3	11	8	Childbed	6	..	6	7
Dysentery	2	Ovarian Dropsy2
Cholera	1	..	1	1	Dis. of Uterus, &c. (4)	2	..	2	2
Influenza	1	1	1	Childbed, Diseases of the Uterus, &c. ..}	..	8	..	8	9
Typhus (1)	6	17	1	24	46	Rheumatism	3	1	4	3
Erysipelas	4	1	1	6	7	Dis. of Joints, &c. ...	1	3	..	4	3
Syphilis	1	1	..	2	1	Diseases of the Joints, Bones and Muscles}	1	6	1	8	6
Hydrophobia1	Ulcer4
Epidemic, Endemic, & Contagious Diseases}	123	23	5	151	204	Fistula	1	1	.4
Cephalitis	7	2	1	10	11	Dis. of Skin, &c.3
Hydrocephalus	33	1	1	35	34	Diseases of the Skin, &c.}	1	1	1
Apoplexy	7	6	13	18	Inflammation	5	5	12
Paralysis	12	6	18	15	Hæmorrhage	1	1	2	3
Convulsions	40	1	..	41	60	Dropsy	5	9	12	27	34
Epilepsy	2	..	2	4	Abscess	1	4	..	5	4
Insanity	1	..	1	1	Mortification	1	1	..	2	5
Delirium Tremens	3	..	3	1	Scrofula	2
Dis. of Brain, &c. (2)	3	4	2	9	7	Carcinoma	3	2	5	7
Diseases of the Brain, Nerves, and Senses.}	83	33	16	132	151	Tumor	1	..	1	2
Quinsey	1	..	1	1	Gout	1	..	1	1
Bronchitis	2	3	3	8	9	Atrophy	6	6	4
Pleurisy	1	1	2	2	Debility	12	1	4	17	15
Pneumonia	55	10	4	69	72	Malformations	2	2	1
Hydrothorax	2	1	3	5	Sudden Deaths	7	4	2	13	13
Asthma	12	14	26	24	Diseases of Uncer- tain Seat	39	25	21	86	103
Consumption	17	78	1	96	141	Old Age, or Natural Decay	4	52	56	71
Dis. of Lungs, &c. ...	4	6	3	13	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration}	78	113	27	218	266	Privation4
Pericarditis	1	..	1	.6	Violent Deaths	4	13	1	18	24
Aneurism6	Deaths by Violence, Pri- vation, or Intemperance}	4	13	1	18	25
Dis. of Heart, &c. ...	3	8	7	18	17	Causes not specified ..	1	1	3	5	8
Diseases of the Heart and Bloodvessels. }	3	9	7	19	18	Deaths from all Causes	369	253	147	770	..
Teething	15	15	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Gastritis—Enteritis ..	9	4	1	14	17	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1. (2) Tetanus, 1. (3) Ischuria, 1. Cystitis, 1. (4) Parameria, 1.					
Peritonitis	1	1	2	1						
Tabes Mesenterica ..	8	8	4	Population, Enumerated, 1841.	300,705	Average Weekly Deaths, 1838-9-40.	139	Deaths in the Week.	99
Ascites	1	West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	365,660	163	149		
Ulceration	1	..	1	1	North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	373,806	190	140		
Hernia	1	1	1	3	2	Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	392,496	211	182		
Colic or Ileus	1	1	..	2	1	East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	438,060	223	191		
Dis. of Stomach, &c. ...	1	1	..	2	6	South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	1,870,727	926	770		
Hepatitis	1	TOTAL Males, 366. Females, 404. (Weekly average 1838-9-40, Males, 475. Females, 451.)					
Jaundice	1	1	1	3	2						
Dis. of Liver, &c. ...	1	4	5	10	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	37	14	9	60	60						

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Dropsy was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day.

General Register Office, December 16th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th December, 1841.

Temperature.	Weeks ending	
	Dec. 11th	Dec. 18th
Highest ...	55°	53°
Lowest....	40°	31°
Daily Mean	47°	43°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	5	5	36	Nephritis4
Measles	22	22	24	Diabetes3
Scarlatina	17	1	..	18	38	Stone5
Whooping Cough	47	47	29	Stricture4
Diphtheria	11	11	7	Dis. of Kidneys, &c.	3	3	3
Scarlet Fever	3	3	5	Diseases of the Kid- neys, &c. }	3	3	4
Diarrhoea	4	4	8	Childbed	1	..	1	7
Dysentery	2	1	..	3	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2
Influenza	1	..	1	1	Childbed, Diseases of the Uterus, &c. .. }	..	3	..	3	9
Erysipelas	13	12	3	28	46	Rheumatism	1	..	1	3
Scrophulous	2	1	..	3	7	Dis. of Joints, &c.	1	..	1	2	3
Phthisis	1	..	1	1	Diseases of the Joints, Bones and Muscles }	1	1	1	3	6
Hydrophobia1	Ulcer	1	1	..	2	.4
Epidemic, Endemic, & Contagious Diseases }	126	17	3	146	204	Fistula4
Epilepsy	4	3	..	7	11	Dis. of Skin, &c. (2)	1	..	1	.3
Hydrocephalus	25	1	..	26	34	Diseases of the Skin, { &c. }	1	2	..	3	1
Idiocy	1	6	7	14	18	Inflammation	4	4	12
Paralysis	4	12	16	15	Hæmorrhage	1	1	3
Convulsions	49	49	60	Dropsy	3	15	8	26	34
Pilepsy	1	2	3	4	Abscess	2	..	2	4
Insanity	1	Mortification	1	2	3	6	5
Delirium Tremens	1	1	2	1	Scrophula	1	1	2
Dis. of Brain, &c. ..	3	4	..	7	7	Carcinoma	5	1	7	7
Diseases of the Brain, Nerves, and Senses. }	82	20	22	124	151	Tumor	2	1	1	4	2
Quincy	3	3	1	Gout	1	..	1	1
Bronchitis	4	4	6	14	9	Atrophy	1	1	4
Pleurisy	2	1	3	2	Debility	10	2	7	19	15
Pneumonia	67	10	3	80	72	Malformations	1
Hydrothorax	2	3	3	8	5	Sudden Deaths	4	9	2	16	13
Asthma	7	12	19	24	Diseases of Uncer- tain Seat	26	37	23	88	103
Consumption	23	98	9	130	141	Old Age, or Natural Decay	1	59	60	71
Dis. of Lungs, &c. ..	1	6	5	12	12	Intemperance6
Diseases of the Lungs, and other Organs of Respiration }	100	130	39	269	266	Privation	3	3	.4
Pericarditis6	Violent Deaths	7	10	3	21	24
Neurism6	Deaths by Violence, Pri- vation, or Intemperance }	10	10	3	24	25
Dis. of Heart, &c. ..	1	12	4	17	17	Causes not specified	8
Diseases of the Heart and Bloodvessels. }	1	12	4	17	18	Deaths from all Causes	380	250	161	794	..
Scrophulous	10	10	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Enteritis	14	4	1	19	17	<p>N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—</p> <p>(1) Ague, 1. (2) Phlegmon, 1.</p> <p>Inflammation of the Arm, said to have been produced by absorption in a cut Thumb of matter vomited by his wife, who died of Puerperal Fever.</p>					
Peritonitis	1	..	1	1						
Abdominal Mesenterica ..	4	4	4	Population, Enumerated, 1841.	300,705	Average Weekly Deaths, 1838-9-40.	139	Deaths in the Week.	100
Ascites	3	..	3	1	North Districts.	365,660	163	145		
Ulceration	1	..	1	1	Central Districts.	373,806	190	148		
Hernia	2	..	1	3	2	East Districts.	392,496	211	183		
Colic or Ileus	3	3	1	South Districts.	438,060	223	218		
Dis. of Stomach, &c.	6	TOTAL. Males, 438. Females, 356. (Weekly average 1838-9-40, Males, 475. Females, 451.)	1,870,727	926	794		
Hepatitis	1	..	1	1						
Jaundice	2						
Dis. of Liver, &c.	7	2	9	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	33	17	4	54	60						

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.
‡ The ages of Three Persons were not stated; one died of Carcinoma; one Suddenly; and one by Violence.
§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office. December 23rd, 1841

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th December, 1841.

Temperature, °	Weeks ending	
	Dec. 18th	Dec. 25th
Highest ...	53°	50°
Lowest....	31°	30°
Daily Mean	43°	37°

Causes of Death.	Age			Total	Weekly Average, 1838-9-40.	Causes of Death.	Age			Total	Weekly Average, 1838-9-40.
	0 to 15	15 to 60	60 and upwards				0 to 15	15 to 60	60 and upwards		
Small Pox	3	1	..	4	36	Nephritis4
Measles	34	35	24	Diabetes3
Scarlatina	9	1	..	10	38	Stone5
Whooping Cough	46	46	28	Stricture	1	..	1	.4
Croup	12	12	7	Dis. of Kidneys, &c. (1)	..	1	3	4	3
Thrush	3	3	5	Diseases of the Kid- neys, &c.}	..	2	3	5	4
Diarrhoea	1	1	2	4	8	Childbed	7	..	7	7
Dysentery	1	1	2	Ovarian Dropsy2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2
Influenza	1	Childbed, Diseases of the Uterus, &c. ..}	..	8	..	8	9
Erysipelas	12	11	2	25	46	Rheumatism	1	1	3
Syphilis	1	Dis. of Joints, &c.	2	2	..	4	3
Hydrophobia1	Diseases of the Joints, Bones and Muscles}	2	2	1	5	6
Epidemic, Endemic, & Contagious Diseases}	121	14	5	141	204	Ulcer	1	..	1	2	.4
Cephalitis	6	3	..	9	11	Fistula4
Hydrocephalus	27	1	..	28	34	Dis. of Skin, &c.3
Apoplexy	3	8	10	21	18	Diseases of the Skin, { &c.}	1	..	1	2	1
Paralysis	5	11	16	15	Inflammation	3	2	..	5	12
Convulsions	36	1	1	38	60	Hæmorrhage	1	2	..	3	3
Epilepsy	1	5	..	6	4	Dropsy	2	20	12	34	34
Insanity	1	1	1	Abscess	1	1	..	2	4
Delirium Tremens	1	1	1	Mortification	1	1	5
Dis. of Brain, &c.	6	2	8	7	Serofula	2
Diseases of the Brain, Nerves, and Senses.}	73	29	26	128	151	Carcinoma	6	1	7	7
Quinsey	2	2	1	Tumor	1	2	3	2
Bronchitis	5	1	3	9	9	Gout	2	..	2	1
Pleurisy	1	..	1	2	Atrophy	1	..	4	5	4
Pneumonia	71	10	3	84	72	Debility	10	2	4	16	15
Hydrothorax	1	3	4	5	Malformations	1
Asthma	17	6	23	24	Sudden Deaths	5	9	2	16	13
Consumption	16	89	7	112	141	Diseases of Uncer- tain Seat	23	45	26	94	103
Dis. of Lungs, &c. ..	4	6	5	15	12	Old Age, or Natural Decay	68	68	71
Diseases of the Lungs, and other Organs of Respiration}	98	125	27	250	266	Intemperance6
Pericarditis6	Privation	1	..	1	.4
Aneurism6	Violent Deaths	4	11	3	18	24
Dis. of Heart, &c. ..	1	13	6	20	17	Deaths by Violence, Pri- vation, or Intemperance}	4	12	3	19	25
Diseases of the Heart and Bloodvessels.}	1	13	6	20	18	Causes not specified ..	3	4	..	7	8
Teething	12	12	17	Deaths from all Causes	349	267	178	795	..
Gastritis—Enteritis ..	3	7	4	14	17	Weekly Average, 1838-9-40.	438	314	171	..	926
Peritonitis	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Cystitis, 2.					
Tabes Mesenterica ..	4	1	..	5	4						
Ascites	2	..	2	1						
Ulceration	1	..	1	1						
Hernia	1	1	2						
Colic or Ileus	1	..	1	2	1						
Dis. of Stomach, &c.	2	2	6						
Hepatitis	1						
Jaundice	3	1	..	4	2						
Dis. of Liver, &c.	1	4	5	7						
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..}	23	13	12	48	60						

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40.	Deaths in the Week.
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	139	101
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	163	139
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	190	139
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	211	193
TOTAL.	Males, 407. Females, 388. (Weekly average 1838-9-40, Males, 475. Females, 451.)	438,060	223	223
		1,870,727	926	795

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,990; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, was obtained by dividing the Deaths in the 3 years by 156.

‡ The age of One Person who died of Measles was not stated.

§ The Temperature is given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day.

General Register Office, December 30th, 1841.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th January, 1842.

	Weeks ending	
	Jan. 1st.	Jan. 8th.
Mean height of barometer	30.107	30.193
" Dryness	1.4	1.3
Rain (inches)	.107	none
Wind N. 5 days; N.W. 1; W. 1.		

Temperature.	Weeks ending	
	Jan. 1st.	Jan. 8th.
Highest ...	47°	41°
Lowest	31°	28°
Daily Mean	39°	34°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
Small Pox	5	5	35	32	Nephritis	1	.4
Measles	32	32	15	23	Diabetes	1	1	2	1	.3
Scarlatina	7	1	..	8	25	32	Stone4	.4
Whooping Cough	56	56	45	31	Stricture	1	..	1	.3	.3
Croup	6	6	7	7	Dis. of Kidneys, &c. (4)	..	1	1	2	2	2
Thrush	3	3	4	5	Diseases of the Kidneys, &c.	3	2	5	5	4
Diarrhœa	2	1	3	5	8	Childbed	6	..	6	9	7
Dysentery	2	..	2	1	2	Ovarian Dropsy2	.3
Cholera	1	1	2	4	2	Dis. of Uterus, &c.	1	1	2	2	2
Influenza	1	1	2	4	2	Childbed, Diseases of the Uterus, &c.	7	1	8	11	10
Typhus (1)	6	10	2	18	50	40	Rheumatism	3	3
Erysipelas	2	1	1	4	7	6	Dis. of Joints, &c.	1	2	..	3	4	3
Gonorrhœa	1	.5	Diseases of the Joints, Bones and Muscles	1	2	..	3	7	6
Hydrophobia1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	117	17	5	139	199	190	Fistula4	.3
Cephalitis	4	1	1	6	10	11	Dis. of Skin, &c. (3) ..	1	1	.3	.3
Hydrocephalus	31	31	35	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	5	9	14	20	17	Inflammation	4	..	2	6	13	10
Paralysis	11	12	23	17	15	Hæmorrhage	1	..	1	3	3
Convulsions	53	53	61	59	Dropsy	6	22	21	49	37	34
Epilepsy	1	3	1	5	5	4	Abscess	1	1	..	2	4	4
Insanity	2	1	Mortification	1	2	1	4	6	4
Delirium Tremens	2	..	2	1	1	Scrofula	1	1	1	3	2	2
Dis. of Brain, &c. (2)	4	4	1	9	9	7	Carcinoma	6	3	9	7	7
Diseases of the Brain, Nerves, and Senses.	93	26	24	143	160	149	Tumor	1	2
Quinsey	2	2	1	1	Gout	2	..	2	1	1
Bronchitis	5	6	9	20	15	10	Atrophy	4	..	1	5	5	5
Pleurisy	2	..	2	2	2	Debility	14	4	11	29	18	17
Pneumonia	68	11	5	84	88	72	Malformations	1	1
Hydrothorax	3	4	7	7	5	Sudden Deaths	12	9	9	30	17	14
Asthma	19	26	45	48	25	Diseases of Uncertain Seat ..	43	48	49	140	115	104
Consumption	28	103	10	141	142	141	Old Age, or Natural Decay	4	68	72	90	69
Dis. of Lungs, &c. ..	2	8	7	17	17	12	Intemperance	1	..	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	105	152	61	318	320	268	Privation	1	.5
Pericarditis	1	.6	Violent Deaths	14	20	5	39	25	24
Aneurism	1	..	1	1	.6	Deaths by Violence, Privation, or Intemperance	14	21	5	40	26	25
Dis. of Heart, &c. ..	2	12	10	24	19	17	Causes not specified ..	2	2	..	4	7	7
Diseases of the Heart and Bloodvessels.	2	13	10	25	21	18	Deaths from all Causes	414	319	238	971	1017	912
Teething	13	13	15	17	Weekly Average, 1838-9-40.	433	312	165	912		
Gastritis—Enteritis ..	10	7	4	21	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	3	1	4	1	1	(1) Ague, 1.						
Tabes Mesenterica ..	8	8	3	4	(2) Tetanus, 1.						
Ascites	1	..	1	.4	.5	(3) Hematemesis, 1.						
Ulceration	2	..	2	1	1	(4) Cystitis, 1.						
Hernia	3	1	4	2	2							
Colic or Ileus	2	1	..	3	2	2							
Dis. of Stomach, &c. (3)	..	2	3	5	6	5							
Hepatitis	1	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c. ..	1	5	4	10	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	36	24	13	73	55	61							

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Winters	
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	145
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	174
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	174
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	223
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	255
TOTAL.	Males, 450. Females, 521. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	971

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52. The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, January 13th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 15th January, 1842.

\$	Jan. 8th	Jan. 15th	Jan. 1841-40.
Mean height of barometer	30.193	29.956	29.880
Rain (weekly)	none	1.166	.227
Mean Dryness	1.3	1.6	1.8
Wind N. 2 days; S. 4; S.S.E. 1.			
Melted Snow.			

Temperature.	Jan. 8th	Jan. 15th	Jan. 1841-40.
Highest....	41°	38°	55°
Lowest....	28°	29°	11°
Daily Mean	34°	33°	38°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
Small Pox	3	3	35	32	Nephritis	1	1	1	.4
Measles	39	39	15	23	Diabetes	1	.3
Scarlatina	9	9	25	32	Stone4	.4
Crouping Cough	57	57	45	31	Stricture3	.3
Whooping Cough	11	11	7	7	Dis. of Kidneys, &c. (4)	6	6	2	2
Scarlet Fever	2	2	4	5	Diseases of the Kidneys, &c.	7	7	5	4
Diphtheria	9	3	1	13	5	8	Childbed	5	..	5	9	7
Enteritis	1	2	Ovarian Dropsy2	.3
Cholera	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	4	2	Childbed, Diseases of the Uterus, &c.	7	..	7	11	10
Typhus (1)	7	15	1	23	50	40	Rheumatism	2	..	2	3	3
Erysipelas	3	2	..	5	7	6	Dis. of Joints, &c.	1	3	1	5	4	3
Phlegmon	1	.5	Diseases of the Joints, Bones and Muscles	1	5	1	7	7	6
Hydrophobia1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	140	20	2	162	199	190	Fistula4	.3
Pharyngitis	4	2	..	6	10	11	Dis. of Skin, &c. (5)	1	1	.3	.3
Hydrocephalus	29	..	1	30	35	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	2	14	15	31	20	17	Inflammation	3	..	1	4	13	10
Epilepsy	5	12	17	17	15	Hæmorrhage	2	1	3	3	3
Convulsions	54	..	1	55	61	59	Dropsy	2	18	10	30	37	34
Paralysis	2	8	..	10	5	4	Abscess	1	..	1	4	4
Sanity	2	..	2	2	1	Mortification	1	2	1	4	6	4
Delirium Tremens	1	1	Scrofula	1	..	1	2	2
Dis. of Brain, &c. (2)	7	4	3	14	9	7	Carcinoma	4	7	11	7	7
Diseases of the Brain, Nerves, and Senses	98	35	32	165	160	149	Tumor	3	..	3	1	2
Measles	1	1	1	1	Gout	1	1	..	2	1	1
Scarlet Fever	7	14	8	29	15	10	Atrophy	7	1	3	11	5	5
Erysipelas	3	3	2	2	Debility	18	..	10	28	18	17
Pneumonia	79	25	11	115	88	72	Malformations	2	2	1	1
Hydrothorax	1	2	2	5	7	5	Sudden Deaths	1	12	11	24	17	14
Asthma	19	29	48	48	25	Diseases of Uncertain Seat	35	45	44	124	115	104
Consumption	24	106	11	141	142	141	Old Age, or Natural Decay	..	3	104	107	90	69
Dis. of Lungs, &c. (3)	3	4	7	14	17	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	115	170	71	356	320	268	Privation	1	..	1	1	.5
Pericarditis	1	..	1	1	.6	Violent Deaths	16	6	2	25	25	24
Neurism	1	..	1	1	.6	Deaths by Violence, Privation, or Intemperance	16	7	2	26	26	25
Dis. of Heart, &c. ..	3	12	9	24	19	17	Causes not specified ..	1	1	7	7
Diseases of the Heart and Bloodvessels	3	14	9	26	21	18	Deaths from all Causes	439	321	281	1042	1017	912
Enteritis	14	14	15	17	Weekly Average, 1833-9-40-1	433	312	165	912		
Enteritis—Enteritis ..	9	5	1	15	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Enteritis	1	1	(1) Remittent Fever, 1. Age 3.						
Enteritis Mesenterica ..	5	5	3	4	(2) Tetanus, 1. Age 60. Tetanus occasioned by anxiety and fatigue, 1. Age 64.						
Enteritis4	.5	(3) Laryngitis, 1. Age, 2.						
Enteritis	1	1	1	1	(4) Cystitis, 1. Age, 80.						
Enteritis	3	3	2	2	(5) Carbuncle, 1. Age, 80.						
Enteritis	2	2							
Dis. of Stomach, &c.	4	1	5	6	5							
Hepatitis	1	..	1	1	1							
Enteritis	1	..	1	2	2	2							
Dis. of Liver, &c. ..	1	5	1	7	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	30	15	8	53	55	61							

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Remittent Fever, 1. Age 3.
- (2) Tetanus, 1. Age 60. Tetanus occasioned by anxiety and fatigue, 1. Age 64.
- (3) Laryngitis, 1. Age 2.
- (4) Cystitis, 1. Age 80.
- (5) Carbuncle, 1. Age 30.

Districts.	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West Districts. Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	154
North Districts. St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	187
Central Districts. St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	221
East Districts. Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	214
South Districts. St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	433,060	221	243	266
TOTAL Males, 522. Females, 520. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1042

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

‡ The age of one person who died a Violent Death was not stated.

General Register Office, January 20th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd January, 1842.

	Weeks ending Jan.		
	Jan. 1st	Jan. 22nd	Jan. 4th
Baromet. height	29.956	30.093	29.880
Baromet. (weekly)	1.166	.022	.227
Baromet. (Dryness)	1.6	1.9	1.8
Wind 2 days: N. 1; S. 1; E. 1; S.E. 1; S.W. 1.			
Melted Snow.			

Temperature.	Weeks ending Jan.		
	Jan. 1st	Jan. 22nd	Jan. 4th
Highest	38°	43°	55°
Lowest	29°	29°	11°
Daily Mean	33°	35°	38°

Causes of Death.	Age				Weekly Average during		Causes of Death.	Age				Weekly Average during	
	0 to 15	15 to 60	60 and upwards	Total	4 Winters	4 Years		0 to 15	15 to 60	60 and upwards	Total	4 Winters	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1
Small Pox	11	1	..	12	35	32	Nephritis	1	.4
Measles	33	33	15	23	Diabetes	1	.3
Scarlatina	7	7	25	32	Stone4	.4
Whooping Cough	77	77	45	31	Stricture	1	..	1	.3	.3
Croup	10	10	7	7	Dis. of Kidneys, &c. (6)	..	4	3	7	2	2
Rush	2	2	4	5	Diseases of the Kidneys, &c.	5	3	4	5	4
Hæmorrhæa	1	..	4	5	5	8	Childbed	5	..	5	9	7
Enteritis	1	1	2	1	2	Ovarian Dropsy	2	..	2	.2	.3
Cholera	1	Dis. of Uterus, &c.	2	1	3	2	2
Influenza	1	1	4	2	Childbed, Diseases of the Uterus, &c.	12	1	13	11	10
Scrophulous (1)	13	8	1	22	50	40	Rheumatism	1	1	..	2	3	3
Erysipelas	2	4	..	6	7	6	Dis. of Joints, &c.	3	..	3	4	3
Phlegmon	2	..	2	1	.5	Diseases of the Joints, Bones and Muscles	1	4	..	5	7	6
Hydrophobia1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	156	16	7	179	199	190	Fistula4	.3
Pharyngitis	10	1	..	11	10	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	26	1	..	27	35	34	Diseases of the Skin, &c.	1	1	1	1
Coma	3	7	14	24	20	17	Inflammation	8	4	1	13	13	10
Paralysis	1	8	14	23	17	15	Hæmorrhage	1	..	1	3	3
Convulsions	52	52	61	59	Dropsy	3	19	13	35	37	34
Epilepsy	1	1	2	5	4	Abscess	4	2	..	6	4	4
Insanity	2	1	Mortification	1	..	2	3	6	4
Delirium Tremens	1	..	1	1	1	Scrophula	2	1	..	3	2	2
Dis. of Brain, &c. (2)	9	2	1	12	9	7	Carcinoma	6	2	8	7	7
Diseases of the Brain, Nerves, and Senses	101	21	30	152	160	149	Tumor	1	2
Quinsey	1	..	1	1	1	Gout	1	3	4	1	1
Tracheitis	3	7	14	24	15	10	Atrophy	9	1	..	10	5	5
Aneurism	3	..	3	2	2	Debility	12	3	13	28	18	17
Pneumonia	92	34	8	134	88	72	Malformations	1	1
Hydrothorax	2	6	8	7	5	Sudden Deaths	6	7	8	21	17	14
Asthma	30	34	64	48	25	Diseases of Uncertain Seat ..	45	45	42	132	115	104
Consumption	21	82	11	114	142	141	Old Age, or Natural Decay	4	105	109	90	69
Dis. of Lungs, &c. (3)	4	11	11	26	17	12	Intemperance	1	..	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	120	170	84	374	320	268	Privation	1	.5
Pericarditis	1	.6	Violent Deaths	12	19	6	37	25	24
Aneurism	1	.6	Deaths by Violence, Privation, or Intemperance	12	20	6	38	26	25
Dis. of Heart, &c.	2	17	5	24	19	17	Causes not specified ..	2	2	1	5	7	7
Diseases of the Heart and Bloodvessels	2	17	5	24	21	18	Deaths from all Causes	480	339	291	1110	1017	912
Scrophulous	21	21	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Enteritis	6	9	1	16	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Age, 1. Age 30. Remittent Fever. 2. Ages, 2 & 3.						
Abdominal Mesenterica ..	10	10	3	4	(2) Tetanus, 1. Age 20.						
Scites4	.5	(3) Laryngitis, 1. Age, 2.						
Ulceration	2	..	2	1	1	(4) Worms, 2. Ages, 3 & 50.						
Hernia	1	..	1	2	2	Stricture of œsophagus, 1. Age, 60. Hematemesis, 1. Age, 50.						
Colic or Ileus	1	..	2	3	2	2	(5) Disease of Spleen, 1. Age, 20.						
Dis. of Stomach, &c. (4)	1	6	1	8	6	5	(6) Cystitis, 1. Age 70.						
Hepatitis	1	1							
Audience	2	2							
Dis. of Liver, &c. (5)	1	5	3	9	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	40	23	7	70	55	61							

Ves. districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1.		Deaths in the Week.
			4 Years	4 Winters	
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	151	169
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	226
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	213	204
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	228	236
		438,060	221	243	275
TOTAL.	Males, 541. Females, 569. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1110

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, January 27th, 1842.

§	Weeks ending		
	Jan. 22nd	Jan. 29th	Jan. 40.
Mean height of barometer	30.093	29.640	29.880
Rain (weekly)	.022	.284	.227
Mean Dryness	1°9.	1°8.	1°8
Wind W. 3 days; S. 1; S.E. 1.			

4.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th January, 1842.

Temperature.	Weeks ending		
	Jan. 22nd	Jan. 29th	Jan. 40.
Highest ...	43°	45°	55°
Lowest	29°	27°	11°
Daily Mean	35°	37°	38°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	1838-9	1839-40	1840-1		1838-9	1840-1		1838-9	1839-40	1840-1		1838-9	1840-1
Small Pox	10	2	..	12	35	32	Nephritis	1	1	2	1	.4
Measles	25	25	15	23	Diabetes	1	..	1	1	.3
Scarlatina	10	1	..	11	25	32	Stone4	.4
Whooping Cough	59	59	45	31	Stricture3	3
Croup	9	..	1	10	7	7	Dis. of Kidneys, &c. (5)	1	3	4	2	2
Thrush	1	1	4	5	Diseases of the Kidneys, &c.	3	4	7	5	4
Diarrhoea	5	2	2	9	5	8	Childbed	7	..	7	9	7
Dysentery	3	..	3	1	2	Ovarian Dropsy	2	..	2	.2	.3
Cholera	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	1	..	1	2	4	2	Childbed, Diseases of the Uterus, &c.	9	1	10	11	10
Ryphus (1)	8	5	3	16	50	40	Rheumatism	3	3
Erysipelas	2	6	1	9	7	6	Dis. of Joints, &c.	4	3
Syphilis	2	..	2	1	.5	Diseases of the Joints, Bones and Muscles	7	6
Hydrophobia1	Ulcer	1	1	.6	.4
Epidemic, Endemic, & Contagious Diseases	130	21	8	159	199	190	Fistula4	.3
Cephalitis	12	6	1	19	10	11	Dis. of Skin, &c.3	.3
Hydrocephalus	36	36	35	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	1	6	10	17	20	17	Inflammation	5	5	13	10
Paralysis	7	10	17	17	15	Hæmorrhage	2	3	1	6	3	3
Convulsions	64	64	61	59	Dropsy	6	25	13	44	37	34
Epilepsy	1	4	1	6	5	4	Abscess	1	1	..	2	4	4
Insanity	2	1	Mortification	2	1	5	8	6	4
Delirium Tremens	2	1	3	1	1	Scrofula	2	1	..	3	2	2
Dis. of Brain, &c. (2)	4	9	1	14	9	7	Carcinoma	7	1	8	7	7
Diseases of the Brain, Nerves, and Senses.	118	34	24	176	160	149	Tumor	1	..	1	1	2
Quinsey	1	1	..	2	1	1	Gout	1	1	2	1	1
Bronchitis	4	7	13	24	15	10	Atrophy	7	..	6	13	5	5
Pleurisy	2	2	2	2	Debility	16	1	5	22	18	17
Pneumonia	80	25	10	115	88	72	Malformations	3	3	1	1
Hydrothorax	5	3	8	7	5	Sudden Deaths	9	11	5	25	17	14
Asthma	36	29	65	48	25	Diseases of Uncertain Seat ..	53	52	37	142	115	104
Consumption	26	125	7	159	142	141	Old Age, or Natural Decay	3	106	109	90	69
Dis. of Lungs, &c. (3)	2	21	9	32	17	12	Intemperance	1	..	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	113	220	73	407	320	268	Privation	2	..	2	1	.5
Pericarditis	1	.6	Violent Deaths	4	9	1	14	25	24
Aneurism	1	.6	Deaths by Violence, Privation, or Intemperance	4	12	1	17	26	25
Dis. of Heart, &c. ..	1	9	8	18	19	17	Causes not specified ..	3	..	2	5	7	7
Diseases of the Heart and Bloodvessels.	1	9	8	18	21	18	Deaths from all Causes	458	387	270	1116	1017	912
Swelling	18	18	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	8	6	2	16	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	..	2	1	1	(1) Ague, 1. Age 3.						
Abes Mesenterica ..	4	4	3	4	(2) Tetanus, 1. Age 30.						
Ascites	1	..	1	.4	.5	(3) Laryngitis, 1. Age 20.						
Ulceration	1	1	..	2	1	1	(4) Stricture of œsophagus, 1. Age 40. Hematemesis, 2. Ages, 20 & 40.						
Hernia	2	2	2	2	(5) Cystitis, 1. Age 30.						
Colic or Ileus	1	1	2	2							
Dis. of Stomach, &c. (4)	1	7	..	8	6	5							
Hepatitis	1	..	1	1	1							
Jaundice	2	2	2	2							
Dis. of Liver, &c. ..	1	6	1	8	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	36	24	5	65	55	61							

Wards.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	178
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	198
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	257
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	240
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	243
TOTAL Males, 574. Females, 542. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1116

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

§ The age of one Person who died of Consumption was not stated.

General Register Office, February 3rd, 1842

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Baines, at Mr. Harnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th February, 1842.

Weeks ending	1831-40.	
	Jan. 29th	Feb. 5th
Mean height of barometer	29.640	30.261
Mean height of rain (weekly)	.284	.166
Mean Dryness	1.8	2.2
Wind N.W. 2 days; N.E. 1; S. 1; S.W. 1; W. 1; E.N.E. 1.		

Temperature.	Weeks ending		Feb. 1831-40.
	Jan. 29th	Feb. 5th	
Highest ...	45°	49°	60°
Lowest....	27°	33°	25°
Daily Mean	37°	41°	41°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	8	8	35	32	Nephritis	1	.4
Measles	12	12	15	23	Diabetes	1	.3
Scarlatina	8	8	25	32	Stone4	.4
Whooping Cough	68	68	45	31	Stricture3	.3
Croup	5	5	7	7	Dis. of Kidneys, &c. (5)	3	1	4	2	2
Scarsh	2	2	4	5	Diseases of the Kidneys, &c.	3	1	4	5	4
Scarsh	5	2	..	7	5	8	Childbed	11	..	11	9	7
Scarsh	1	2	3	1	2	Ovarian Dropsy2	.3
Scarsh	1	Dis. of Uterus, &c. (6)	1	..	1	2	2
Scarsh	2	2	4	2	Childbed, Diseases of the Uterus, &c.	12	..	12	11	10
Scarsh (1)	5	8	1	14	50	40	Rheumatism	1	1	..	2	3	3
Scarsh	1	..	2	3	7	6	Dis. of Joints, &c.	2	4	..	6	4	3
Scarsh	1	.5	Diseases of the Joints, Bones and Muscles	3	5	..	8	7	6
Scarsh1	Ulcer	1	2	..	3	.6	.4
Scarsh	114	11	7	132	199	190	Fistula	1	..	1	.4	.3
Scarsh	12	12	10	11	Dis. of Skin, &c.3	.3
Scarsh	34	1	..	35	35	34	Diseases of the Skin, &c.	1	3	..	4	1	1
Scarsh	1	7	10	18	20	17	Inflammation	2	2	..	4	13	10
Scarsh	4	8	12	17	15	Hæmorrhage	3	1	4	3	3
Scarsh	48	48	61	59	Dropsy	3	14	15	32	37	34
Scarsh	1	4	..	5	5	4	Abscess	1	..	1	2	4	4
Scarsh	2	..	2	2	1	Mortification	1	1	6	4
Scarsh	1	2	..	3	1	1	Scrofula	1	2	..	3	2	2
Scarsh	7	6	4	17	9	7	Carcinoma	7	4	11	7	7
Scarsh	104	26	22	152	160	149	Tumor	1	..	1	1	2
Scarsh	1	2	..	3	1	1	Gout	1	1	1	1
Scarsh	8	16	17	41	15	10	Atrophy	6	..	5	11	5	5
Scarsh	3	1	4	2	2	Debility	10	1	16	27	18	17
Scarsh	87	26	10	123	88	72	Malformations	1	1
Scarsh	5	2	7	7	5	Sudden Deaths	5	3	2	10	17	14
Scarsh	33	43	76	48	25	Diseases of Uncertain Seat ..	28	33	46	107	115	104
Scarsh	23	99	7	129	142	141	Old Age, or Natural Decay	3	101	104	90	69
Scarsh	15	11	26	17	12	Intemperance5	.6
Scarsh	119	199	91	409	320	268	Privation	2	2	1	.5
Scarsh	1	..	1	1	.6	Violent Deaths	7	3	4	14	25	24
Scarsh	1	1	1	.6	Deaths by Violence, Privation, or Intemperance	9	3	4	16	26	25
Scarsh	2	11	4	17	19	17	Causes not specified ..	2	4	..	6	7	7
Scarsh	2	12	5	19	21	18	Deaths from all Causes	408	336	281	1025	1017	912
Scarsh	13	13	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Scarsh	10	6	1	17	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Scarsh	1	..	1	1	1	(1) Ague, 2. Ages 3 & 30. Yellow Fever, 1. Age 32.						
Scarsh	2	1	..	3	3	4	(2) Tetanus, 1. Age 60.						
Scarsh	1	..	1	1	.4	(3) Painter's Colic, 1. Age 55.						
Scarsh	1	1	1	1	(4) Stricture of œsophagus, 1. Age, 50.						
Scarsh	2	..	2	2	2	(5) Cystitis, 1. Age 50.						
Scarsh	2	..	2	2	2	(6) Paramenia, 1. Age, 40.						
Scarsh	2	1	3	6	5							
Scarsh	1	1	2	1	1							
Scarsh	2	2							
Scarsh	6	1	7	8	8							
Scarsh	26	22	4	52	55	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	148
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	197
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	212
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	205
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	263
TOTAL. Males, 526. Females, 499. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1025

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52. ‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, February 10th, 1842.

§	Week ending		Feb. 1831-40.
	Feb. 5th	Feb. 12th	
Mean height of barometer	30.237	29.894	29.911
Rain (weekly)	.166	.281	.276
Mean Dryness	2.2	1.8	2.0
At mid S 4 days; E. 1; E.N.E. 1; N.E. 1.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th February, 1842.

Temperature.	Week ending		Feb. 1831-40.
	Feb. 5th	Feb. 12th	
Highest ...	49°	52°	60°
Lowest....	33°	32°	25°
Daily Mean	41°	41°	41°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1		15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	6	1	..	7	35	32	Nephritis	1	1	1	.4
Easles	18	1	..	19	15	23	Diabetes	1	.3
Scarlatina	14	14	25	32	Stone4	.4
Crouping Cough	71	71	45	31	Stricture	1	..	1	.3	3
Whooping Cough	6	6	7	7	Dis. of Kidneys, &c.	3	4	7	2	2
Measles	5	5	4	5	Diseases of the Kidneys, &c.	4	5	9	5	4
Diarrhoea	2	2	1	5	5	8	Chilblad	6	..	6	9	7
Dysentery	1	..	1	1	2	Ovarian Dropsy2	.3
Cholera	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	2	4	..	6	4	2	Chilblad, Diseases of the Uterus, &c.	7	..	7	11	10
Erysipelas	10	8	2	20	50	40	Chenitism	1	1	3	3
Erysipelas	1	2	3	6	7	6	Dis. of Joints, &c. ...	1	3	1	5	4	3
Erysipelas	1	..	1	1	.5	Diseases of the Joints, Bones and Muscles	1	3	2	6	7	6
Hydrophobia	1	Ulcer	1	1	2	..	.4
Epidemic, Endemic, & Contagious Diseases	135	20	6	161	199	190	Fistula4	.3
Encephalitis	6	4	..	10	10	11	Dis. of Skin, &c. (5) ..	1	1	..	2	.3	.3
Hydrocephalus	37	37	35	34	Diseases of the Skin, &c.	1	2	1	4	1	1
Coma	2	11	11	24	20	17	Inflammation	7	1	..	8	15	10
Paralysis	1	12	8	21	17	15	Hæmorrhage	1	..	1	3	3
Convulsions	52	52	61	59	Dropsy	5	25	14	45	37	34
Epilepsy	4	..	4	5	4	Abscess	1	..	1	4	4
Insanity	1	1	2	1	Monification	1	..	1	6	4
Delirium Tremens (1)	..	4	..	4	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c. (2)	1	5	1	7	9	7	Carcinoma	1	6	4	11	7	7
Diseases of the Brain, Nerves, and Senses.	99	40	21	161	160	149	Tumor	3	1	4	1	2
Whooping Cough	1	1	Gout	1	1
Bronchitis	7	19	10	36	15	10	Atrophy	4	4	5	5
Pleurisy	1	..	1	2	2	Debility	14	2	5	21	18	17
Pneumonia	83	8	3	94	88	72	Malformations	1	1	1	1
Hydrothorax	2	5	6	13	7	5	Sudden Deaths	4	6	5	15	17	14
Asthma	34	27	61	48	25	Diseases of Uncertain Seat ..	37	46	29	113	115	104
Consumption	23	110	8	142	142	141	Old Age, or Natural Decay	6	100	106	90	69
Dis. of Lungs, &c. (3)	6	9	3	18	17	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	121	186	57	365	320	268	Privation	1	.5
Pericarditis	1	1	1	.6	Violent Deaths	8	10	4	23	25	24
Neuritis	1	.6	Deaths by Violence, Privation, or Intemperance	8	10	4	23	26	25
Dis. of Heart, &c. ...	2	15	3	20	19	17	Causes not specified	1	..	1	7	7
Diseases of the Heart and Bloodvessels.	3	15	3	21	21	18	Deaths from all Causes	440	363	235	1042	1017	912
Whooping Cough	18	18	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Enteritis	9	6	1	16	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	..	1	1	1	(1) Delirium Tremens, brought on by an injury to the Ankle. Age 34.						
Tabes Mesenterica ..	5	5	3	4	(2) Tetanus, 1. Age 38.						
Ascites4	.5	(3) Laryngitis, 1. Age 2.						
Ulceration	1	1	(4) Stricture of œsophagus, 1. Age, 70.						
Hernia	1	1	2	2	(5) Carbuncle, 1. Age 40.						
Colic or Ileus	1	1	2	2	2							
Dis. of Stomach, &c. (4)	1	5	2	8	6	5							
Hepatitis	3	1	4	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c. ...	1	7	1	9	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	35	23	7	65	55	61							

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	151	177
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	187
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	213	208
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	228	219
		438,060	221	243	251
TOTAL	Males. 535. Females. 507. (Weekly average 1838-9-40-1, Males, 167. Females, 445.)	1,870,727	912	1017	1042

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the thermometer. The height of the Barometer is corrected for the Temperature.

§ The ages of 4 persons were not stated; one died from Hydrocephalus; one from Consumption; one from Dropsy; and one by Violence.

General Register Office, February 17th, 1842.

§	Weeks ending		
	Feb. 12th	Feb. 19th	Feb. 26th
Barometer {	29.894	30.355	30.811
in (weekly)	.284	.070	.276
an Dryness	1.8	2.0	2.0
nd S. 3 days; W. 2; S.W. 1; S.S.E. 1.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th February, 1842.

Temperature.	Weeks ending		Feb. 1831.
	Feb. 12th	Feb. 19th	
Highest....	52°	53°	60°
Lowest.....	32°	33°	25°
Daily Mean	41°	45°	41°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years		0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years
	1838-9-40-1				1838-9-40-1								
Small Pox	4	1	..	5	35	32	Nephritis	1	.4
Measles	31	31	15	23	Diabetes	1	..	1	1	.3
Scarlatina	3	4	25	32	Stone4	.4
Hoping Cough	55	55	45	31	Stricture	1	..	1	.3	.3
Croup	10	10	7	7	Dis. of Kidneys, &c. (2)	1	2	1	4	2	2
Trush	2	2	4	5	Diseases of the Kid- neys, &c.}	1	4	1	6	5	4
Trachea	4	4	5	8	Childbed	6	..	6	9	7
Enteritis	1	2	Ovarian Dropsy2	.3
Cholera	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	1	2	1	4	4	2	Childbed, Diseases of the Uterus, &c. ...}	..	8	..	8	11	10
Phthisis	7	13	2	22	50	40	Rheumatism	1	1	..	2	3	3
Scipelas	3	3	6	7	6	Dis. of Joints, &c.	2	..	2	4	3
Phthisis	1	1	1	.5	Diseases of the Joints, Bones and Muscles}	1	3	..	4	7	6
Phobia1	Ulcer	1	..	1	.6	.4
Epidemic, Endemic, & Contagious Diseases}	118	19	6	144	199	190	Fistula4	.3
Gonorrhoea	12	2	1	15	10	11	Dis. of Skin, &c.3	.3
Protrusion of the Eye	36	1	..	37	35	34	Diseases of the Skin, &c.}	..	1	..	1	1	1
Paralysis	2	7	5	14	20	17	Inflammation	3	..	1	4	13	10
Convulsions	41	41	61	59	Hæmorrhage	3	..	3	3	3
Epilepsy	1	..	1	5	4	Dropsy	5	17	10	32	37	34
Mania	2	..	2	2	1	Abscess	2	2	4	4
Trismus Tremens	1	1	Mortification	1	6	7	6	4
Dis. of Brain, &c. ..	3	5	..	8	9	7	Scrofula (3)	3	..	1	4	2	2
Diseases of the Brain, Nerves, and Senses.}	94	20	17	131	160	149	Carcinoma	4	1	5	7	7
Measles	2	2	1	1	Tumor	1	2
Trachitis	5	10	10	25	15	10	Gout	1	1	1	1
Erysipelas	2	2	Atrophy	6	..	2	8	5	5
Pneumonia	72	14	8	94	88	72	Debility	18	1	4	23	18	17
Hydrothorax	1	..	1	7	5	Malformations	1	1
Asthma	14	30	44	48	25	Sudden Deaths	5	8	5	19	17	14
Consumption	17	91	7	115	142	141	Diseases of Uncer- tain Seat}	42	34	31	108	115	104
Dis. of Lungs, &c. ..	4	7	4	15	17	12	Old Age, or Natural Decay	2	86	88	90	69
Diseases of the Lungs, and other Organs of Respiration}	100	137	59	296	320	268	Intemperance5	.6
Pericarditis	2	..	2	1	.6	Privation	1	1	1	.5
Aneurism	1	.6	Violent Deaths	9	10	2	21	25	24
Dis. of Heart, &c. ..	2	17	11	30	19	17	Deaths by Violence, Pri- vation, or Intemperance}	9	10	3	22	26	25
Diseases of the Heart and Bloodvessels.}	2	19	11	32	21	18	Causes not specified ..	1	2	..	3	7	7
Cholera	17	17	15	17	Deaths from all Causes	404	277	224	907	1017	912
Enteritis—Enteritis ..	7	6	3	16	14	18	Weekly Average, 1838-9-40-1	433	312	165	912		
Epididymitis	1	1							
Mesenterica	8	8	3	4							
Enteritis4	.5							
Enteritis	1	1							
Enteritis	1	2	3	2	2							
Obstruction (1)	2	1	..	3	2	2							
Dis. of Stomach, &c. ..	1	4	1	6	6	5							
Hepatitis	1	1							
Indigestion	1	1	..	2	2	2							
Dis. of Liver, &c.	5	4	9	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	36	18	10	64	55	61							

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Intussusception, 1. Age 2.

(2) Cystitis, 1. Age 60.

(3) Purpura, 1. Age 70.

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Intussusception, 1. Age 2.
- (2) Cystitis, 1. Age 60.
- (3) Purpura, 1. Age 70.

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	143
St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	175
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	168
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	192
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	229
TOTAL. Males, 453. Females, 454. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	907


* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 2 persons were not stated; one died from Scarlatina; and one Suddenly.

General Register Office, February 24th, 1842.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th February, 1842.

§	Weeks ending		Feb. 1831-40.
	Feb. 19th	Feb. 26th	
Baromet. height in in.	30.355	29.500	29.811
Baromet. height in in. (weekly)	.070	.402	.276
Dryness	2.0	2.3	2.0
Wind S. 2 days; E. 1; W. 1; S.E. 2; S.S.E. 1.			

Temperature.	Weeks ending		Feb. 1831-40.
	Feb. 19th	Feb. 26th	
Highest	53°	50°	60°
Lowest	33°	35°	25°
Daily Mean	45°	42°	41°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	15	60	upwards		1838-9	40-1		15	60	upwards		1838-9	40-1
	15	60	upwards		1838-9	40-1		15	60	upwards		1838-9	40-1
Small Pox	4	1	..	5	35	32	Nephritis	1	.4
Measles	26	26	15	23	Diabetes	1	.3
Scarlatina	11	11	25	32	Stone4	.4
Crouping Cough	46	46	45	31	Stricture3	.3
Croup	13	1	..	14	7	7	Dis. of Kidneys, &c.	2	2	4	2	2
Trush	4	4	4	5	Diseases of the Kidneys, &c.	2	2	4	5	4
Larynx	1	4	1	6	5	8	Childbed	7	..	7	9	7
Enteritis	1	1	1	2	Ovarian Dropsy	1	..	1	.2	.3
Colera	1	Dis. of Uterus, &c.	3	1	4	2	2
Cholera	2	..	2	4	4	2	Childbed, Diseases of the Uterus, &c.	11	1	12	11	10
Cholera	8	7	2	17	50	40	Rheumatism	2	1	3	3	3
Erysipelas	1	2	..	3	7	6	Dis. of Joints, &c.	3	2	1	6	4	3
Phthisis	1	1	1	.5	Diseases of the Joints, Bones and Muscles	3	4	2	9	7	6
Dysphagia1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	117	15	6	138	199	190	Fistula	1	..	1	.4	.3
Pharyngitis	10	3	..	13	10	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	33	33	35	34	Diseases of the Skin, &c.	1	1	..	2	1	1
Opoplexy	1	8	3	12	20	17	Inflammation	7	1	..	8	13	10
Paralysis	3	11	14	17	15	Hæmorrhage	1	..	1	3	3
Convulsions	54	54	61	59	Dropsy	2	19	19	40	37	34
Epilepsy	4	..	4	5	4	Abscess	1	1	4	4
Mania	1	..	1	2	1	Mortification	2	2	4	6	4
Delirium Tremens	2	..	2	1	1	Scrofula	3	1	..	4	2	2
Dis. of Brain, &c. ..	2	1	2	5	9	7	Carcinoma	3	5	8	7	7
Diseases of the Brain, Nerves, and Senses.	100	22	16	138	160	149	Tumor	4	..	4	1	2
Measles	1	..	1	1	1	Gout	1	..	1	1	1
Whooping Cough	3	6	5	14	15	10	Atrophy	6	..	2	8	5	5
Erysipelas	1	..	1	2	2	Debility	19	6	11	36	18	17
Pneumonia	84	11	9	104	88	72	Malformations	1	1
Hydrothorax	2	2	3	7	7	5	Sudden Deaths	6	6	5	17	17	14
Asthma	22	20	42	48	25	Diseases of Uncertain Seat	44	44	44	132	115	104
Consumption	29	107	3	140	142	141	Old Age, or Natural Decay	1	63	64	90	69
Dis. of Lungs, &c. ..	4	7	7	18	17	12	Intemperance	1	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	122	157	47	327	320	268	Privation	1	1	2	1	.5
Pericarditis	1	..	1	1	.6	Violent Deaths	5	11	2	18	25	24
Aneurism (1)	2	..	2	1	.6	Deaths by Violence, Privation, or Intemperance	5	12	4	21	26	25
Dis. of Heart, &c. ..	1	9	7	17	19	17	Causes not specified ..	2	1	1	4	7	7
Diseases of the Heart and Bloodvessels.	1	12	7	20	21	18	Deaths from all Causes	439	299	203	942	1017	912
Scrophulous	25	25	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Enteritis	9	8	..	17	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Aneurism by Anastomosis, 1. Age 17.						
Acute Mesenterica ..	3	3	3	4							
Scites	1	..	1	.4	.5							
Ulceration	1	1							
Hernia	1	..	1	2	2	2							
Obstinate Ileus	2	1	1	4	2	2							
Dis. of Stomach, &c.	1	1	2	6	5							
Hepatitis	1	1							
Jaundice	1	2	3	2	2							
Dis. of Liver, &c. ..	4	5	5	14	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	44	17	10	71	55	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	147
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	199
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	162
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	217
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	217
TOTAL Males, 457. Females, 485. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	942

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of 1 person who died of Consumption was not stated.

General Register Office, March 3rd, 1842.

§	Weeks ending		Mar. 1831- 40.
	Feb. 26th	Mar. 5th	
Mean height of Barometer	29.500	29.691	29.856
Rain (weekly)	.402	.873	.175
Mean Dryness	2.3	2.6	2.8
ind S. 5 days; S.W. 1; S.S.W. 1.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th March, 1842.

Temperature. §	Weeks ending		Mar. 1831- 40.
	Feb. 26th	Mar. 5th	
Highest....	50°	56°	64°
Lowest....	35°	35°	26°
Daily Mean	42°	45°	42°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years		0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1		15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	2	2	..	4	35	32	Nephritis	1	..	1	1	.4
Measles	19	19	15	23	Diabetes	1	.3
Scarlatina	7	7	25	32	Stone4	.4
Crouping Cough	54	54	45	31	Stricture3	.3
Whooping Cough	9	9	7	7	Dis. of Kidneys, &c.	4	4	2	2
Scarlet Fever	5	5	4	5	Diseases of the Kid- neys, &c. }	..	1	4	5	5	4
Dysentery	4	..	3	7	5	8	Childbed	4	..	4	9	7
Cholera	3	..	3	1	2	Ovarian Dropsy2	.3
Influenza	2	2	4	4	2	Dis. of Uterus, &c. (5)	..	2	..	2	2	2
Scrophulous (1)	9	11	3	23	50	40	Childbed, Diseases of the Uterus, &c. }	..	6	..	6	11	10
Syphilis	3	3	..	6	7	6	Rheumatism	2	..	2	3	3
Phthisis	1	.5	Dis. of Joints, &c.	3	1	..	4	4	3
Idiocy1	Diseases of the Joints, Bones and Muscles }	3	3	..	6	7	6
Epidemic, Endemic, & Contagious Diseases }	112	21	8	141	199	190	Ulcer	2	1	..	3	.6	.4
Pharyngitis	7	7	10	11	Fistula4	.3
Hydrocephalus	38	1	1	40	35	34	Dis. of Skin, &c.3	.3
Apoplexy	1	7	12	20	20	17	Diseases of the Skin, } &c. }	2	1	..	3	1	1
Paralysis	9	7	16	17	15	Inflammation	5	5	13	10
Convulsions	59	2	..	61	61	59	Hæmorrhage	1	..	1	3	3
Epilepsy	2	1	3	5	4	Dropsy	4	29	15	48	37	34
Insanity	2	1	Abscess	2	3	..	5	4	4
Delirium Tremens	1	1	Mortification	1	1	6	4
Diseases of the Brain, } Nerves, and Senses. }	4	6	1	11	9	7	Scrophula	1	1	..	2	2	2
Measles of the Brain, } Nerves, and Senses. }	109	27	22	158	160	149	Carcinoma	3	5	8	7	7
Whooping Cough	1	1	1	1	Tumor	1	1	1	1	2
Tracheitis	5	6	7	18	15	10	Gout	1	..	1	1	1
Pleurisy	1	..	1	2	2	Atrophy	7	1	..	8	5	5
Pneumonia	81	15	6	102	88	72	Debility	14	3	5	22	18	17
Hydrothorax	4	5	9	7	5	Malformations	1	1	..	2	1	1
Asthma	19	24	43	48	25	Sudden Deaths	9	7	5	22	17	14
Consumption	24	104	6	134	142	141	Diseases of Uncer- tain Seat	43	50	32	126	115	104
Diseases of the Lungs, and other Organs of Respiration }	116	158	54	328	320	268	Old Age, or Natural Decay	1	66	67	90	69
Pericarditis	2	..	2	1	.6	Intemperance5	.6
Neuritis	1	1	1	.6	Privation	1	.5
Diseases of the Heart } and Bloodvessels. }	2	10	4	16	19	17	Violent Deaths	11	14	6	31	25	24
Peritonitis	1	..	1	1	1	Deaths by Violence, Pri- vation, or Intemperance }	11	14	6	31	26	25
Cholera	7	7	3	4	Causes not specified ..	2	2	7	7
Scrophulous4	.5	Deaths from all Causes	445	307	204	957	1017	912
Perforation	1	2	..	3	1	1	Weekly Average, 1838-9-40-1	433	312	165	912		
Hernia	2	2	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1, Age 7. (2) Tetanus, 1, Age 50. (3) Worms, 1, Age 3. (4) Disease of Spleen, 1, Age 20. (5) Paramenia, 2, Ages 20 & 40.						
Colic or Ileus	1	1	..	2	2	2							
Diseases of the Stomach, &c. (3)	3	1	3	7	6	5							
Hepatitis	1	1							
Jaundice	1	1	2	2							
Diseases of the Liver, &c. (4)	1	4	..	5	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion }	45	13	7	65	55	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; } St. James	300,705	135	151	141
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	189
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East } London; West London; City of London	373,806	188	213	179
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; } Poplar	392,496	206	228	199
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; } Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	249
TOTAL. Males, 484. Females, 473. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	957

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of 1 person who died Suddenly was not stated.

General Register Office, March 10th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th March, 1842.

Mean height of barometer	Weeks ending		
	Mar. 5th	Mar. 12th	Mar. 1831-40.
Mean height of barometer	29.691	29.760	29.836
Rain (weekly)	.973	.603	.175
Mean Dryness	2°6.	3°4.	2°8
Wind S. 4 days; S.S.W. 1; W. 2.			

Temperature.	Weeks ending		
	Mar. 5th	Mar. 12th	Mar. 1831-40.
Highest ...	56°	55°	64°
Lowest	35°	39°	26°
Daily Mean	45°	46°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	1	1	35	32	Nephritis	1	.4
Measles	16	16	15	23	Diabetes	1	.3
Scarlatina	10	1	..	12	25	32	Stone4	.4
Whooping Cough	49	49	45	31	Stricture3	.3
Croup	17	18	7	7	Dis. of Kidneys, &c.	3	4	7	2	2
Thrush	3	3	4	5	Diseases of the Kidneys, &c.	3	4	7	5	4
Diarrhoea	2	3	2	7	5	8	Childbed	5	..	5	9	7
Dysentery	1	2	Ovarian Dropsy	1	..	1	.2	.3
Cholera	2	4	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	2	4	Childbed, Diseases of the Uterus, &c.	8	..	8	11	10
Erysipelas (1)	10	15	1	26	50	40	Rheumatism	1	1	2	3	3
Erysipelas (2)	1	..	1	7	6	Dis. of Joints, &c.	1	4	..	5	4	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	1	5	1	7	7	6
Hydrophobia1	Ulcer	1	..	1	.6	.4
Pidemic, Endemic, & Contagious Diseases	108	20	5	135	199	190	Fistula4	.3
Ephalitis	6	3	..	9	10	11	Dis. of Skin, &c. (5) ..	1	1	.3	.3
Hydrocephalus	25	25	35	34	Diseases of the Skin, &c.	1	1	..	2	1	1
Populex	10	10	20	20	17	Inflammation	3	..	2	5	13	10
Paralysis	9	13	22	17	15	Hæmorrhage	2	1	3	3	3
Convulsions	45	1	..	46	61	59	Dropsy	6	18	10	34	37	34
Pilepsy	1	3	..	4	5	4	Abscess	2	2	4	4
Insanity	2	1	Mortification	3	3	6	6	4
Delirium Tremens	1	1	Scrofula (6)	2	2	..	4	2	2
Dis. of Brain, &c. (3)	3	5	..	8	9	7	Carcinoma	6	..	6	7	7
Diseases of the Brain, Nerves, and Senses.	80	31	23	134	160	149	Tumor	1	1	2	1	2
Measles	1	1	Gout	1	..	1	1	1
Whooping Cough	3	2	6	11	15	10	Atrophy	4	1	1	6	5	5
Scarlatina	2	..	2	2	2	Debility	14	1	2	17	18	17
Whooping Cough	70	13	5	88	88	72	Malformations	2	2	1	1
Thrush	5	5	7	5	Sudden Deaths	6	4	2	12	17	14
Asthma	15	18	33	48	25	Diseases of Uncertain Seat ..	39	39	22	100	115	104
Consumption	31	105	12	149	142	141	Old Age, or Natural Decay	3	66	69	90	69
Dis. of Lungs, &c. ..	6	7	4	17	17	12	Intemperance	15	.6
Diseases of the Lungs, and other Organs of Respiration	110	144	50	305	320	268	Privation	23	6	35	25	24
Pericarditis	1	.6	Violent Deaths	6	24	7	37	26	25
Neurism	1	.6	Deaths by Violence, Privation, or Intemperance	6	24	7	37	26	25
Dis. of Heart, &c. ..	2	10	6	18	19	17	Causes not specified ..	1	2	..	3	7	7
Diseases of the Heart and Bloodvessels.	2	10	6	18	21	18	Deaths from all Causes	385	306	196	1890	1017	912
Ethelism	20	20	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Enteritis	7	6	2	15	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Enteritis	1	1	(1) Remittent Fever, 1, Age 5.						
Mesenterica	6	6	3	4	(2) Matter in the Veins, 1, Age 33.						
Cities	2	..	2	.4	.5	(3) Tetanus, 1, Age 60.						
Ceriation	1	2	3	1	1	(4) Disease of Spleen, 1, Age 11 Months.						
Ernia	1	1	2	2	2	(5) Inflammation of Navel, 1, Age 9 Weeks.						
Illic or Ileus	1	1	2	2	(6) Purpura. 1, Age 45.						
Dis. of Stomach, &c.	2	1	3	6	5							
Hepatitis	1	1							
Indice	2	1	3	2	2							
Dis. of Liver, &c. (4)	3	2	5	10	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	37	16	12	65	55	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39 40-1.		Deaths in the Week.
		4 Years	4 Winters	
Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	114
St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	185
St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	203
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	173
St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	215
TOTAL. Males, 471. Females, 419. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	890


* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The ages of 3 persons who died of Scarlatina, Croup, and Consumption, were not stated.

General Register Office, March 17th, 1842.



§	Weeks ending		Mar. 1831-40.
	Mar. 12th	Mar. 19th	
Mean height of barometer	29.760	30.009	29.856
Rain (weekly)	.605	.157	.175
Mean Dryness	3.4	3.9	2.8
Wind W. 4 days; S. 3.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th March, 1842.

Temperature.	Weeks ending		Mar. 1831-40.
	Mar. 12th	Mar. 19th	
Highest....	55°	56°	64°
Lowest....	39°	39°	26°
Daily Mean	46°	49°	42°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years		0 to 15	15 to 60	60 and upwards		4 Win- ters	4 Years
1838-9-40-1													
Small Pox	3	3	35	32	Nephritis	1	1	1	.4
Easles	17	17	15	23	Diabetes	1	..	1	1	.3
Scarlatina	5	1	..	6	25	32	Stone	1	1	.4	.4
Crouping Cough	39	39	45	31	Stricture	1	1	.3	.3
Roup	12	12	7	7	Dis. of Kidneys, &c.	1	1	2	2
Brussh	3	3	4	5	Diseases of the Kid- neys, &c.	1	1	3	5	5	4
Diarrhœa	2	2	2	6	5	8	Childbed	6	..	6	9	7
Ysentery	1	1	1	3	1	2	Ovarian Dropsy2	.3
Cholera	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	4	2	Childbed, Diseases of the Uterus, &c.	6	1	7	11	10
Typhus (1)	8	11	4	23	50	40	Rheumatism	1	2	3	3	3
Rysipelas	1	..	1	7	6	Dis. of Joints, &c. ...	2	2	4	3
Syphilis	1	1	1	.5	Diseases of the Joints, Bones and Muscles	2	1	2	5	7	6
Hydrophobia	1	1	..	.1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	92	16	7	115	199	190	Fistula4	.3
Encephalitis	5	2	..	7	10	11	Dis. of Skin, &c.3	.3
Hydrocephalus	25	1	..	26	35	34	Diseases of the Skin, } &c.	1	1
Populex	4	8	12	20	17	Inflammation	4	4	13	10
Paralysis	8	13	21	17	15	Hæmorrhage	3	..	3	3	3
Convulsions	43	43	61	59	Dropsy	4	21	18	43	37	34
Pilepsy	1	7	2	10	5	4	Abscess	1	4	1	6	4	4
Insanity	2	..	2	2	1	Mortification	1	..	3	4	6	4
Delirium Tremens	1	..	1	1	1	Scrofula (6)	2	2
Dis. of Brain, &c. ..	1	3	3	7	9	7	Carcinoma	1	3	4	7	7
Diseases of the Brain, Nerves, and Senses.	75	28	26	129	160	149	Tumor	1	..	1	1	2
Quinsey	1	..	1	1	1	Gout	1	1	2	1	1
Tronchitis	4	6	8	18	15	10	Atrophy	5	1	..	6	5	5
Leurisy	1	1	2	2	Debility	17	..	3	20	18	17
Pneumonia	67	17	1	85	88	72	Malformations	1	1	1	1
Hydrothorax	1	2	3	6	7	5	Sudden Deaths	3	7	2	12	17	14
Asthma	7	15	22	48	25	Diseases of Uncer- tain Seat ..	36	39	31	106	115	104
Consumption	29	82	7	118	142	141	Old Age, or Natural Decay	1	50	51	90	69
Dis. of Lungs, &c. (2)	5	7	6	18	17	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	107	122	40	269	320	268	Privation	1	.5
Pericarditis	1	..	1	1	.6	Violent Deaths	12	10	2	24	25	24
Neurism	1	.6	Deaths by Violence, Pri- vation, or Intemperance	12	10	2	24	26	25
Dis. of Heart, &c.	12	6	18	19	17	Causes not specified	2	..	2	7	7
Diseases of the Heart } and Bloodvessels. }	..	13	6	19	21	18	Deaths from all Causes	354	261	177	792	1017	912
Cæthung	14	14	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Astritis—Enteritis ..	8	4	4	16	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	..	1	1	1	(1) Remittent Fever, 1, Age 3.						
Abes Mesenterica ..	4	4	3	4	(2) Laryngitis, 1, Age 30.						
Scites4	.5	(3) Intussusception, 2, Ages 11 Months & 37.						
Ulceration	2	..	2	1	1	(4) Hematemesis, 1, Age 40.						
Hernia	2	2	4	2	2							
Colic or Ileus (3) ..	1	1	..	2	2	2							
Dis. of Stomach, &c. (4)	1	3	..	4	6	5							
Hepatitis	1	1	1	1							
Hundice	1	..	2	3	2	2							
Dis. of Liver, &c.	9	..	9	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	29	22	9	60	55	61							

Districts.	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39 40-1.		Deaths in the Week.
		4 Years	4 Winters	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	135
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	145
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	158
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	169
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	185
TOTAL. Males, 430. Females, 362. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	792

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§	Weeks ending		Mar. 1831-40.
	Mar. 19th	Mar. 26th	
Mean height of barometer	30.009	29.900	29.856
Rain (weekly)	.157	.481	.175
Mean Dryness	3°9.	3°6.	2°8.
Wind N.W. 3 days, N. 2, W. 1, S.W. 1.			

12.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th March, 1842.

Temperature.	Weeks ending		Mar. 1831-40.
	Mar. 19th	Mar. 26th	
Highest....	56°	53°	64°
Lowest....	39°	34°	26°
Daily Mean	49°	42°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1		15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	3	3	35	32	Nephritis	1	1	2	1	.4
Measles	16	16	15	23	Diabetes	1	.3
Scarlatina	16	16	25	32	Stone4	.4
Whooping Cough	34	34	45	31	Stricture3	.3
Croup	7	7	7	7	Dis. of Kidneys, &c. (3)	1	2	3	2	2
Whooping Cough	2	2	4	5	Diseases of the Kidneys, &c.}	..	2	3	5	5	4
Diarrhoea	3	1	1	5	5	8	Childbed	1	..	1	9	7
Dysentery	1	1	2	1	2	Ovarian Dropsy2	.3
Cholera	1	Dis. of Uterus, &c. (4)	2	1	3	2	2
Influenza	1	1	4	2	Childbed, Diseases of the Uterus, &c.}	..	3	1	4	11	10
Erysipelas	1	1	1	3	7	6	Rheumatism	1	1	3	3
Scrophulous	1	.5	Dis. of Joints, &c.	1	1	4	3
Hydrophobia1	Diseases of the Joints, Bones and Muscles}	2	2	7	6
Epidemic, Endemic, & Contagious Diseases}	88	16	7	111	199	190	Ulcer6	.4
Cephalitis	8	3	..	11	10	11	Fistula4	.3
Hydrocephalus	30	1	..	31	35	34	Dis. of Skin, &c.3	.3
Apoplexy	7	16	23	20	17	Diseases of the Skin, &c.}	1	1
Paralysis	5	11	16	17	15	Inflammation	1	..	1	13	10
Convulsions	42	42	61	59	Hæmorrhage	1	2	1	4	3	3
Epilepsy	3	1	4	5	4	Dropsy	2	22	19	43	37	34
Insanity	1	..	1	2	1	Abscess	2	2	4	4
Delirium Tremens	1	1	Mortification	2	..	2	6	4
Dis. of Brain, &c.	6	5	..	11	9	7	Scrofula	2	..	1	3	2	2
Diseases of the Brain, Nerves, and Senses.}	86	25	28	139	160	149	Carcinoma	2	..	2	7	7
Quinsey	1	1	Tumor	1	..	1	1	2
Bronchitis	5	9	3	17	15	10	Gout	2	2	1	1
Pleurisy	1	1	2	2	2	Atrophy	9	..	2	11	5	5
Pneumonia	60	9	5	74	88	72	Debility	7	3	7	17	18	17
Hydrothorax	3	3	7	5	Malformations	1	1	1	1
Asthma	14	5	19	48	25	Sudden Deaths	4	9	8	21	17	14
Consumption	17	96	7	120	142	141	Diseases of Uncertain Seat	26	42	42	110	115	104
Dis. of Lungs, &c.	4	11	3	18	17	12	Old Age, or Natural Decay	52	52	90	69
Diseases of the Lungs, and other Organs of Respiration}	86	140	27	253	320	268	Intemperance5	.6
Pericarditis	1	1	1	.6	Privation	1	.5
Neurism	1	.6	Violent Deaths	1	10	8	19	25	24
Dis. of Heart, &c.	1	8	4	13	19	17	Deaths by Violence, Privation, or Intemperance}	1	10	8	19	26	25
Diseases of the Heart and Bloodvessels.}	2	8	4	14	21	18	Causes not specified ..	3	3	..	6	7	7
Scrofula	14	14	15	17	Deaths from all Causes	326	266	178	770	1017	912
Enteritis	8	6	..	14	14	18	Weekly Average, 1838-9-40-1	433	312	165	912		
Peritonitis	1	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague, 1, Age 51. (2) Stricture, 1, Age 29. Hematemesis, 1, Age 61. (3) Cystitis, 1, Age 62. (4) Paramenia, 1, Age 15.						
Abdominal Mesenterica ..	7	7	3	4							
Scites4	.5							
Ulceration	1	1	1	1							
Hernia	1	1	2	2	2							
Colic or Ileus	1	2	1	4	2	2							
Dis. of Stomach, &c. (2)	1	2	3	6	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	1	6	1	8	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	32	17	6	55	55	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Winters	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	309,705	135	151	130
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	146
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	121
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	152
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	221
TOTAL. Males, 407. Females, 363. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	770

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52. ‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, March 31st, 1842.

BY AUTHORITY OF THE REGISTRY GENERAL. Published by Head & Barnes, at Mr. Hatton's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 6d. per Quarter.

§	Weeks ending		Mar. 1831-40.
	Mar. 26th	April 2nd	
Mean height of barometer (in.)	29.900	29.668	29.856
Rain (weekly)	.481	.345	.175
Mean Dryness	3.6	3.3	2.8
Wind W. 3 days, S. 2, S.S.E. 1, N.W. 1.			

13.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd April, 1842.

Temperature.	Weeks ending		Mar. 1831-40.
	Mar. 26th	April 2nd	
Highest ...	53°	58°	64°
Lowest	34°	36°	26°
Daily Mean	42°	49°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Winters	4 Years		0 to 15	15 to 60	60 and upwards		4 Winters	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1		15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	2	1	..	3	35	32	Nephritis	1	..	1	1	.4
Measles	23	23	15	23	Diabetes	1	.3
Scarlatina	8	8	25	32	Stone	1	..	1	.4	.4
Hooping Cough	49	49	45	31	Stricture	1	1	.3	.3
Croup	9	9	7	7	Dis. of Kidneys, &c. (2)	..	5	3	8	2	2
Thrush	4	5	Diseases of the Kidneys, &c.}	..	7	4	11	5	4
Diarrhœa	2	2	5	8	Childbed	7	..	7	9	7
Dysentery	1	..	1	1	2	Ovarian Dropsy	2	..	2	.2	.3
Cholera	1	Dis. of Uterus, &c.}	2	2
Influenza	1	..	2	3	4	2	Childbed, Diseases of the Uterus, &c.}	..	9	..	9	11	10
Typhus	6	10	3	19	50	40	Rheumatism	3	3
Erysipelas	3	2	..	5	7	6	Dis. of Joints, &c.}	2	1	..	3	4	3
Syphilis	1	2	..	3	1	.5	Diseases of the Joints, Bones and Muscles}	2	1	..	3	7	6
Hydrophobia1	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases}	104	16	5	125	199	190	Fistula4	.3
Cephalitis	10	3	..	13	10	11	Dis. of Skin, &c.}3	.3
Hydrocephalus	41	1	..	42	35	34	Diseases of the Skin, &c.}	1	1
Apoplexy	2	8	6	16	20	17	Inflammation	2	2	..	4	13	10
Paralysis	2	3	10	17	15	Hæmorrhage	1	1	2	3	3
Convulsions	41	1	..	42	61	59	Dropsy	1	19	15	35	37	34
Epilepsy	1	1	1	3	5	4	Abscess	2	2	..	4	4	4
Insanity	1	1	2	1	Mortification	2	1	2	5	6	4
Delirium Tremens	1	..	1	1	1	Scrofula (3)	2	..	2	2	2
Dis. of Brain, &c. ..	7	4	1	12	9	7	Carcinoma	4	2	6	7	7
Diseases of the Brain, Nerves, and Senses.}	102	21	17	140	160	149	Tumor	1	2	2	5	1	2
Quinsey	1	1	Gout	2	1	3	1	1
Bronchitis	2	3	4	9	15	10	Atrophy	2	..	3	5	5	5
Pleurisy	1	1	2	2	Debility	13	1	6	20	18	17
Pneumonia	44	11	3	58	88	72	Malformations	1	1
Hydrothorax	4	..	4	7	5	Sudden Deaths	9	15	5	29	17	14
Asthma	15	8	23	48	25	Diseases of Uncertain Seat	32	51	37	120	115	104
Consumption	27	110	9	146	142	141	Old Age, or Natural Decay	1	52	53	90	69
Dis. of Lungs, &c. ..	4	3	4	11	17	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration}	77	146	29	252	320	268	Privation	1	..	1	1	.5
Pericarditis	1	.6	Violent Deaths	12	21	3	37	25	24
Neurism	1	.6	Deaths by Violence, Privation, or Intemperance}	12	22	3	38	26	25
Dis. of Heart, &c.	9	11	20	19	17	Causes not specified ..	4	5	4	13	7	7
Diseases of the Heart and Bloodvessels.}	..	9	11	20	21	18	Deaths from all Causes	361	300	170	832	1017	912
Pericarditis	17	17	15	17	Weekly Average, 1833-9-40-1	433	312	165	912		
Peritonitis	5	3	3	11	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Abdominal Mesenterica ..	3	3	3	4	(1) Worms, 1, Age 2. Stricture of Oesophagus 1, Age 66.						
Scarcities4	.5	(2) Cystitis, 1, Age 84.						
Ulceration	1	..	1	1	1	(3) Purpura, 1, Age 22.						
Hernia	1	2	..	3	2	2							
Obstinate or Ileus	2	2							
Dis. of Stomach, &c. (1)	1	1	2	4	6	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	..	1	2	2	2							
Dis. of Liver, &c.	4	2	6	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion}	28	12	8	48	55	61							

Districts.	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39 40-1.		Deaths in the Week.
		4 Years	4 Winters	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	131
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	179
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	177
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	154
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	191
TOTAL. Males, 410. Females, 122. (Weekly average 1833-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	832

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1833, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of one person who died a Violent Death was not stated.

General Register Office. April 7th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hatnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsmen, price One Penny, or forwarded by Post to any part of the Kingdom, at 2d. 2d. per Quarter.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 9th April, 1842.

§	Weeks ending		
	April 2nd	April 9th	April 16th
Mean height of barometer	29.668	30.102	29.870
Rain (weekly)	.345	None	.277
Mean Dryness	3.3	4.3	4.2
Wind N. 2 days. N.E. 2. N.W. 2. E. 1.			

Temperature.	Weeks ending		
	April 2nd	April 9th	April 16th
Highest	58.°	57.°	72.°
Lowest	36.°	34.°	28.°
Daily Mean	49.°	43.°	47.°

Registered in the WEEK ending Saturday, the 1st April, 1839.													
Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
Small Pox	1	1	33	32	Nephritis	1	..	1	.4	.4
Measles	17	17	22	23	Diabetes3	.3
Scarlatina	5	5	26	32	Stone4	.4
Whooping Cough	36	36	33	31	Stricture2	.3
Croup	13	13	7	7	Dis. of Kidneys, &c. (3)	2	2	4	2
Thrush	2	2	4	5	Diseases of the Kidneys, &c.}	..	1	2	3	5	4
Diarrhoea	3	1	1	5	5	8	Childbed	3	..	3	6	7
Dysentery	1	1	Ovarian Dropsy3	.3
Cholera	2	..	1	3	3	2	Dis. of Uterus, &c.}	..	2	..	2	3	2
Influenza	2	15	3	20	42	40	Childbed, Diseases of the Uterus, &c.}	..	5	..	5	9	10
Typhus	1	2	2	5	6	6	Rheumatism	1	1	3	3
Erysipelas	1	1	..	2	1	.5	Dis. of Joints, &c.}	1	1	..	2	3	3
Syphilis	1	1	Diseases of the Joints, Bones and Muscles}	1	1	1	3	6	6
Hydrophobia	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases}	83	19	7	109	183	190	Fistula4	.3
Cephalitis	12	3	..	15	12	11	Dis. of Skin, &c.}	1	1	.3	.3
Hydrocephalus	35	35	35	34	Diseases of the Skin, &c.}	1	1	1	1
Apoplexy	2	9	6	17	16	17	Inflammation	1	1	..	2	10	10
Paralysis	8	7	15	13	15	Hæmorrhage	3	..	3	4	3
Convulsions	47	47	57	59	Dropsy	2	29	7	38	32	34
Epilepsy	2	..	2	4	4	Abscess	2	2	..	4	4	4
Insanity	1	..	1	1	1	Mortification	1	1	4	4
Delirium Tremens	2	1	Scrofula	2	..	2	2	2
Dis. of Brain, &c.}	4	1	1	6	7	7	Carcinoma	1	7	3	11	6	7
Diseases of the Brain, Nerves, and Senses.}	100	24	14	138	147	149	Tumor	1	..	1	2	2
Quinsey	1	1	Gout	1	1	1	1
Bronchitis	3	6	3	12	9	10	Atrophy	7	7	5	5
Pleurisy	2	1	3	2	2	Debility	9	8	3	20	15	17
Pneumonia	67	10	6	84	61	72	Malformations	1	1
Hydrothorax	4	1	5	4	5	Sudden Deaths	5	9	3	18	13	14
Asthma	14	9	23	16	25	Diseases of Uncertain Seat	27	62	18	108	99	104
Consumption	27	93	7	127	150	141	Old Age, or Natural Decay	1	57	58	63	69
Dis. of Lungs, &c. (1)	2	7	3	12	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration}	99	136	30	266	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	8	11	2	21	24	24
Aneurism	2	..	2	.7	.6	Deaths by Violence, Privation, or Intemperance}	8	11	2	21	25	25
Dis. of Heart, &c.}	6	10	6	22	15	17	Causes not specified ..	1	..	1	2	6	7
Diseases of the Heart and Bloodvessels.}	6	12	6	24	16	18	Deaths from all Causes	360	284	145	791	871	912
Teething	16	16	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	8	2	2	12	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	..	1	1	1	(1) Laryngitis, 2, Ages 9 months, and 34.						
Tabes Mesenterica ..	4	4	3	4	(2) Worms, 1, Age 5½. Hematemesis, 1, Age 41						
Ascites	1	1	1	.4	(3) Ischuria, 1, Age 62.						
Ulceration	1	..	1	1	1							
Hernia	1	2	3	2	2							
Colic or Ileus	2	..	2	4	3	2							
Dis. of Stomach, &c. (2)	2	3	..	5	5	5							
Hepatitis	1	1							
Jaundice	1	2	..	3	2	2							
Dis. of Liver, &c.}	..	2	1	3	7	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	34	12	7	53	56	61							

	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39 40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	126
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	139
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	132
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	197
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	197
TOTAL. Males, 400. Females, 391. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	791

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons were not stated; one died of Pneumonia, and one suddenly.

General Register Office, April 14th, 1842.

§	Weeks ending		
	April 9th	April 16th	April 1831-40.
Mean height of barometer (30.102	30.096	29.870
Rain (weekly)	None	.113	.277
Mean Dryness	4.3	4.1	4.3
Wind N. 3 days; N.E. 3; E. 1.			

15.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th April, 1842.

Temperature.	Week ending		
	April 9th	April 16th	April 1831-40.
Highest ...	57°	49°	72°
Lowest	34°	37°	28°
Daily Mean	43°	42°	47°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
Small Pox	4	4	33	32	Nephritis4	.4
Measles	22	22	22	23	Diabetes3	.3
Scarlatina	11	11	26	32	Stone4	.4
Hooping Cough	36	36	33	31	Stricture2	.3
Croup	12	1	..	13	7	7	Dis. of Kidneys, &c.	4	4	4	2
Thrush	2	2	4	5	Diseases of the Kid- neys, &c.	4	4	5	4
Diarrhoea	3	1	..	4	5	8	Childbed	6	..	6	6	7
Dysentery	1	1	..	2	1	2	Ovarian Dropsy3	.3
Cholera1	1	Dis. of Uterus, &c (2)	..	4	..	4	3	2
Influenza	1	1	3	2	Childbed, Diseases of the Uterus, &c.	10	..	10	9	10
Typhus	6	10	4	† 21	42	40	Rheumatism	1	2	3	3	3
Erysipelas	1	2	2	5	6	6	Dis. of Joints, &c. ...	1	3	..	4	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	1	4	2	7	6	6
Hydrophobia1	.1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	98	15	7	† 121	183	190	Fistula4	.3
Cephalitis	7	4	..	11	12	11	Dis. of Skin, &c.3	.3
Hydrocephalus	37	37	35	34	Diseases of the Skin, & &c.	1	1
Apoplexy	2	11	3	16	16	17	Inflammation	1	2	..	3	10	10
Paralysis	2	11	11	24	13	15	Hæmorrhage	1	2	3	4	3
Convulsions	50	50	57	59	Dropsy	1	20	14	35	32	34
Epilepsy	1	..	1	4	4	Abscess	1	1	2	4	4
Insanity	1	1	Mortification	1	3	4	4	4
Delirium Tremens	2	1	Scrofula (3)	1	1	2	2
Dis. of Brain, &c. ...	6	4	1	11	7	7	Carcinoma	4	5	9	6	7
Diseases of the Brain, Nerves, and Senses.	104	31	15	150	147	149	Tumor	2	..	2	2	2
Quinsey	1	1	1	1	Gout	1	1	2	1	1
Brachitis	2	8	7	17	9	10	Atrophy	8	8	5	5
Pleurisy	2	..	2	2	2	Debility	17	5	2	24	15	17
Pneumonia	61	12	6	79	61	72	Malformations	1	1
Hydrothorax	2	1	3	4	5	Sudden Deaths	3	4	7	13	14
Asthma	9	11	20	16	25	Diseases of Uncer- tain Seat	27	40	33	100	99	104
Consumption	35	95	10	140	150	141	Old Age, or Natural Decay	61	61	63	69
Dis. of Lungs, &c. ...	1	12	4	17	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration	100	140	39	279	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	1	8	..	9	24	24
Aneurism7	.6	Deaths by Violence, Pri- vation, or Intemperance	1	8	..	9	25	25
Dis. of Heart, &c. ...	4	12	2	18	15	17	Causes not specified	3	..	9	6	7
Diseases of the Heart and Bloodvessels.	4	12	2	18	16	18	Deaths from all Causes	364	277	174	† 822	871	912
Teething	20	20	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	3	3	3	9	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	1	3	1	1	(1) Hematemesis, 1, Age 42.						
Tabes Mesenterica ..	5	5	3	4	(2) Paramenia, 1, Age 24.						
Ascites	1	.4	(3) Purpura, 1, Age 63.						
Ulceration	1	1	1	1							
Hernia	1	..	1	2	2							
Colic or Ileus	2	..	2	3	2							
Dis. of Stomach, &c. (1)	..	4	1	5	5	5							
Hepatitis	1	1							
Jaundice	1	..	3	4	2	2							
Dis. of Liver, &c.	2	2	4	7	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	29	14	11	54	56	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	102
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	165
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	169
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	179
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	207
TOTAL. Males, 414. Females, 408. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	822

* Under the term Metropolis are comprised the 32 Districts therein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Typhus, was not stated.

General Register Office, April 21st, 1842.

General Register Office, April 20th, 1842.

\$	Weeks ending		April 1831-40.
	April 16th	April 23rd	
Mean height of barometer	30.086	30.079	29.870
Rain (weekly)	.113	None	.277
Mean Dryness	47.1	38.5	40.2
Wind N. 4 days; E.N.E. 1.	N.E. & N.W. 1.		

16.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd April, 1842.

Temperature.	Weeks ending		April 1831-40.
	April 16th	April 23rd	
Highest ...	49°	61°	72°
Lowest	37°	38°	28°
Daily Mean	42°	48°	47°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs 1838-9-40-1	4 Years
Causes of Death.	0 to 15	15 to 60	60 and upwards	Total	4 Springs 1838-9-40-1	4 Years
Small Pox	3	3	33	32
Measles	24	24	22	23
Scarlatina	5	5	26	32
Whooping Cough	39	39	33	31
Diphtheria	5	5	7	7
Scarlet Fever	2	2	4	5
Diarrhoea	2	1	..	3	5	8
Enteritis	1	..	1	1	2
Cholera	1	1
Influenza	1	..	1	2	3	2
Typhus (1)	4	13	1	18	42	40
Erysipelas	1	1	..	2	6	6
Syphilis	2	2	1	5
Hydrophobia	1	1
Epidemic, Endemic, & Contagious Diseases	88	16	2	106	183	190
Cephalitis	10	3	1	14	12	11
Hydrocephalus	41	2	..	43	35	34
Apoplexy	1	6	5	12	16	17
Paralysis	8	15	23	13	15
Convulsions	60	1	..	61	57	59
Epilepsy	1	1	2	4	4
Insanity	2	..	2	1	1
Delirium Tremens	2	1
Dis. of Brain, &c. ..	2	6	2	10	7	7
Diseases of the Brain, Nerves, and Senses.	114	29	24	167	147	149
Quinsey	1	1	..	2	1	1
Bronchitis	2	2	2	6	9	10
Pleurisy	1	3	..	4	2	2
Pneumonia	49	12	5	67	61	72
Hydrothorax	4	3	7	4	5
Asthma	1	8	7	16	16	25
Consumption	32	105	9	146	150	141
Dis. of Lungs, &c. ..	4	7	3	14	12	12
Diseases of the Lungs, and other Organs of Respiration	90	142	29	262	255	268
Pericarditis	2	..	2	5	6
Aneurism	7	6
Dis. of Heart, &c. ..	2	8	5	15	15	17
Diseases of the Heart and Bloodvessels.	2	10	5	17	16	18
Teething	17	17	15	17
Gastritis—Enteritis ..	3	6	2	11	15	18
Peritonitis	1	..	1	1	1
Tabes Mesenterica ..	8	8	3	4
Ascites	1	4
Ulceration	1	1
Hernia	1	..	1	2	2
Colic or Ileus	2	1	3	3	2
Dis. of Stomach, &c. (2)	..	5	2	7	5	5
Hepatitis	3	1	4	1	1
Jaundice	3	1	4	2	2
Dis. of Liver, &c. ..	1	1	2	4	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion ..	29	22	9	60	56	61
Nephritis	1	..	1	4	4
Diabetes	1	1	..	2	3	3
Stone	4	4
Stricture	2	3
Dis. of Kidneys, &c.	3	4	7	4	2
Diseases of the Kidneys, &c.}	1	5	4	10	5	4
Childbed	3	..	4	6	7
Ovarian Dropsy	3	3
Dis. of Uterus, &c.	3	..	3	3	2
Childbed, Diseases of the Uterus, &c.}	..	6	..	7	9	10
Rheumatism	3	3
Dis. of Joints, &c.	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	..	2	..	2	6	6
Ulcer	1	1	4	4
Fistula	4	3
Dis. of Skin, &c.	3	3
Diseases of the Skin, &c.}	1	1	1	1
Inflammation	4	4	10	10
Hæmorrhage	1	1	4	3
Dropsy	3	15	10	28	32	34
Abscess	1	1	4	4
Mortification	1	3	2	6	4	4
Scrofula	1	1	..	2	2	2
Carcinoma	3	3	6	6	7
Tumor	2	..	2	2	2
Gout	1	1
Atrophy	8	2	1	11	5	5
Debility	6	6	5	17	15	17
Malformations	1	1
Sudden Deaths	1	3	4	8	13	14
Diseases of Uncertain Seat	25	35	26	86	99	104
Old Age, or Natural Decay	68	68	63	69
Intemperance	6	6
Privation	4	5
Violent Deaths	7	12	..	19	24	24
Deaths by Violence, Privation, or Intemperance	7	12	..	19	25	25
Causes not specified ..	3	1	..	4	6	7
Deaths from all Causes	360	280	167	809	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		
N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined—						
(1) Remittent Fever, 1, Age 2.						
(2) Stricture, 1, Age 50. Hematemesis, 1, Age 42.						

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
 (1) Remittent Fever, 1, Age 2.
 (2) Stricture, 1, Age 50. Hematemesis, 1, Age 42.

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	136	119
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	156	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	179	156
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	190	172
		438,060	221	210	199
TOTAL.	Males, 421. Females, 388. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	809

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841. was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.
 ‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.
 § The ages of two persons were not stated, one died of Pneumonia, and one in Childbed.

General Register Office, April 28th, 1842.

§	Weeks ending		April 1831-40.
	April 23rd	April 30th	
Mean height of barometer	30.079	29.961	29.870
Rain (weekly)	None	.097	.277
Mean Dryness	3°.5	6°.5	4°2
Wind N. 2 days; N.E. 3; E. 1; E.N.E. 1. Rain on 1 Day.			

April 24, 2½ p.m. Lightning, with very heavy Thunder.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th April, 1842.

Temperatures.	Weeks ending		April 1831-40.
	April 23rd	April 30th	
Highest....	61°	69°	72°
Lowest....	38°	45°	28°
Daily Mean	48°	56°	47°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4	4
					Spring	Years
					1838-9-40-1	1838-9-40-1
Small Pox	3	4	33	32
Measles	20	20	22	23
Scarlatina	12	12	26	32
Whooping Cough	40	40	33	31
Croup	9	9	7	7
Thrush	5	5	4	5
Diarrhoea	1	1	..	2	5	8
Dysentery	1	1	2	1	2
Cholera	1	1
Influenza	1	1	3	2
Typhus (1)	6	10	3	19	42	40
Erysipelas	3	3	..	6	6	6
Syphilis	1	.5
Hydrophobia	1	1
Epidemic, Endemic, & Contagious Diseases	99	15	5	120	183	190
Cephalitis	5	2	..	7	12	11
Hydrocephalus	30	30	35	34
Apoplexy	1	7	11	20	16	17
Paralysis	1	2	7	10	13	15
Convulsions	56	56	57	59
Epilepsy	5	1	6	4	4
Insanity	1	1	1	1
Delirium Tremens	4	1	5	2	1
Dis. of Brain, &c. (2)	4	4	1	9	7	7
Diseases of the Brain, Nerves, and Senses.	97	24	22	144	147	149
Quinsey	1	1
Bronchitis	1	2	6	9	9	10
Pleurisy	1	1	2	2	2
Pneumonia	49	12	5	67	61	72
Hydrothorax	3	1	4	4	5
Asthma	4	7	11	16	25
Consumption	36	107	8	151	150	141
Dis. of Lungs, &c. ..	3	9	4	16	12	12
Diseases of the Lungs, and other Organs of Respiration	89	138	32	260	255	268
Pericarditis5	.6
Aneurism7	.6
Dis. of Heart, &c. ..	1	12	5	18	15	17
Diseases of the Heart and Bloodvessels.	1	12	5	18	16	18
Teething	16	16	15	17
Gastritis—Enteritis ..	7	5	..	12	15	18
Peritonitis	1	..	1	1	1
Tabes Mesenterica ..	3	3	3	4
Ascites	1	.4
Ulceration	1	..	1	1	1
Hernia	2	2	2	2
Colic or Ileus	1	1	2	3	2
Dis. of Stomach, &c.	1	..	1	5	5
Hepatitis	1	1	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c.	7	2	9	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion ..	27	17	6	50	56	61
Nephritis4	.4
Diabetes3	.3
Stone	1	1	.4	.4
Stricture2	.3
Dis. of Kidneys, &c. ..	1	2	..	3	4	2
Diseases of the Kidneys, &c.	1	2	1	4	5	4
Childbed	4	..	4	6	7
Ovarian Dropsy3	.3
Dis. of Uterus, &c.	3	2
Childbed, Diseases of the Uterus, &c.	4	..	4	9	10
Rheumatism	1	..	1	2	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	1	4	6	6
Ulcer4	.4
Fistula	1	..	1	.4	.3
Dis. of Skin, &c. (3) ..	1	..	2	3	.3	.3
Diseases of the Skin, &c.	1	1	2	4	1	1
Inflammation	4	4	10	10
Hæmorrhage	1	1	1	3	4	3
Dropsy	16	12	28	32	34
Abscess	2	3	5	4	4
Mortification	1	3	4	4	4
Scrofula	2	2	2	2
Carcinoma	4	2	6	6	7
Tumor	2	2
Gout	2	..	2	1	1
Atrophy	2	2	5	5
Debility	8	4	7	19	15	17
Malformations	1	1
Sudden Deaths	1	10	5	16	13	14
Diseases of Uncertain Seat	18	40	33	93	99	104
Old Age, or Natural Decay	61	61	63	69
Intemperance6	.6
Privation4	.5
Violent Deaths	6	12	2	20	24	24
Deaths by Violence, Privation, or Intemperance	6	12	2	20	25	25
Causes not specified	1	..	1	6	7
Deaths from all Causes	341	267	170	778	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined—

(1) Remittent Fever, 1, Age 57.

(2) Chorea, 1, Age 11.

(3) Phlegmon, 1, Age 68. Eczema Rubrum, 1, Age 10 weeks.

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Remittent Fever, 1, Age 57.
- (2) Chorea, 1, Age 11.
- (3) Phlegmon, 1, Age 68. Eczema Rubrum, 1, Age 10 weeks.

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	129
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	138
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	158
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	193
TOTAL.	Males, 422. Females, 361. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	783

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The ages of five persons were not stated, one died of Small Pox, one of Apoplexy, one of Pneumonia, and two Suddenly.

General Register Office, May 5th 1842.

§	Weeks ending		May 1831-40.
	April 30th	May 7th	
Mean height of barometer	29.961	29.718	29.890
Rain (weekly)	.007	.404	.273
Mean Dryness	67.5	89.1	69.6

Wind N. 1 day; N.E. 1; W.N.W. 1; W. 1; S. 3. Rain on 3 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th May, 1842.

Temperature.	Weeks ending		May 1831-40.
	April 30th	May 7th	
Highest ...	69°	70°	81°
Lowest....	45°	42°	34°
Daily Mean	56°	56°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9-40-1				1838-9-40-1			1838-9-40-1				1838-9-40-1	
Small Pox	1	1	33	32	Nephritis4	.4
Measles	24	24	22	23	Diabetes	1	1	.3	.3
Scarlatina	7	7	2	32	Stone	1	1	.4	.4
Whooping Cough	26	26	33	31	Stricture2	.3
Croup	12	12	7	7	Dis. of Kidneys, &c.	4	3	7	4	2
Thrush	6	6	4	5	Diseases of the Kidneys, &c.	1	4	4	9	5	4
Diarrhoea	2	1	3	5	8	Childbed	10	..	10	6	7
Dysentery	2	2	1	2	Ovarian Dropsy3	.3
Cholera1	1	Dis. of Uterus, &c.	3	..	3	3	2
Influenza	1	1	..	2	3	2	Childbed, Diseases of the Uterus, &c.	13	..	13	9	10
Typhus	10	8	1	19	42	40	Rheumatism	3	..	3	3	3
Erysipelas	3	2	1	6	6	6	Dis. of Joints, &c.	2	2	..	4	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	5	..	7	6	6
Hydrophobia1	.1	Ulcer	2	2	.4	.4
Epidemic, Endemic, & Contagious Diseases	90	13	5	108	183	190	Fistula4	.3
Cephalitis	11	3	1	15	12	11	Dis. of Skin, &c. (3)	1	1	.3	.3
Hydrocephalus	37	37	35	34	Diseases of the Skin, &c.	3	3	1	1
Apoplexy	1	5	6	12	16	17	Inflammation	5	1	1	7	10	10
Paralysis	4	10	14	13	15	Hæmorrhage	1	1	2	4	4	3
Convulsions	57	57	57	59	Dropsy	3	12	9	24	32	34
Epilepsy	1	2	1	4	4	4	Abscess	1	1	..	2	4	4
Insanity	1	..	1	1	1	Mortification	3	3	4	4
Delirium Tremens	1	..	1	2	1	Scrofula	2	2
Dis. of Brain, &c. (1)	4	6	1	11	7	7	Carcinoma	3	3	6	6	7
Diseases of the Brain, Nerves, and Senses.	111	22	19	152	147	149	Tumor	1	1	2	2
Quinsey	1	1	Gout	1	1	1	1
Bronchitis	2	2	3	7	9	10	Atrophy	1	1	5	5
Pleurisy	1	2	2	5	2	2	Debility	21	6	9	36	15	17
Pneumonia	37	6	2	45	61	72	Malformations	2	2	1	1
Hydrothorax	1	3	4	4	5	Sudden Deaths	4	5	3	13	13	14
Asthma	4	7	11	16	25	Diseases of Uncertain Seat	39	29	.31	100	99	104
Consumption	23	93	5	121	150	141	Old Age, or Natural Decay	56	56	63	69
Dis. of Lungs, &c. ..	1	4	2	7	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration	64	112	24	200	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	3	12	2	17	24	24
Aneurism7	.6	Deaths by Violence, Privation, or Intemperance	3	12	2	17	25	25
Dis. of Heart, &c. ..	4	16	4	24	15	17	Causes not specified	2	..	2	6	7
Diseases of the Heart and Bloodvessels.	4	16	4	24	16	18	Deaths from all Causes	345	255	155	756	871	912
Teething	16	16	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	8	8	..	16	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :— (1) Tetanus, 1, Age 54. (2) Worms, 3, Ages 3 Months, 11 Months, and 5 Years. (3) Phlegmon, 1, Age 64.						
Peritonitis	2	1	3	1	1							
Tabes Mesenterica ..	3	3	3	4							
Ascites	1	.4							
Ulceration	4	..	4	1	1							
Hernia	1	..	1	2	2							
Colic or Ileus	1	..	1	2	3	2							
Dis. of Stomach, &c. (2)	3	5	3	11	5	5							
Hepatitis	1	1							
Jaundice	1	1	2	2	2							
Dis. of Liver, &c.	6	1	7	7	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	31	27	7	65	56	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	123
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	116
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	147
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	185
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	185
TOTAL. Males, 378. Females, 378. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	756

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.
‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.
§ The age of one person who died Suddenly was not stated.

§	Weeks ending		May 1831-40.
	May 7th	May 14th	
Mean height of barometer	29.718	29.924	29.899
Rain (weekly)	.404	.812	.275
Mean Dryness	8°.1	5°.5	6°.
Wind W. 4 days; N.W. 1; S. 1; E. 1. Rain on 6 Days.			

19.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th May, 1842.

Temperature.	Weeks ending		May 1831-40.
	May 7th	May 14th	
Highest....	70°	65°	81°
Lowest....	42°	42°	34°
Daily Mean	56°	54°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
Small Pox	4	4	33	32	Nephritis	1	..	1	.4	.4
Measles	22	22	22	23	Diabetes3	.3
Scarlatina	9	1	..	10	26	32	Stone4	.4
Whooping Cough	37	37	33	31	Stricture2	.3
Croup	10	10	7	7	Dis. of Kidneys, &c. (2)	3	1	4	4	2
Thrush	5	5	4	5	Diseases of the Kidneys, &c. }	..	4	1	5	5	4
Diarrhœa	2	1	3	5	8	Childbed	5	..	5	6	7
Dysentery	1	2	Ovarian Dropsy3	.3
Cholera	1	1	Dis. of Uterus, &c.	1	..	1	3	2
Influenza	1	1	3	2	Childbed, Diseases of the Uterus, &c. }	..	6	..	6	9	10
Typhus	12	16	2	30	42	40	Rheumatism	3	3
Erysipelas	1	1	4	6	6	6	Dis. of Joints, &c.	1	2	..	3	3	3
Syphilis	1	..	1	1	.5	Diseases of the Joints, Bones and Muscles }	1	2	..	3	6	6
Hydrophobia	1	1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases }	100	21	8	129	183	190	Fistula4	.3
Cephalitis	8	2	..	10	12	11	Dis. of Skin, &c.3	.3
Hydrocephalus	33	1	..	34	35	34	Diseases of the Skin, &c. }	1	1
Apoplexy	3	7	8	18	16	17	Inflammation	6	6	10	10
Paralysis	5	10	15	13	15	Hæmorrhage	1	1	..	2	4	3
Convulsions	42	1	..	43	57	59	Dropsy	1	22	7	30	32	34
Epilepsy	1	3	1	5	4	4	Abscess	4	4
Insanity	1	1	Mortification	2	1	2	5	4	4
Delirium Tremens	1	..	1	2	1	Scrofula (3)	3	1	1	5	2	2
Dis. of Brain, &c. ..	4	3	..	7	7	7	Carcinoma	1	8	3	12	6	7
Diseases of the Brain, Nerves, and Senses. }	91	23	19	133	147	149	Tumor	2	2
Quinsey	1	1	Gout	1	1
Bronchitis	3	4	4	11	9	10	Atrophy	4	1	..	5	5	5
Pleurisy	1	..	1	2	2	Debility	17	4	2	23	15	17
Pneumonia	42	10	4	57	61	72	Malformations	1	1
Hydrothorax	2	1	3	4	5	Sudden Deaths	5	4	2	12	13	14
Asthma	8	10	18	16	25	Diseases of Uncertain Seat	40	42	17	100	99	104
Consumption	38	102	8	148	150	141	Old Age, or Natural Decay	47	47	63	69
Dis. of Lungs, &c. ..	3	7	2	12	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration }	86	134	29	250	255	268	Privation4	.5
Pericarditis	2	..	2	.5	.6	Violent Deaths	3	8	5	16	24	24
Aneurism7	.6	Deaths by Violence, Privation, or Intemperance }	3	8	5	16	25	25
Dis. of Heart, &c. ..	8	9	1	18	15	17	Causes not specified ..	1	3	1	5	6	7
Diseases of the Heart and Bloodvessels. }	8	11	1	20	16	18	Deaths from all Causes	363	268	140	773	871	912
Teething	18	18	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	7	5	1	13	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Stricture of œsophagus, 1, Age 60. Hematemesis, 1, Age 33. (2) Cystitis, 1, Age 51. (3) Purpura, 1, Age 69.						
Peritonitis	1	1							
Tabes Mesenterica ..	4	4	3	4							
Ascites	1	.4							
Ulceration	1	3	..	4	1	1							
Hernia	2	2	2	2							
Colic or Ileus	1	1	..	2	3	2							
Dis. of Stomach, &c. (1) ..	1	1	3	5	5	5							
Hepatitis	1	1	1	1							
Jaundice	1	1	1	3	2	2							
Dis. of Liver, &c.	3	4	7	7	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	33	14	12	59	56	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	131
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	145
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	138
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	158
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	201
TOTAL. Males, 392. Females, 381. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	773

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The ages of two persons who died of Pneumonia and Suddenly were not stated.

General Register Office, May 19th 1842.

§	Weeks ending		May
	May 14 th	May 21 st	1841-40.
Mean height of barometer	29.924	29.539	29.699
Rain (weekly)	.812	.022	.275
Mean Dryness	57.5	55.0	62.6
Wind N 3 days; S 1; S.E. 2; P. 1. Rain on 1 Day.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st May, 1842.

Temperature §	Weeks ending		May
	May 11 th	May 18 th	1841-40.
Highest	65°	70°	81°
Lowest	42°	46°	31°
Daily Mean	54°	56°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	2	1	..	3	33	32	Nephritis	1	1	.4	.4
Measles	20	20	22	23	Diabetes3	.3
Scarlatina	15	15	23	32	Stone4	.4
Whooping Cough	24	24	33	31	Stricture	1	..	1	.2	.3
Croup	12	1	..	13	7	7	Dis. of Kidneys, &c.	3	1	4	.4	.2
Thrush	4	4	4	5	Diseases of the Kidneys, &c.	4	2	6	.5	.4
Diarrhoea	1	2	3	5	8	Childbed	4	..	4	.6	.7
Dysentery	1	2	Ovarian Dropsy3	.3
Cholera	1	1	Dis. of Uterus, &c.	1	..	1	.3	.2
Influenza	3	2	Childbed, Diseases of the Uterus, &c.	5	..	5	.9	1.0
Typhus (1)	11	10	1	22	42	40	Rheumatism	1	1	..	2	.3	.3
Erysipelas	1	1	..	2	6	6	Dis. of Joints, &c.	1	..	2	3	.3	.3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	1	2	5	.6	.6
Hydrophobia	1	1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	89	14	3	106	183	190	Fistula4	.3
Cephalitis	12	2	..	14	12	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	34	1	..	35	35	34	Diseases of the Skin, &c.	1	1	.1	.1
Apoplexy	8	5	13	16	17	Inflammation	2	2	..	4	1.0	1.0
Paralysis	6	8	14	13	15	Hæmorrhage	1	1	2	.4	.3
Convulsions	48	2	..	50	57	59	Dropsy	3	20	16	39	3.2	3.4
Epilepsy	4	1	5	4	4	Abscess	2	..	2	.4	.4
Insanity	3	..	3	1	1	Mortification	1	1	.4	.4
Delirium Tremens	3	..	3	2	1	Scrofula (3)	3	2	..	5	.2	.2
Dis. of Brain, &c. ..	4	2	..	6	7	7	Carcinoma	1	7	3	11	.6	.7
Diseases of the Brain, Nerves, and Senses.	98	31	14	143	147	149	Tumor	2	1	3	.2	.2
Quinsey	1	1	Gout	1	1	2	.1	.1
Bronchitis	5	1	3	9	9	10	Atrophy	7	1	..	8	.5	.5
Pleurisy	1	..	1	2	2	2	Debility	18	6	4	28	1.5	1.7
Pneumonia	37	10	1	48	61	72	Malformations	1	..	1	.1	.1
Hydrothorax	1	..	4	5	4	5	Sudden Deaths	2	4	3	9	.13	.14
Asthma	6	11	17	16	25	Diseases of Uncertain Seat	37	49	29	115	.99	1.04
Consumption	34	119	5	158	150	141	Old Age, or Natural Decay	55	55	.63	.69
Dis. of Lungs, &c. ..	4	10	2	16	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration	82	146	27	255	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	5	19	5	31	.24	.24
Aneurism7	.6	Deaths by Violence, Privation, or Intemperance	5	19	5	31	.25	.25
Dis. of Heart, &c. ..	1	22	5	28	15	17	Causes not specified ..	1	1	1	3	.6	.7
Diseases of the Heart and Bloodvessels.	1	22	5	28	16	18	Deaths from all Causes	348	301	154	805	.871	.912
Teething	15	15	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	6	4	4	14	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Remittent Fever, 1, Age 9. (2) Disease of Spleen, 1, Age 2½. (3) Purpura, 1, Age 9.						
Peritonitis	1	1	1	1							
Tabes Mesenterica ..	7	7	3	4							
Ascites	1	.4							
Ulceration	1	..	1	1	1							
Hernia	2	2							
Colic or Ileus	2	..	2	4	3	2							
Dis. of Stomach, &c.	1	..	1	5	5							
Hepatitis	1	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. (2)	2	2	3	7	7	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	32	9	11	52	56	61							

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	136	119
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	156	155
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	179	165
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	190	165
		438,060	221	210	201
TOTAL.	Males, 390. Females, 415. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	805

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52. The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons who died by Violence were not stated.

§	Weeks ending		
	May 21st	May 28th*	May 1831-40.
Mean height of barometer	29.989	29.990	29.899
Rain (weekly)	.022	.570	275
Mean Dryness	57.0	56.8	62.6

* Wind S. 3 days; S.S.E. 1; S.E. 2; N.W. 1. Rain on 5 Days.

21.

1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th May, 1842.

Temperatures.	Weeks ending		
	May 21st	May 28th	May 1831-40.
Highest ...	70°	75°	81°
Lowest	46°	49°	34°
Daily Mean	56°	59°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9-40-1				1838-9-40-1			1838-9-40-1				1838-9-40-1	
Small Pox	5	5	33	32	Nephritis4	.4
Measles	32	32	22	23	Diabetes3	.3
Scarlatina	17	17	26	32	Stone4	.4
Hooping Cough	39	39	33	31	Stricture	1	1	.2	.3
Croup	10	10	7	7	Dis. of Kidneys, &c.	1	2	3	4	2
Thrush	1	1	4	5	Diseases of the Kid- neys, &c. }	..	1	3	4	5	4
Diarrhoea	4	1	2	7	5	8	Childbed	5	..	5	6	7
Dysentery	2	..	2	1	2	Ovarian Dropsy3	.3
Cholera1	1	Dis. of Uterus, &c. (4)	..	3	1	4	3	2
Influenza	1	2	..	3	3	2	Childbed, Diseases of the Uterus, &c. .. }	..	8	1	9	9	10
Typhus (1)	6	15	4	25	42	40	Rheumatism	3	3
Erysipelas	3	1	1	5	6	6	Dis. of Joints, &c.	1	2	..	3	3	3
Syphilis	1	1	1	.5	Diseases of the Joints, Bones and Muscles }	1	2	..	3	6	6
Hydrophobia1	.1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases }	119	21	7	147	183	190	Fistula4	.3
Cephalitis	9	9	12	11	Dis. of Skin, &c.	1	1	..	2	.3	.3
Hydrocephalus	40	40	35	34	Diseases of the Skin, & &c. }	1	1	..	2	1	1
Apoplexy	3	6	5	14	16	17	Inflammation	1	1	10	10
Paralysis	6	9	15	13	15	Hæmorrhage	2	2	4	3
Convulsions	63	63	57	59	Dropsy	2	16	7	25	32	34
Epilepsy	1	2	1	4	4	4	Abscess	1	1	..	2	4	4
Insanity	1	..	1	1	1	Mortification	2	2	4	4	4
Delirium Tremens	2	..	2	2	1	Scrofula (5)	2	1	3	2	2
Dis. of Brain, &c.	3	1	2	6	7	7	Carcinoma	2	4	6	6	7
Diseases of the Brain, Nerves, and Senses. }	119	18	17	154	147	149	Tumor	2	2
Quinsey	1	1	1	1	Gout	1	1
Bronchitis	2	2	5	9	9	10	Atrophy	5	..	1	6	5	5
Pleurisy	1	..	1	2	2	Debility	12	4	7	23	15	17
Pneumonia	44	9	2	55	61	72	Malignancies	1	1
Hydrothorax	2	2	..	4	4	5	Sudden Deaths	3	6	2	11	13	14
Asthma	7	8	15	16	25	Diseases of Uncer- tain Seat	24	33	26	83	99	104
Consumption	34	120	6	†161	150	141	Old Age, or Natural Decay	61	†62	63	69
Dis. of Lungs, &c. (2)	1	6	2	9	12	12	Intemperance6	.6
Diseases of the Lungs, and other Organs of Respiration }	84	147	23	†255	255	268	Privation4	.5
Pericarditis	1	..	1	2	.5	.6	Violent Deaths	6	20	4	†31	24	24
Aneurism	1	..	1	.7	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	20	4	31	25	25
Dis. of Heart, &c.	3	16	8	27	15	17	Causes not specified ..	1	1	..	2	6	7
Diseases of the Heart and Bloodvessels. }	4	17	9	30	16	18	Deaths from all Causes	383	290	157	†833	871	912
Teething	11	11	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	9	5	..	14	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Remittent Fever, 1, Age 1. Ague, 2, Ages, 40 & 60.						
Tubes Mesenterica ..	3	1	..	4	3	4	(2) Laryngitis, 1, Age 2.						
Ascites	1	1	1	.4	(3) Stricture of Œsophagus, 1, Age 60.						
Ulceration	2	..	2	1	1	(4) Parameia, 1, Age 38.						
Hernia	1	..	1	2	2	(5) Purpura, 1, Age 50.						
Colic or Ileus	1	1	2	3	2							
Dis. of Stomach, &c. (3)	..	5	2	7	5	5							
Hepatitis	1	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	5	2	7	7	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	24	21	6	51	56	61							

West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	136	148
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	156	153
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	179	169
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	190	165
		438,060	221	210	198
TOTAL.	Males, 406. Females, 427. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	833

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford: and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841. was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The ages of three persons were not stated; one died of Consumption; one of Old Age; and one was Executed.

General Register Office, June 2nd, 1842

§	Weeks ending		June 1831.
	May 28th	June 4th	40.
Mean height of barometer (in.)	29.999	30.100	29.859
Rain (weekly)	.570	.145	.428
Mean Dryness	5° S	3° S	7° S
* Wind S. 3 days; S. S. W. 1; N. W. 2; E. 1. Rain on 2 Days.			

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th June, 1842.

Temperature.	Weeks ending		June 1831.
	May 28th	June 4th	40.
Highest	75°	81°	87°
Lowest	48°	51°	43°
Daily Mean	59°	65°	62°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0	15	60		4	4		0	15	60		4	4
	to 15	to 60	and upwards		Spring	Years		to 15	to 60	and upwards		Spring	Years
1838-9-40-1													
Small Pox	3	3	33	32	Nephritis4	.4
Measles	27	27	22	23	Diabetes	1	..	1	.3	.3
Scarlatina	22	3	..	25	23	32	Stone	1	1	.4	.4
Hooping Cough	36	36	33	31	Stricture	1	..	1	.2	.3
Croup	6	6	7	7	Dis. of Kidneys, &c.	3	..	3	.4	.2
Thrush	2	2	4	5	Diseases of the Kid- neys, &c.	5	1	6	.5	.4
Diarrhoea	1	..	1	2	5	8	Childbed	5	..	5	.6	.7
Dysentery	1	2	Ovarian Dropsy3	.3
Cholera1	1	Dis. of Uterus, &c. (4)	..	4	..	4	.3	.2
Influenza	2	1	..	3	3	2	Childbed, Diseases of the Uterus, &c.	9	..	9	.9	1.0
Typhus	10	3	3	16	42	40	Rheumatism	1	1	.3	.3
Erysipelas	2	2	3	7	6	6	Dis. of Joints, &c.	1	..	1	.3	.3
Syphilis	1	..	1	1	.5	Diseases of the Joints, Bones and Muscles	1	1	..	2	.6	.6
Hydrophobia1	.1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	111	10	7	128	183	190	Fistula	1	..	1	.4	.3
Cephalitis	5	3	1	9	12	11	Dis. of Skin, &c.3	.3
Hydrocephalus	42	1	..	43	35	34	Diseases of the Skin, { &c.	1	..	1	.1	.1
Apoplexy	6	3	9	16	17	Inflammation	3	3	..	6	1.0	1.0
Paralysis	5	7	12	13	15	Hæmorrhage	1	2	1	4	.4	.3
Convulsions	39	1	..	40	57	59	Dropsy	1	20	13	34	.32	.34
Epilepsy	2	..	2	4	4	Abscess	3	1	2	6	.4	.4
Insanity	1	1	Mortification	2	1	3	.4	.4
Delirium Tremens	1	..	1	2	1	Scrofula (5)	1	1	.2	.2
Dis. of Brain, &c. ..	5	5	3	13	7	7	Carcinoma	9	2	11	.6	.7
Diseases of the Brain, Nerves, and Senses.	91	24	14	129	147	149	Tumor	1	.2	.2
Quinsey	1	1	1	1	Gout	3	3	.1	.1
Bronchitis	1	..	2	3	9	10	Atrophy	2	..	1	3	.5	.5
Pleurisy	2	..	2	2	2	Debility	14	4	5	23	1.5	1.7
Pneumonia	37	9	5	51	61	72	Malformations	2	2	.1	.1
Hydrothorax	1	1	..	2	4	5	Sudden Deaths	1	9	1	11	.13	.14
Asthma	2	5	7	16	25	Diseases of Uncer- tain Seat	28	50	29	108	.99	1.04
Consumption	33	102	6	141	150	141	Old Age, or Natural Decay	68	68	.63	.69
Dis. of Lungs, &c. ..	1	10	2	13	12	12	Intemperance	1	1	.6	.6
Diseases of the Lungs, and other Organs of Respiration	74	126	20	220	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	6	12	1	19	.24	.24
Aneurism7	.6	Deaths by Violence, Pri- vation, or Intemperance	6	12	2	20	.25	.25
Dis. of Heart, &c. ..	2	13	3	18	15	17	Causes not specified	1	..	1	.6	.7
Diseases of the Heart and Bloodvessels.	2	13	3	18	16	18	Deaths from all Causes	338	268	153	760	.871	.912
Teething	13	13	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	5	7	2	14	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined.— (1) Worms 1, Age 5.						
Peritonitis	1	..	1	1	1							
Tabes Mesenterica ..	4	4	3	4							
Ascites	1	1	2	1	.4							
Ulceration	1	1							
Hernia	1	1	2	2							
Colic or Ileus	1	1	3	2							
Dis. of Stomach, &c. (1)	2	2	..	4	5	5							
Hepatitis	1	1							
Jaundice	1	..	1	2	2	2							
Dis. of Liver, &c.	5	3	8	7	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	25	16	9	50	56	61							

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	120
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	149
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	155
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	159
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	177
TOTAL. Males, 393. Females, 367. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	760

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of one person who died of Tumor was not stated.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th June, 1842.

1842.

§	Weeks ending			June 1831-40.										
	June 31.	June 11th.	June 11th.		Temperature		Rain (weekly)		Mean Dryness		Temperature		Rain (weekly)	
Mean height of barometer (in.)	30.100	30.086	30.086	29.850	June 4-h		June 11-h		June 11-h		June 4-h		June 11-h	
Rain (weekly)	1.45	none	1.428		Highest		Lowest		Daily Mean		Highest		Lowest	
Mean Dryness	5.5	5.6	7.0		51.7		53.7		65.7		51.7		53.7	
Wind N 3 days; N.W. 1; N.E. 1; E. 1; S. 1.					65.7		66.7		62.0		65.7		66.7	

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
					1838-9-40-1							1838-9-40-1	
Small Pox	5	5	33	32	Nephritis4	.4
Measles	41	41	22	23	Diabetes3	.3
Scarlatina	30	30	26	32	Stone4	.4
Whooping Cough ..	20	20	33	31	Stricture2	.3
Croup	12	12	7	7	Dis. of Kidneys, &c. (1)	1	3	2	6	4	2
Thrush	2	2	4	5	Diseases of the Kid- neys, &c. {	1	3	2	6	5	4
Diarrhoea	1	1	5	8	Childbed	4	..	4	6	7
Dysentery	1	2	Ovarian Dropsy3	.3
Cholera	1	..	1	.1	1	Dis. of Uterus, &c. (2)	..	3	..	3	3	2
Influenza	3	2	Childbed, Diseases of the Uterus, &c. .. {	..	7	..	7	9	10
Typhus	8	9	3	† 21	42	40	Rheumatism	3	3
Erysipelas	1	2	1	4	6	6	Dis. of Joints, &c. ...	3	3	2	8	3	3
Syphilis	2	..	2	1	.5	Diseases of the Joints, Bones and Muscles {	3	3	2	8	6	6
Hydrophobia1	.1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	120	17	4	† 142	183	190	Fistula4	.2
Cephalitis	3	3	..	6	12	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	30	30	35	34	Diseases of the Skin, { &c. {	1	1	1	1
Apoplexy	1	9	5	15	16	17	Inflammation	3	2	..	5	10	10
Paralysis	1	7	11	19	13	15	Hæmorrhage	4	1	5	4	3
Convulsions	59	59	57	59	Dropsy	5	20	9	34	32	34
Epilepsy	1	..	1	4	4	Abscess	3	..	2	5	4	4
Insanity	2	1	3	1	1	Mortification	2	1	3	4	4
Delirium Tremens	1	..	1	2	1	Scrofula	2	2	2	2
Dis. of Brain, &c. ..	8	8	1	17	7	7	Carcinoma	6	..	6	6	7
Diseases of the Brain, Nerves, and Senses.	102	31	18	151	147	149	Tumor	1	2	3	2	2
Quinsey	1	1	Gout	1	1	1	1	1
Bronchitis	1	3	7	11	9	10	Atrophy	5	1	..	6	5	5
Pleurisy	2	2	Debility	9	8	8	25	15	17
Pneumonia	33	8	4	45	61	72	Malformations	1	1	1	1
Hydrothorax	2	2	4	5	Sudden Deaths	6	19	7	† 33	13	14
Asthma	5	7	12	16	25	Diseases of Uncer- tain Seat	34	63	31	129	99	104
Consumption	27	110	6	143	150	141	Old Age, or Natural Decay	67	67	63	69
Dis. of Lungs, &c. ..	5	12	5	22	12	12	Intemperance	1	..	1	.6	.6
Diseases of the Lungs, and other Organs of Respiration	68	138	29	235	255	268	Privation4	.5
Pericarditis5	.6	Violent Deaths	7	20	1	† 29	24	24
Aneurism7	.6	Deaths by Violence, Pri- vation, or Intemperance {	7	21	1	30	25	25
Dis. of Heart, &c. ..	1	8	9	18	15	17	Causes not specified	2	2	4	6	7
Diseases of the Heart { and Bloodvessels. {	1	8	9	18	16	18	Deaths from all Causes	369	302	173	† 847	871	912
Teething	18	18	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	8	3	2	13	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ischuria 1, Age 60. (2) Paramenia 1, Age 52.						
Peritonitis	1	..	1	1	1							
Tabes Mesenterica ..	3	3	3	4							
Ascites	1	.4							
Ulceration	1	2	..	3	1	1							
Hernia	2	2	2	2							
Colic or Ileus	2	2	3	2							
Dis. of Stomach, &c. ..	1	..	1	2	5	5							
Hepatitis	1	1							
Jaundice	2	2							
Dis. of Liver, &c. ..	1	3	1	5	7	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	32	9	8	49	56	61							

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. Luke, Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	134
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	163
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	157
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	199
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	194
TOTAL. Males. 447. Females. 400. (Weekly average 1838-9-40-1, Males, 167. Females, 445.)	1,870,727	912	871	847

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality, — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of three persons were not stated—one died of typhus, one suddenly, and one by violence.

General Register Office. June 16th, 1842

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th June, 1842.

1842.

	Weeks ending		June 1831.
	June 11th	June 18th	
Mean height of barometer	30.086	30.067	29.859
Rain (weekly)	none	.033	.428
Mean Dryness	97.6	77.7	77.8

* Wind N. 2 days; N.W. 2; E. 2;
S. 1. Rain on 1 Day.

Temperature °	Weeks ending		June 1831.
	June 11th	June 18th	
Highest	78.7	82.7	87.9
Lowest	53.9	54.7	43.9
Daily Mean	66.7	68.7	62.7

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
(Small Pox	9	1	..	10	33	32	(Nephritis4	.4
Measles	33	33	22	23	Diabetes3	.3
Scarlatina	15	1	..	16	26	32	Stone4	.4
Hooping Cough	28	28	33	31	Stricture	1	..	1	.2	.3
Croup	8	8	7	7	Dis. of Kidneys, &c.	3	..	3	4	2
Thrush	3	1	..	4	4	5	<i>Diseases of the Kidneys, &c.</i>	..	4	..	4	5	4
Diarrhoea	6	2	3	11	5	8	Childbed	5	..	5	6	7
Dysentery	1	2	Ovarian Dropsy3	.3
Cholera (1)	1	..	1	2	.1	1	Dis. of Uterus, &c.	2	..	2	3	2
Influenza	3	2	<i>Childbed, Diseases of the Uterus, &c.</i>	..	7	..	7	9	10
Typhus	6	13	4	23	42	40	Rheumatism	2	1	3	3	3
Erysipelas	1	1	6	6	Dis. of Joints, &c.	3	3	1	7	3	3
Syphilis	1	.5	<i>Diseases of the Joints, Bones and Muscles</i>	3	5	2	10	6	6
Hydrophobia1	.1	Ulcer4	.4
<i>Epidemic, Endemic, & Contagious Diseases</i>	109	18	9	136	183	190	Fistula	1	..	1	.4	.3
Cephalitis	12	12	12	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	38	38	35	34	<i>Diseases of the Skin, &c.</i>	1	1	..	2	1	1
Apoplexy (2)	10	6	16	16	17	Inflammation	1	1	10	10
Paralysis	5	8	13	13	15	Hæmorrhage	2	4	1	7	4	3
Convulsions	39	39	57	59	Dropsy	3	17	7	27	32	34
Epilepsy	1	4	..	5	4	4	Abscess	1	1	2	4	4	4
Insanity	1	1	Mortification	2	1	3	4	4
Delirium Tremens	3	..	3	2	1	Scrofula	1	1	..	2	2	2
Dis. of Brain, &c. ..	3	4	1	8	7	7	Carcinoma	5	1	6	6	7
<i>Diseases of the Brain, Nerves, and Senses.</i>	93	26	14	133	147	149	Tumor	2	..	2	2	2
Quinsey	1	..	1	1	1	Gout	1	1
Bronchitis	4	2	5	11	9	10	Atrophy	6	1	..	7	5	5
Pleurisy	1	..	1	2	2	Debility	17	6	7	29	15	17
Pneumonia	31	9	4	44	61	72	Malformations	1	1
Hydrothorax	2	..	2	4	4	5	Sudden Deaths	4	4	2	10	13	14
Asthma	3	2	5	16	25	<i>Diseases of Uncertain Seat</i>	35	42	21	98	99	104
Consumption	27	108	9	144	150	141	Old Age, or Natural Decay	50	50	63	69
Dis. of Lungs, &c. ..	4	5	3	12	12	12	Intemperance6	.6
<i>Diseases of the Lungs, and other Organs of Respiration</i>	68	129	25	222	255	268	Privation4	.6
Pericarditis5	.6	Violent Deaths	6	17	2	26	24	24
Aneurism7	.6	<i>Deaths by Violence, Privation, or Intemperance</i>	6	17	2	26	25	25
Dis. of Heart, &c. ..	3	7	4	14	15	17	Causes not specified	1	1	2	6	7
<i>Diseases of the Heart and Bloodvessels.</i>	3	7	4	14	16	18	Deaths from all Causes	348	268	135	752	871	912
Teething	12	12	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	13	3	2	18	15	18	N.B.—The following Diseases are included under the heads of these to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	..	2	1	1	(1) Cholera, from improper food, 1, Age 13. (Inquest)						
Tabes Mesenterica ..	3	3	3	4	(2) Apoplexy, accelerated by eating too freely of green pease, 1, Age 59.						
Ascites	1	.4	(3) Hematemesis, 1, Age 38.						
Ulceration	1	1							
Hernia	1	2	3	2	2							
Colic or Ileus	1	1	3	2							
Dis. of Stomach, &c. (3)	2	1	..	3	5	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	3	1	4	7	8							
<i>Diseases of the Stomach, Liver, and other Organs of Digestion</i>	30	11	7	48	56	61							

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Springs	
West Districts. { Kensington; St. Luke, Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	118
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	141
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	148
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	164
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	191
TOTAL. Males, 380. Females, 372. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	752

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890: and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of one person who died by violence was not stated.

General Register Office, June 23rd, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th June, 1842.

1842.

§	Weeks ending		June 1831-40.
	June 18th	June 25th	
Mean height of barometer {	30.067	29.694	29.859
Rain (weekly)	.033	.543	.428
Mean Dryness	7.7	7.3	7.0

* Wind S. 3 days; S.S.E. 1; S.E. 1; W. 2. Rain on 7 Days.

Temperature §	Weeks ending		June 1831-40.
	June 18th	June 25th	
Highest ...	82°	84°	87°
Lowest....	54°	53°	43°
Daily Mean	68°	65°	62°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	7	7	33	32	Nephritis4	.4
Measles	27	27	22	23	Diabetes3	.3
Scarlatina	24	24	26	32	Stone4	.4
Hooping Cough	20	20	33	31	Stricture	1	1	.2	.3
Croup	4	4	7	7	Dis. of Kidneys, &c. ..	1	1	2	4	4	2
Thrush	5	..	1	6	4	5	Diseases of the Kidneys, &c.	1	1	3	5	5	4
Diarrhoea	6	..	1	18	5	8	Childbed	10	..	10	6	7
Dysentery	1	1	1	2	Ovarian Dropsy3	.3
Cholera	1	..	1	.1	1	Dis. of Uterus, &c.	4	..	4	3	2
Influenza	1	1	3	2	Childbed, Diseases of the Uterus, &c.	14	..	14	9	10
Typhus	8	7	5	20	42	40	Rheumatism	1	..	1	3	3
Erysipelas	4	2	1	7	6	6	Dis. of Joints, &c.	1	..	1	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	..	2	..	2	6	6
Hydrophobia1	.1	Ulcer	1	..	1	2	.4	.4
Epidemic, Endemic, & Contagious Diseases	106	10	9	126	183	190	Fistula4	.3
Cephalitis	6	1	..	7	12	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	19	19	35	34	Diseases of the Skin, &c.	2	..	1	3	1	1
Apoplexy	1	10	5	16	16	17	Inflammation	2	..	1	3	10	10
Paralysis	1	3	6	10	13	15	Hæmorrhage	1	1	2	4	3
Convulsions (1)	43	2	..	45	57	59	Dropsy	3	12	17	32	32	34
Epilepsy	3	..	3	4	4	Abscess	2	1	..	3	4	4
Insanity	1	1	Mortification	1	2	3	4	4
Delirium Tremens	2	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	3	6	..	9	7	7	Carcinoma	6	..	6	6	7
Diseases of the Brain, Nerves, and Senses.	73	25	11	109	147	149	Tumor	2	..	2	2	2
Quinsey	1	1	Gout	1	1
Bronchitis	2	..	2	4	9	10	Atrophy	12	12	5	5
Pleurisy	2	2	Debility	13	2	5	20	15	17
Pneumonia	44	9	5	58	61	72	Malformations	1	1	1	1
Hydrothorax	1	2	3	4	5	Sudden Deaths	1	4	3	8	13	14
Asthma	2	4	6	16	25	Diseases of Uncertain Seat	34	23	30	93	99	104
Consumption	27	111	12	151	150	141	Old Age, or Natural Decay	36	36	63	69
Dis. of Lungs, &c. ..	4	7	1	12	12	12	Intemperance	1	..	1	.6	.6
Diseases of the Lungs, and other Organs of Respiration.	77	130	26	234	255	268	Privation	1	1	.4	.5
Pericarditis	1	..	1	.5	.6	Violent Deaths	8	19	2	30	24	24
Aneurism7	.6	Deaths by Violence, Privation, or Intemperance	9	20	2	32	25	25
Dis. of Heart, &c. ..	1	12	5	18	15	17	Causes not specified	2	..	2	6	7
Diseases of the Heart and Bloodvessels.	1	13	5	19	16	18	Deaths from all Causes	346	266	127	742	871	912
Teething	18	18	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	12	5	1	18	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	1	..	3	1	1	(1) Tetanus, 1, Age 10.						
Tabes Mesenterica ..	7	7	3	4	(2) Intussusception, 1, Age 4.						
Ascites	1	..	1	1	.4	(3) Hematemesis, 1, Age 43.						
Ulceration	1	..	1	1	1	(4) Disease of Spleen, 1, Age 1½.						
Hernia	1	1	2	2							
Colic or Ileus (2) ..	1	1	1	3	3	2							
Dis. of Stomach, &c. (3)	..	2	..	2	5	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. (4)	3	7	1	11	7	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	43	20	4	67	56	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	136	131
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	156	128
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	179	137
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	190	138
		438,060	221	210	208
TOTAL	Males, 367. Females, 375. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	742

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Springs by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 3 persons were not stated, one died of Diarrhoea, one of Consumption, and one by Violence.

General Register Office. June 30th, 1842

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd July, 1842.

1842.

§	Weeks ending		June 1831-40.
	June 25th	July 2nd	
Mean height of barometer	29.694	29.935	29.859
Rain (weekly)	.543	.462	.428
Mean Dryness	7.3	7.6	7.0

*Wind. W. 4 days; N.W. 2; N. 1.
Rain on 4 Days.

Temperature.	Weeks ending		June 1831-40.
	June 25th	July 2nd	
Highest....	84°	84°	87°
Lowest....	53°	52°	43°
Daily Mean	65°	66°	62°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		4 Springs	4 Years		0 to 15	15 to 60	60 and upwards		4 Springs	4 Years
Small Pox	9	9	33	32	Nephritis4	.4
Measles	25	25	22	23	Diabetes3	.3
Scarlatina	16	2	..	18	26	32	Stone	2	2	.4	.4
Hooping Cough	21	21	33	31	Stricture	2	1	3	.2	.3
Croup	7	7	7	7	Dis. of Kidneys, &c.	1	1	2	.4	2
Thrush	2	2	4	5	Diseases of the Kid- neys, &c. }	..	3	4	7	.5	.4
Diarrhoea	4	3	..	7	5	8	Childbed	5	..	5	.6	.7
Dysentery	1	1	1	2	Ovarian Dropsy3	.3
Cholera	2	2	.1	1	Dis. of Uterus, &c.3	2
Influenza	1	1	2	3	2	Childbed, Diseases of the Uterus, &c. }	..	5	..	5	.9	10
Typhus (1)	7	6	3	16	42	40	Rheumatism	2	1	2	5	.3	3
Erysipelas	6	6	Dis. of Joints, &c. ...	3	2	2	7	.3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles }	5	3	4	12	.6	6
Hydrophobia1	.1	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases }	94	12	4	110	183	190	Fistula4	.3
Cephalitis	11	1	..	12	12	11	Dis. of Skin, &c. (4)	1	1	.3	.3
Hydrocephalus	24	24	35	34	Diseases of the Skin, } &c. }	1	1	1	1
Apoplexy	1	5	4	10	16	17	Inflammation	6	..	1	7	10	10
Paralysis	7	3	10	13	15	Hæmorrhage	3	..	3	.4	3
Convulsions	62	62	57	59	Dropsy	4	12	9	25	32	34
Epilepsy	4	4	Abscess	2	2	1	5	.4	4
Insanity	1	1	Mortification	2	..	2	.4	4
Delirium Tremens	1	..	1	2	1	Scrofula (5)	3	1	..	4	.2	2
Dis. of Brain, &c. (2)	5	3	1	9	7	7	Carcinoma	2	7	3	12	.6	7
Diseases of the Brain, Nerves, and Senses. }	103	17	8	128	147	149	Tumor	1	..	1	2	.2	2
Quinsey	3	1	..	4	1	1	Gout	1	1	.1	1
Bronchitis	4	2	2	8	9	10	Atrophy	9	3	1	13	.5	5
Pleurisy	2	..	2	2	2	Debility	9	3	8	20	.15	17
Pneumonia	33	2	..	36	61	72	Malformations1	1
Hydrothorax	1	5	6	4	5	Sudden Deaths	8	9	6	24	.13	14
Asthma	4	4	8	16	25	Diseases of Uncer- tain Seat	44	42	31	118	.99	104
Consumption	37	100	5	142	150	141	Old Age, or Natural Decay	44	44	.63	69
Dis. of Lungs, &c. ..	5	8	2	15	12	12	Intemperance	1	..	1	.6	.6
Diseases of the Lungs, and other Organs of Respiration }	82	120	18	221	255	268	Privation4	.5
Pericarditis	1	2	..	3	.5	.6	Violent Deaths	6	13	6	25	.24	24
Aneurism7	.6	Deaths by Violence, Pri- vation, or Intemperance }	6	14	6	26	.25	25
Dis. of Heart, &c. ..	2	13	4	19	15	17	Causes not specified ..	1	1	..	2	.6	7
Diseases of the Heart } and Bloodvessels. }	3	15	4	22	16	18	Deaths from all Causes	376	247	128	753	.871	912
Teething	12	12	15	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	13	3	..	16	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Ague, 1, Age 4.						
Tabes Mesenterica ..	10	10	3	4	(2) Tetanus, 1, Age 29.						
Ascites	1	..	1	1	.4	(3) Disease of Spleen, 1, Age 56.						
Ulceration	1	1	2	1	1	(4) Carbuncle, 1, Age 74.						
Hernia	2	2	(5) Purpura, 1, Age 1.						
Colic or Ileus	1	2	3	3	2							
Dis. of Stomach, &c.	5	5							
Hepatitis	1	..	1	1	1							
Jaundice	2	1	..	3	2	2							
Dis. of Liver, &c. (3)	1	7	1	9	7	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion .. }	38	15	4	57	56	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	136	140
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	156	139
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	179	148
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	190	153
TOTAL.	Males, 407. Females, 346. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	210	173
		1,870,727	912	871	753

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Springs by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 2 persons were not stated, one died of Pneumonia, and one suddenly.

General Register Office, July 7th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th July, 1842.

1842.

§	Weeks ending July			1831-40.
	July 2nd	July 9th	July 16th	
Mean height of barometer (in.)	29.935	29.830	29.902	
Rain (weekly) (in.)	.462	.566	.436	
Mean Dryness (°)	7°·6	8°·1	6°·9	

Wind. W. 3 days; S. 2; S.S.E. 2.
Rain on 7 Days.

Temperature.	Weeks ending July			1831-40.
	July 2nd	July 9th	July 16th	
Highest....	84°	79°	87°	
Lowest....	52°	52°	46°	
Daily Mean	66°	64°	65°	

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers	4 Years		0 to 15	15 to 60	60 and upwards		4 Summers	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
Small Pox	8	8	29	32	Nephritis3	.4
Measles	29	29	28	23	Diabetes2	.3
Scarlatina	27	2	..	29	35	32	Stone	1	1	1	.4
Whooping Cough	21	21	21	31	Stricture	1	1	.3	.3
Croup	10	10	6	7	Dis. of Kidneys, &c.	1	1	2	2
Thrush	5	5	9	5	Diseases of the Kidneys, &c.}	1	..	2	3	4	4
Diarrhoea	11	2	..	13	17	8	Childbed	4	..	4	5	7
Dysentery	2	2	Ovarian Dropsy ..	1	1	.4	.3
Cholera	2	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	1	..	1	2	1	2	Childbed, Diseases of the Uterus, &c.}	1	5	..	6	8	10
Typhus (1)	11	5	1	17	35	40	Rheumatism	1	1	2	2	3
Erysipelas	1	2	3	5	6	Dis. of Joints, &c.}	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles}	..	1	1	2	5	6
Hydrophobia	1	1	..	.1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases}	124	10	4	138	191	190	Fistula3	.3
Cephalitis	8	5	1	14	11	11	Dis. of Skin, &c.}3	.3
Hydrocephalus	34	1	..	35	35	34	Diseases of the Skin, &c.}	1	1
Apoplexy	8	2	10	16	17	Inflammation	4	2	..	6	9	10
Paralysis	1	4	2	7	12	15	Hæmorrhage	1	6	..	7	3	3
Convulsions	54	54	64	59	Dropsy	13	10	23	29	34
Epilepsy	3	1	4	3	4	Abscess	1	2	..	3	4	4
Insanity	1	1	Mortification	1	5	6	4	4
Delirium Tremens	2	1	3	1	1	Scrofula	1	..	1	2	2
Dis. of Brain, &c. ..	5	3	1	9	7	7	Carcinoma	5	..	5	7	7
Diseases of the Brain, Nerves, and Senses.}	102	26	8	136	150	149	Tumor	1	..	1	2	2
Quinsey	1	1	..	2	1	1	Gout	1	1
Bronchitis	1	..	4	5	6	10	Atrophy	7	7	7	5
Pleurisy	3	..	3	1	2	Debility	8	2	3	13	16	17
Pneumonia	40	9	4	53	49	72	Malformations	1	1
Hydrothorax	1	3	4	3	5	Sudden Deaths	4	7	3	14	10	14
Asthma	1	4	5	9	25	Diseases of Uncertain Seat	25	40	21	86	95	104
Consumption	27	101	4	132	141	141	Old Age, or Natural Decay	34	34	54	69
Dis. of Lungs, &c. ..	6	8	..	14	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration }	75	124	19	218	219	268	Privation2	.5
Pericarditis5	.6	Violent Deaths	10	20	2	32	22	24
Aneurism	1	1	.5	.6	Deaths by Violence, Privation, or Intemperance}	10	20	2	32	23	25
Dis. of Heart, &c. ..	4	8	7	19	15	17	Causes not specified	6	7
Diseases of the Heart and Bloodvessels. }	5	8	7	20	16	18	Deaths from all Causes	385	256	103	† 745	848	912
Teething	15	15	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	22	7	2	31	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Remittent Fever, 1, Age 4.						
Tabes Mesenterica ..	4	† 5	5	4	(2) Hematemesis, 2, Ages 26 and 44.						
Ascites	1	.4							
Ulceration	1	1							
Hernia	1	1	..	2	2	2							
Colic or Ileus	1	..	1	2	2							
Dis. of Stomach, &c (2)	5	..	5	7	5							
Hepatitis	1	..	1	1	1							
Jaundice	4	..	4	2	2							
Dis. of Liver, &c.	3	3	6	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	42	22	5	† 70	76	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Summers	
West. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	110
North { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	156
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	134
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	162
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	183
TOTAL. Males, 371. Females, 374. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	745

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of "Tabes Mesenterica" was not stated.

General Register Office, July 14th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th July, 1842.

1842.

§	Weeks ending		July 1831-40.
	July 9th	July 16th	
Mean height of barometer	29.830	30.03	29.902
Rain (weekly)	.500	.226	.436
Mean Dryness	87.1	79.9	69.9

*Wind. S. 2 days; S. W. 1; W. 1; W. N. W. 1; N. 1; E. 1.
Rain on 3 Days.

Temperature.	Weeks ending		July 1831-40.
	July 9th	July 16th	
Highest ...	79°	83°	87°
Lowest....	52°	53°	46°
Daily Mean	64°	66°	65°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summrs.	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	6	6	29	32
Measles	29	29	28	23
Scarlatina	23	2	..	25	35	32
Whooping Cough	17	17	21	31
Croup	3	3	6	7
Thrush	13	13	9	5
Diarrhoea	9	1	2	12	17	8
Dysentery	2	2	2	2
Cholera	1	1	2	1
Influenza	1	1	1	2
Typhus	7	15	3	25	35	40
Erysipelas	3	2	5	5	6
Syphilis	1	.5
Hydrophobia1
Epidemic, Endemic, & Contagious Diseases	110	21	8	139	191	190
Cephalitis	10	4	1	15	11	11
Hydrocephalus	35	35	35	34
Apoplexy	1	9	3	13	16	17
Paralysis	5	9	14	12	15
Convulsions	61	61	64	59
Epilepsy	4	..	4	3	4
Insanity	1	..	1	1	1
Delirium Tremens	2	..	2	1	1
Dis. of Brain, &c. ..	5	7	..	12	7	7
Diseases of the Brain, Nerves, and Senses.	112	32	13	157	150	149
Quinsey	1	1	1	1
Bronchitis	2	3	1	6	6	10
Pleurisy	1	2
Pneumonia	28	6	..	34	49	72
Hydrothorax	3	5
Asthma	5	3	8	9	25
Consumption	38	100	8	146	141	141
Dis. of Lungs, &c. (1)	1	8	2	11	9	12
Diseases of the Lungs, and other Organs of Respiration	70	122	14	206	219	268
Pericarditis5	.6
Aneurism5	.6
Dis. of Heart, &c. ..	4	4	6	14	15	17
Diseases of the Heart and Bloodvessels.	4	4	6	14	16	18
Teething	18	18	21	17
Gastritis—Enteritis..	20	3	4	27	25	18
Peritonitis	1	1
Tabes Mesenterica ..	6	6	5	4
Ascites	1	1	1	.4
Ulceration	1	1
Hernia	1	1	2	2
Colic or Ileus	3	1	4	2	2
Dis. of Stomach, &c. (2)	1	1	7	5
Hepatitis	1	..	2	3	1	1
Jaundice	2	2
Dis. of Liver, &c.	7	1	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion ..	46	13	10	69	76	61
Nephritis3	.4
Diabetes2	.3
Stone	1	1	..	2	1	.4
Stricture3	.3
Dis. of Kidneys, &c.	1	1	2	2
Diseases of the Kidneys, &c.	1	1	1	3	4	4
Childbed	3	..	3	5	7
Ovarian Dropsy4	.3
Dis. of Uterus, &c.	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	6	..	6	8	10
Rheumatism	3	..	3	2	3
Dis. of Joints, &c. ...	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	5	..	7	5	6
Ulcer2	.4
Fistula	1	..	1	.3	.3
Dis. of Skin, &c.3	.3
Diseases of the Skin, &c.	1	..	1	1	1
Inflammation	2	2	..	4	9	10
Hæmorrhage	3	3
Dropsy	2	13	15	30	29	34
Abscess	1	..	1	4	4
Mortification	1	..	1	4	4
Scrofula	2	2	2	2
Carcinoma	1	5	2	8	7	7
Tumor	1	..	1	2	2
Gout	1	1	2	1	1
Atrophy	14	..	2	16	7	5
Debility	19	3	7	29	16	17
Malformations	2	2	1	1
Sudden Deaths	6	8	4	18	10	14
Diseases of Uncertain Seat	48	35	31	114	95	104
Old Age, or Natural Decay	51	51	54	69
Intemperance7	.6
Privation2	.5
Violent Deaths	8	10	..	18	22	24
Deaths by Violence, Privation, or Intemperance	8	10	..	18	23	25
Causes not specified	6	7
Deaths from all Causes	401	250	134	785	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis 1, Age 15.

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	120
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	117
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	154
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	179
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	215
TOTAL Males, 400. Females, 385. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	785

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, July 21st, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd July, 1842.

1842.

§	Weeks ending			1831-40.	A TABLE OF MORTALITY				1842.				
	July 16th	July 23rd	July 30th		FOR THE				Temperature.	Weeks ending		July 1831-40.	
Mean height of barometer	30.035	29.838	29.002					§	July 16th	July 23rd	July 30th		
Rain (weekly)	.226	.132	.436					Highest	83°	78°	87°		
Mean Dryness	77.9	68.8	67.9					Lowest	53°	53°	46°		
Wind. E. 2 days; S. 1; N.W. 2; N.N.W. 1; W. 1. Rain on 4 Days.								Daily Mean	66°	65°	65°		
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES													
Registered in the WEEK ending Saturday, the 23rd July, 1842.													
Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years		0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years
	1838-9-40-1												
Small Pox	9	9	29	32	Nephritis	..	1	..	1	.3	.4
Measles	27	27	28	23	Diabetes2	.3
Scarlatina	22	1	..	23	35	32	Stone	..	1	..	1	1	.4
Whooping Cough	9	9	21	31	Stricture3	.3
Croup	7	7	6	7	Dis. of Kidneys, &c. (3)	2	2	2	2
Thrush	7	7	9	5	Diseases of the Kidneys, &c.	2	2	4	4	4
Diarrhoea	11	1	..	12	17	8	Childbed	..	7	..	7	5	7
Dysentery	4	1	..	5	2	2	Ovarian Dropsy4	.3
Cholera	1	1	1	3	2	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	2	2	1	2	Childbed, Diseases of the Uterus, &c.	7	1	8	8	10
Typhus	5	9	1	15	35	40	Rheumatism	1	1	..	2	2	3
Erysipelas	2	..	1	3	5	6	Dis. of Joints, &c.	1	..	1	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	1	2	..	3	5	6
Hydrophobia1	Ulcer	..	1	..	1	.2	.4
Epidemic, Endemic, & Contagious Diseases	106	13	3	122	191	190	Fistula3	.3
Cephalitis	17	4	1	22	11	11	Dis. of Skin, &c.3	.3
Hydrocephalus	43	2	..	45	35	34	Diseases of the Skin, &c.	1	..	1	1	1
Apoplexy	1	8	7	16	16	17	Inflammation	2	1	..	3	9	10
Paralysis	1	4	9	14	12	15	Hæmorrhage	..	2	..	2	3	3
Convulsions	56	56	64	59	Dropsy	3	11	9	23	29	34
Epilepsy	..	1	1	2	3	4	Abscess	4	4
Insanity	..	1	..	1	1	1	Mortification	..	1	..	1	4	4
Delirium Tremens	..	2	..	2	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c.	3	5	..	8	7	7	Carcinoma	1	4	4	9	7	7
Diseases of the Brain, Nerves, and Senses.	121	27	18	166	150	149	Tumor	2	2
Quinsey	1	1	Gout	1	1
Bronchitis	1	1	2	4	6	10	Atrophy	5	1	..	6	7	5
Pleurisy	1	2	Debility	15	1	3	19	16	17
Pneumonia	31	7	3	41	49	72	Malformations	1	1
Hydrothorax	3	5	Sudden Deaths	1	1	4	6	10	14
Asthma	1	2	4	7	9	25	Diseases of Uncertain Seat	28	22	20	70	95	104
Consumption	47	96	7	150	141	141	Old Age, or Natural Decay	43	43	54	69
Dis. of Lungs, &c. (1)	3	2	6	11	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration	83	108	22	213	219	268	Privation2	.5
Pericarditis	1	1	.5	.6	Violent Deaths	7	10	2	19	22	24
Aneurism5	.6	Deaths by Violence, Privation, or Intemperance	7	10	2	19	23	25
Dis. of Heart, &c.	1	10	1	12	15	17	Causes not specified	1	1	..	2	6	7
Diseases of the Heart and Bloodvessels.	2	10	1	13	16	18	Deaths from all Causes	399	225	120	744	848	912
Teething	18	18	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis	25	6	3	34	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngitis 1, Age 3.						
Tabes Mesenterica	2	2	5	4	(2) Hematemesis 1, Age 16.						
Ascites	1	.4	(3) Cystitis 1, Age 60.						
Ulceration	..	2	..	2	1	1							
Hernia	..	1	..	1	2	2							
Colic or Ileus	2	3	1	6	2	2							
Dis. of Stomach, &c. (2)	1	4	..	5	7	5							
Hepatitis	..	1	1	2	1	1							
Jaundice	2	..	1	3	2	2							
Dis. of Liver, &c.	..	5	2	7	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	50	22	8	80	76	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	104
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	149	144
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	174	157
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	198	164
TOTAL.	Males, 371. Females, 373. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	203	175
		1,870,727	912	848	744

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF MORTALITY

1842.

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th July, 1842.

Barometer	Weeks ending		July 1831
	July 23rd	July 30th	
Barometer	29.858	30.195	29.902
Wet (weekly)	1.32	.49	.430
Dryness	67.8	57.1	67.0

* Wind N. 2 days; N.W. 1; N.W. 1; W. 1; E. 2. Rain on Days July 27th, Thunder and lightning throughout the Night.

Temperature.	Weeks ending		July 1831
	July 23rd	July 30th	
Highest ...	78°	80°	87°
Lowest....	53°	50°	46°
Daily Mean	65°	63°	65°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers	4 Years		0 to 15	15 to 60	60 and upwards		4 Summers	4 Years
					1838-9-40-1							1838-9-40-1	
Small Pox	16	16	29	32	Nephritis3	.4
Measles	18	18	28	23	Diabetes2	.3
Scarlatina	27	1	..	28	35	32	Stone	1	1	1	.4
Whooping Cough	18	18	21	31	Stricture3	.5
Scroup	7	7	6	7	Dis. of Kidneys, &c.	3	3	6	2	2
Thrush	10	10	9	5	Diseases of the Kid- neys, &c.}	..	3	4	7	4	4
Diarrhoea	19	2	3	24	17	8	Childbed	6	..	6	5	7
Dysentery	2	2	2	6	2	2	Ovarian Dropsy	2	..	2	.4	.3
Cholera	2	2	2	1	Dis. of Uterus, &c.	2	2
Influenza	1	1	1	2	Childbed, Diseases of the Uterus, &c. ..}	..	8	..	8	8	10
Typhus	9	11	4	24	35	40	Rheumatism	2	3
Erysipelas	1	2	1	4	5	6	Dis. of Joints, &c. ...	1	5	..	6	3	3
Scrophulous	1	..	1	1	.5	Diseases of the Joints, Bones and Muscles}	1	5	..	6	5	6
Hydrophobia	1	1	..	.1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases	130	19	11	160	191	190	Fistula3	.3
Pharyngitis	9	3	..	12	11	11	Dis. of Skin, &c.3	.3
Hydrocephalus	47	47	35	34	Diseases of the Skin, &c.}	1	1
Epilepsy	6	12	18	16	17	Inflammation	4	2	..	6	9	10
Paralysis	1	6	9	16	12	15	Hæmorrhage	1	2	1	4	3	3
Convulsions	57	57	64	59	Dropsy	1	14	13	28	29	34
Hysteria	3	..	3	3	4	Abscess	2	2	1	5	4	4
Insanity	1	1	1	1	Mortification	1	1	4	4
Melancholia Tremens	2	..	2	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	2	4	..	6	7	7	Carcinoma	11	3	14	7	7
Diseases of the Brain, Nerves, and Senses.	116	24	22	162	150	149	Tumor	2	1	3	2	2
Gunsey	1	..	1	1	1	Gout	1	1	1	1
Trachitis	2	4	6	6	10	Atrophy	11	..	2	13	7	5
Hæmaturia	1	1	1	2	Debility	15	5	4	24	16	17
Pneumonia	34	4	2	40	49	72	Malformations	1	1
Hydrothorax	3	1	4	3	5	Sudden Deaths	5	15	3	23	10	14
Asthma	2	4	6	9	25	Diseases of Uncer- tain Seat}	40	53	30	123	95	104
Consumption	33	115	8	156	141	141	Old Age, or Natural Decay	56	56	54	69
Dis. of Lungs, &c. ..	4	5	4	13	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration	71	132	24	227	219	268	Privation	1	1	.2	.5
Pericarditis5	.6	Violent Deaths (1) ..	8	10	4	22	22	24
Myocarditis5	.6	Deaths by Violence, Pri- vation, or Intemperance	8	10	5	23	23	25
Dis. of Heart, &c. ..	2	9	4	15	15	17	Causes not specified ..	2	3	2	7	6	7
Diseases of the Heart, and Bloodvessels.	2	9	4	15	16	18	Deaths from all Causes	428	285	168	1682	848	912
Nothing	21	21	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	29	4	2	36	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	..	2	1	1	(1) Lightning 1, Age 60.						
Abdominal Mesenterica ..	5	1	..	6	5	4							
Scirrhus	1	.4							
Peritonitis	1	..	1	1	1							
Leucæmia	1	..	1	2	2							
Colic or Ileus	1	1	..	2	2	2							
Dis. of Stomach, &c. ..	1	3	4	8	7	5							
Hepatitis	1	1							
Bile Jaundice	1	1	2	2	2							
Dis. of Liver, &c. ..	1	5	3	9	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	58	19	10	88	76	61							

Parishes.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Summers	
Westminster { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	136
North { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	175
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	181
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; & Poplar	392,496	206	198	189
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; & Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	201
TOTAL Males. 451. Females. 431. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	882

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

‡ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of one Person who died of "Enteritis" was not stated.

General Register Office, August 4th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th August, 1842.

1842.

A TABLE OF MORTALITY										1842.		
FOR THE												
Metropolis,*												
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES												
Registered in the WEEK ending Saturday, the 6th August, 1842.												
										Temperature.		
										§		
										Highest....		
										Lowest....		
										Daily Mean		
										Weeks ending		
										July 30th		
										Aug. 6th		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841-40.		
										1842.		
										1841		

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; St. Giles; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; in June 1841, Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890: and in 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

‡ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th August, 1842.

1842.

§	Weeks ending	Aug.
	Aug. 6 th	Aug. 12 th
Mean height of barometer	29.990	30.005
Rain (weekly)		.313
Mean Dryness	5.0	7.6

* Wind S 2 days, S S E 1, S E 2, S S E 1, E 1. Aug. 10, Thunder & Lightning at 3 past 12 p.m. + The Rain will be given at the end of Mo.

Temperature	Weeks ending	Aug.
§	Aug. 6 th	Aug. 13 th
Highest	82°	87°
Lowest	55°	58°
Daily Mean	66°	70°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers 1838-9	4 Years 1838-9-40-1		0 to 15	15 to 60	60 and upwards		4 Summers 1838-9	4 Years 1838-9-40-1
Small Pox	10	10	29	32	Nephritis3	.4
Measles	18	18	28	23	Diabetes	1	..	1	.2	.3
Scarlatina	18	1	..	19	35	32	Stone	2	..	2	1	.4
Whooping Cough	14	14	21	31	Stricture	1	..	1	.3	.3
Croup	9	..	1	10	6	7	Dis. of Kidneys, &c.	2	2
Thrush	10	10	9	5	Diseases of the Kidneys, &c.	4	..	4	4	4
Diarrhoea	36	7	5	48	17	8	Childbed	4	..	4	5	7
Dysentery	1	2	2	5	2	2	Ovarian Dropsy4	.3
Cholera	4	3	1	8	2	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	1	2	Childbed, Diseases of the Uterus, &c.	6	..	6	8	10
Typhus	2	15	1	18	35	40	Rheumatism	2	..	2	2	3
Erysipelas	1	2	..	3	5	6	Dis. of Joints, &c.	3	3	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	3	2	..	5	5	6
Hydrophobia1	Ulcer	1	..	1	.2	.4
Epidemic, Endemic, & Contagious Diseases	123	30	10	163	191	190	Fistula3	.3
Cephalitis	10	3	..	13	11	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	44	44	35	34	Diseases of the Skin, &c.	1	1	..	2	1	1
Apoplexy	1	4	4	9	16	17	Inflammation	5	4	..	9	9	10
Paralysis	5	9	14	12	15	Hæmorrhage	7	1	8	3	3
Convulsions	81	81	64	59	Dropsy	7	20	13	40	29	34
Epilepsy	2	..	2	3	4	Abscess	1	1	..	2	4	4
Insanity	1	1	1	1	Mortification	1	..	1	2	4	4
Delirium Tremens	2	..	2	1	1	Scrofula	2	2
Dis. of Brain, &c. (1)	4	2	..	6	7	7	Carcinoma	8	2	10	7	7
Diseases of the Brain, Nerves, and Senses.	140	18	14	172	150	149	Tumor	2	1	3	2	2
Quinsey	1	..	1	1	1	Gout	1	1	1	1
Bronchitis	1	2	1	4	6	10	Atrophy	6	..	6	12	7	5
Pleurisy	1	2	Debility	13	4	5	22	16	17
Pneumonia	40	5	2	47	49	72	Malformations	1	1	1	1
Hydrothorax	1	..	1	3	5	Sudden Deaths	5	4	2	11	10	14
Asthma	6	3	9	9	25	Diseases of Uncertain Seat	39	50	32	121	95	104
Consumption	47	94	3	144	141	141	Old Age, or Natural Decay	52	52	54	69
Dis. of Lungs, &c. (2)	3	7	1	11	9	12	Intemperance	1	..	1	.7	.6
Diseases of the Lungs, and other Organs of Respiration	91	116	10	217	219	268	Privation	1	1	.2	.5
Pericarditis	1	1	.5	.6	Violent Deaths	4	9	3	16	22	24
Aneurism	2	..	2	.5	.6	Deaths by Violence, Privation, or Intemperance	5	10	3	18	23	25
Dis. of Heart, &c.	4	7	11	15	17	Causes not specified ..	1	1	2	4	6	7
Diseases of the Heart and Bloodvessels.	1	6	7	14	16	18	Deaths from all Causes	468	265	141	874	848	912
Teething	24	24	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	24	6	4	34	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	4	..	4	1	1	(1) Chorea 1, Age 6.						
Tabes Mesenterica ..	6	6	5	4	(2) Laryngitis, 1, Age 2.						
Ascites	3	1	4	1	.4	(3) Worms 1, Age 4; Stricture of œsophagus 1, Age 2; Hematemesis 1, Age 4.						
Ulceration	1	1	1	1							
Hernia	1	1	2	2							
Colic or Ileus	2	1	..	3	2	2							
Dis. of Stomach, &c. (3)	3	3	..	6	7	5							
Hepatitis	1	1	2	1	1							
Jaundice	1	1	2	4	2	2							
Dis. of Liver, &c. ..	2	2	3	7	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	64	21	11	96	76	61							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
West Districts.	{ Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	124
North Districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	164
Central Districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	179
East Districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; { Poplar	392,496	206	198	192
South Districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; { Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	215
TOTAL. Males, 417. Females, 427. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)		1,870,727	912	848	874

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th August, 1842.

1842.

Weeks ending	Aug. 13th	Aug. 20th	Aug. 27th
Right	30.095	30.056	29.872
Left	7.0	6.5	5.7

Temperature.	Weeks ending	Aug. 13th	Aug. 20th	Aug. 27th
Highest....	87°	86°	81°	81°
Lowest....	58°	61°	45°	45°
Daily Mean	70°	72°	64°	64°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers	4 Years		0 to 15	15 to 60	60 and upwards		4 Summers	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
all Pox	9	3	..	12	29	32	Nephritis3	.4
asles	25	25	28	23	Diabetes	2	..	2	.2	.3
latina	40	3	..	43	35	32	Stone	1	.4
oping Cough	8	8	21	31	Stricture	1	3	4	.3	.3
up	7	7	6	7	Dis. of Kidneys, &c. (3)	1	..	4	5	2	2
ush	6	6	9	5	Diseases of the Kidneys, &c.	1	3	7	11	4	4
rrhoea	52	5	13	70	17	8	Childbed	8	..	8	5	7
entery	2	..	2	2	2	Ovarian Dropsy4	.3
olera	13	9	7	29	2	1	Dis. of Uterus, &c.	1	..	1	2	2
enza	3	..	3	1	2	Childbed, Diseases of the Uterus, &c.	9	..	9	8	10
phus (1)	9	14	3	26	35	40	Rheumatism	1	..	1	2	3
ripelas	1	1	5	6	Dis. of Joints, &c.	2	..	2	3	3
hills	1	.5	Diseases of the Joints, Bones and Muscles	..	3	..	3	5	6
rophobia1	Ulcer	1	1	.2	.4
idemic, Endemic, & Contagious Diseases	169	39	24	232	191	190	Fistula	1	..	1	.3	.3
phalitis	9	1	..	10	11	11	Dis. of Skin, &c.	1	1	.3	.3
drocephalus	43	2	..	45	35	34	Diseases of the Skin, &c.	1	1	1	3	1	1
oplexy	3	6	7	16	16	17	Inflammation	5	2	..	7	9	10
alysis	4	3	7	12	15	Hæmorrhage	2	2	1	5	3	3
nvulsions	45	1	..	46	64	59	Dropsy	2	18	11	32	29	34
ilepsy	1	4	1	6	3	4	Abscess	1	2	..	3	4	4
anity	1	1	Mortification	1	1	3	5	4	4
irium Tremens	5	..	5	1	1	Scrofula	2	2	2	2
s. of Brain, &c. ..	5	3	1	9	7	7	Carcinoma	1	4	3	8	7	7
Diseases of the Brain, Nerves, and Senses.	106	26	12	144	150	149	Tumor	1	1	2	2
ainsey	4	4	1	1	Gout	1	..	1	1	1
onchitis	2	1	1	4	6	10	Atrophy	9	1	4	14	7	5
eurisy	1	2	Debility	11	2	3	16	16	17
neumonia	49	5	3	57	49	72	Malformations	1	1
ydrothorax	1	1	3	5	Sudden Deaths	9	9	1	19	10	14
sthma	3	1	4	9	25	Diseases of Uncertain Seat	43	42	27	113	95	104
nsumption	41	92	7	140	141	141	Old Age, or Natural Decay	60	60	54	69
is. of Lungs, &c. ..	3	6	3	12	9	12	Intemperance	1	..	1	.7	.6
Diseases of the Lungs, and other Organs of Respiration	99	107	16	222	219	268	Privation2	.5
ericarditis	1	..	1	.5	.6	Violent Deaths	2	10	4	16	22	24
neurism	1	..	1	.5	.6	Deaths by Violence, Privation, or Intemperance	2	11	4	17	23	25
is. of Heart, &c. ..	4	15	2	21	15	17	Causes not specified ..	1	1	6	7
Diseases of the Heart and Bloodvessels.	4	17	2	23	16	18	Deaths from all Causes	518	279	161	959	848	912
eeching	37	37	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
gastritis—Enteritis..	30	7	6	43	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
eritonitis	1	..	1	1	1	(1) Ague 1, Age 8. Remittent Fever 2, Ages 2.						
abes Mesenterica ..	9	9	5	4	(2) Worms, 2, Age 3. Stricture of œsophagus 1, Age 68.						
ascites	1	.4	(3) Ischuria 2, Ages 65 & 85.						
lceration	3	1	..	4	1	1							
ernia	2	2							
olic or Ileus	3	3	2	2							
Dis. of Stomach, &c. (2)	5	3	1	9	7	5							
Hepatitis	1	..	1	1	1							
jaundice	3	3	2	2							
Dis. of Liver, &c. ..	2	8	1	11	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	92	21	8	121	76	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	160
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	149	171
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	174	162
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	198	228
		438,060	221	203	238
TOTAL.	Males, 490. Females, 469. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	959

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Dropsy was not stated.

General Register Office, August 25th, 1842.

§

Aug. 20th

Aug. 27th

Aug. 1831-40.

Height (in feet)

30.056

29.825

29.672

Weight (in lbs.)

6.5

5.4

5.7

at 8 2 days; S.W. 1; N. 1; E. 1. N.E. 1; E.N.E. 1.

Gain will be given at the end of Month.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th August, 1842.

1842.

Temperature.

§

Highest....

Lowest....

Daily Mean

Weeks ending

Aug. 20th

Aug. 27th

Aug. 1831-40.

86°

80°

84°

61°

58°

45°

72°

68°

64°

Causes of Death.

0 to 15

15 to 60

60 and upwards

Total

Weekly Average during

4 Summrs

4 Years

Causes of Death.

0 to 15

15 to 60

60 and upwards

Total

Weekly Average during

4 Summrs

4 Years

Small Pox

11

1

..

12

29

32

Nephritis

..

..

1

1

.3

..

Measles

24

..

..

24

28

23

Diabetes

..

2

..

2

.2

.3

Scarlatina

28

..

..

28

35

32

Stone

..

..

..

..

1

.4

Crouping Cough

10

..

..

10

21

31

Stricture

..

1

..

1

.3

.3

Whooping Cough

3

..

..

3

6

7

Dis. of Kidneys, &c. ..

..

1

..

1

2

2

Trachitis

8

..

..

8

9

5

Diseases of the Kidneys, &c.

..

4

1

5

4

4

Hæmorrhæa

48

6

13

67

17

8

Childbed

..

2

..

2

5

7

Gonorrhœa

3

1

..

4

2

2

Ovarian Dropsy ..

..

..

..

..

.4

.3

Scald

7

5

4

16

2

1

Dis. of Uterus, &c. ..

..

..

..

..

2

2

Scarlet Fever

..

..

1

1

1

2

Childbed, Diseases of the Uterus, &c. ..

..

2

..

2

8

10

Dysentery

3

9

3

15

35

40

Rheumatism

1

2

..

3

2

3

Erysipelas

..

2

2

4

5

6

Dis. of Joints, &c.

..

3

..

3

3

3

Phthisis

..

..

..

1

1

.5

Diseases of the Joints, Bones and Muscles

1

5

..

6

5

6

Hydrophobia

..

..

..

..

..

.1

Ulcer

..

..

..

..

.2

.4

Epidemic, Endemic, & Contagious Diseases

145

24

23

193

191

190

Fistula

..

..

..

..

.3

.3

Pharyngitis

11

5

..

16

11

11

Dis. of Skin, &c. (3) ..

..

..

1

1

.3

.3

Hydrocephalus

36

..

..

36

35

34

Diseases of the Skin, &c.

..

..

1

1

1

1

Epilepsy

..

14

6

20

16

17

Inflammation

5

3

..

8

9

10

Paralysis

..

2

6

8

12

15

Hæmorrhage

..

1

..

1

3

3

Convulsions

61

..

..

61

64

59

Dropsy

2

19

15

36

29

34

Alcohol

..

2

..

2

3

4

Abscess

..

1

1

2

4

4

Mania

..

 .. | .. | .. | 1 | 1 | Mortification | 1 | .. | 1 | 2 | 4 | 4 |

Chlorosis Tremens ..

 .. | .. | .. | .. | 1 | 1 | Scrofula | 2 | 1 | .. | 3 | 2 | 2 |

Dis. of Brain, &c. ..

 4 | 2 | .. | 6 | 7 | 7 | Carcinoma | 1 | 3 | 3 | 7 | 7 | 7 |

Diseases of the Brain, Nerves, and Senses.

 112 | 27 | 12 | 151 | 150 | 149 | Tumor | .. | 4 | 2 | 6 | 2 | 2 |

Measles

 2 | .. | .. | 2 | 1 | 1 | Gout | .. | 3 | .. | 3 | 1 | 1 |

Scarlet Fever

 .. | 1 | 2 | 3 | 6 | 10 | Atrophy | 14 | .. | 4 | 18 | 7 | 5 |

Whooping Cough

 .. | .. | .. | .. | 1 | 2 | Debility | 14 | 1 | 6 | 21 | 16 | 17 |

Trachitis

 8 | .. | .. | 8 | 9 | 25 | Malformations | 1 | .. | .. | 1 | 1 | 1 |

Hæmorrhæa

 42 | 99 | 9 | 150 | 141 | 141 | Sudden Deaths..... | 1 | 8 | 2 | 11 | 10 | 14 |

Gonorrhœa

 4 | 7 | 2 | 13 | 9 | 12 | Diseases of Uncertain Seat | 41 | 44 | 34 | 119 | 95 | 104 |

Dis. of Lungs, &c. ..

 82 | 116 | 18 | 216 | 219 | 268 | Old Age, or Natural Decay | .. | .. | 61 | 61 | 54 | 69 |

Diseases of the Lungs, and other Organs of Respiration

 .. | .. | .. | .. | .5 | .6 | Intemperance | .. | .. | .. | .. | .7 | .6 |

Pericarditis

 .. | .. | .. | .. | .5 | .6 | Privation | .. | .. | .. | .. | .2 | .5 |

Neurism

 .. | .. | .. | .. | 15 | 17 | Violent Deaths | 9 | 12 | 2 | 23 | 22 | 24 |

Dis. of Heart, &c. ..

 2 | 8 | 4 | 14 | 15 | 17 | Deaths by Violence, Privation, or Intemperance | 9 | 12 | 2 | 23 | 23 | 25 |

Diseases of the Heart and Bloodvessels.

 2 | 8 | 4 | 14 | 16 | 18 | Causes not specified .. | .. | .. | 2 | 2 | 6 | 7 |

Crouping Cough

 32 | .. | .. | 32 | 21 | 17 | Deaths from all Causes | 465 | 262 | 167 | 1895 | 848 | 912 |

Trachitis—Enteritis..

 27 | 7 | 3 | 37 | 25 | 18 | Weekly Average, 1838-9-40-1 | 433 | 312 | 165 | 912 | | |

Peritonitis

 1 | .. | .. | 1 | 1 | 1 | N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— | | | | | | |

Tabes Mesenterica ..

 7 | .. | .. | 7 | 5 | 4 | (1) Worms, 1, Age 5. Stricture of œsophagus 1, Age 50. | | | | | | |

Ascites.....

 1 | .. | 1 | 2 | 1 | .4 | (2) Disease of Spleen 2, Ages 1 & 8. | | | | | | |

Ulceration

 2 | .. | .. | 2 | 1 | 1 | (3) Carbuncle 1, Age 77. | | | | | | |

Hernia

 .. | 1 | .. | 1 | 2 | 2 | | | | | | | |

Colic or Ileus

 .. | 2 | 3 | 5 | 2 | 2 | | | | | | | |

Dis. of Stomach, &c (1)

 1 | 2 | 1 | 4 | 7 | 5 | | | | | | | |

Hepatitis

 .. | .. | .. | .. | 1 | 1 | | | | | | | |

Gaundice

 .. | .. | 1 | 1 | 2 | 2 | | | | | | | |

Dis. of Liver, &c. (2)

 2 | 8 | .. | 10 | 8 | 8 | | | | | | | |

Diseases of the Stomach, Liver, and other Organs of Digestion ..

 73 | 20 | 9 | 102 | 76 | 61 | | | | | | | |

West District.

{

Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James

}

300,705

135

124

129

North District.

{

St. Mary-le-bone; St. Pancras; Islington; Hackney

}

365,660

162

149

167

Central District.

{

St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London

}

373,806

188

174

170

East District.

{

Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar

}

392,496

206

198

219

South District.

{

St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich

}

438,060

221

203

210

TOTAL. Males, 470. Females, 425. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)

1,870,727

912

848

895

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

† The age of one person who died of Syphilis was not stated.

General Register Office, September 1st, 1842.



§	Weeks ending			A TABLE OF MORTALITY										1842.			
	Aug. 27th	Sep. 3rd	Aug. 40.	FOR THE										Temperature.	Weeks ending	Aug. 1831-40.	
Mean height of barometer	29.825	30.035	29.872	Metropolis,*										§	Aug. 27th	Sep. 3rd	Aug. 40.
Rain (weekly)	†	2.714	.343	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES										Highest....	80°	76°	84°
Mean Dryness	5°.4	3°.2	5°.7	Registered in the WEEK ending Saturday, the 3rd September, 1842.										Lowest....	58°	50°	45°
† Rain during the Four Weeks ending Aug. 27. 1.563.														Daily Mean	68°	64°	64°
Wind N. 2 days; N.W. 2; N.E. W. 1; N.N.E. 1; S. 1. Rain on 5 days. Aug. 30. Heavy rain between 5 & 6 evening, with Thun. & Light.																	

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years		0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years
					1838-9-40-1							1838-9-40-1	
Small Pox	8	1	..	9	29	32	Nephritis3	.4
Measles	18	18	28	23	Diabetes	1	..	1	.2	.3
Scarlatina	35	2	1	38	35	32	Stone	1	1	.1	.4
Whooping Cough	6	6	21	31	Stricture	2	..	2	.3	.3
Croup	6	6	6	7	Dis. of Kidneys, &c. ..	1	2	1	4	2	2
Thrush	7	7	9	5	Diseases of the Kidneys, &c.	1	5	2	8	4	4
Diarrhoea	51	4	8	63	17	8	Childbed	3	..	3	5	7
Dysentery	2	5	..	7	2	2	Ovarian Dropsy4	.3
Cholera	9	..	9	18	2	1	Dis. of Uterus, &c.(4)	5	..	5	2	2
Influenza	1	2	Childbed, Diseases of the Uterus, &c.	8	..	8	8	10
Typhus	7	14	5	26	35	40	Rheumatism	1	..	1	2	3
Erysipelas	2	1	2	5	5	6	Dis. of Joints, &c.	2	2	..	4	3	3
Syphilis	1	2	..	3	1	.5	Diseases of the Joints, Bones and Muscles	2	3	..	5	5	6
Hydrophobia1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases	152	29	25	206	191	190	Fistula3	.3
Cephalitis	8	4	..	12	11	11	Dis. of Skin, &c. (5)	1	1	.3	.3
Hydrocephalus	36	36	35	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	4	2	6	16	17	Inflammation	3	3	9	10
Paralysis	1	6	6	13	12	15	Hæmorrhage	1	..	1	3	3
Convulsions	64	64	64	59	Dropsy	1	18	8	27	29	34
Epilepsy	1	1	2	4	3	4	Abscess	1	1	..	2	4	4
Insanity	2	..	2	1	1	Mortification	2	1	1	4	4	4
Delirium Tremens	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c. (1)	2	10	..	12	7	7	Carcinoma	6	3	9	7	7
Diseases of the Brain, Nerves, and Senses.	112	27	10	149	150	149	Tumor	2	2	2	2
Quinsey	1	1	1	1	Gout	2	2	1	1
Bronchitis	1	1	2	6	10	Atrophy	12	1	5	18	7	5
Pleurisy	1	1	1	2	Debility	19	5	2	26	16	17
Pneumonia	31	2	1	34	49	72	Malformations	1	1
Hydrothorax	1	1	1	3	3	5	Sudden Deaths	5	6	4	15	10	14
Asthma	2	2	4	9	25	Diseases of Uncertain Seat	43	39	28	110	95	104
Consumption	21	101	6	128	141	141	Old Age, or Natural Decay	49	49	54	69
Dis. of Lungs, &c. (2)	4	3	1	8	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration	59	110	12	181	219	268	Privation2	.5
Pericarditis5	.6	Violent Deaths	5	12	2	19	22	24
Aneurism	2	..	2	.5	.6	Deaths by Violence, Privation, or Intemperance	5	12	2	19	23	25
Dis. of Heart, &c. ..	2	14	2	18	15	17	Causes not specified	6	7
Diseases of the Heart and Bloodvessels.	2	16	2	20	16	18	Deaths from all Causes	426	264	137	827	848	912
Teething	18	18	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	21	5	3	29	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Tetanus, 2, Ages 28 & 40.						
Tabes Mesenterica ..	5	5	5	4	(2) Laryngitis 2, Ages 3 & 12.						
Ascites	1	.4	(3) Stricture of œsophagus 1, Age 39.						
Ulceration	1	1	..	2	1	1	(4) Paramenia 2, Ages 34 & 47.						
Hernia	1	..	1	2	2	(5) Carbuncle 1, Age 67.						
Colic or Ileus	2	1	..	3	2	2							
Dis. of Stomach, &c.(3)	..	1	1	2	7	5							
Hepatitis	1	1							
Jaundice	2	1	1	4	2	2							
Dis. of Liver, &c. ..	1	5	1	7	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	50	15	6	71	76	61							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	122
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	164
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	188
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	194
TOTAL. Males, 412. Females, 415. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)		1,870,727	912	848	827

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.



A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th September, 1842.

1842.

§	Weeks ending		Sep. 1831-40.
	Sep. 3rd	Sep. 10th	
Mean height of barometer (in.)	30.035	29.760	29.813
Rain (weekly) (in.)	2.714	.999	.436
Mean Dryness	3°·2	6°·4	4°·3

* Wind S. 2 days; S.W. 2; S.S. 2; S.E. 1; E. 1. Rain on 3 days. Sep. 7. Thunder and Light.

Temperature §	Weeks ending		
	Sep. 3rd	Sep. 10th	Sep. 17th
Highest	76°	71°	76°
Lowest	50°	55°	41°
Daily Mean	64°	63°	58°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years		0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	12	1	..	13	29	32	Nephritis3	.4
Measles	21	21	28	23	Diabetes2	.3
Scarlatina	27	2	1	30	35	32	Stone	1	..	1	1	.4
Whooping Cough	15	15	21	31	Stricture3	.3
Croup	7	7	6	7	Dis. of Kidneys, &c. (2)	2	..	1	3	2	2
Thrush	10	10	9	5	Diseases of the Kid- neys, &c.	2	1	1	4	4	4
Diarrhoea	41	2	5	48	17	8	Childbed	10	..	10	5	7
Dysentery	2	3	3	8	2	2	Ovarian Dropsy4	.3
Cholera	3	..	1	4	2	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	1	2	Childbed, Diseases of the Uterus, &c.	11	..	11	8	10
Typhus	6	12	2	20	35	40	Rheumatism	1	1	2	2	3
Erysipelas	3	2	1	6	5	6	Dis. of Joints, &c. ...	3	3	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	3	1	1	5	5	6
Hydrophobia1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases	147	22	13	182	191	190	Fistula3	.3
Cephalitis	6	1	..	7	11	11	Dis. of Skin, &c.	1	1	2	.3	.3
Hydrocephalus	40	1	..	41	35	34	Diseases of the Skin, & &c.	1	1	2	1	1
Apoplexy	2	5	7	14	16	17	Inflammation	1	..	1	2	9	10
Paralysis	2	1	11	14	12	15	Hæmorrhage	3	..	3	3	3
Convulsions	55	55	64	59	Dropsy	3	25	9	37	29	34
Epilepsy	8	1	9	3	4	Abscess	1	..	1	4	4
Insanity	1	1	Mortification	1	..	1	2	4	4
Delirium Tremens	1	..	1	1	1	Scrofula	2	1	..	3	2	2
Dis. of Brain, &c. ...	4	5	..	9	7	7	Carcinoma	1	4	3	8	7	7
Diseases of the Brain, Nerves, and Senses.	109	22	19	150	150	149	Tumor	1	2	1	4	2	2
Quinsey	3	3	1	1	Gout	1	1	2	1	1
Bronchitis	1	3	3	7	6	10	Atrophy	12	1	3	16	7	5
Pleurisy	1	2	Debility	17	4	4	25	16	17
Pneumonia	34	6	3	43	49	72	Malignancies	1	1	1	1
Hydrothorax	4	4	4	3	5	Sudden Deaths	2	6	5	14	10	14
Asthma	4	3	7	9	2	Diseases of Uncer- tain Seat	41	48	28	118	95	104
Consumption	43	90	5	138	141	141	Old Age, or Natural Decay	47	47	54	69
Dis. of Lungs, &c. ...	1	6	2	9	9	12	Intemperance	1	..	1	.7	.6
Diseases of the Lungs, and other Organs of Respiration	82	109	20	211	219	268	Privation2	.5
Pericarditis5	.6	Violent Deaths	7	9	1	18	22	24
Aneurism5	.6	Deaths by Violence, Pri- vation, or Intemperance	7	10	1	19	23	25
Dis. of Heart, &c. ...	2	4	2	8	15	17	Causes not specified ..	1	5	5	11	6	7
Diseases of the Heart and Bloodvessels.	2	4	2	8	16	18	Deaths from all Causes	465	251	146	864	848	912
Teething	34	34	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	22	4	5	31	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Hematemesis, 1, Age 50. (2) Cystitis 1, Age 3.						
Peritonitis	1	..	1	1	1							
Tabes Mesenterica ..	12	12	5	4							
Ascites	1	.4							
Ulceration	2	2	1	1							
Hernia	1	..	1	2	2							
Colic or Ileus	2	..	2	2	2							
Dis. of Stomach, &c. (1)	1	2	1	4	7	5							
Hepatitis	1	..	1	1	1							
Jaundice	3	1	4	2	2							
Dis. of Liver, &c.	3	1	4	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion	71	17	8	96	76	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	136
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	149	167
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	174	170
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	198	194
		438,060	221	203	197
TOTAL.	Males, 407. Females, 457. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons, one of whom died Suddenly, and the other by Violence, were not stated.

General Register Office, September 15th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th September, 1842.

1842.

§	Weeks ending		Sep. 40.
	Sep. 10th	Sep. 17th	
Mean height of barometer (in.)	29.760	29.936	29.813
Rain (weekly) (in.)	.999	.052	.436
Mean Dryness	6.4	4.9	4.3

* Wind N. 3 days; N.W. 1; W. 1; E. 2. Rain on 1 day.

Temperature.	Weeks ending		Sep. 1831-40.
	Sep. 10th	Sep. 17th	
Highest....	71°	70°	76°
Lowest....	55°	52°	41°
Daily Mean	63°	61°	58°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years		0 to 15	15 to 60	60 and upwards		4 Summrs	4 Years
Small Pox	8	8	29	32	Nephritis	1	..	1	.3	.4
Measles	20	20	28	23	Diabetes	1	..	1	.2	.3
Scarlatina	32	3	..	35	35	32	Stone	1	.4
Hooping Cough	15	15	21	31	Stricture	1	..	1	.3	.3
Croup	7	7	6	7	Dis. of Kidneys, &c.	1	4	5	2	2
Thrush	9	9	9	5	Diseases of the Kidneys, &c.}	..	4	4	8	4	4
Diarrhœa	31	2	7	40	17	8	Childbed	2	..	2	5	7
Dysentery	4	1	..	5	2	2	Ovarian Dropsy4	.3
Cholera	2	2	1	5	2	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	1	..	1	1	2	Childbed, Diseases of the Uterus, &c.}	..	4	..	4	8	10
Typhus	8	22	2	32	35	40	Rheumatism	3	..	3	2	3
Erysipelas	2	1	..	3	5	6	Dis. of Joints, &c.	3	..	1	4	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles}	3	3	1	7	5	6
Hydrophobia1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases}	138	32	10	180	191	190	Fistula3	.3
Cephalitis	14	3	..	17	11	11	Dis. of Skin, &c.3	.3
Hydrocephalus	29	29	35	34	Diseases of the Skin, &c.}	1	1
Apoplexy	7	2	9	16	17	Inflammation	3	3	9	10
Paralysis	1	4	6	11	12	15	Hæmorrhage	2	2	..	4	3	3
Convulsions	57	1	1	59	64	59	Dropsy	5	19	14	38	29	34
Epilepsy	1	1	3	4	Abscess	3	3	4	4
Insanity	1	1	Mortification	2	..	1	3	4	4
Delirium Tremens	1	1	Scrofula	3	3	2	2
Dis. of Brain, &c. ..	4	1	3	8	7	7	Carcinoma	6	2	8	7	7
Diseases of the Brain, Nerves, and Senses.}	105	16	13	134	150	149	Tumor	1	1	..	2	2	2
Quinsey	1	1	Gout	1	1
Bronchitis	3	2	1	6	6	10	Atrophy	11	..	1	12	7	5
Pleurisy	1	1	1	2	Debility	23	7	2	32	16	17
Pneumonia	41	5	2	48	49	72	Malformations	1	1
Hydrothorax	2	1	3	3	5	Sudden Deaths	5	9	3	17	10	14
Asthma	4	4	8	9	2	Diseases of Uncertain Seat	58	44	23	125	95	104
Consumption	50	85	6	141	141	141	Old Age, or Natural Decay	48	48	54	69
Dis. of Lungs, &c. ..	1	7	1	9	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration}	96	105	15	216	219	268	Privation2	.5
Pericarditis	1	..	1	.5	.6	Violent Deaths	2	21	3	27	22	24
Aneurism5	.6	Deaths by Violence, Privation, or Intemperance}	2	21	3	27	23	25
Dis. of Heart, &c. ..	3	11	8	22	15	17	Causes not specified	2	1	3	6	7
Diseases of the Heart and Bloodvessels.}	3	12	8	23	16	18	Deaths from all Causes	460	267	136	864	848	912
Teething	27	27	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	16	9	2	27	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Stricture of œsophagus 1, Age 59. Hematemesis, 1, Age 38.						
Tabes Mesenterica ..	5	5	5	4							
Ascites	1	1	2	1	.4							
Ulceration	1	..	2	3	1	1							
Hernia	1	..	1	2	2							
Colic or Ileus	1	1	..	2	2	2							
Dis. of Stomach, &c. (1)	..	4	2	6	7	5							
Hepatitis	1	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. ..	4	7	3	14	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	55	24	10	89	76	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Summrs	
West districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	124
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	147
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	178
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	205
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	210
TOTAL Males, 443. Females, 421. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 70,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summrs by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died by Violence was not stated.

General Register Office, September 22nd, 1842.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th September, 1842.

1842.

§	Weeks ending		Sep. 1831-40.
	Sep. 17th	Sep. 24th	
Mean height of barometer (in. in. in.)	29.036	29.502	29.813
(Rain, weekly)	.052	1.192	.436
Mean Dryness	4.9	4.5	4.3

* Wind S. 2 days; S.S.W. 1; S.W. 1; W. 1; N. 1; E. 1. Rain on 5 days.

Temperature. §	Weeks ending		Sep. 1831-40.
	Sep. 17th	Sep. 24th	
Highest....	70°	71°	76°
Lowest....	52°	44°	41°
Daily Mean	61°	57°	58°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers 1838-9-40-1	4 Years		0 to 15	15 to 60	60 and upwards		4 Summers 1838-9-40-1	4 Years
Small Pox	5	2	..	7	29	32	Nephritis3	.4
Measles	25	25	28	23	Diabetes2	.3
Scarlatina	28	1	..	29	35	32	Stone	1	.4
Whooping Cough	14	14	21	31	Stricture3	.3
Croup	6	6	6	7	Dis. of Kidneys, &c.	3	1	4	2	2
Thrush	8	8	9	5	Diseases of the Kidneys, &c.}	..	3	1	4	4	4
Diarrhoea	20	4	3	27	17	8	Childbed	7	..	7	5	7
Dysentery	5	1	3	9	2	2	Ovarian Dropsy4	.3
Cholera	2	2	4	2	1	Dis. of Uterus, &c.	2	2
Influenza	1	1	1	2	Childbed, Diseases of the Uterus, &c.}	..	7	..	7	8	10
Typhus	10	13	1	24	35	40	Rheumatism	1	5	1	7	2	3
Erysipelas	4	4	5	6	Dis. of Joints, &c.	4	..	4	3	3
Syphilis	1	1	..	2	1	.5	Diseases of the Joints, Bones and Muscles}	1	9	1	11	5	6
Hydrophobia1	Ulcer2	.4
Epidemic, Endemic, & Contagious Diseases}	127	24	9	160	191	190	Fistula3	.2
Cephalitis	6	4	..	10	11	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	36	36	35	34	Diseases of the Skin, &c.}	1	1	1	1
Apoplexy	6	4	10	16	17	Inflammation	2	1	..	3	9	10
Paralysis	4	7	11	12	15	Hæmorrhage	3	3
Convulsions	47	47	64	59	Dropsy	3	14	12	29	29	34
Epilepsy	1	..	1	2	3	4	Abscess	4	1	..	5	4	4
Insanity	1	1	Mortification	4	3	7	4	4
Delirium Tremens	2	..	2	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c.	2	2	2	6	7	7	Carcinoma	3	5	8	7	7
Diseases of the Brain, Nerves, and Senses.}	92	18	14	124	150	149	Tumor	2	2
Quinsey	1	1	1	1	Gout	1	..	1	1	1
Bronchitis	1	4	1	6	6	10	Atrophy	7	1	3	11	7	5
Pleurisy	1	2	Debility	13	2	6	21	16	17
Pneumonia	44	7	2	53	49	72	Malformations	2	2	1	1
Hydrothorax	2	1	3	3	5	Sudden Deaths	7	6	2	15	10	14
Asthma	5	2	7	9	2	Diseases of Uncertain Seat	39	33	31	103	95	104
Consumption	28	90	6	124	141	141	Old Age, or Natural Decay	47	47	54	69
Dis. of Lungs, &c. (1)	4	10	1	15	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration}	78	118	13	209	219	268	Privation	1	..	1	.2	.5
Pericarditis5	.6	Violent Deaths	2	13	4	19	22	24
Aneurism5	.6	Deaths by Violence, Privation, or Intemperance}	2	14	4	20	23	25
Dis. of Heart, &c.	2	7	1	10	15	17	Causes not specified	2	..	2	6	7
Diseases of the Heart and Bloodvessels.}	2	7	1	10	16	18	Deaths from all Causes	381	256	129	766	848	912
Teething	21	21	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	6	5	3	14	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngitis 1, Age 42.						
Tabes Mesenterica ..	8	8	5	4	(2) Intussusception 1, Age 71.						
Ascites	1	.4	(3) Stricture of œsophagus 1, Age 32.						
Ulceration	1	1	1	1							
Hernia	2	1	3	2	2							
Colic or Ileus (2) ..	1	1	1	3	2	2							
Dis. of Stomach, &c (3)	..	2	1	3	7	5							
Hepatitis	1	1	1	1							
Jaundice	1	1	..	2	2	2							
Dis. of Liver, &c.	1	10	1	12	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..}	39	21	8	68	76	61							

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Laryngitis 1, Age 42.
- (2) Intussusception 1, Age 71.
- (3) Stricture of œsophagus 1, Age 32.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	118
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	149	139
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	174	158
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	198	174
		438,060	221	203	177
TOTAL.	Males, 404. Females, 362. (Weekly average 1838-9-40-1, Males, 467. Females, 415.)	1,870,727	912	848	766

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st October, 1842.

1842.

	Weeks ending	Sep. 1831	Sep. 1840
Barometer	29.502	29.932	29.813
Thermometer	1.102	.835	.436
Dryness	4.5	3.9	4.3

* Wind N. 4 days; N.N.E. 1;
N.W. 1. Rain on 4 days.

	Weeks ending	Sep. 1831	Sep. 1840
Temperature	24th	1st	4th
Highest	71°	63°	76°
Lowest	44°	17°	41°
Daily Mean	57°	51°	58°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox	10	10	29	32
Measles	25	25	28	23
Scarlatina	31	31	35	32
Whooping Cough	15	15	21	31
Croup	7	7	6	7
Thrush	5	5	9	5
Diarrhoea	9	2	2	13	17	8
Dysentery	3	2	5	10	2	2
Cholera	1	1	..	2	2	1
Influenza	1	2
Typhus (1)	17	15	6	38	35	40
Erysipelas	1	1	2	5	6
Scrophulous	1	.5
Hydrophobia1
Epidemic, Endemic, & Contagious Diseases	123	21	14	158	191	190
Cephalitis	12	2	..	14	11	11
Hydrocephalus	38	38	35	34
Apoplexy	2	4	8	14	16	17
Paralysis	1	8	6	15	12	15
Convulsions	48	48	64	59
Epilepsy	1	1	..	2	3	4
Insanity	1	1
Delirium Tremens	3	..	3	1	1
Dis. of Brain, &c. (2)	9	7	2	18	7	7
Diseases of the Brain, Nerves, and Senses	111	25	16	152	150	149
Quinsey	1	1
Bronchitis	2	1	1	4	6	10
Pleurisy	1	..	1	1	2
Pneumonia	58	11	6	75	49	72
Hydrothorax	1	1	3	5
Asthma	5	2	7	9	25
Consumption	39	119	8	166	141	141
Dis. of Lungs, &c. ..	2	6	3	11	9	12
Diseases of the Lungs, and other Organs of Respiration	102	143	20	265	219	268
Pericarditis5	.6
Aneurism	2	..	2	.5	.6
Dis. of Heart, &c. ..	2	11	9	22	15	17
Diseases of the Heart and Bloodvessels	2	13	9	24	16	18
Teething	26	26	21	17
Gastritis—Enteritis ..	16	12	2	30	25	18
Peritonitis	1	..	1	1	1
Tabes Mesenterica ..	4	4	5	4
Ascites	1	..	1	1	.4
Ulceration	2	..	2	1	1
Hernia	2	1	3	2	2
Colic or Ileus	2	2
Dis. of Stomach, &c. ..	3	3	7	5
Hepatitis	1	1	1	1
Jaundice	1	1	2	2
Dis. of Liver, &c. ..	1	6	..	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	51	24	4	79	76	61
Nephritis3	.4
Diabetes2	.3
Stone	1	.4
Stricture3	.5
Dis. of Kidneys, &c. (3)	1	1	2	4	2	2
Diseases of the Kidneys, &c.	1	1	2	4	4	4
Childbed	5	..	5	5	7
Ovarian Dropsy4	.3
Dis. of Uterus, &c.	2	2	4	2	2
Childbed, Diseases of the Uterus, &c.	7	2	9	8	10
Rheumatism	1	1	2	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	..	3	5	6
Ulcer	2	..	2	.2	.4
Fistula	1	..	1	.3	.3
Dis. of Skin, &c.3	.3
Diseases of the Skin, &c.	3	..	3	1	1
Inflammation	7	1	..	8	9	10
Hæmorrhage	1	4	..	5	3	3
Dropsy	2	19	10	31	29	34
Abscess	3	3	4	4
Mortification	1	2	3	4	4
Scrofula (4)	3	1	1	5	2	2
Carcinoma	1	5	6	7	7
Tumor	2	..	2	2	2
Gout	1	..	1	1	1
Atrophy	13	1	3	17	7	5
Debility	15	2	..	17	16	17
Malformations	2	2	1	1
Sudden Deaths	5	6	10	21	10	14
Diseases of Uncertain Seat	51	39	31	121	95	104
Old Age, or Natural Decay	64	64	54	69
Intemperance	2	..	2	.7	.6
Privation2	.5
Violent Deaths	12	16	6	34	22	24
Deaths by Violence, Privation, or Intemperance	12	18	6	36	23	25
Causes not specified ..	2	4	..	6	6	7
Deaths from all Causes	457	299	168	924	848	912
Weekly Average, 1838-9-40-1	433	212	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Remittent Fever 2, Ages 5 & 10.
- (2) Chorea 1, Age 15.
- (3) Ischuria 1, Age 70.
- (4) Purpura hæmorrhagica 2, Ages under 1 & 30.

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	125
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	182
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	182
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	221
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	214
TOTAL. Males, 452. Females, 472. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	924

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th October, 1842.

§	Weeks ending		Sep. 40.
	Oct. 1st	Oct. 8th	
Mean height of barometer (in.)	29.952	30.200	29.813
Rain (weekly)	.825	.	.436
Mean Dryness	3.9	3.6	4.3

* Wind N.N.W. 4 days; N.W. 1; W. 1; N. 1.

Temperature. §	Weeks ending		Sep. 40.
	Oct. 1st	Oct. 8th	
Highest....	63°	61°	76°
Lowest....	47°	42°	41°
Daily Mean	54°	51°	58°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Summers	4 Years		0 to 15	15 to 60	60 and upwards		4 Summers	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	5	1	..	6	29	32	Nephritis3	.4
Measles	18	18	28	23	Diabetes2	.3
Scarlatina	45	2	..	47	35	32	Stone	1	1	1	.4
Hooping Cough	22	22	21	31	Stricture	1	1	.3	.3
Croup	7	7	6	7	Dis. of Kidneys, &c. (4)	1	4	..	5	2	2
Thrush	8	8	9	5	Diseases of the Kidneys, &c.	1	4	2	7	4	4
Diarrhoea	14	..	1	15	17	8	Childbed	7	..	7	5	7
Dysentery	4	7	1	12	2	2	Ovarian Dropsy4	.3
Cholera	1	..	1	2	1	1	Dis. of Uterus, &c. (5)	..	3	..	3	2	2
Influenza	1	2	Childbed, Diseases of the Uterus, &c.	10	..	10	8	10
Typhus (1)	16	17	3	36	35	40	Rheumatism	1	..	1	2	3
Erysipelas	1	3	..	4	5	6	Dis. of Joints, &c.	2	2	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	1	..	3	5	6
Hydrophobia1	Ulcer	1	1	.2	.4
Epidemic, Endemic, & Contagious Diseases	141	30	6	177	191	190	Fistula	1	1	.3	.3
Cephalitis	8	3	1	12	11	11	Dis. of Skin, &c.3	.3
Hydrocephalus	31	1	..	32	35	34	Diseases of the Skin, &c.	2	2	1	1
Apoplexy	1	10	7	18	16	17	Inflammation	1	1	9	10
Paralysis	7	10	17	12	15	Hæmorrhage	3	1	4	3	3
Convulsions	46	1	..	47	64	59	Dropsy	6	19	9	34	29	34
Epilepsy	1	1	2	3	4	Abscess	1	1	4	4
Insanity	1	1	Mortification	3	2	5	4	4
Delirium Tremens	3	..	3	1	1	Scrofula	2	2	..	4	2	2
Dis. of Brain, &c. (2)	4	1	1	6	7	7	Carcinoma	6	2	8	7	7
Diseases of the Brain, Nerves, and Senses.	90	27	20	137	150	149	Tumor	2	2
Quinsey	2	1	..	3	1	1	Gout	2	2	1	1
Bronchitis	2	5	4	11	6	10	Atrophy	3	..	1	4	7	5
Pleurisy	1	2	Debility	13	3	..	16	16	17
Pneumonia	53	7	5	65	49	72	Malignancies	1	1
Hydrothorax	3	3	3	5	Sudden Deaths	2	6	5	13	10	14
Asthma	3	4	7	9	25	Diseases of Uncertain Seat	28	42	22	92	95	104
Consumption	39	86	11	136	141	141	Old Age, or Natural Decay	68	68	54	69
Dis. of Lungs, &c. ..	1	4	4	9	9	12	Intemperance7	.6
Diseases of the Lungs, and other Organs of Respiration	97	106	31	234	219	268	Privation2	.5
Pericarditis5	.6	Violent Deaths	9	10	..	19	22	24
Aneurism5	.6	Deaths by Violence, Privation, or Intemperance	9	10	..	19	23	25
Dis. of Heart, &c. ..	6	15	1	22	15	17	Causes not specified ..	4	1	..	5	6	7
Diseases of the Heart and Bloodvessels.	6	15	1	22	16	18	Deaths from all Causes	421	267	160	848	848	912
Teething	20	20	21	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	11	4	1	16	25	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	1	3	1	1	(1) Ague 3, 2, under 3, & 1 under 5.						
Tabes Mesenterica ..	5	5	5	4	(2) Tetanus 1, Age 60.						
Ascites	1	..	1	1	.4	(3) Hematemesis 3, 2, under 50—1, Age 69.						
Ulceration	2	..	2	1	1	(4) Cystitis 1, Age 50.						
Hernia	1	..	1	2	2	2	(5) Paramenia 1, Age 50.						
Colic or Ileus	2	2	2	2							
Dis. of Stomach, &c. (3)	2	6	1	9	7	5							
Hepatitis	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. ..	3	6	2	11	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	43	21	8	72	76	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	112
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	149	141
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	174	204
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	198	198
TOTAL.	Males, 409. Females, 439. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	203	193
		1,870,727	912	848	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th October, 1842.

1842.

Temperature.	Weeks ending	Oct.	Oct.	Oct.
§	8th	15th	22nd	29th
Highest ...	61°	60°	70°	70°
Lowest....	42°	46°	30°	30°
Daily Mean	51°	52°	52°	52°

Weeks ending	Oct.	Oct.	Oct.	Oct.
8th	15th	22nd	29th	31st
10 200 31 310 29 877				
Weekly	3.6	3.3	2.3	
Dryness				

Wind, N. 3 days; N.N.W. 3; W. 1.

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
	1838-9	1839-40	1840-1		1838-9	1840-1		1838-9	1839-40	1840-1		1838-9	1840-1
Small Pox	6	6	33	32	Nephritis	1	.4
Measles	21	21	26	23	Diabetes3	.3
Scarlatina	35	1	..	36	41	32	Stone3	.4
Whooping Cough ..	18	18	27	31	Stricture	1	1	2	.4	.3
Dropsy	8	8	8	7	Dis. of Kidneys, &c. (4)	..	3	2	5	3	2
Thrush	5	5	4	5	Diseases of the Kidneys, &c.	4	3	7	5	4
Diarrhœa	8	3	3	14	6	8	Childbed	11	..	11	8	7
Dysentery	1	1	2	4	1	2	Ovarian Dropsy2	.3
Cholera3	1	Dis. of Uterus, &c.	2	2
Epidemic, Endemic, & Contagious Diseases	114	23	14	151	190	190	Childbed, Diseases of the Uterus, &c.	11	..	11	10	10
Cephalitis	8	2	..	10	10	11	Rheumatism	1	2	..	3	3	3
Hydrocephalus	23	23	31	34	Dis. of Joints, &c.	2	..	2	3	3
Apoplexy	1	8	5	14	18	17	Diseases of the Joints, Bones and Muscles	1	4	..	5	6	6
Paralysis	6	6	12	15	15	Ulcer5	.4
Convulsions	48	48	52	59	Fistula3	.3
Epilepsy	4	4	Dis. of Skin, &c.	1	1	.3	.3
Insanity	2	2	4	1	1	Diseases of the Skin, &c.	1	1	1	1
Delirium Tremens	2	1	Inflammation	2	4	..	6	10	10
Dis. of Brain, &c. ..	3	5	..	8	7	7	Hæmorrhage	1	1	2	3	3
Diseases of the Brain, Nerves, and Senses.	83	23	13	119	140	149	Dropsy	4	22	8	34	37	34
Quinsey	2	2	2	1	Abscess	1	2	..	.3	4	4
Bronchitis	5	1	5	11	9	10	Mortification	1	3	..	4	4	4
Pleurisy	2	2	Scrofula	3	1	..	4	1	2
Pneumonia	69	6	3	78	87	72	Carcinoma	6	4	10	7	7
Hydrothorax	1	1	..	2	5	5	Tumor	2	..	2	2	2
Asthma	7	8	15	26	25	Gout	2	1	3	1	1
Consumption	30	84	6	120	131	141	Atrophy	6	..	4	10	5	5
Dis. of Lungs, &c. ..	5	6	7	18	13	12	Debility	16	4	..	20	18	17
Diseases of the Lungs, and other Organs of Respiration	112	105	29	246	275	268	Malformations7	1
Pericarditis	1	..	1	.5	.6	Sudden Deaths	5	9	1	16	14	14
Aneurism6	.6	Diseases of Uncertain Seat	38	56	19	114	106	104
Dis. of Heart, &c. ..	4	7	4	15	18	17	Old Age, or Natural Decay	67	67	69	69
Diseases of the Heart and Bloodvessels.	4	8	4	16	19	18	Intemperance5	.6
Teething	13	13	17	17	Privation	1	1	.5	.5
Gastritis—Enteritis ..	8	3	3	14	16	18	Violent Deaths	5	9	3	17	23	24
Peritonitis	4	..	4	1	1	Deaths by Violence, Privation, or Intemperance	6	9	3	18	24	25
Tabes Mesenterica ..	7	7	4	4	Causes not specified	1	2	3	8	7
Ascites	1	1	..	2	1	.4	Deaths from all Causes	394	266	163	824	912	912
Ulceration	1	..	1	1	1	Weekly Average, 1838-9-40-1	433	312	165	912		
Hernia	1	1	1	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Colic or Ileus (2) ..	1	1	1	3	2	2	(1) Remittent Fever 1, Age 80.						
Dis. of Stomach, &c. (3)	2	4	1	7	4	5	(2) Intussusception 1, Age 80.						
Hepatitis	3	..	3	1	1	(3) Hematemesis 1, Age 15.						
Jaundice	2	..	2	4	2	2	(4) Ischuria 1, Age 40.						
Dis. of Liver, &c. ..	1	5	1	7	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	35	22	9	66	59	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Autumns	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	114
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	149
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	174
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	193
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	194
TOTAL. Males. 411. Females. 413 (Weekly average 1838-9-40-1, Males. 167. Females. 445.)	1,870,727	912	912	824

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

‡ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

§ The age of one person who died suddenly was not stated.

General Register Office, October 20th, 1842.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd October, 1842.

1842.

Week ending	Oct. 15th	Oct. 22nd	Oct. 29th
Baromet. (inches)	30.310	29.687	29.877
Therm. (Fahrenheit)	488	488	486
Dryness (inches)	3.3	2.3	2.3

* Wind, W. 3 days; N.W. 1;
N.W. 1; S. 2. Rain on 1 day.

Temperature	Week ending Oct. 15th	Oct. 22nd	Oct. 29th
Highest	60°	58°	70°
Lowest	46°	33°	30°
Daily Mean	52°	47°	52°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
Small Pox	6	4	..	10	33	32	Nephritis	1	.4
Measles	17	17	26	23	Diabetes	..	1	..	1	.3	.3
Scarlatina	39	2	..	41	41	32	Stone3	.4
Whooping Cough	25	25	27	31	Stricture4	.3
Croup	5	5	8	7	Dis. of Kidneys, &c.	..	1	1	2	3	2
Thrush	8	8	4	5	Diseases of the Kidneys, &c.	..	2	1	3	5	4
Diarrhoea	5	4	2	11	6	8	Childbed	..	5	..	5	8	7
Dysentery	1	..	2	3	1	2	Ovarian Dropsy	..	2	..	2	.2	.3
Cholera	..	1	1	2	.3	1	Dis. of Uterus, &c. (5)	..	3	..	3	2	2
Influenza	1	1	1	2	Childbed, Diseases of the Uterus, &c.	..	10	..	10	10	10
Typhus (1)	10	20	1	31	35	40	Rheumatism	..	4	1	5	3	3
Erysipelas	..	1	..	1	7	6	Dis. of Joints, &c.	2	2	..	4	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	6	1	9	6	6
Hydrophobia	1	1	.1	.1	Ulcer5	.4
Epidemic, Endemic, & Contagious Diseases	118	32	6	157	190	190	Fistula	1	1	.3	.3
Cephalitis	11	1	1	13	10	11	Dis. of Skin, &c.	2	2	.3	.3
Hydrocephalus	39	39	31	34	Diseases of the Skin, &c.	2	..	1	3	1	1
Apoplexy	..	2	14	16	18	17	Inflammation	3	1	3	7	10	10
Paralysis	..	2	10	12	15	15	Hæmorrhage	..	2	..	2	3	3
Convulsions	45	45	52	59	Dropsy	7	26	13	46	37	34
Epilepsy	..	1	..	1	4	4	Abscess	1	3	..	4	4	4
Insanity	1	1	Mortification	..	1	..	1	4	4
Delirium Tremens	..	1	..	1	2	1	Scrofula (6)	1	2	..	3	1	2
Dis. of Brain, &c.	2	5	2	9	7	7	Carcinoma	1	9	5	15	7	7
Diseases of the Brain, Nerves, and Senses	97	12	27	136	140	149	Tumor	..	2	..	2	2	2
Quinsey	1	1	2	1	Gout	..	1	..	1	1	1
Bronchitis	3	3	9	15	9	10	Atrophy	6	1	2	9	5	5
Pleurisy	2	2	Debility	14	3	4	21	18	17
Pneumonia	82	7	3	92	87	72	Malformations	2	2	.7	1
Hydrothorax	..	1	..	1	5	5	Sudden Deaths	5	8	4	17	14	14
Asthma	..	6	8	14	26	26	Diseases of Uncertain Seat	40	59	31	130	106	104
Consumption	17	100	4	121	131	141	Old Age, or Natural Decay	45	45	69	69
Dis. of Lungs, &c. (2)	5	12	4	21	13	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	108	129	28	265	275	268	Privation	1	1	.5	.5
Pericarditis5	.6	Violent Deaths	9	11	2	23	23	24
Aneurism6	.6	Deaths by Violence, Privation, or Intemperance	10	11	2	24	24	25
Dis. of Heart, &c.	2	10	9	21	18	17	Causes not specified	1	2	..	3	8	7
Diseases of the Heart and Bloodvessels	2	10	9	21	19	18	Deaths from all Causes	417	290	157	866	912	912
Teething	19	19	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis	5	7	1	13	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	2	1	1	(1) Ague 2, Ages 13 & 60. Remittent Fever 1, Age 2.						
Tabes Mesenterica	7	7	4	4	(2) Laryngitis 1, Age 1.						
Ascites	1	.4	(3) Intussusception 1, Age 5 Months.						
Ulceration	1	1	..	2	1	1	(4) Stricture of œsophagus 2, Ages 51 & 62.						
Hernia	..	2	..	2	2	2	(5) Paramenia 1, Age 50.						
Colic or Ileus (3)	3	1	1	5	2	2	(6) Purpura 1, Age 30.						
Dis. of Stomach, &c. (4)	..	2	2	4	4	5							
Hepatitis	..	2	..	2	1	1							
Jaundice	1	1	..	2	2	2							
Dis. of Liver, &c.	1	1	..	2	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion	37	17	6	60	59	61							

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Autumns	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	136
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	167
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	165
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	200
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	198
TOTAL. Males, 424. Females, 442. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	866

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons were not stated; one died of Cholera, and one by Violence.

|| Of the ten persons who died from Small Pox, six had not been Vaccinated.

General Register Office, October 27th, 1842.

A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th October, 1842.

§	Weeks ending		Oct. 1831-40.
	Oct. 22nd	Oct. 29th	
Mean height of barometer	29.687	29.458	29.877
Rain (weekly)	.488	.801	.406
Mean Dryness	3.3	2.3	2.3

* Wind, S. 3 days; S.S.E. 1; S.W. 1; W. 2. Rain on 3 days.

Temperature.	Weeks ending		Oct. 1831-40.
	Oct. 22nd	Oct. 29th	
Highest....	58°	51°	70°
Lowest....	33°	34°	30°
Daily Mean	47°	43°	52°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
1838-9-40-1													
Small Pox	1	11	33	32	Nephritis	1	.4
Measles	23	23	26	23	Diabetes	1	..	1	.3	.3
Scarlatina	45	1	..	46	41	32	Stone3	.4
Whooping Cough	27	27	27	31	Stricture4	.3
Croup	11	11	8	7	Dis. of Kidneys, &c. ...	1	1	3	5	3	2
Thrush	5	5	4	5	Diseases of the Kid- neys, &c.	1	2	3	6	5	4
Diarrhœa	3	..	1	4	6	8							
Dysentery	5	3	8	1	2	Childbed	10	..	10	8	7
Cholera	1	..	1	.3	1	Ovarian Dropsy2	.3
Influenza	1	2	Dis. of Uterus, &c.	5	..	5	2	2
Typhus	19	24	1	44	35	40	Childbed, Diseases of the Uterus, &c.	15	..	15	10	10
Erysipelas	2	2	1	5	7	6							
Syphilis	1	1	1	.5	Rheumatism	2	1	3	3	3
Hydrophobia1	.1	Dis. of Joints, &c. ...	2	2	3	3
Epidemic, Endemic, & Contagious Diseases	137	33	6	176	190	190	Diseases of the Joints, Bones and Muscles	2	2	1	5	6	6
Cephalitis	10	1	1	12	10	11							
Hydrocephalus	32	32	31	34	Ulcer5	.4
Apoplexy	9	12	21	18	17	Fistula3	.2
Paralysis	4	5	9	15	15	Dis. of Skin, &c.	1	1	.3	.3
Convulsions	55	55	52	59	Diseases of the Skin, &c.	1	1	1	1
Epilepsy	3	1	4	4	4							
Insanity	2	..	2	1	1	Inflammation	6	2	1	9	10	10
Delirium Tremens	2	1	Hæmorrhage	2	2	4	3	3
Dis. of Brain, &c. ..	1	7	1	9	7	7	Dropsy	5	12	15	32	37	34
Diseases of the Brain, Nerves, and Senses.	98	26	20	144	140	149	Abscess	2	2	..	4	4	4
Quinsey	2	1	Mortification	3	1	..	4	4	4
Bronchitis	4	1	8	13	9	10	Scrofula	2	2	..	4	1	2
Pleurisy	1	1	2	4	2	2	Carcinoma	1	6	1	8	7	7
Pneumonia	112	15	3	131	87	72	Tumor	1	..	1	2	2
Hydrothorax	2	2	..	4	5	5	Gout	3	..	3	1	1
Asthma	1	16	12	29	26	25	Atrophy	4	1	2	7	5	5
Consumption	37	104	9	150	131	141	Debility	15	3	4	22	18	17
Dis. of Lungs, &c. ..	5	10	5	20	13	12	Malformations	1	1	.7	1
Diseases of the Lungs, and other Organs of Respiration	162	149	39	351	275	268	Sudden Deaths	4	3	..	7	14	14
Pericarditis	2	..	2	.5	.6	Diseases of Uncer- tain Seat	43	38	25	106	106	104
Aneurism	1	1	.6	.6							
Dis. of Heart, &c. ..	4	10	5	19	18	17	Old Age, or Natural Decay	61	61	69	69
Diseases of the Heart and Bloodvessels.	4	12	6	22	19	18	Intemperance5	.6
Teething	14	14	17	17	Privation5	.5
Gastritis—Enteritis ..	9	8	6	23	16	18	Violent Deaths	7	3	1	11	23	24
Peritonitis	1	1	Deaths by Violence, Pri- vation, or Intemperance	7	3	1	11	24	25
Tabes Mesenterica ..	6	6	4	4							
Ascites	1	.4	Causes not specified	1	..	1	8	7
Ulceration	1	1	1	1	Deaths from all Causes	488	303	175	967	912	912
Hernia	2	..	2	2	2	Weekly Average, 1838-9-40-1	433	312	165	912		
Colic or Ileus	2	2	..	4	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Dis. of Stomach, &c.	1	..	1	4	5	West Districts.		Population, Enumerated, 1841.		Average Weekly Deaths, 1838-39-40-1.		
Hepatitis	1	1	1	1	{ Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James		{ 4 Years 4 Autumns		{		
Jaundice	4	1	5	2	2	{ St. Mary-le-bone; St. Pancras; Islington; Hackney		{ 300,705		{ 135		
Dis. of Liver, &c. ..	2	5	4	11	8	8	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London		{ 365,660		{ 162		
Diseases of the Stomach, Liver, and other Or- gans of Digestion	33	22	13	68	59	61	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar		{ 373,806		{ 206		

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Pneumonia was not stated.

¶ The person who died of Small Pox had not been Vaccinated.

General Register Office, November 3rd, 1842.



A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th November, 1842.

1842.

§	Weeks ending			Nov. 1831-40.	A TABLE OF THE MORTALITY				1842.					
	Oct. 29th	Nov. 5th	Nov. 12th											
Mean height of barometer	29.458	30.102	29.726											
Main (weekly)	.801	.033	.417											
Mean Dryness	2°.3	2°.2	2°.1											
* Wind, N. 2 days; N.N.W. 1; S.W. 1; S.S.W. 1; S. 1; E. 1. Rain on 1 day.					IN THE					Temperature.				
					Metropolis,*					§				
					SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES					Highest....				
					Registered in the WEEK ending Saturday, the 5th November, 1842.					Lowest....				
										Daily Mean				
										Oct. 29th				
										Nov. 5th				
										Nov. 12th				
										1831-40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				
										40.				

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	131	137
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	161	164
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	185	187
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	207	182
TOTAL.	Males, 467. Females, 489. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	228	286
		1,870,727	912	912	956

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ One Sudden Death whose age is not stated.

¶ The 8 persons who died of Small Pox had not been Vaccinated. One aged 9 years is said to have died of a second attack.

General Register Office, November 10th, 1842.

Weeks ending				A TABLE OF THE MORTALITY				1842.			
§	Nov.		Nov.	1831-40.	Metropolis,*				Temperature.		Nov.
	5th	12th	19th						§	5th	12th
Mean height of barometer	30.102	29.700	29.726		SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Highest....	53°	55°
Rain (weekly)	.033	.318	.417						Lowest....	35°	37°
Mean Dryness	2° 2	2° 4	2° 1		Registered in the WEEK ending Saturday, the 12th November, 1842.				Daily Mean	45°	45°
* Wind, S. 3 days; N. 1; N.W. 2; W. 1; Rain on 3 days.											

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0	15	60		4	4		0	15	60		4	4
	to 15	to 60	and upwards		Autumn 1838-9	Years 1838-9-40-1		to 15	to 60	and upwards		Autumn 1838-9	Years 1838-9-40-1
Small Pox	5	3	..	8	33	32	Nephritis	1	..	1	1	.4
Measles	24	24	26	23	Diabetes3	.3
Scarlatina	36	3	..	39	41	32	Stone3	.4
Whooping Cough	17	17	27	31	Stricture	2	2	.4	.3
Croup	9	9	8	7	Dis. of Kidneys, &c.	3	2
Thrush	6	6	4	5	Diseases of the Kid- neys, &c.	1	2	3	5	4
Diarrhoea	2	1	3	6	6	8	Childbed	7	..	7	8	7
Dysentery	2	1	3	6	1	2	Ovarian Dropsy	1	..	1	.2	.3
Cholera3	1	Dis. of Uterus, &c.	3	..	3	2	2
Influenza	1	..	1	2	1	2	Childbed, Diseases of the Uterus, &c.	11	..	11	10	10
Typhus (1)	12	18	3	33	35	40	Rheumatism	1	1	3	3
Erysipelas	2	6	2	10	7	6	Dis. of Joints, &c.	1	..	1	3	3
Syphilis	1	..	1	1	.5	Diseases of the Joints, Bones and Muscles	..	1	1	2	6	6
Hydrophobia1	.1	Ulcer5	.4
Epidemic, Endemic, & Contagious Diseases	116	33	12	161	190	190	Fistula3	.3
Cephalitis	5	3	..	19	10	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	25	1	..	26	31	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	3	9	3	15	18	17	Inflammation	7	2	..	9	10	10
Paralysis	7	4	11	15	15	Hæmorrhage	1	..	1	2	3	3
Convulsions	52	2	..	54	52	59	Dropsy	4	12	8	24	37	34
Epilepsy	1	..	1	4	4	Abscess	2	2	4	4
Insanity	2	..	2	1	1	Mortification	3	2	5	4	4
Delirium Tremens	2	1	3	2	1	Scrofula	3	2	..	5	1	2
Dis. of Brain, &c. ..	2	3	2	7	7	7	Carcinoma	5	1	6	7	7
Diseases of the Brain, Nerves, and Senses.	87	30	10	128	140	149	Tumor	2	..	2	2	2
Quinsey	2	1	Gout	1	1
Bronchitis	9	9	9	27	9	10	Atrophy	4	2	3	9	5	5
Pleurisy	1	2	3	2	2	Deceit	14	4	..	18	18	17
Pneumonia	121	11	11	143	87	72	Malformations	1	1	.7	1
Hydrothorax	1	2	3	5	5	Sudden Deaths	4	5	5	14	14	14
Asthma	10	15	25	26	2	Diseases of Uncer- tain Seat	40	37	20	97	106	104
Consumption	25	93	6	124	131	141	Old Age, or Natural Decay	78	78	69	69
Dis. of Lungs, &c. ..	7	4	5	16	13	12	Intemperance	1	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	162	129	50	341	275	268	Privation5	.5
Pericarditis	1	..	1	.5	.6	Violent Deaths	6	9	..	15	23	24
Aneurism	1	..	1	.6	.6	Deaths by Violence, Pri- vation, or Intemperance	6	9	1	16	24	25
Dis. of Heart, &c. ..	4	13	8	25	18	17	Causes not specified ..	2	3	..	5	8	7
Diseases of the Heart and Bloodvessels.	4	15	8	27	19	18	Deaths from all Causes	444	296	190	1931	912	912
Teething	12	12	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	6	7	1	14	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined. —						
Peritonitis	2	..	2	1	1	(1) Intermittent Fever 1. Age 30.						
Tabes Mesenterica ..	4	4	4	4							
Ascites	1	..	1	1	.4							
Ulceration	2	1	1	4	1	1							
Hernia	2	2	2	2							
Colic or Ileus	1	2	..	3	2	2							
Dis. of Stomach, &c. ..	2	8	2	12	4	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	4	1	5	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	27	27	7	61	59	61							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	309,705	125	131	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	150
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	138	135	171
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	223
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	246
TOTAL.	Males, 459. Females, 472. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	931

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ Age of one person who died of Cephalitis not stated.

¶ All the cases of Small Pox are of persons Unvaccinated.

General Register Office, November 17th, 1842.

Date		Description		Amount	
1870	Jan 1	Balance		100.00	
1870	Jan 15	Received from A. B.		50.00	
1870	Feb 1	Received from C. D.		25.00	
1870	Feb 15	Received from E. F.		75.00	
1870	Mar 1	Received from G. H.		100.00	
1870	Mar 15	Received from I. J.		150.00	
1870	Apr 1	Received from K. L.		200.00	
1870	Apr 15	Received from M. N.		250.00	
1870	May 1	Received from O. P.		300.00	
1870	May 15	Received from Q. R.		350.00	
1870	Jun 1	Received from S. T.		400.00	
1870	Jun 15	Received from U. V.		450.00	
1870	Jul 1	Received from W. X.		500.00	
1870	Jul 15	Received from Y. Z.		550.00	
1870	Aug 1	Received from A. B.		600.00	
1870	Aug 15	Received from C. D.		650.00	
1870	Sep 1	Received from E. F.		700.00	
1870	Sep 15	Received from G. H.		750.00	
1870	Oct 1	Received from I. J.		800.00	
1870	Oct 15	Received from K. L.		850.00	
1870	Nov 1	Received from M. N.		900.00	
1870	Nov 15	Received from O. P.		950.00	
1870	Dec 1	Received from Q. R.		1000.00	
1870	Dec 15	Received from S. T.		1050.00	
1870	Total			10500.00	

A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th November, 1842.

§	Weeks ending			Nov. 1831-40.
	Nov. 12th	Nov. 19th*	Nov. 26th	
Mean height of barometer	29.700	29.903	29.726	
Rain, weekly	.318	1.773	.417	
Mean Dryness	2°·4	2°·3	2°·1	

* Wind, E. 2 days; N.E. 1; N.N. 1; S.E. 1; S. 1; W. 1. Rain days.

Temperature.	Weeks ending		
	Nov. 12th	Nov. 19th	Nov. 26th
Highest....	55°	56°	62°
Lowest....	37°	39°	28°
Daily Mean	45°	46°	45°

Causes of Death.	Age				Weekly Average during	
	0 to 15	15 to 60	60 and upwards	Total	4 Autumns	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1	1838-9-40-1
Small Pox	7	7	33	32
Measles	20	20	26	23
Scarlatina	48	2	..	50	41	32
Whooping Cough	28	28	27	31
Croup	6	6	8	7
Trachitis	2	2	4	5
Diarrhoea	2	1	3	6	8
Dysentery	1	..	1	1	2
Cholera3	1
Influenza	3	1	..	4	1	2
Typhus (1)	8	7	3	18	35	40
Erysipelas	3	4	..	7	7	6
Scrophulous	1	1	1	.5
Hydrophobia1	.1
Epidemic, Endemic, & Contagious Diseases	126	17	4	147	190	190
Cephalitis	7	2	..	9	10	11
Hydrocephalus	22	1	..	23	31	34
Apoplexy	2	7	9	18	18	17
Paralysis	3	15	18	15	15
Convulsions	67	67	52	59
Epilepsy	1	1	1	3	4	4
Idiocy	1	1
Delirium Tremens	1	..	1	2	1
Dis. of Brain, &c. ..	3	3	7	7
Diseases of the Brain, Nerves, and Senses	102	15	25	142	140	149
Quinsey (2)	2	1	1	4	2	1
Bronchitis	8	8	7	23	9	10
Pleurisy	1	..	1	2	2
Pneumonia	83	14	6	103	87	72
Hydrothorax	2	..	1	3	5	5
Asthma	12	10	22	26	20
Consumption	21	94	4	119	131	141
Dis. of Lungs, &c. ..	1	2	7	10	13	12
Diseases of the Lungs, and other Organs of Respiration	117	132	36	285	275	268
Pericarditis5	.6
Aneurism	1	..	1	.6	.6
Dis. of Heart, &c. ..	4	11	5	20	18	17
Diseases of the Heart and Bloodvessels	4	12	5	21	19	18
Teething	3	3	17	17
Gastritis—Enteritis ..	14	8	2	24	16	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica ..	1	1	4	4
Ascites	1	.4
Ulceration	1	1
Hernia	2	2
Colic or Ileus	2	1	..	3	2	2
Dis. of Stomach, &c. (3)	6	3	..	9	4	5
Hepatitis	1	..	1	1	1
Jaundice	1	3	2	6	2	2
Dis. of Liver, &c.	3	1	4	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	28	20	5	53	59	61
Nephritis	1	.4
Diabetes3	.3
Stone	1	1	.3	.4
Stricture1	.3
Dis. of Kidneys, &c. (4)	..	3	2	5	3	2
Diseases of the Kidneys, &c. neys, &c.	1	3	2	6	5	4
Childbed	11	..	11	8	7
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	15	1	16	10	10
Rheumatism	1	..	1	3	3
Dis. of Joints, &c.	4	4	3	3
Diseases of the Joints, Bones and Muscles	4	1	..	5	6	6
Ulcer5	.4
Fistula3	.3
Dis. of Skin, &c.3	.3
Diseases of the Skin, &c.	1	1
Inflammation	1	1	..	2	10	10
Hæmorrhage	3	..	3	3	3
Dropsy	6	11	13	30	37	34
Abscess	1	2	..	3	4	4
Mortification	2	2	1	5	4	4
Scrofula	2	2	1	2
Carcinoma	5	4	9	7	7
Tumor	1	..	1	2	2
Gout	1	1	1	1
Atrophy	9	..	1	10	5	5
Debility	12	1	1	14	18	17
Malformations	1	1	.7	1
Sudden Deaths	6	14	4	24	14	14
Diseases of Uncertain Seat	40	40	25	105	106	104
Old Age, or Natural Decay	79	79	69	69
Intemperance5	.6
Privation5	.5
Violent Deaths	8	12	2	22	23	24
Deaths by Violence, Privation, or Intemperance	8	12	2	22	24	25
Causes not specified ..	1	3	1	5	8	7
Deaths from all Causes	431	270	185	886	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Intermittent Fever 1, Age 2.
- (2) Laryngitis 2, Ages 40 & 70.
- (3) Worms, 3, Ages 1, 3, & 5.
- (4) Cystitis 1, Age 70.

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
		4 Years	4 Autumns	
West Districts. Kensington; Chelsea; St. George's, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	124
North Districts. St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	206
Central Districts. St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	183
East Districts. Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	178
South Districts. St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	195
TOTAL. Males, 433. Females, 453. (Weekly average 1838-9-40-1, Males, 167. Females, 445.)	1,870,727	912	912	886

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;— and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of the 7 cases of Small Pox, 4 are Unvaccinated.

General Register Office, November 24th, 1842.

§	Weeks ending			1842.		
	Nov. 19th	Nov. 26th	Nov. 1831-40.	Temperature §	Weeks ending Nov. 19th	Nov. 26th
Mean height of barometer (in.)	29.903	29.319	29.726	Highest ...	56°	53°
Rain (weekly)	1.773	1.608	.417	Lowest	39°	36°
Mean Dryness	2°·3	2°·2	2°·1	Daily Mean	46°	43°

* Wind, N. 2 days; S. 3; S.E. 1; S.S.E. 1. Rain on 6 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th November, 1842.

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
	1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1	1838-9-40-1		1838-9-40-1	1838-9-40-1
Small Pox	7	1	..	8	33	32	Nephritis	1	.4
Measles	34	34	26	23	Diabetes3	.3
Scarlatina	40	3	..	43	41	32	Stone3	.4
Hooping Cough	12	12	27	31	Stricture	2	1	3	.4	.3
Croup	9	9	8	7	Dis. of Kidneys, &c. (3)	1	3	3	7	3	2
Thrush	4	4	4	5	Diseases of the Kidneys, &c.	1	5	4	10	5	4
Diarrhoea	2	1	1	4	6	8	Childbed	10	..	10	8	7
Dysentery	2	1	3	1	2	Ovarian Dropsy2	.3
Cholera3	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	1	1	1	2	Childbed, Diseases of the Uterus, &c.	11	..	11	10	10
Typhus	12	10	2	24	35	40	Rheumatism	1	2	..	3	3	3
Erysipelas (1)	1	4	..	5	7	6	Dis. of Joints, &c.	1	1	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	2	..	4	6	6
Hydrophobia1	.1	Ulcer	1	1	.5	.4
Epidemic, Endemic, & Contagious Diseases	122	21	4	147	190	190	Fistula3	.3
Cephalitis	10	4	..	14	10	11	Dis. of Skin, &c.	1	1	.3	.3
Hydrocephalus	24	24	31	34	Diseases of the Skin, &c.	1	..	1	2	1	1
Apoplexy	1	5	7	13	18	17	Inflammation	3	3	10	10
Paralysis	1	4	11	16	15	15	Hæmorrhage	3	2	5	3	3
Convulsions	60	1	..	61	52	59	Dropsy	4	21	9	34	37	34
Epilepsy	2	1	3	4	4	Abscess	1	1	..	2	4	4
Insanity	1	..	1	1	1	Mortification	1	1	1	3	4	4
Delirium Tremens	1	1	2	2	1	Scrofula	1	..	1	1	2
Dis. of Brain, &c. (2)	2	3	..	5	7	7	Carcinoma	1	7	6	14	7	7
Diseases of the Brain, Nerves, and Senses.	98	21	20	139	140	149	Tumor	2	..	2	2	2
Quinsey	2	2	2	1	Gout	1	1	1	1
Bronchitis	5	5	9	19	9	10	Atrophy	4	..	2	6	5	5
Pleurisy	1	1	2	2	2	Debility	16	4	..	20	18	17
Pneumonia	72	8	2	82	87	72	Malformations	2	2	.7	1
Hydrothorax	1	3	1	5	5	5	Sudden Deaths	2	12	5	19	14	14
Asthma	7	13	20	26	26	Diseases of Uncertain Seat	34	52	26	112	106	104
Consumption	22	88	5	115	131	141	Old Age, or Natural Decay	68	68	69	69
Dis. of Lungs, &c. ..	4	12	3	19	13	12	Intemperance	1	..	1	.5	.6
Diseases of the Lungs, and other Organs of Respiration	106	124	34	264	275	268	Privation5	.5
Pericarditis5	.6	Violent Deaths	5	8	1	15	23	24
Aneurism6	.6	Deaths by Violence, Privation, or Intemperance	5	9	1	16	24	25
Dis. of Heart, &c. ..	2	11	7	20	18	17	Causes not specified	2	2	8	7
Diseases of the Heart and Bloodvessels.	2	11	7	20	19	18	Deaths from all Causes	405	277	170	853	912	912
Teething	13	13	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	8	5	..	13	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	..	1	1	1	(1) Erysipelas after Vaccination, 1, Age under 1.						
Tabes Mesenterica ..	7	1	..	8	4	4	(2) St. Vitus' Dance 1, Female, Age 17.						
Ascites	1	..	1	1	.4	(3) Cystitis, 2, Ages 56 & 60.						
Ulceration	1	1	..	2	1	1							
Hernia	1	..	1	2	2	2							
Colic or Ileus	2	2	2	2							
Dis. of Stomach, &c. ..	1	4	..	5	4	5							
Hepatitis	1	1	1	1							
Jaundice	1	..	1	2	2	2							
Dis. of Liver, &c.	8	..	8	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	34	21	3	58	59	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	131	101
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	161	160
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	185	182
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	207	178
TOTAL.	Males, 429. Females, 424. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	228	232
		1,870,727	912	912	853

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ One is included whose Age is not stated.

¶ Of 8 cases of Small Pox, 5 are not Vaccinated; in two cases the circumstance is not stated.

General Register Office, November 30th, 1842.

A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd December, 1842.

§	Weeks ending		Nov. 40.
	Nov. 26th	Dec. 3rd*	
Mean height of barometer	29.419	29.673	29.726
Rain (weekly)	1.603	3.16	.417
Mean Dryness	2.2	1.9	2.1

* Wind, S. 2 days; S.E. 3; S.S. 1; W. 1. Rain on 4 days.

Temperature.	Weeks ending		Nov. 1831.
	Nov. 26th	Dec. 3rd	
Highest....	53°	56°	62°
Lowest....	36°	40°	28°
Daily Mean	43°	48°	45°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
	1838-9	1838-9	1838-9		1838-9	1838-9		1838-9	1838-9	1838-9		1838-9	1838-9
Small Pox	14	2	..	16	33	32	Nephritis	1	..	1	1	.4
Measles	27	27	26	23	Diabetes3	.3
Scarlatina	29	1	..	30	41	32	Stone3	.4
Whooping Cough	21	21	27	31	Stricture4	.3
Croup	7	7	8	7	Dis. of Kidneys, &c. (4)	1	2	4	7	3	2
Thrush	3	3	4	5	Diseases of the Kidneys, &c.	1	3	4	8	5	4
Diarrhoea	3	2	1	6	6	8	Childbed	5	..	5	8	7
Dysentery	4	..	4	1	2	Ovarian Dropsy2	.3
Cholera3	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	1	..	1	2	1	2	Childbed, Diseases of the Uterus, &c.	7	..	7	10	10
Typhus (1)	9	12	3	24	35	40	Rheumatism	1	2	3	3	3
Erysipelas	3	4	3	10	7	6	Dis. of Joints, &c.	2	1	..	3	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	2	2	2	6	6	6
Hydrophobia1	.1	Ulcer5	.4
Epidemic, Endemic, & Contagious Diseases	117	25	8	150	190	190	Fistula	1	1	.3	.3
Cephalitis	9	2	..	11	10	11	Dis. of Skin, &c.3	.3
Hydrocephalus	29	29	31	34	Diseases of the Skin, &c.	1	1	1	1
Apoplexy	2	13	9	24	18	17	Inflammation	4	1	..	5	10	10
Paralysis	11	7	18	15	15	Hæmorrhage	1	2	..	3	3	3
Convulsions	61	1	..	62	52	59	Dropsy	16	5	21	37	34
Epilepsy	4	1	5	4	4	Abscess	1	1	4	4
Insanity	1	1	Mortification	2	3	5	4	4
Delirium Tremens	2	..	2	.2	1	Scrofula (5)	1	1	2	1	2
Dis. of Brain, &c. ..	2	6	2	10	7	7	Carcinoma	5	2	7	7	7
Diseases of the Brain, Nerves, and Senses.	103	39	19	161	140	149	Tumor	1	1	2	2
Quinsey	2	2	2	1	Gout	1	..	1	1	1
Bronchitis	5	2	8	15	9	10	Atrophy	4	1	2	7	5	5
Pleurisy	2	2	Debility	8	1	..	9	18	17
Pneumonia	81	12	8	101	87	72	Malformations	4	4	.7	1
Hydrothorax	4	1	5	5	5	Sudden Deaths	5	10	2	17	14	14
Asthma	1	11	12	24	26	25	Diseases of Uncertain Seat	28	40	15	83	106	104
Consumption	19	95	6	120	131	141	Old Age, or Natural Decay	70	70	69	69
Dis. of Lungs, &c. ..	5	5	6	16	13	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	113	129	41	283	275	268	Privation (6)	1	1	.5	.5
Pericarditis	1	..	1	.5	.6	Violent Deaths	10	14	7	31	23	24
Aneurism6	.6	Deaths by Violence, Privation, or Intemperance	10	14	8	32	24	25
Dis. of Heart, &c. ..	4	9	6	19	18	17	Causes not specified ..	2	2	8	7
Diseases of the Heart and Bloodvessels.	4	10	6	20	19	18	Deaths from all Causes	408	290	184	882	912	912
Teething	9	9	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis ..	7	6	1	14	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Intermittent Fever, 1, Age 1.						
Tabes Mesenterica ..	5	5	4	4	(2) Infantile Fever 1, Age 1. Intussusception 1, Age 65.						
Ascites	1	.4	(3) Diseased Spleen 1, Age 29.						
Ulceration	1	..	1	1	1	(4) Cystitis 2, Ages 3 & 52.						
Hernia	1	1	1	3	2	2	(5) Purpura 1, Age 53.						
Colic or Ileus	2	1	2	5	2	2	(6) Natural death, accelerated by destitution and privation, 1, Age 60.						
Dis. of Stomach, &c (2)	3	5	4	12	4	5							
Hepatitis	1	1	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c. (3)	1	6	1	8	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	28	21	10	59	59	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	135	131	129
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	162	161	193
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	188	185	160
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	206	207	193
TOTAL.	Males, 446. Females, 436. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	221	228	207
			912	912	882

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 16 cases of Small Pox, 13 are Unvaccinated; in two the circumstance is not stated.

General Register Office, December 7th, 1842.

§	Weeks ending			A TABLE OF THE MORTALITY						1842.			
	Dec. 3rd	Dec. 10th	Dec. 17th	IN THE						Temperature.			
	in.	in.	in.	Metropolis,*						Dec. 3rd	Dec. 10th	Dec. 17th	
Mean height of barometer	29.673	30.313	29.901							Highest....	56°	55°	56°
Rain (weekly)	.316		.235							Lowest....	40°	36°	21°
Mean Dryness	1.9	1.6	1.8							Daily Mean	48°	43°	41°
* Wind, S.E. 1 day; S.S.E. 1; S.S.W. 1; W. 4.													
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES													
Registered in the WEEK ending Saturday, the 10th December, 1842.													
Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
	1838-9-40-1												
Small Pox (1).....	12	1	..	13	33	32	Nephritis	1	..	1	1	.4
Measles	21	21	26	23	Diabetes3	.3
Scarlatina	33	1	..	35	41	32	Stone3	.4
Whooping Cough	21	21	27	31	Stricture	1	1	1	.4	.3
Croup	9	9	8	7	Dis. of Kidneys, &c. (3)	..	2	1	3	3	2
Thrush	4	4	4	5	Diseases of the Kidneys, &c.	3	2	5	5	4
Diarrhoea	3	2	2	7	6	8	Childbed	7	..	7	8	7
Dysentery	1	2	Ovarian Dropsy2	.3
Cholera3	1	Dis. of Uterus, &c. ..	1	1	..	2	2	2
Influenza	1	2	Childbed, Diseases of the Uterus, &c. ..	1	8	..	9	10	10
Typhus	5	8	2	15	35	40	Rheumatism	2	4	1	7	3	3
Erysipelas	1	3	1	5	7	6	Dis. of Joints, &c.	1	..	1	2	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles	3	4	2	9	6	6
Hydrophobia1	.1	Ulcer5	.4
Epidemic, Endemic, & Contagious Diseases	109	15	5	130	190	190	Fistula3	.3
Cephalitis.....	5	3	1	9	10	11	Dis. of Skin, &c.3	.3
Hydrocephalus.....	24	1	..	25	31	34	Diseases of the Skin, &c.	1	1
Apoplexy	1	5	7	13	18	17	Inflammation	3	3	10	10
Paralysis	7	11	18	15	15	Hæmorrhage	2	1	3	3	3
Convulsions	45	45	52	59	Dropsy.....	2	16	11	29	37	34
Epilepsy	3	1	4	4	4	Abscess	1	..	1	4	4
Insanity	2	1	3	1	1	Mortification	1	2	3	4	4
Delirium Tremens	2	1	Scrofula (4).....	2	2	..	4	1	2
Dis. of Brain, &c. ..	5	6	2	13	7	7	Carcinoma	1	3	1	5	7	7
Diseases of the Brain, Nerves, and Senses.	80	27	23	130	140	149	Tumor	2	2
Quinsey (2).....	5	5	2	1	Gout.....	..	1	..	1	1	1
Bronchitis	5	3	8	16	9	10	Atrophy	4	4	5	5
Pleurisy	2	..	2	2	2	Debility	13	6	..	19	18	17
Pneumonia	85	8	..	93	87	72	Malformations7	1
Hydrothorax	2	2	5	5	Sudden Deaths.....	7	4	6	17	14	14
Asthma	7	11	18	26	22	Diseases of Uncertain Seat	32	36	21	89	106	104
Consumption	24	108	4	136	131	141	Old Age, or Natural Decay	65	65	69	69
Dis. of Lungs, &c. ..	2	10	5	17	13	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	121	138	30	289	275	268	Privation (5).....	1	1	..	2	.5	.5
Pericarditis5	.6	Violent Deaths	5	6	5	17	23	24
Aneurism	2	..	2	.6	.6	Deaths by Violence, Privation, or Intemperance	6	7	5	19	24	25
Dis. of Heart, &c. ..	2	9	2	13	18	17	Causes not specified	2	1	3	8	7
Diseases of the Heart and Bloodvessels.	2	11	2	15	19	18	Deaths from all Causes	377	268	168	815	912	912
Teething	13	13	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis..	4	.5	4	13	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	1	..	3	1	1	(1) Chicken Pox 1, Age 11 Months, Female.						
Tabes Mesenterica ..	2	2	4	4	(2) Laryngitis 1, Age 1.						
Ascites.....	1	.4	(3) Cystitis 1, Age 54.						
Ulceration	1	1	(4) Purpura 1, Age 1.						
Hernia	4	..	4	2	2	(5) Natural death, accelerated by neglect and destitution, 2 Females, Ages 27 years; and 8 days.						
Colic or Ileus	2	..	1	3	2	2							
Dis. of Stomach, &c.	2	1	3	4	5							
Hepatitis	1	..	1	1	1							
Jaundice	1	1	2	2	2							
Dis. of Liver, &c.	3	5	8	8	8							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	23	17	12	52	59	61							

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th December, 1842.

1842.

§	Weeks ending		Dec. 1831-40.
	Dec. 10th	Dec. 17th	
Mean height of barometer {	30.313	30.005	29.901
Rain (weekly) {	..	.319	.235
Mean Dryness {	1.6	2.0	1.8

* Wind, S. 3 days; S.E. 2; E 1;
S.S.W. 1. Rain on 2 days.

Temperature.	Weeks ending		Dec. 1831-40.
	Dec. 10th	Dec. 17th	
Highest....	55°	57°	56°
Lowest....	36°	37°	21°
Daily Mean	43°	49°	41°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years		0 to 15	15 to 60	60 and upwards		4 Autumns	4 Years
	15	60	upwards		1838-9-40-1	1838-9-40-1		15	60	upwards		1838-9-40-1	1838-9-40-1
Small Pox (1).....	8	8	33	32	Nephritis	1	.4
Measles	36	36	26	23	Diabetes	1	..	1	.3	.3
Scarlatina	38	2	..	40	41	32	Stone3	.4
Hooping Cough	33	33	27	31	Stricture	3	1	4	.4	.3
Croup	8	8	8	7	Dis. of Kidneys, &c. .	1	5	1	7	3	2
Thrush	2	2	4	5	Diseases of the Kid- neys, &c. }	1	9	2	12	5	4
Diarrhoea	1	1	2	6	8	Childbed	9	..	9	8	7
Dysentery	1	2	Ovarian Dropsy2	.3
Cholera	1	2	3	.3	1	Dis. of Uterus, &c.(4)	..	2	1	3	2	2
Influenza	1	1	1	2	Childbed, Diseases of the Uterus, &c. . }	..	11	1	12	10	10
Typhus	12	12	3	28	35	40	Rheumatism	1	3	..	4	3	3
Erysipelas	1	1	..	2	7	6	Dis. of Joints, &c. .	2	2	3	3
Syphilis	1	.5	Diseases of the Joints, Bones and Muscles }	3	3	..	6	6	6
Hydrophobia1	.1	Ulcer5	.4
Epidemic, Endemic, & Contagious Diseases }	138	17	7	163	190	190	Fistula	1	..	1	.3	.3
Cephalitis	14	3	..	17	10	11	Dis. of Skin, &c.3	.3
Hydrocephalus	35	35	31	34	Diseases of the Skin, &c. }	..	1	..	1	1	1
Apoplexy	9	9	18	18	17	Inflammation	4	4	10	10
Paralysis	9	12	21	15	15	Hæmorrhage	2	..	2	3	3
Convulsions	52	52	52	59	Dropsy	8	22	17	47	37	34
Epilepsy	6	2	8	4	4	Abscess	2	..	2	4	4
Insanity	1	1	Mortification	2	..	4	6	4	4
Delirium Tremens	1	..	1	2	1	Scrofula	1	1	1	2
Dis. of Brain, &c. .	8	4	..	12	7	7	Carcinoma	5	1	6	7	7
Diseases of the Brain, Nerves, and Senses. }	109	32	23	164	140	149	Tumor	1	..	1	2	2
Quinsey (2).....	1	1	2	1	Gout	2	2	4	1	1
Bronchitis	4	4	4	12	9	10	Atrophy	3	3	5	5
Pleurisy	1	1	2	2	2	Debility	9	6	1	16	18	17
Pneumonia	97	9	3	109	87	72	Malformations	2	2	.7	1
Hydrothorax	5	1	3	9	5	5	Sudden Deaths.....	5	10	1	16	14	14
Asthma	16	20	36	26	25	Diseases of Uncer- tain Seat	34	50	26	110	106	104
Consumption	25	95	8	129	131	141	Old Age, or Natural Decay	83	83	69	69
Dis. of Lungs, &c. .	6	8	2	16	13	12	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration }	138	134	41	314	275	268	Privation5	.5
Pericarditis	1	1	..	2	.5	.6	Violent Deaths	15	14	3	33	23	24
Aneurism6	.6	Deaths by Violence, Pri- vation, or Intemperance }	15	14	3	33	24	25
Dis. of Heart, &c. .	3	10	3	16	18	17	Causes not specified ..	3	3	8	7
Diseases of the Heart and Bloodvessels. }	4	11	3	18	19	18	Deaths from all Causes	474	295	194	966	912	912
Teething	12	12	17	17	Weekly Average, 1838-9-40-1	433	312	165	912		
Gastritis—Enteritis..	8	3	1	12	16	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	2	..	3	1	1	(1) Disease of Chest and Swine Pox 1, Age 1.						
Tabes Mesenterica ..	5	5	4	4	(2) Laryngitis 1, Age 2.						
Ascites	1	1	2	1	.4	(3) Hematemesis 1, Age 39.						
Ulceration	1	1	2	1	1	(4) Paramenia 1, Age 53.						
Hernia	1	..	1	2	2	2							
Colic or Ileus	1	1	2	2							
Dis. of Stomach, &c.(3)	1	1	..	2	4	5							
Hepatitis	1	..	1	1	1							
Jaundice	2	2							
Dis. of Liver, &c. .	..	4	1	5	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	29	13	5	47	59	61							

West districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	131	147
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	161	190
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; St. Poplar	373,806	188	185	182
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; St. Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	207	224
		438,060	221	228	223
TOTAL.	Males, 472. Females, 491. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	966

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 7 cases of Small Pox, 6 are Unvaccinated.

‡ The total comprises 1 under Fever, 1 under Consumption, and 1 under Violence, of which the ages are not stated.

General Register Office, December 22nd, 1842.



A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th December, 1842.

§	Weeks ending		Dec. 1831-40.
	Dec. 17th	Dec. 24th	
Mean height of barometer	30.005	30.109	29.901
Rain (weekly)	.319	.172	.235
Mean Dryness	2.0	1.2	1.8

* Wind, S. 5 days; W. 2.
Rain on 2 days.

Temperature §	Weeks ending		Dec. 1831-40.
	Dec. 17th	Dec. 24th	
Highest....	57°	56°	56°
Lowest....	37°	36°	21°
Daily Mean	49°	46°	41°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		4	4
					Autumn	Years
					1838-9-40-1	
Small Pox	7	2	..	9	33	32
Measles	32	32	26	23
Scarlatina	32	1	..	33	41	32
Hooping Cough	31	31	27	31
Croup	7	7	8	7
Thrush	3	3	4	5
Diarrhoea	2	1	3	6	6	8
Dysentery	1	1	..	2	1	2
Cholera	3	1
Influenza	1	2
Typhus	8	18	3	29	35	40
Erysipelas	1	4	1	6	7	6
Syphilis	1	5
Hydrophobia	1	1
Epidemic, Endemic, & } Contagious Diseases }	124	27	7	158	190	190
Cephalitis	9	4	1	14	10	11
Hydrocephalus	24	1	..	25	31	34
Coma	1	8	10	19	18	17
Paralysis	6	8	14	15	15
Convulsions	51	51	52	59
Epilepsy	1	..	1	4	4
Insanity	1	1	1	1
Delirium Tremens	2	..	2	2	1
Dis. of Brain, &c. ..	5	4	5	14	7	7
Diseases of the Brain, } Nerves, and Senses. }	90	26	25	141	140	149
Quinsey (1)	1	1	2	2	1
Bronchitis	3	9	6	18	9	10
Pleurisy	1	..	1	2	2
Pneumonia	69	11	4	84	87	72
Hydrothorax	1	..	1	5	5
Asthma	7	11	19	26	22
Consumption	19	81	6	106	131	141
Dis. of Lungs, &c. ..	4	6	1	11	13	12
Diseases of the Lungs, and } other Organs of Respiration }	95	117	29	242	275	268
Pericarditis	5	6
Aneurism	2	..	2	6	6
Dis. of Heart, &c. ..	3	9	5	17	18	17
Diseases of the Heart } and Bloodvessels. }	3	11	5	19	19	18
Teething	7	7	17	17
Gastritis—Enteritis ..	5	6	6	18	16	18
Peritonitis	3	..	3	1	1
Tabes Mesenterica ..	5	5	4	4
Ascites	1	..	1	1	4
Ulceration	1	1	1	1
Hernia	1	1	2	2
Colic or Ileus	1	1	..	2	2	2
Dis. of Stomach, &c. (2)	2	4	..	6	4	5
Hepatitis	1	1
Jaundice	1	1	2	2
Dis. of Liver, &c. ..	1	5	1	7	8	8
Diseases of the Stomach, } Liver, and other Or- } gans of Digestion }	23	20	8	52	59	61

Causes of Death.	Age			Total	Weekly Average during	
	0	15	60		4	4
	to 15	to 60	and upward		Autumns	Years
1838-9-40-1						
Nephritis	1	.4
Diabetes3	.3
Stone3	.4
Stricture	3	3	.4	.3
Dis. of Kidneys, &c. (3)	..	4	3	7	3	2
Diseases of the Kidneys, &c.	4	6	10	5	4
Childbed	7	..	7	8	7
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	10	..	10	10	10
Rheumatism	1	6	1	8	3	3
Dis. of Joints, &c.	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	1	8	1	10	6	6
Ulcer5	.4
Fistula3	.3
Dis. of Skin, &c.3	.3
Diseases of the Skin, &c.	1	1
Inflammation	4	4	10	10
Hæmorrhage	1	..	1	3	3
Dropsy	3	22	8	33	37	34
Abscess	2	2	4	4
Mortification	2	2	4	4
Scrofula	1	2
Carcinoma	7	3	10	7	7
Tumor	1	..	1	2	2
Gout	2	..	2	1	1
Atrophy	5	1	3	9	5	5
Debility	13	†14	18	17
Malformations	2	2	.7	1
Sudden Deaths	5	9	6	20	14	14
Diseases of Uncertain Seat	34	43	22	†100	106	104
Old Age, or Natural Decay	70	70	69	69
Intemperance	1	..	1	.5	.6
Privation5	.5
Violent Deaths	6	5	6	17	23	24
Deaths by Violence, Privation, or Intemperance	6	6	6	18	24	25
Causes not specified ..	3	3	8	7
Deaths from all Causes	379	272	179	†833	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Chronic Laryngitis 2, Ages 54 & 66.

(2) Stricture of Rectum 1, Age 32. Stricture of Bowels 2, Ages 26 & 51.

(3) Inflammation of the Bladder 1, Age 75.

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Chronic Laryngitis 2, Ages 54 & 66.
(2) Stricture of Rectum 1, Age 32. Stricture of Bowels 2, Ages 26 & 51.
(3) Inflammation of the Bladder 1, Age 75.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	128
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	144
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	149
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	205
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	207
TOTAL.	Males, 395. Females, 438. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	833

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1833, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 9 cases of Small Pox, 6 were Unvaccinated; in two the circumstance is not stated.

‡ The total comprises 1 under Asthma, 1 under Enteritis, and 1 under Debility,

General Register Office, December 29th, 1842.

A TABLE OF THE MORTALITY

1842.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 31st December, 1842.

§	Weeks ending		
	Dec. 24th	Dec. 31st	Dec. 1831-40.
Mean height of barometer	30.109	29.860	29.901
Rain (weekly)	.172	.183	.235
Mean Dryness	1.2	1.9	1.8

* Wind, S. 5 days; S.W. 1; W. 1.
Rain on 2 days.

Temperature.	Weeks ending		
	Dec. 24th	Dec. 31st	Dec. 1831-40.
Highest ...	56°	55°	56°
Lowest	36°	35°	21°
Daily Mean	46°	45°	41°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0	15	60		4	4		0	15	60		4	4
	to 15	to 60	and upwards		Autumns 1838-9	Years 40-1		to 15	to 60	and upwards		Autumns 1838-9	Years 40-1
Small Pox	4	4	33	32	Nephritis	1	.4
Measles	45	45	26	23	Diabetes3	.3
Scarlatina	34	1	..	35	41	32	Stone	1	..	1	.3	.4
Hooping Cough	31	31	27	31	Stricture4	.3
Croup	8	8	8	7	Dis. of Kidneys, &c.	8	3	11	3	2
Thrush	6	6	4	5	Diseases of the Kid- neys, &c.	9	3	12	5	4
Diarrhœa	1	2	..	3	6	8							
Dysentery	1	2	..	3	1	2	Childbed	9	..	9	8	7
Cholera	2	..	2	.3	1	Ovarian Dropsy2	.3
Influenza	2	..	1	3	1	2	Dis. of Uterus, &c.	2	..	2	2	2
Typhus	13	16	1	30	35	40	Childbed, Diseases of the Uterus, &c.	11	..	11	10	10
Erysipelas	4	2	6	7	6							
Syphilis	1	.5	Rheumatism	4	1	5	3	3
Hydrophobia1	.1	Dis. of Joints, &c. ...	2	1	..	3	3	3
Epidemic, Endemic, & Contagious Diseases	145	27	4	176	190	190	Diseases of the Joints, Bones and Muscles	2	5	1	8	6	6
Cephalitis	6	2	..	8	10	11							
Hydrocephalus	25	..	1	26	31	34	Ulcer	1	1	.5	.4
Apoplexy	4	8	12	18	17	Fistula3	.3
Paralysis	8	8	16	15	15	Dis. of Skin, &c.	1	1	.3	.3
Convulsions	50	2	..	52	52	59	Diseases of the Skin, &c.	2	2	1	1
Epilepsy	8	3	11	4	4							
Insanity	1	1	Inflammation	3	2	..	5	10	10
Delirium Tremens	2	1	Hæmorrhage	1	3	3	7	3	3
Dis. of Brain, &c. ..	3	7	1	11	7	7	Dropsy	6	14	11	31	37	34
Diseases of the Brain, Nerves, and Senses.	84	31	21	137	140	149	Abscess	2	2	4	4
							Quinsey	1	1	2	2	1
Bronchitis	7	6	7	20	9	10	Mortification	2	2	4	4	4
Pleurisy	3	..	3	2	2	Scrofula	3	3	1	2
Pneumonia	73	6	4	83	87	72	Carcinoma	6	3	9	7	7
Hydrothorax	2	2	5	5	Tumor	1	1	2	2	2
Asthma	11	13	24	26	25	Gout	1	1	2	1	1
Consumption	31	121	6	158	131	141	Atrophy	4	1	..	5	5	5
Dis. of Lungs, &c. ..	3	12	7	22	13	12	Deoility	10	2	..	12	18	17
Diseases of the Lungs, and other Organs of Respiration	114	160	40	314	275	268	Malformations7	1
							Sudden Deaths	8	22	10	40	14	14
Pericarditis	1	1	.5	.6	Diseases of Uncer- tain Seat	37	54	31	122	106	104
Aneurism6	.6							
Dis. of Heart, &c. ..	4	21	10	35	18	17	Old Age, or Natural Decay	55	55	69	69
Diseases of the Heart and Bloodvessels.	5	21	10	36	19	18	Intemperance	3	..	3	.5	.6
							Teething	15	15	17	17
Gastritis—Enteritis ..	8	8	..	16	16	18	Privation5	.5
Peritonitis	1	1	..	2	1	1	Violent Deaths	12	26	5	46	23	24
Tabes Mesenterica ..	7	7	4	4	Deaths by Violence, Pri- vation, or Intemperance	12	29	5	49	24	25
Ascites	1	.4							
Ulceration	1	1	..	2	1	1	Causes not specified ..	8	6	3	19	8	7
Hernia	2	1	4	2	2	Deaths from all Causes	447	371	179	1004	912	912
Colic or Ileus	1	1	1	3	2	2	Weekly Average, 1838-9-40-1	433	312	165	912		
Dis. of Stomach, &c. ..	4	1	1	6	4	5	N.B.—The following Disease is included under Typhus:— Remittent Fever 1, Age 5.						
Hepatitis	1	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	4	2	6	8	8							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	38	18	6	63	59	61							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1.		Deaths in the Week.
			4 Years	4 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	131	129
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	161	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	188	185	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	206	207	222
TOTAL.	Males, 523. Females, 481. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	438,060	221	228	269
		1,870,727	912	912	1004

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.


† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 4 cases of Small Pox, 3 were Unvaccinated.

‡ There are included, under several heads, 7 cases of which the ages are not stated.

General Register Office, January 4th, 1843.



A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th January, 1843.

§	Weeks ending		Jan. 1831-40.
	Dec. 31st	Jan. 7th	
Mean height of barometer	29.860	30.026	29.880
Rain (weekly)	.183	.195	.227
Mean Dryness	1.9	1.9	1.8

* Wind, N.W. 2 days; S. 1; S.S. W. 1; W. 3. Rain on 3 days.

Temperature.	Weeks ending		Jan. 1831-40.
	Dec. 31st	Jan. 7th	
Highest ...	55°	56°	55°
Lowest....	35°	30°	11°
Daily Mean	45°	39°	38°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Small Pox	14	14	30	27	Nephritis6	.4
Measles	24	24	17	23	Diabetes	1	..	1	.5	..
Scarlatina	26	1	..	27	22	30	Stone	1	1	.4	.4
Hooping Cough	31	31	47	32	Stricture	1	1	2	.4	..
Croup	9	9	8	7	Dis. of Kidneys, &c.	1	1	2	3	3
Thrush	3	3	3	5	Diseases of the Kid- neys, &c.	3	3	6	5	5
Diarrhoea	4	2	5	11	5	9	Childbed	8	..	8	8	7
Dysentery	2	2	1	2	Ovarian Dropsy	1	1	.3	.2
Cholera	1	..	1	2	..	1	Dis. of Uterus, &c.	1	1	2	2
Influenza	1	1	4	2	Childbed, Diseases of the Uterus, &c.	8	2	10	10	9
Typhus (!)	8	9	3	20	44	37	Rheumatism	3	1	4	3	3
Erysipelas	3	3	1	7	6	6	Dis. of Joints, &c.	2	..	2	3	3
Syphilis	1	1	..	2	.7	1	Diseases of the Joints, Bones and Muscles	..	5	1	6	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	126	16	11	153	187	182	Fistula	1	..	1	.3	.2
Cephalitis	11	2	..	13	11	11	Dis. of Skin, &c.	1	1	.6	.3
Hydrocephalus	24	24	34	34	Diseases of the Skin, &c.	1	1	..	2	2	1
Apoplexy	8	9	17	20	17	Inflammation	1	1	12	9
Paralysis	1	6	2	9	17	14	Hæmorrhage	2	1	..	3	3	3
Convulsions	62	62	59	57	Dropsy	2	24	16	42	37	34
Epilepsy	3	2	5	5	4	Abscess	1	..	1	2	4	4
Insanity	1	1	Mortification	1	2	3	6	5	4
Delirium Tremens	1	1	Scrofula	1	..	1	2	2
Dis. of Brain, &c. (2)	4	11	1	16	9	9	Carcinoma	3	3	6	7	7
Diseases of the Brain, Nerves, and Senses.	102	30	14	146	157	148	Tumor	2	2
Quinsey	2	2	1	1	Gout	2	2	1	1
Bronchitis	3	5	6	14	17	10	Atrophy	4	..	1	5	5	6
Pleurisy	2	1	Debility	9	2	..	11	20	18
Pneumonia	78	15	1	94	90	73	Malformations	1	1
Hydrothorax	1	1	7	5	Sudden Deaths	4	13	7	24	17	14
Asthma	11	15	26	47	24	Diseases of Uncer- tain Seat	24	46	33	103	116	105
Consumption	16	95	5	116	141	140	Old Age, or Natural Decay	73	73	88	68
Dis. of Lungs, &c. ..	5	8	1	14	17	14	Intemperance	1	..	1	.4	.6
Diseases of the Lungs, and other Organs of Respiration	104	134	29	267	322	268	Privation	1	.5
Pericarditis	1	..	1	1	.5	Violent Deaths	4	3	3	10	26	24
Aneurism6	.5	Deaths by Violence, Pri- vation, or Intemperance	4	4	3	11	27	25
Dis. of Heart, &c. ..	4	20	12	36	19	17	Causes not specified	1	1	2	7	6
Diseases of the Heart and Bloodvessels.	4	21	12	37	21	18	Deaths from all Causes	396	287	186	869	1004	903
Teething	14	14	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis..	7	5	..	12	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	..	2	1	1	(1) Intermittent Fever 2, Ages 1 & 49.						
Tabes Mesenterica ..	3	3	4	4	(2) Tetanus 1, Age 12 days.						
Ascites4	.5	(3) Worms 1, Age 2 months. Convulsions, with stoppage in the Gullet, 1, Age 1. Hematemesis 1, Age 44.						
Ulceration	1	..	1	1	1	(4) Perforation of Gall Bladder 1, Age 49.						
Hernia	1	1	2	2	2							
Colic or Ileus	1	1	2	2							
Dis. of Stomach, &c (3)	2	4	1	7	6	6							
Hepatitis	1	1							
Jaundice	2	..	1	3	2	2							
Dis. of Liver, &c. (4)	2	6	..	8	8	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	31	18	4	53	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	130
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	151
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	164
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	213
		438,060	219	241	211
TOTAL. Males, 451. Females, 418. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	869

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 14 cases of Small Pox, 8 were Unvaccinated; in 4 the circumstance is not stated.

General Register Office, January 11th, 1843.



A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th January, 1843.

§	Weeks ending			Jan. 1831-40.	A TABLE OF THE MORTALITY IN THE Metropolis,* SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES Registered in the WEEK ending Saturday, the 14th January, 1843.				1843.				
	Jan. 7th	Jan. 14th	Jan. 21st						Temperature §	Weeks ending		Jan. 1831-40.	
Mean height of barometer (30.026	28.994	29.880						Highest....	56°	47°	55°	
Rain (weekly)	.195	.617	.227						Lowest....	30°	31°	11°	
Mean Dryness	1.9	2.1	1.8						Daily Mean	39°	39°	38°	
* Wind, N. 1 day; S. 1; W. 4; S.W. 1. Rain 3; Snow 1 day.													
Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
					1838-9-40-1-2.							1838-9-40-1-2.	
Small Pox	13	4	..	17	30	27	Nephritis	1	1	.6	.4
Measles	35	35	17	23	Diabetes	2	1	3	.5	.3
Scarlatina	19	3	..	22	22	30	Stone	1	..	1	.4	.4
Whooping Cough	30	30	47	32	Stricture4	.4
Croup	5	5	8	7	Dis. of Kidneys, &c.	1	1	2	3	3
Thrush	3	3	3	5	Diseases of the Kidneys, &c.	4	3	7	5	5
Diarrhoea	1	..	1	2	5	9	Childbed	4	..	4	8	7
Dysentery	1	1	1	2	Ovarian Dropsy3	.2
Cholera	4	2	Dis. of Uterus, &c. (4)	..	4	1	5	2	2
Influenza	Childbed, Diseases of the Uterus, &c.	8	1	9	10	9
Typhus (1)	13	15	3	31	44	37	Rheumatism	2	..	2	3	3
Erysipelas	3	2	1	6	6	6	Dis. of Joints, &c.	2	1	1	4	3	3
Syphilis	1	1	.7	1	Diseases of the Joints, Bones and Muscles	2	3	1	6	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	123	24	6	153	187	182	Fistula	1	1	.3	.3
Cephalitis	13	4	..	17	11	11	Dis. of Skin, &c.	1	1	.6	.3
Hydrocephalus	36	36	34	34	Diseases of the Skin, &c.	2	2	2	1
Apoplexy	1	13	12	27	20	17	Inflammation	2	2	12	9
Paralysis	9	9	18	17	14	Hæmorrhage	3	3
Convulsions	57	57	59	57	Dropsy	3	24	14	41	37	34
Epilepsy	3	..	3	5	4	Abscess	2	1	..	3	4	4
Insanity	1	1	Mortification	1	2	2	5	5	4
Delirium Tremens	7	..	7	1	1	Scrofula	2	2	2	2
Dis. of Brain, &c. (2)	6	3	1	10	9	9	Carcinoma	4	6	10	7	7
Diseases of the Brain, Nerves, and Senses.	113	39	22	175	157	148	Tumor	2	2
Quinsey	1	1	Gout	1	2	3	1	1
Bronchitis	10	7	7	24	17	10	Atrophy	8	..	2	10	5	6
Pleurisy	1	..	1	2	1	Debility	17	4	..	21	20	18
Pneumonia	95	16	4	115	90	73	Malformations	1	1
Hydrothorax	2	2	1	5	7	5	Sudden Deaths	2	8	5	15	17	14
Asthma	19	17	36	47	24	Diseases of Uncertain Seat	37	44	31	112	116	105
Consumption	17	9	6	114	141	140	Old Age, or Natural Decay	79	79	88	68
Dis. of Lungs, &c. ..	5	7	1	13	17	14	Intemperance	2	..	2	.4	.6
Diseases of the Lungs, and other Organs of Respiration	129	143	36	308	322	268	Privation	1	.5
Pericarditis	1	.5	Violent Deaths	8	12	3	23	26	24
Aneurism	1	1	.6	.5	Deaths by Violence, Privation, or Intemperance	8	14	3	25	27	25
Dis. of Heart, &c. ..	4	11	8	23	19	17	Causes not specified ..	2	1	..	3	7	6
Diseases of the Heart and Bloodvessels.	4	11	9	24	21	18	Deaths from all Causes	442	308	202	1953	1004	903
Teething	15	15	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis..	5	8	5	18	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Fever & Ague 1, Age 19.						
Tabes Mesenterica ..	1	1	4	4	(2) Locked Jaw 1, Age 21.						
Ascites4	.5	(3) Stricture of œsophagus 1, Age 48.						
Ulceration	1	1	(4) Menorrhagia 1, Age 46.						
Hernia	1	2	3	2	2							
Colic or Ileus	2	2							
Dis. of Stomach, &c. (3)	1	2	1	4	6	6							
Hepatitis	1	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	6	1	7	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	24	17	9	50	56	62							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	131
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	194
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	186
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	203
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	239
TOTAL. Males, 502. Females, 451. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	953

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

¶ Of 17 cases of Small Pox, 11 were Unvaccinated; in 5 the circumstance is not stated.

‡ The Total includes 1 case of Apoplexy of which the age is not stated.

General Register Office, January 18th, 1843.

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st January, 1843.

§	Weeks ending		Jan. 1831-40.
	Jan. 14th	Jan. 21st	
Mean height of barometer	28.994	29.952	29.880
Rain (weekly)	.617	.182	.227
Mean Dryness	2.1	1.6	1.8

* Wind, S. 1 day; W. 3; N.W. 1; E. 2. Rain on 2 days.

Temperature.	Weeks ending		Jan. 1831-40.
	Jan. 14th	Jan. 21st	
Highest....	47°	49°	55°
Lowest....	31°	31°	11°
Daily Mean	39°	39°	38°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Small Pox	10	1	..	11	30	27	Nephritis6	.4
Measles	29	1	..	31	17	23	Diabetes5	.3
Scarlatina	26	4	..	30	22	30	Stone4	.4
Hooping Cough	38	38	47	32	Stricture	2	2	.4	.4
Croup	5	5	8	7	Dis. of Kidneys, &c. ..	1	2	1	4	3	3
Thrush	1	1	3	5	Diseases of the Kidneys, &c.}	1	2	3	6	5	5
Diarrhoea	1	..	1	2	5	9	Childbed	8	..	8	8	7
Dysentery	2	1	3	1	2	Ovarian Dropsy	1	..	1	.3	.2
Cholera	1	Dis. of Uterus, &c. (2)	2	1	3	2	2
Influenza	1	1	4	2	Childbed, Diseases of the Uterus, &c.}	..	11	1	12	10	9
Typhus	8	15	4	27	44	37	Rheumatism	2	5	..	7	3	3
Erysipelas	2	1	1	4	6	6	Dis. of Joints, &c.	1	..	1	3	3
Syphilis7	1	Diseases of the Joints, Bones and Muscles}	2	6	..	8	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases}	121	24	7	153	187	182	Fistula3	.3
Cephalitis	6	2	..	8	11	11	Dis. of Skin, &c.6	.3
Hydrocephalus	32	32	34	34	Diseases of the Skin, &c.}	2	1
Apoplexy	1	8	13	22	20	17	Inflammation	3	3	12	9
Paralysis	12	9	21	17	14	Hæmorrhage	3	1	..	4	3	3
Convulsions	64	1	..	65	59	57	Dropsy	3	17	15	35	37	34
Epilepsy	3	2	5	5	4	Abscess	1	1	1	3	4	4
Insanity	2	..	2	1	1	Mortification	1	1	5	4
Delirium Tremens	2	..	2	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	6	8	4	18	9	9	Carcinoma	8	..	8	7	7
Diseases of the Brain, Nerves, and Senses.}	109	38	28	175	157	148	Tumor	2	..	2	2	2
Quinsey (1)	3	3	1	1	Gout	1	1
Bronchitis	3	4	5	12	17	10	Atrophy	2	2	5	6
Pleurisy	3	..	3	2	1	Debility	14	6	..	20	20	18
Pneumonia	63	10	4	77	90	73	Malformations	2	2	1	1
Hydrothorax	3	5	8	7	5	Sudden Deaths	4	3	4	11	17	14
Asthma	19	21	40	47	24	Diseases of Uncertain Seat	34	38	20	92	116	105
Consumption	13	115	14	142	141	140	Old Age, or Natural Decay	87	87	88	68
Dis. of Lungs, &c. ..	3	14	3	20	17	14	Intemperance	2	..	2	.4	.6
Diseases of the Lungs, and other Organs of Respiration}	85	168	52	305	322	268	Privation (3)	1	..	1	1	.5
Pericarditis	1	..	1	1	.5	Violent Deaths	8	10	2	20	26	24
Aneurism	1	..	1	.6	.5	Deaths by Violence, Privation, or Intemperance}	8	13	2	23	27	25
Dis. of Heart, &c. ..	1	16	9	26	19	17	Causes not specified ..	1	1	..	2	7	6
Diseases of the Heart and Bloodvessels.}	1	18	9	28	21	18	Deaths from all Causes	398	344	217	1960	1004	903
Teething	21	21	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis ..	10	6	..	16	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	..	2	1	1	(1) Laryngitis 1, Age 4.						
Tabes Mesenterica ..	4	4	4	4	(2) Menorrhagia 1, Age 52.						
Ascites4	.5	(3) Diarrhoea, produced by want, 1 Male, Age 45.						
Ulceration	1	1							
Hernia	1	2	3	2	2							
Colic or Ileus	2	2							
Dis. of Stomach, &c.	3	2	5	6	6							
Hepatitis	1	..	1	1	1							
Jaundice	2	1	3	2	2							
Dis. of Liver, &c. ..	1	10	3	14	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	36	25	8	69	56	62							

	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Winters	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	145
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	152
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	193
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	234
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	433,060	219	241	236
TOTAL. Males, 510. Females, 450. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	960

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 11 cases of Small Pox, 7 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Measles of which the age is not stated.

General Register Office, January 25th, 1843.

§	Weeks ending			1831-40.	A TABLE OF THE MORTALITY										1843.			
	Jan. 21st	Jan. 28th	in.		IN THE										Temperature.	Weeks ending	Jan. 1831-40.	
Mean height of barometer	29.952	29.939	29.880	Metropolis,*										§	Jan. 21st	Jan. 28th	1831-40.	
Rain (weekly)	.182	.027	.227	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES										Highest ...	49°	56°	55°	
Mean Dryness	1° 6	1° 7	1° 8	Registered in the WEEK ending Saturday, the 28th January, 1843.										Lowest....	31°	34°	11°	
* Wind, S. 6 days; E. 1. Rain on 1 day.														Daily Mean	39°	46°	38°	
Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death.	Age			Total	Weekly Ave- rage during						
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years					
					1838-9-40-1-2.				1838-9-40-1-2.									
Small Pox	10	4	..	14	30	27	Nephritis6	.4					
Measles	26	2	..	28	17	23	Diabetes5	.3					
Scarlatina	20	3	..	23	22	30	Stone4	.4					
Whooping Cough	39	39	47	32	Stricture4	.4					
Croup	13	13	8	7	Dis. of Kidneys, &c. (2)	..	3	2	5	3	3					
Thrush	5	5	3	5	Diseases of the Kid- neys, &c.	3	2	5	5	5					
Diarrhoea	2	..	1	3	5	9	Childbed	10	..	10	8	7					
Dysentery	1	1	1	2	Ovarian Dropsy3	.2					
Cholera	4	1	Dis. of Uterus, &c. (3)	1	2	..	3	2	2					
Influenza	Childbed, Diseases of the Uterus, &c. ..	1	12	..	13	10	9					
Typhus	14	23	4	41	44	37	Rheumatism	2	..	2	3	3					
Erysipelas	1	1	6	6	Dis. of Joints, &c.	5	..	5	3	3					
Syphilis7	1	Diseases of the Joints, Bones and Muscles	..	7	..	7	6	6					
Hydrophobia	Ulcer	1	1	.6	.4					
Epidemic, Endemic, & Contagious Diseases	130	32	6	168	187	182	Fistula	1	..	1	.3	.3					
Cephalitis	5	4	..	9	11	11	Dis. of Skin, &c.6	.3					
Hydrocephalus	36	36	34	34	Diseases of the Skin, { &c.	1	1	..	2	2	1					
Apoplexy	3	4	5	12	20	17	Inflammation	4	..	2	6	12	9					
Paralysis	1	8	17	26	17	14	Hæmorrhage	1	3	..	4	3	3					
Convulsions	51	..	1	52	59	57	Dropsy	4	11	11	26	37	34					
Epilepsy	1	1	2	5	4	Abscess	4	4					
Insanity	1	1	Mortification	1	2	3	5	4					
Delirium Tremens	1	..	1	1	1	Scrofula	1	1	2	2					
Dis. of Brain, &c. ..	5	4	..	9	9	9	Carcinoma	9	..	9	7	7					
Diseases of the Brain, Nerves, and Senses.	101	22	24	147	157	148	Tumor	2	..	2	2	2					
Quinsey	2	..	1	3	1	1	Gout	2	2	1	1					
Bronchitis	6	9	6	21	17	10	Atrophy	10	1	3	14	5	6					
Pleurisy	1	1	2	1	Debility	17	5	..	22	20	18					
Pneumonia	59	21	1	81	90	73	Malformations	1	1	1	1					
Hydrothorax	1	2	3	6	7	5	Sudden Deaths	5	6	6	17	17	14					
Asthma	2	16	17	35	47	24	Diseases of Uncer- tain Seat	42	38	27	107	116	105					
Consumption	24	104	9	137	141	140	Old Age, or Natural Decay	88	88	88	68					
Dis. of Lungs, &c. ..	5	13	9	28	17	14	Intemperance4	.6					
Diseases of the Lungs, and other Organs of Respiration	100	165	46	312	322	268	Privation	1	.5					
Pericarditis	1	.5	Violent Deaths	7	17	3	27	26	24					
Aneurism	2	..	2	.6	.5	Deaths by Violence, Pri- vation, or Intemperance	7	17	3	27	27	25					
Dis. of Heart, &c. ..	3	11	9	23	19	17	Causes not specified ..	2	2	7	6					
Diseases of the Heart and Bloodvessels.	3	13	9	25	21	18	Deaths from all Causes	428	331	214	974	1004	903					
Teething	23	23	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903					
Gastritis—Enteritis..	8	5	2	15	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—											
Peritonitis	1	1	2	1	1	(1) Infantile Remittent Fever 1, Age 2. Stricture of Intestines 1, Age 45.											
Tabes Mesenterica ..	5	5	4	4	(2) Inflammation of Bladder 1, Age 61.											
Ascites4	.5	(3) Amenorrhœa 1, Age 27.											
Ulceration	1	3	1	5	1	1												
Hernia	4	1	5	2	2												
Colic or Ileus	1	..	1	2	2	2												
Dis. of Stomach, &c. (!)	2	2	1	5	6	6												
Hepatitis	1	1	1	1												
Jaundice	1	..	1	2	2												
Dis. of Liver, &c. ..	1	5	1	7	8	7												
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	41	21	9	71	56	62												
							Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.								
								5 Years	5 Winters									
West Districts.	{ Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James						300,705	135	150	140								
North Districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney						365,660	162	182	203								
Central Districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London						373,806	184	208	174								
East Districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						392,496	203	223	216								
South Districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich						438,060	219	241	241								
TOTAL. Males, 463. Females, 506. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)							1,870,727	903	1004	974								

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 14 cases of Small Pox, 6 were Unvaccinated; in 6 the circumstance is not stated.

‡ The Total includes 1 case of "Fever and Diseased Lungs" of which the age is not stated.

General Register Office, February 1st, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th February, 1843.

1843.

§	Weeks ending		Feb. 1831-40.
	Jan. 28th	Feb. 4th	
Mean height of barometer	29.93	29.675	29.81
Rain (weekly)	.027	.545	.276
Mean Dryness	1.7	1.8	2.0

* Wind, S. 4 days; S.W. 1; W. 2.
Rain on 2 days.

Temperature.	Weeks ending		Feb. 1831-40.
	Jan. 28th	Feb. 4th	
Highest	56°	58°	60°
Lowest	34°	35°	25°
Daily Mean	46°	48°	41°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	1838-9-10-1-2.							1838-9-10-1-2.					
Small Pox	10	3	..	13	30	27	Nephritis6	.4
Measles	16	16	17	23	Diabetes5	.3
Scarlatina	19	19	22	30	Stone4	.4
Whooping Cough	33	33	47	32	Stricture4	.4
Croup	11	11	8	7	Dis. of Kidneys, &c. ..	1	1	1	3	3	3
Thrush	1	1	3	5	Diseases of the Kidneys, &c.	1	1	1	3	5	5
Diarrhoea	3	..	1	4	5	9	Childbed	11	..	11	8	7
Dysentery	1	1	2	1	2	Ovarian Dropsy3	.2
Cholera	1	Dis. of Uterus, &c.	1	1	2	2	2
Influenza	1	1	4	2	Childbed, Diseases of the Uterus, &c.	12	1	13	10	9
Typhus	3	23	9	35	44	37	Rheumatism	1	2	1	4	3	3
Erysipelas	1	2	2	5	6	6	Dis. of Joints, &c.	2	4	..	6	3	3
Syphilis7	1	Diseases of the Joints, Bones and Muscles	3	6	1	10	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	98	29	13	140	187	182	Fistula3	.3
Cephalitis	7	2	..	9	11	11	Dis. of Skin, &c.	1	1	.6	.3
Hydrocephalus	33	33	34	34	Diseases of the Skin, &c.	1	1	2	1
Apoplexy	14	7	21	20	17	Inflammation	3	2	..	5	12	9
Paralysis	6	4	10	17	14	Hæmorrhage	1	3	..	4	3	3
Convulsions	43	43	59	57	Dropsy	1	15	11	27	37	34
Epilepsy	2	1	3	5	4	Abscess	1	1	..	2	4	4
Insanity	1	1	Mortification	2	3	5	5	4
Delirium Tremens	1	..	1	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c. ..	2	6	1	9	9	9	Carcinoma	7	1	8	7	7
Diseases of the Brain, Nerves, and Senses.	85	31	13	129	157	148	Tumor	2	2	2	2
Quinsey (!)	2	2	1	1	Gout	3	3	1	1
Bronchitis	3	3	5	11	17	10	Atrophy	7	..	2	9	5	6
Pleurisy	1	..	1	2	1	Debility	12	2	..	14	20	18
Pneumonia	52	8	10	70	90	73	Malformations	3	3	1	1
Hydrothorax	1	2	1	4	7	5	Sudden Deaths	1	5	6	12	17	14
Asthma	10	12	22	47	24	Diseases of Uncertain Seat	30	37	28	95	116	105
Consumption	18	74	4	97	141	140	Old Age, or Natural Decay	83	83	88	68
Dis. of Lungs, &c. ..	4	6	4	14	17	14	Intemperance4	.6
Diseases of the Lungs, and other Organs of Respiration	80	104	36	221	322	268	Privation	1	.5
Pericarditis	1	..	1	1	.5	Violent Deaths	5	5	1	11	26	24
Aneurism6	.5	Deaths by Violence, Privation, or Intemperance	5	5	1	11	27	25
Dis. of Heart, &c. ..	2	12	7	21	19	17	Causes not specified ..	2	4	..	6	7	6
Diseases of the Heart and Bloodvessels.	2	13	7	22	21	18	Deaths from all Causes	334	255	190	780	1004	903
Teething	17	17	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis ..	3	4	..	7	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngitis 1, Age 3.						
Tubercles Mesenterica ..	2	2	4	4	(2) Stricture of the Rectum 1, Age 59. Hematemesis 1, Age 36.						
Ascites4	.5							
Ulceration	1	1							
Hernia	2	2							
Colic or Ileus	1	..	1	2	2							
Dis. of Stomach, &c (2)	4	2	1	7	6	6							
Hepatitis	1	1	2	1	1							
Jaundice	1	1	..	2	2	2							
Dis. of Liver, &c.	4	4	8	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	27	13	6	46	56	62							

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Winters	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	125
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	153
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	142
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	176
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	184
TOTAL. Males, 390. Females, 390. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	780

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 13 cases of Small Pox, 10 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Consumption of which the age is not stated.

General Register Office, February 8th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th February, 1843.

1843.

§	Weeks ending		Feb. 1831.
	Feb. 4th.	Feb. 11th.	
Mean height of barometer	29.675	29.880	29.811
Rain (weekly)	.545	.182	.276
Mean Dryness	1.6	1.5	2.0
Wind N. 4 days; N.W. 2; E. 1.			
Rain on 5 days.			

Temperature.	Weeks ending		Feb. 1831.
	Feb. 4th.	Feb. 11th.	
Highest	58°	40°	60°
Lowest	35°	32°	25°
Daily Mean	48°	37°	41°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5	5
					Winters	Years
					1838-9-40-1-2.	
Small Pox	10	1	..	11	30	27
Measles	12	1	..	13	17	23
Scarlatina	11	4	..	15	22	30
Whooping Cough	36	36	47	32
Croup	4	4	8	7
Thrush	1	1	3	5
Diarrhoea	2	2	2	6	5	9
Dysentery	1	2	1	4	1	2
Cholera	1	..	1	..	1
Influenza	1	..	1	2	4	2
Typhus (4)	6	23	2	31	44	37
Erysipelas	2	5	1	8	6	6
Syphilis	7	1
Hydrophobia
Epidemic, Endemic, & Contagious Diseases	86	39	7	132	187	182
Cephalitis	7	1	..	8	11	11
Hydrocephalus	35	1	..	36	31	34
Apoplexy	1	11	9	21	20	17
Paralysis	7	6	13	17	14
Convulsions	47	47	59	57
Epilepsy	1	1	..	2	5	4
Insanity	1	1
Delirium Tremens	1	..	1	1	1
Dis. of Brain, &c. ..	8	5	5	18	9	9
Diseases of the Brain, Nerves, and Senses.	99	27	20	146	157	148
Quinsey (2)	1	2	..	3	1	1
Bronchitis	6	9	6	21	17	10
Pleurisy	1	1	..	2	2	1
Pneumonia	62	10	7	80	90	73
Hydrothorax	1	3	4	7	5
Asthma	6	10	16	47	24
Consumption	24	113	3	140	141	140
Dis. of Lungs, &c. ..	5	9	4	18	17	14
Diseases of the Lungs, and other Organs of Respiration	99	151	33	284	322	268
Pericarditis	1	..	1	1	.5
Aneurism6	.5
Dis. of Heart, &c. ..	1	6	7	14	19	17
Diseases of the Heart and Bloodvessels.	1	7	7	15	21	18
Teething	19	19	15	17
Gastritis—Enteritis ..	3	9	2	14	14	18
Peritonitis	2	..	2	1	1
Tabes Mesenterica ..	6	6	4	4
Ascites4	.5
Ulceration	1	..	1	1	1
Hernia	1	1	2	2
Colic or Ileus	1	1	2	2
Dis. of Stomach, &c. (3)	..	3	3	6	6	6
Hepatitis	1	..	1	1	1
Jaundice	1	1	2	2	2
Dis. of Liver, &c. ..	2	7	3	12	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion ..	30	24	11	65	56	62
Nephritis6	.4
Diabetes5	.3
Stone	1	..	1	.4	.4
Stricture	1	1	.4	.4
Dis. of Kidneys, &c.	1	2	3	3	3
Diseases of the Kidneys, &c.}	..	2	3	5	5	5
Childbed	11	..	11	8	7
Ovarian Dropsy3	.2
Dis. of Uterus, &c.	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.}	..	15	..	15	10	9
Rheumatism	1	1	1	3	3	3
Dis. of Joints, &c.	1	..	1	3	3
Diseases of the Joints, Bones and Muscles}	1	2	1	4	6	6
Ulcer	1	..	1	.6	.4
Fistula3	.3
Dis. of Skin, &c. (4) ..	1	1	..	2	.6	.3
Diseases of the Skin, &c.}	1	2	..	3	2	1
Inflammation	3	3	12	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	3	18	17	38	37	34
Abscess	1	1	4	4
Mortification	2	..	5	7	5	4
Scrofula	1	2	..	3	2	2
Carcinoma	2	2	4	7	7
Tumor	2	..	2	2	2
Gout	1	..	1	1	1
Atrophy	4	1	..	5	5	6
Deviety	13	4	..	17	20	18
Malformations	2	2	1	1
Sudden Deaths	3	2	3	8	17	14
Diseases of Uncertain Seat	33	24	27	94	116	105
Old Age, or Natural Decay	67	67	88	68
Intemperance	1	..	1	.4	.6
Privation (5)	1	1	1	.5
Violent Deaths	7	8	5	20	26	24
Deaths by Violence, Privation, or Intemperance}	8	9	5	22	27	25
Causes not specified ..	4	8	..	12	7	6
Deaths from all Causes	362	320	181	864	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903
N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
(1) Remittent Fever 1, Age 2.						
(2) Laryngitis 1, Age 36.						
(3) Hematemesis 1, Age 64.						
(4) Absorbent Inflammation of Arm, and Fever 1, Age 17.						
(5) Found dead—death caused by neglect, newly born.						

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

- (1) Remittent Fever 1, Age 2.
- (2) Laryngitis 1, Age 36.
- (3) Hematemesis 1, Age 64.
- (4) Absorbent Inflammation of Arm, and Fever 1, Age 17.
- (5) Found dead—death caused by neglect, newly born.

Districts.	Population, Enumerated, 1811.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Winters	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	120
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	161
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	174
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	176
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	233
TOTAL. Males, 143. Females, 421. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 11 cases of Small Pox, 7 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Pneumonia of which the age is not stated.

General Register Office, February 16th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th February, 1843.

1843.

§	Weeks ending			Feb. 1831-40.
	Feb. 11th	Feb. 18th	Feb. 25th	
Mean height of barometer	29.889	29.574	29.811	
Rain (weekly)	.482	None	.276	
Mean Dryness	1.5	1.3	2.0	

Wind N. 2 days; N.E. 2; N.N.W. 1; E. 2.

Temperature.	Weeks ending			Feb. 1831-40.
	Feb. 11th	Feb. 18th	Feb. 25th	
Highest....	40°	42°	60°	
Lowest....	32°	24°	25°	
Daily Mean	37°	33°	41°	

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	1838-9	1839-40	1840-1		1838-9	1840-1		1838-9	1839-40	1840-1		1838-9	1840-1
Small Pox (1).....	15	1	..	16	30	27	(Nephritis6	.4
Measles	23	1	..	24	17	23	Diabetes5	.3
Scarlatina	24	24	22	30	Stone4	.4
Whooping Cough	27	27	47	32	Stricture	1	..	1	.4	.4
Croup	11	11	8	7	Dis. of Kidneys, &c.	3	..	3	3	3
Thrush	4	4	3	5	Diseases of the Kid- neys, &c.}	..	4	..	4	5	5
Diarrhoea	3	..	2	5	5	9	(Childbed	12	..	12	8	7
Dysentery	3	..	3	1	2	Ovarian Dropsy3	.2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	1	1	2	4	4	2	Childbed, Diseases of the Uterus, &c. ...}	..	13	..	13	10	9
Typhus	6	12	5	24	44	37	(Rheumatism	1	..	1	3	3
Erysipelas	1	4	1	6	6	6	Dis. of Joints, &c. ...	2	2	..	4	3	3
Syphilis	1	..	1	.7	1	Diseases of the Joints, Bones and Muscles}	2	3	..	5	6	6
Hydrophobia	(Ulcer	1	..	1	.6	.4
Epidemic, Endemic, & Contagious Diseases}	115	23	10	149	187	182	Fistula	1	..	1	.3	.3
Cephalitis	8	1	1	10	11	11	Dis. of Skin, &c. (4) ..	1	1	.6	.3
Hydrocephalus	26	1	..	27	34	34	Diseases of the Skin, &c.}	1	2	..	3	2	1
Apoplexy	4	11	9	24	20	17	Inflammation	2	2	..	4	12	9
Paralysis	6	12	18	17	14	Hæmorrhage	4	1	5	3	3
Convulsions	54	54	59	57	Dropsy	7	24	8	39	37	34
Epilepsy	2	1	3	6	5	4	Abscess	1	1	4	4
Insanity	1	1	1	1	Mortification	3	..	3	5	4
Delirium Tremens	1	1	Scrofula (5)	1	1	..	2	2	2
Dis. of Brain, &c. (2)	6	6	2	14	9	9	Carcinoma	4	1	5	7	7
Diseases of the Brain, Nerves, and Senses.}	100	26	28	154	157	148	Tumor	2	2	2	2
Quinsey	1	1	..	2	1	1	Gout	1	1	1	1
Bronchitis	6	4	6	16	17	10	Atrophy	2	1	3	6	5	6
Pleurisy	2	1	3	2	1	Deceit	12	4	..	16	20	18
Pneumonia	48	9	4	61	90	73	Malformations	1	1	1	1
Hydrothorax	1	1	1	3	7	5	Sudden Deaths	2	10	7	19	17	14
Asthma	19	17	36	47	24	Diseases of Uncer- tain Seat	28	53	23	104	116	105
Consumption	21	120	6	147	141	140	Old Age, or Natural Decay	96	96	88	68
Dis. of Lungs, &c. ..	5	15	9	29	17	14	(Intemperance	1	1	.4	.6
Diseases of the Lungs, and other Organs of Respiration}	82	171	44	297	322	268	Privation	1	.5
Pericarditis	1	..	1	1	.5	Violent Deaths	8	9	4	21	26	24
Aneurism6	.5	Deaths by Violence, Pri- vation, or Intemperance}	8	9	5	22	27	25
Dis. of Heart, &c. ..	5	11	5	21	19	17	Causes not specified ..	2	2	..	4	7	6
Diseases of the Heart and Bloodvessels.}	5	12	5	22	21	18	Deaths from all Causes	371	333	216	1004	903	
Teething	9	9	15	17	Weekly Average, 1838-9-40-1-2	428	307	167		903	
Gastritis—Enteritis ..	8	2	..	10	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	..	1	1	1	(1) Chicken Pox 1, Age 2.						
Tabes Mesenterica ..	9	9	4	4	(2) Tetanus 1, Age 48.						
Ascites1	.5	(3) Stricture of the Bowels 1, Age 44.						
Ulceration	1	1	2	1	1	(4) Inflammation of the Back 1, Age 9 days.						
Hernia	1	1	2	2	2	(5) Purpura 1, Age 26.						
Colic or Ileus	1	1	..	2	2	2							
Dis. of Stomach, &c (3)	1	1	1	3	6	6							
Hepatitis	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	8	1	9	8	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	28	15	5	48	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	132
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	173
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	179
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	215
TOTAL. Males, 422. Females, 499. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		438,060	219	241	222
		1,870,727	903	1004	921

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 15 cases of Small Pox, 8 were Unvaccinated; of these, 1 is stated to be “2nd attack of Small Pox, without previous Vaccination,” age 2½ years; in one case the circumstance is not stated.

‡ The Total includes 1 case of Fever of which the age is not stated.

General Register Office, February 22nd, 1843.

§	Weeks ending			A TABLE OF THE MORTALITY				1843.			
	Feb. 18th	Feb. 25th.*	Feb. 29th.	IN THE				Temperature	Feb. 18th	Feb. 25th	Feb. 29th.
Mean height of barometer	29.374	29.416	29.811	Metropolis,*				Highest ...	42°	50°	60°
Rain (weekly)	None	.533	.276					Lowest....	24°	32°	25°
Mean Dryness	1.3	1.3	2.0	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Daily Mean	33°	41°	41°
Wind N. 1 day; N.E. 1; E. 1; E.N. 2; S.E. 1; S.S.E. 1. Rain on 3 days.								Registered in the WEEK ending Saturday, the 25th February, 1843.			

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
(Small Pox	5	5	30	27	Nephritis	1	1	.6	.4
Measles	14	14	17	23	Diabetes	1	..	1	.5	.3
Scarlatina	20	2	..	22	22	30	Stone4	.4
Whooping Cough	52	52	47	32	Stricture	1	..	1	.4	.4
Croup	11	11	8	7	Dis. of Kidneys, &c.	4	..	4	3	3
Thrush	5	5	3	5	<i>Diseases of the Kidneys, &c.</i>	..	6	1	7	5	5
Diarrhœa	4	4	5	9	Childbed	11	..	11	8	7
Dysentery	2	2	1	2	Ovarian Dropsy	2	..	2	.3	.2
Cholera	1	1	..	2	..	1	Dis. of Uterus, &c. (2)	1	3	4	2	2
Influenza	2	1	3	4	2	<i>Childbed, Diseases of the Uterus, &c.</i>	..	14	3	17	10	9
Typhus	8	23	6	37	44	37	Rheumatism	1	1	3	3
Erysipelas	2	..	1	3	6	6	Dis. of Joints, &c.	1	1	..	2	3	3
Syphilis	1	1	.7	1	<i>Diseases of the Joints, Bones and Muscles</i>	2	1	..	3	6	6
Hydrophobia	Ulcer6	.4
<i>Epidemic, Endemic, & Contagious Diseases</i>	125	28	8	161	187	182	Fistula3	.3
Cephalitis	8	8	11	11	Dis. of Skin, &c.6	.3
Hydrocephalus	38	1	..	39	34	34	<i>Diseases of the Skin, &c.</i>	2	1
Apoplexy	2	14	9	25	20	17	Inflammation	3	1	1	5	12	9
Paralysis	7	8	15	17	14	Hæmorrhage	3	3
Convulsions	69	69	59	57	Dropsy	2	16	11	29	37	34
Epilepsy	6	2	8	5	4	Abscess	1	2	..	3	4	4
Insanity	1	..	1	1	1	Mortification	4	3	7	5	4
Delirium Tremens	3	..	3	1	1	Scrofula	1	2	..	3	2	2
Dis. of Brain, &c. ..	2	6	1	9	9	9	Carcinoma	4	2	6	7	7
<i>Diseases of the Brain, Nerves, and Senses.</i>	119	38	20	177	157	148	Tumor	1	1	2	2
Quinsey (1)	3	1	..	4	1	1	Gout	1	1	1	1
Bronchitis	1	14	10	25	17	10	Atrophy	4	1	..	5	5	6
Pleurisy	2	..	2	2	1	Debility	19	5	..	24	20	18
Pneumonia	66	17	6	89	90	73	Malformations	3	3	1	1
Hydrothorax	2	3	3	8	7	5	Sudden Deaths	7	7	6	20	17	14
Asthma	13	24	37	47	24	<i>Diseases of Uncertain Seat</i>	41	42	24	107	116	105
Consumption	22	105	10	137	141	140	Old Age, or Natural Decay	107	107	88	68
Dis. of Lungs, &c. ..	1	11	7	19	17	14	Intemperance	1	1	.4	.6
<i>Diseases of the Lungs, and other Organs of Respiration</i>	95	166	60	321	322	268	Privation	1	.5
Pericarditis	1	.5	Violent Deaths	10	6	2	18	26	24
Aneurism6	.5	<i>Deaths by Violence, Privation, or Intemperance</i>	10	6	3	19	27	25
Dis. of Heart, &c. ..	5	15	3	23	19	17	Causes not specified	1	1	7	6
<i>Diseases of the Heart and Bloodvessels.</i>	5	15	3	23	21	18	Deaths from all Causes	433	334	236	1003	1004	903
Teething	18	18	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis ..	7	8	2	17	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngismus stridulus 1, Age 7 months. Laryngitis 2, Ages respectively, 2 and 5 years.						
Tabes Mesenterica ..	6	6	4	4	(2) Paramenia 1, Age 50.						
Ascites	2	..	2	.4	.5							
Ulceration	1	..	1	1	1							
Hernia	1	1	2	2	2							
Colic or Ileus	2	2							
Dis. of Stomach, &c. ..	1	1	2	4	6	6							
Hepatitis	1	1							
Jaundice	2	2	2	2							
Dis. of Liver, &c. ..	2	5	1	8	8	7							
<i>Diseases of the Stomach, Liver, and other Organs of Digestion</i> ..	36	18	6	60	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	145
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	181
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	206
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	219
		438,060	219	241	252
TOTAL. Males, 515. Females, 188. (Weekly average 1838-9-40-1-2, Males, 461. Females, 412.)		1,870,727	903	1004	1003

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each *Week*. The “Daily Mean” is deduced from the highest and lowest of each *Day*. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 5 cases of Small Pox, 3 were Unvaccinated; in one the circumstance is not stated.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th March, 1843.

1843.

§	Weeks ending			A TABLE OF THE MORTALITY				1843.					
	Feb. 25th	Mar. 4th	1841-40.	IN THE									
Mean height of barometer {	in.	in.	in.										
Rain (weekly)	.535	.569	.276										
Mean Dryness	1.3	1.6	2.0										
* Wind N. 2 days; N.W. 2; N.N.W. 2; N.E. 1. Rain on 3 days.				SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				1843.					
				Registered in the WEEK ending Saturday, the 4th March, 1843.									
Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
				1838-9-40-1-2.						1838-9-40-1-2.			
Small Pox	9	9	30	27	Nephritis6	.4
Measles	16	16	17	23	Diabetes5	.3
Scarlatina	24	5	..	29	22	30	Stone4	.4
Whooping Cough	39	39	47	32	Stricture	..	1	..	1	.4	.4
Croup	12	12	8	7	Dis. of Kidneys, &c.	..	4	..	4	3	3
Thrush	1	1	3	5	Diseases of the Kidneys, &c.	..	5	..	5	5	5
Diarrhoea	5	2	1	8	5	9		Childbed	..	11	..	11	8
Dysentery	1	2	..	3	1	2	Ovarian Dropsy	..	2	..	2	.3	.2
Cholera	1	Dis. of Uterus, &c.	..	1	..	1	2	2
Influenza	..	2	1	3	4	2	Childbed, Diseases of the Uterus, &c.	..	14	..	14	10	9
Typhus (1)	16	30	11	58	44	37		Rheumatism	1	1	3
Erysipelas	4	..	1	5	6	6	Dis. of Joints, &c.	3	1	..	4	3	3
Syphilis	1	1	.7	1	Diseases of the Joints, Bones and Muscles	3	1	1	5	6	6
Hydrophobia		Ulcer	..	1	1	2	.6
Epidemic, Endemic, & Contagious Diseases	128	41	14	184	187	182	Fistula3	.3
Cephalitis	4	1	..	5	11	11	Dis. of Skin, &c.6	.3
Hydrocephalus	20	1	..	21	34	34	Diseases of the Skin, &c.	..	1	1	2	2	1
Apoplexy	1	9	10	20	20	17		Inflammation	3	2	..	5	12
Paralysis	..	11	12	23	17	14	Hæmorrhage	..	1	..	1	3	3
Convulsions	52	1	..	53	59	57	Dropsy	3	17	15	35	37	34
Epilepsy	..	2	2	4	5	4	Abscess	4	3	..	7	4	4
Insanity	..	1	..	1	1	1	Mortification	..	4	..	4	5	4
Delirium Tremens	1	1	Scrofula	1	1	2	2
Dis. of Brain, &c.	7	4	1	12	9	9	Carcinoma	1	2	1	4	7	7
Diseases of the Brain, Nerves, and Senses.	84	30	25	139	157	148	Tumor	..	1	1	2	2	2
Quinsey	1	1	Gout	..	3	..	3	1	1
Bronchitis	4	6	8	18	17	10	Atrophy	7	2	5	14	5	6
Pleurisy	2	1	Debility	21	4	7	32	20	18
Pneumonia	69	8	5	82	90	73	Malformations	1	1
Hydrothorax	2	3	1	6	7	5	Sudden Deaths	4	13	5	22	17	14
Asthma	1	19	32	52	47	24	Diseases of Uncertain Seat	44	52	34	130	116	105
Consumption	29	122	12	163	141	140		Old Age, or Natural Decay	86	86	88
Dis. of Lungs, &c.	5	9	9	23	17	14	Intemperance	..	2	..	2	.4	.6
Diseases of the Lungs, and other Organs of Respiration	110	167	67	344	322	268	Privation	1	1	1	.5
Pericarditis	..	1	..	1	1	.5	Violent Deaths	6	5	7	18	26	24
Aneurism	1	1	..	2	.6	.5	Deaths by Violence, Privation, or Intemperance	6	7	8	21	27	25
Dis. of Heart, &c.	3	18	5	26	19	17		Causes not specified	..	1	..	1	7
Diseases of the Heart and Bloodvessels.	4	20	5	29	21	18	Deaths from all Causes	415	356	249	1021	1004	903
Teething	16	16	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis	7	2	1	10	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	..	2	1	1	(1) Remittent Fever 1, Age 6.						
Tube. Mesenterica	6	6	4	4	(2) Painters' Colic 1, Age 28.						
Ascites4	.5							
Ulceration	1	1							
Hernia	1	1	2	4	2	2							
Colic or Ileus (2)	1	2	..	3	2	2							
Dis. of Stomach, &c.	2	..	1	3	6	6							
Hepatitis	..	2	1	3	1	1							
Jaundice	1	3	2	6	2	2							
Dis. of Liver, &c.	1	6	1	8	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion	36	17	8	61	56	62							

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
 (1) Remittent Fever 1, Age 6.
 (2) Painters' Colic 1, Age 28.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	155
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	211
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	196
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	194
		438,060	219	241	265
TOTAL	Males, 518. Females, 503. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	1021

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| Of 9 cases of Small Pox, 6 were Unvaccinated; in 2 the circumstance was not stated.

‡ The age of 1 person who died of Typhus was not stated.

General Register Office, March 9th 1843

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th March, 1843.

§	Weeks ending	Mar.
	Mar. 4th	Mar. 11th
Mean height of barometer	29.648	30.236
Rain (weekly)	.569	None
Mean Dryness	1.6	2.5

* Wind N. 2 days; S. 3; S.S.E. 1; E. 1.

Temperature.	Weeks ending	Mar.	Mar.
§	Mar. 4th	Mar. 11th	Mar. 18th
Highest....	42°	48°	61°
Lowest....	31°	30°	26°
Daily Mean	37°	38°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters 1838-9-40-1-2.	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters 1838-9-40-1-2.	5 Years
Small Pox	11	11	30	27	Nephritis	1	1	2	.6	.4
Measles	10	10	17	23	Diabetes	1	..	1	.5	.3
Scarlatina	18	3	..	21	22	30	Stone4	.4
Hooping Cough	49	49	47	32	Stricture	1	1	.4	.4
Croup	4	4	8	7	Dis. of Kidneys, &c.	2	2	4	3	3
Thrush	5	..	1	6	3	5	Diseases of the Kidneys, &c.	4	4	8	5	5
Diarrhœa	3	1	..	4	5	9	Childbed	6	..	6	8	7
Dysentery	3	..	3	1	2	Ovarian Dropsy3	.2
Cholera	1	..	1	..	1	Dis. of Uterus, &c.	3	..	3	2	2
Influenza	1	..	1	4	2	Childbed, Diseases of the Uterus, &c.	9	..	9	10	9
Typhus (1)	9	37	9	55	44	37	Rheumatism	1	1	1	3	3	3
Erysipelas	2	1	..	3	6	6	Dis. of Joints, &c.	2	..	2	3	3
Syphilis	1	1	.7	1	Diseases of the Joints, Bones and Muscles	1	3	1	5	6	6
Hydrophobia	Ulcer	1	1	.6	.4
Epidemic, Endemic, & Contagious Diseases	112	47	10	169	187	182	Fistula	1	..	1	.3	.3
Cephalitis	11	2	..	13	11	11	Dis. of Skin, &c.	1	1	..	2	.6	.3
Hydrocephalus	33	33	34	34	Diseases of the Skin, &c.	1	2	1	4	2	1
Apoplexy	8	6	14	20	17	Inflammation	4	1	..	5	12	9
Paralysis	10	14	24	17	14	Hæmorrhage	1	1	1	3	3	3
Convulsions	60	1	..	61	59	57	Dropsy	2	17	16	35	37	34
Epilepsy	5	1	6	5	4	Abscess	2	4	1	7	4	4
Insanity	1	1	Mortification	1	3	4	5	4
Delirium Tremens	2	..	2	1	1	Scrofula (3)	1	2	..	3	2	2
Dis. of Brain, &c. ..	4	3	2	9	9	9	Carcinoma	6	1	7	7	7
Diseases of the Brain, Nerves, and Senses.	108	31	23	162	157	148	Tumor	3	..	3	2	2
Quinsey	1	1	1	1	Gout	1	1	1	1	1
Bronchitis	4	11	11	26	17	10	Atrophy	5	1	1	7	5	6
Pleurisy	3	2	5	2	1	Debility	12	4	5	21	20	18
Pneumonia	81	26	7	115	90	73	Malformations	1	1
Hydrothorax	1	4	5	10	7	5	Sudden Deaths	6	9	2	17	17	14
Asthma	1	26	20	47	47	24	Diseases of Uncertain Seat	33	49	31	113	116	105
Consumption	24	112	7	143	141	140	Old Age, or Natural Decay	101	101	88	68
Dis. of Lungs, &c. ..	5	9	4	18	17	14	Intemperance4	.6
Diseases of the Lungs, and other Organs of Respiration	117	191	56	365	322	268	Privation	1	.5
Pericarditis	1	..	1	1	.5	Violent Deaths	5	10	5	20	26	24
Aneurism	1	..	1	.6	.5	Deaths by Violence, Privation, or Intemperance	5	10	5	20	27	25
Dis. of Heart, &c. ..	1	24	2	27	19	17	Causes not specified	7	6
Diseases of the Heart and Bloodvessels.	1	26	2	29	21	18	Deaths from all Causes	409	389	241	1040	1004	903
Teething	15	15	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis ..	4	5	2	11	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Ague 1, Age 9 Months. Remittent Fever 2, Ages 6 & 8.						
Tabes Mesenterica ..	9	9	4	4	(2) Stricture of œsophagus 1, Age 66.						
Ascites	1	..	1	.4	.5	(3) Purpura 1, Age 3.						
Ulceration	1	1							
Hernia	2	2							
Colic or Ileus	1	2	1	4	2	2							
Dis. of Stomach, &c (2)	1	1	2	4	6	6							
Hepatitis	3	..	3	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	5	2	7	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	31	17	7	55	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	149
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	226
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	177
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	228
		438,060	219	241	260
TOTAL	Males, 528. Females, 512. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	1040

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 9 of the 11 persons who died of Small Pox had not been vaccinated.

‡ The age of 1 person who died of Pneumonia was not stated.

¶ Of the 55 deaths by TYPHUS, 11 occurred in the District of St. Pancras, (including the Fever Hospital); 8 in Greenwich; 4 in Westminster (St. Margaret); 4 in Bermondsey (St. Mary Magdalen); 3 in Marylebone (Rectory); 3 in West London (North District); 2 in St. Giles in the Fields; 2 in Newington (St. Peter); and 1 in Whitechapel (Spitalfields).

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th March, 1843.

1843.

§	Weeks ending	Mar.	1831.
	Mar. 11th	Mar. 18th	40.
Mean height of barometer	30.236	29.785	29.856
Rain (weekly)	None	.088	.175
Mean Dryness	2.5	2.4	2.8

* Wind S. 3 days; S.W. 1; W. 2;
N. J. Rain on 2 days.

Temperature.	Weeks ending	Mar.	1831.
§	Mar. 11th	Mar. 18th	40.
Highest ...	48°	59°	64°
Lowest	30°	39°	26°
Daily Mean	38°	48°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	1838-9-40-1-2.	1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	10	10	30	27	Nephritis6	.4
Measles	18	18	17	23	Diabetes5	.3
Scarlatina	17	3	1	21	22	30	Stone	1	1	.4	.4
Hooping Cough	50	50	47	32	Stricture4	.4
Croup	8	8	8	7	Dis. of Kidneys, &c. ...	1	1	1	3	3	3
Thrush	2	2	3	5	Diseases of the Kidneys, &c.	1	1	2	4	5	5
Diarrhoea	3	3	5	9	Childbed	7	..	7	8	7
Dysentery	1	2	..	3	1	2	Ovarian Dropsy3	.2
Cholera	1	Dis. of Uterus, &c.	2	..	2	2	2
Influenza	1	..	2	3	4	2	Childbed, Diseases of the Uterus, &c.	9	..	9	10	9
Typhus	18	33	6	59	44	37	Rheumatism	5	..	5	3	3
Erysipelas	1	1	..	2	6	6	Dis. of Joints, &c.	1	1	2	3	3
Syphilis	2	1	..	3	.7	1	Diseases of the Joints, Bones and Muscles	..	6	1	7	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases	131	40	9	182	187	182	Fistula	1	1	2	.3	.3
Cephalitis	8	2	1	11	11	11	Dis. of Skin, &c.6	.3
Hydrocephalus	32	32	34	34	Diseases of the Skin, &c.	1	1	2	2	1
Apoplexy	11	17	28	20	17	Inflammation	2	2	..	4	12	9
Paralysis	2	9	8	19	17	14	Hæmorrhage	2	..	2	3	3
Convulsions	49	2	..	51	59	57	Dropsy	2	18	15	35	37	34
Epilepsy	2	1	3	5	4	Abscess	2	4	1	7	4	4
Insanity	1	1	Mortification	1	1	1	3	5	4
Delirium Tremens	2	..	2	1	1	Scrofula	2	2	1	5	2	2
Dis. of Brain, &c. ..	3	..	2	5	9	9	Carcinoma	5	1	6	7	7
Diseases of the Brain, Nerves, and Senses.	94	28	29	151	157	148	Tumor	1	1	2	2
Quinsey	1	1	1	1	Gout	1	1
Bronchitis	10	7	15	32	17	10	Atrophy	8	1	1	10	5	6
Pleurisy	1	1	2	1	Debility	15	3	10	28	20	18
Pneumonia	73	18	8	101	90	73	Malformations	1	1
Hydrothorax	2	2	5	9	7	5	Sudden Deaths	1	4	3	8	17	14
Asthma	15	32	47	47	24	Diseases of Uncertain Seat	33	42	34	109	116	105
Consumption	19	120	6	145	141	140	Old Age, or Natural Decay	91	91	88	68
Dis. of Lungs, &c. (1)	8	6	7	21	17	14	Intemperance4	.6
Diseases of the Lungs, and other Organs of Respiration	113	168	74	357	322	268	Privation	1	.5
Pericarditis	1	.5	Violent Deaths	6	9	2	17	26	24
Aneurism6	.5	Deaths by Violence, Privation, or Intemperance	6	9	2	17	27	25
Dis. of Heart, &c. ..	2	9	3	14	19	17	Causes not specified	7	6
Diseases of the Heart and Bloodvessels.	2	9	3	14	21	18	Deaths from all Causes	405	330	256	995	1004	903
Teething	14	14	15	17	Weekly Average, 1838-9-40-1-2	428	307	167	903
Gastritis—Enteritis ..	4	5	2	11	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngitis 1, Age 2.						
Tabes Mesenterica ..	5	5	4	4							
Ascites	2	2	.4	.5							
Ulceration	2	..	2	1	1							
Hernia	1	..	2	3	2	2							
Colic or Ileus	2	2							
Dis. of Stomach, &c.	6	6							
Hepatitis	1	..	1	1	1							
Jaundice	2	1	3	2	2							
Dis. of Liver, &c. ..	1	7	3	11	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..	25	17	10	52	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	148
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	214
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	184
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	225
TOTAL.	Males, 529. Females, 466. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	438,060	219	241	224
		1,870,727	903	1004	995

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 7 of the 10 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons who died of Typhus, and 2 who died of Pneumonia were not stated.

¶ Of the 59 deaths by TYPHUS, 21 occurred in the District of St. Pancras, (including the Fever Hospital); 4 in Kensington; 3 in Marylebone; 3 in St. Luke; 3 in Whitechapel; 3 in St. George, Southwark; 3 in Lambeth; 2 in Westminster; 2 in St. Martin in the Fields; 2 in Hackney; 2 in Holborn; 2 in West London;



A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th March, 1843.

1843.

§	Weeks ending	Mar. 18th	Mar. 25th*	Mar. 1831-40.
Mean height of barometer	in.	29.785	29.569	29.856
Rain (weekly)	in.	.088	.163	.175
Mean Dryness	°	2.4	3.4	2.8

* Wind E. 3 days; N.E. 3; S.S. 1. Rain on 1 day.

Temperature.	Weeks ending	Mar. 18th	Mar. 25th	Mar. 1831-40.
Highest....	59°	61°	64°	64°
Lowest....	39°	41°	26°	26°
Daily Mean	48°	52°	42°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
1838-9-40-1-2.													
Small Pox	3	2	..	5	30	27	Nephritis	1	..	1	.6	.4
Measles	22	22	17	23	Diabetes5	.3
Scarlatina	22	22	22	30	Stone4	.4
Whooping Cough	38	38	47	32	Stricture	1	..	1	.4	.4
Croup	8	8	8	7	Dis. of Kidneys, &c. (3)	..	2	2	4	3	3
Thrush	2	2	3	5	Diseases of the Kid- neys, &c. }	..	4	2	6	5	5
Diarrhoea	2	1	3	6	5	9							
Dysentery	3	..	3	1	2	Childbed	3	..	3	8	7
Cholera	1	Ovarian Dropsy	1	..	1	.3	.2
Influenza	3	3	6	4	2	Dis. of Uterus, &c.	6	..	6	2	2
Typhus (1)	13	30	6	49	44	37	Childbed, Diseases of the Uterus, &c. ... }	..	10	..	10	10	9
Erysipelas	2	1	1	4	6	6							
Syphilis	1	1	..	2	.7	1	Rheumatism	1	1	3	3
Hydrophobia	Dis. of Joints, &c. ...	1	2	3	6	3	3
Epidemic, Endemic, & Contagious Diseases	113	41	13	168	187	182	Diseases of the Joints, Bones and Muscles }	2	2	3	7	6	6
Cephalitis	8	8	11	11							
Hydrocephalus	37	37	34	34	Ulcer	1	1	.6	.4
Apoplexy	5	9	14	20	17	Fistula3	.3
Paralysis	10	7	17	17	14	Dis. of Skin, &c.6	.3
Convulsions	67	2	..	69	59	57	Diseases of the Skin, &c. }	1	1	2	1
Epilepsy	1	8	1	10	5	4							
Insanity	1	1	Inflammation	2	2	..	4	12	9
Delirium Tremens	1	1	Hæmorrhage	3	3
Dis. of Brain, &c. ...	4	8	3	15	9	9	Dropsy	3	20	15	38	37	34
Diseases of the Brain, Nerves, and Senses. }	117	33	20	170	157	148	Abscess	1	1	2	4	4
							Quinsey	3	4	1	1
Bronchitis	5	5	4	14	17	10	Mortification	1	1	5	4
Pleurisy	1	..	1	2	1	Scrofula	1	1	2	2
Pneumonia	72	7	6	85	90	73	Carcinoma	4	6	10	7	7
Hydrothorax	1	4	2	7	7	5	Tumor	1	..	1	2	2
Asthma	11	18	29	47	24	Gout	1	1
Consumption	17	107	12	136	141	140	Atrophy	2	..	1	3	5	6
Dis. of Lungs, &c. ...	1	10	5	16	17	14	Debility	24	5	6	35	20	18
Diseases of the Lungs, and other Organs of Respiration }	99	145	47	292	322	268	Malformations	2	2	1	1
							Sudden Deaths	5	9	13	27	17	14
Pericarditis	1	1	2	1	.5	Diseases of Uncer- tain Seat	39	42	43	124	116	105
Aneurism	2	..	2	.6	.5							
Dis. of Heart, &c. ...	1	13	4	18	19	17	Old Age, or Natural Decay	72	72	88	68
Diseases of the Heart and Bloodvessels. }	1	16	5	22	21	18	Intemperance4	.6
							Privation	3	1	4	1	.5
Teething	22	22	15	17	Violent Deaths	10	16	11	27	26	24
Gastritis—Enteritis ..	6	7	1	14	14	18	Deaths by Violence, Pri- vation, or Intemperance }	10	19	12	42	27	25
Peritonitis	1	..	1	1	1							
Tabes Mesenterica ..	7	1	..	8	4	4	Causes not specified ..	1	1	2	4	7	6
Ascites4	.5	Deaths from all Causes	420	336	226	986	1004	903
Ulceration	3	..	3	1	1	Weekly Average, 1838-9-10-1-2	428	307	167			903
Hernia	1	1	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Colic or Ileus	2	2	(1) Remittent Fever 1, Age 6 Months.						
Dis. of Stomach, &c. (2)	1	2	..	4	6	6	(2) Worms 1, Age 3 Months. Hematemesis 1, Age not specified.						
Hepatitis	1	1	(3) Ischuria 1, Age 73. Cystitis 1, Age 70.						
Jaundice	1	..	1	2	2	2							
Dis. of Liver, &c. ...	1	9	3	13	8	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	38	23	6	168	56	62							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2		Deaths in the Week.
			5 Years	5 Winters	
West Districts.	{ Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	136
North Districts.	{ St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	220
Central Districts.	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	198
East Districts.	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	225
South Districts.	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	207
TOTAL Males, 512. Females, 474. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	986

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Brompton; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 3 of the 5 persons who died of Small Pox had not been vaccinated.

‡ The ages of 4 persons were not stated; one died from Typhus, one from Quinsey, one from Hæmatemesis, and one by Violence.

§ Of the 49 deaths by TYPHUS, 13 occurred in the District of St. Pancras, (including the Fever Hospital); 5 in Lambeth; 4 in Marylebone; 4 in Shoreditch; 2 in Kensington; 2 in St. Martin in the Fields; 2 in Hackney; 2 in Holborn; 2 in West London; 2 in Whitechapel; 2 in Stepney; 2 in St. Olave; 2 in Greenwich; 1 in Westminster; 1 in St. Giles & St. George; 1 in St. Saviour; 1 in Newington (St. Mary); and 1 in Camberwell.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st April, 1843.

1843.

§	Weeks ending		
	Mar. 25th	April 1st	Mar. 1841-40.
Mean height of barometer	29.569	29.682	29.856
Rain (weekly)	.163	.138	.175
Mean Dryness	3.4	4.1	2.8

* Wind N. 1 day; N.E. 1; E.N.E. 2; S.3. Rain on 2 days.

Temperature.	Weeks ending		
	Mar. 25th	April 1st	Mar. 1841-40.
Highest ...	61°	58°	64°
Lowest ...	41°	31°	26°
Daily Mean	52°	46°	42°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	1838-9-10-1-2.							1838-9-10-1-2.					
Small Pox	7	1	..	8	30	27	Nephritis6	.4
Measles	17	17	17	23	Diabetes5	.3
Scarlatina	21	1	..	22	22	30	Stone4	.4
Whooping Cough	37	37	47	32	Stricture	1	1	.4	.4
Croup	6	6	8	7	Dis. of Kidneys, &c.	1	1	2	3	3
Thrush	5	5	3	5	Diseases of the Kidneys, &c.}	..	1	2	3	5	5
Diarrhoea	6	..	3	9	5	9	Childbed	10	..	10	8	7
Dysentery	1	2	..	3	1	2	Ovarian Dropsy	3	..	3	.3	.2
Cholera	1	Dis. of Uterus, &c.	1	..	1	2	2
Influenza	1	1	2	4	2	Childbed, Diseases of the Uterus, &c.}	..	14	..	14	10	9
Typhus (1)	5	32	9	44	47	37	Rheumatism	1	1	1	3	3	3
Erysipelas	3	3	6	6	Dis. of Joints, &c.	1	..	1	3	3
Syphilis7	1	Diseases of the Joints, Bones and Muscles}	1	2	1	4	6	6
Hydrophobia	Ulcer6	.4
Epidemic, Endemic, & Contagious Diseases}	105	37	16	159	187	182	Fistula3	.3
Cephalitis	9	3	..	12	11	11	Dis. of Skin, &c.	1	1	.6	.3
Hydrocephalus	27	27	34	34	Diseases of the Skin, &c.}	1	1	2	1
Apoplexy	4	6	10	20	17	Inflammation	2	1	..	3	12	9
Paralysis	10	11	21	17	14	Hæmorrhage	1	1	2	3	3
Convulsions	52	52	59	57	Dropsy	18	21	39	37	34
Epilepsy	2	..	2	5	4	Abscess	2	..	2	4	4
Insanity	1	1	1	1	Mortification	2	3	5	5	4
Delirium Tremens	1	1	2	1	1	Scrofula (4)	1	..	1	2	2
Dis. of Brain, &c.	10	3	3	16	9	9	Carcinoma	6	4	10	7	7
Diseases of the Brain, Nerves, and Senses.}	98	23	22	143	157	148	Tumor	3	1	4	2	2
Quinsey	1	1	1	1	Gout	1	1	1	1
Bronchitis	4	5	8	17	17	10	Atrophy	2	2	5	6
Pleurisy	1	2	..	3	2	1	Debility	17	4	6	27	20	18
Pneumonia	71	17	6	94	90	73	Malignations	1	1	1	1
Hydrothorax	2	2	4	7	5	Sudden Deaths	7	4	11	22	17	14
Asthma	15	18	33	47	24	Diseases of Uncertain Seat	29	42	48	119	116	105
Consumption	18	122	6	146	141	140	Old Age, or Natural Decay	58	58	88	68
Dis. of Lungs, &c. (2)	3	5	9	17	17	14	Intemperance4	.6
Diseases of the Lungs, and other Organs of Respiration}	98	168	49	315	322	268	Privation	1	1	1	.5
Pericarditis	1	.5	Violent Deaths	12	8	4	24	26	24
Aneurism	1	..	1	.6	.5	Deaths by Violence, Privation, or Intemperance}	12	8	5	25	27	25
Dis. of Heart, &c.	5	18	6	29	19	17	Causes not specified ..	3	1	..	4	7	6
Diseases of the Heart and Bloodvessels.}	5	19	6	30	21	18	Deaths from all Causes	397	336	212	946	1004	903
Teething	18	18	15	17	Weekly Average, 1838-9-10-1-2	428	307	167			903
Gastritis—Enteritis ..	10	4	1	15	14	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	2	2	..	4	1	1	(1) Ague 1, Age 2.						
Tabes Mesenterica ..	9	9	4	4	(2) Laryngitis 2, Ages 45 and 77.						
Ascites	1	2	..	3	.4	.5	(3) Intussusception 1, Age 54.						
Ulceration	1	1	..	2	1	1	(4) Purpura 1, Age 50.						
Hernia	1	..	1	2	2							
Colic or Ileus (3)	2	5	..	7	2	2							
Dis. of Stomach, &c.	6	6							
Hepatitis	1	1							
Jaundice	2	2	3	7	2	2							
Dis. of Liver, &c.	4	1	5	8	7							
Diseases of the Stomach, Liver, and other Organs of Digestion ..}	45	21	5	71	56	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	168
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	209
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	232
TOTAL.	Males, 461. Females, 485. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	946

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 5 of the 8 persons who died of Small Pox had not been vaccinated.

‡ The age of 1 person who died of Typhus was not stated.

¶ Of the 46 deaths by TYPHUS, 1 occurred in the District of Chelsea; 1 in Westminster; 1 in St. Martin in the Fields; 3 in Marylebone; 4 in St. Giles in the Fields; 1 in Strand; 1 in Holborn; 4 in West London; 1 in Whitechapel; 1 in St. George in the East; 1 in St. Saviour; 1 in St. Olave; 3 in St. George, Southwark; 2 in Newington; 3 in Lambeth; 1 in Camberwell; 4 in Greenwich; (including the Dreadnought Hospital Ship); and 13 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that of the 8 patients who died in the Fever Hospital 1 came from Lambeth, 1 from Camberwell, 3 from St.

§	Weeks ending			A TABLE OF THE MORTALITY				1843.			
	April 1st	April 8th	April 15th	IN THE				Temperature	Weeks ending	April 1st	April 8th
Mean height of barometer	29.682	29.597	29.870	Metropolis,*				§	April 1st	April 8th	April 15th
Rain, weekly	4.1	3.7	4.2	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Highest....	58°	62°	72°
Mean Dryness	.138	1.247	.277	Registered in the WEEK ending Saturday, the 8th April, 1843.				Lowest....	34°	41°	28°
* Wind S. 5 days; S.W. 2. Rain on 6 days.								Daily Mean	46°	53°	47°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during								
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years							
1838-9-40-1-2.																				
Small Pox	8	1	..	9	27	27	Nephritis4	.4							
Measles	20	20	23	23	Diabetes3	.3							
Scarlatina	20	1	..	21	24	30	Stone	1	1	..	2	.4	.4							
Whooping Cough	48	48	33	32	Stricture3	.4							
Croup	7	7	8	7	Dis. of Kidneys, &c. ..	1	2	1	4	4	3							
Thrush	3	3	4	5	Diseases of the Kidneys, &c.	2	3	1	6	5	5							
Diarrhoea	3	1	1	5	5	9														
Dysentery	1	1	2	1	2	Childbed	4	..	4	6	7							
Cholera	1	1	.2	1								Ovarian Dropsy2	.2	
Influenza	1	..	1	2	2														Dis. of Uterus, &c. ..
Typhus (1)	12	40	3	55	39	37	Childbed, Diseases of the Uterus, &c.	4	..	4	9	9							
Erysipelas	1	1	1	3	6	6														
Syphilis5	1	Rheumatism	1	2	..	3	3	3							
Hydrophobia1	..	Dis. of Joints, &c.	1	3	..	4	3	3							
Epidemic, Endemic, & Contagious Diseases	123	46	6	175	170	182	Diseases of the Joints, Bones and Muscles	2	5	..	7	6	6							
Cephalitis	15	5	..	20	12	11														
Hydrocephalus	35	35	35	34	Ulcer4	.4							
Apoplexy	1	8	7	16	16	17								Fistula4	.3
Paralysis	1	4	9	14	14	14														
Convulsions	51	51	56	57	Diseases of the Skin, &c.	1	1							
Epilepsy	3	..	3	4	4														
Insanity	1	1	Inflammation	3	3	9	9							
Delirium Tremens	2	..	2	2	1								Hæmorrhage	1	..	2	3	3	3
Dis. of Brain, &c. ..	6	5	2	13	8	9								Dropsy	1	15	11	27	32	34
Diseases of the Brain, Nerves, and Senses.	109	27	18	154	146	148								Abscess	1	7	..	8	4	4
														Mortification	3	3	4	4
Quinsey	1	1	1	1								Scrofula (4)	1	1	..	2	2	2
Bronchitis	2	5	6	13	9	10								Carcinoma	5	4	9	7	7
Pleurisy	2	1								Tumor	1	1	2	2
Pneumonia	48	14	6	68	60	73								Gout	1	1
Hydrothorax	2	2	4	5								Atrophy	3	..	1	4	5	6
Asthma	6	10	16	16	24	Debility	15	3	..	18	17	18							
Consumption	22	94	7	123	149	140	Malformations8	1							
Dis. of Lungs, &c. ..	6	9	4	19	12	14	Sudden Deaths	1	3	2	6	13	14							
Diseases of the Lungs, and other Organs of Respiration	79	128	35	242	253	268	Diseases of Uncertain Seat	27	34	23	84	100	105							
Pericarditis5	.5	Old Age, or Natural Decay	83	83	62	68							
Aneurism6	.5														
Dis. of Heart, &c. ..	1	13	6	20	16	17	Intemperance5	.6							
Diseases of the Heart and Bloodvessels.	1	13	6	20	17	18								Privation3	.5
Teething	11	11	15	17	Violent Deaths	7	14	3	24	24	24							
Gastritis—Enteritis ..	3	5	1	9	15	18	Deaths by Violence, Privation, or Intemperance	7	14	3	24	25	25							
Peritonitis	1	1	1	1														
Tabes Mesenterica ..	9	9	4	4	Causes not specified ..	1	1	5	6							
Ascites	1	1	.5	.5	Deaths from all Causes	380	293	181	855	854	903							
Ulceration	1	..	1	1	1	Weekly Average, 1838-9-40-1-2	428	307	167			903							
Hernia	1	..	1	2	2														
Colic or Ileus	2	2	1	5	2	2	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Intermittent Fever 1, Age 5. (2) Intussusception 1, Age 10 months.													
Dis. of Stomach, &c. (2)	1	3	1	5	5	6														
Hepatitis	1	..	1	.9	1														
Jaundice	1	2	2	5	2	2														
Dis. of Liver, &c. ..	1	4	..	5	7	7														
Diseases of the Stomach, Liver, and other Organs of Digestion ..	29	19	6	54	55	62														

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Winters	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	150	144
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	182	166
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	208	180
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	223	190
		438,060	219	241	185
TOTAL. Males, 444. Females, 411. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	855

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 3 of the 9 persons who died of Small Pox had not been vaccinated: in 4 cases the circumstance is not stated. One is registered, “2nd attack of Small Pox without previous vaccination.”

¶ Of the 55 deaths by TYPHUS, 2 occurred in the District of Kensington; 4 in Westminster; 4 in Marylebone; 7 in St. Giles in the Fields, and St. George; 1 in Strand; 1 in Holborn; 2 in Clerkenwell; 2 in St. Luke; 2 in East London; 2 in West London; 3 in City of London; 2 in Shoreditch; 1 Bethnal Green; 1 in St. George in the East; 1 in Stepney; 1 in St. Olave; 3 in Lambeth; 1 in Rotherhithe; and 15 in St. Pancras, of which 9 occurred in the Fever Hospital. It was ascertained that of the 9 patients who died in the Fever Hospital 2 came from St. Pancras; 3 from St. Giles (one from the Workhouse); 1 from St. John Street; 2 from Holborn Union; and 1 from St. George's, Borough.

‡ The age of 1 person who died of Fever was not stated.

General Register Office, April 12th, 1843.

§	Weeks ending			A TABLE OF THE MORTALITY				1843.			
	April 8th	April 15th	April 22nd	IN THE				Temperature.	Weeks ending	April 8th	April 15th
Mean height of barometer	29.597	29.879	29.870	Metropolis,*				§	April 8th	April 15th	April 22nd
Rain, (weekly)	3.7	3.6	4.2	Metropolis,*				Highest....	62°	59°	72°
Mean Dryness	1.247	.121	.277	Metropolis,*				Lowest....	41°	33°	28°
* Wind N.W. 3 days; W. 2; W.N. W. 1; N.E. 1. Rain on 2 days.				Metropolis,*				Daily Mean	53°	43°	47°
				Metropolis,*				SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES			
				Metropolis,*				Registered in the WEEK ending Saturday, the 15th April, 1843.			

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during								
	0	15	60		5	5		0	15	60		5	5							
	to 15	to 60	and upwards		Springs	Years		to 15	to 60	and upwards		Springs	Years							
1838-9-40-1-2.																				
Small Pox	9	1	..	10	27	27	Nephritis4	.4							
Measles	22	22	23	23	Diabetes	2	..	2	.3	.3							
Scarlatina	20	1	..	21	24	30	Stone4	.4							
Hooping Cough	49	49	33	32	Stricture3	.4							
Croup	4	4	8	7	Dis. of Kidneys, &c.	2	2	4	4	3							
Thrush	2	2	4	5	Diseases of the Kidneys, &c.	4	2	6	5	5							
Diarrhoea	5	..	2	7	5	9														
Dysentery	1	..	1	1	2	Childbed	4	..	4	6	7							
Cholera2	1								Ovarian Dropsy2	.2	
Influenza	2	1	3	2	2								Dis. of Uterus, &c.	2	2	
Typhus (1)	9	38	11	59	39	37	Childbed, Diseases of the Uterus, &c.	4	..	4	9	9							
Erysipelas	3	3	6	6														
Syphilis	1	1	..	2	.5	1	Rheumatism	1	2	3	6	3	3							
Hydrophobia1	..								Dis. of Joints, &c.	2	1	..	3	3	3
Epidemic, Endemic, & Contagious Diseases	124	44	14	183	170	182								Diseases of the Joints, Bones and Muscles	3	3	3	9	6	6
Cephalitis	10	5	..	15	12	11														
Hydrocephalus	40	40	35	34	Ulcer4	.4							
Apoplexy	3	6	10	19	16	17								Fistula4	.3
Paralysis	6	9	15	14	14								Dis. of Skin, &c.4	.3
Convulsions	36	36	56	57	Diseases of the Skin, &c.	1	1							
Epilepsy	1	1	1	3	4	4														
Insanity	1	1	Inflammation	1	1	..	2	9	9							
Delirium Tremens	2	..	2	2	1								Hæmorrhage	1	1	3	3
Dis. of Brain, &c. ..	4	4	1	9	8	9								Dropsy	1	16	12	29	32	34
Diseases of the Brain, Nerves, and Senses.	94	24	21	139	146	148	Abscess	4	4							
Quinsey (2)	1	4	1	1	Mortification	1	3	1	5	4	4							
Bronchitis	5	4	3	12	9	10	Scrofula	1	2	..	3	2	2							
Pleurisy	1	1	2	2	1	Carcinoma	4	3	7	7	7							
Pneumonia	62	15	2	79	60	73	Tumor	2	2							
Hydrothorax	1	..	1	4	5	Gout	1	1							
Asthma	8	7	15	16	21	Atrophy	7	..	3	10	5	6							
Consumption	17	89	2	108	149	140	Debility	13	2	..	15	17	18							
Dis. of Lungs, &c. ..	3	10	4	17	12	14	Malignancies	2	2	.8	1							
Diseases of the Lungs, and other Organs of Respiration	91	128	19	238	253	268	Sudden Deaths	7	6	4	17	13	14							
Pericarditis	2	..	2	.5	.5	Diseases of Uncertain Seat	33	34	24	91	100	105							
Aneurism6	.5														
Dis. of Heart, &c. ..	3	5	5	13	16	17	Old Age, or Natural Decay	55	55	62	68							
Diseases of the Heart and Bloodvessels.	3	7	5	15	17	18	Intemperance5	.6							
														Privation3	.5	
Teething	20	20	15	17	Violent Deaths	3	8	1	12	24	24							
Gastritis—Enteritis ..	9	4	1	14	15	18	Deaths by Violence, Privation, or Intemperance	3	8	1	12	25	25							
Peritonitis	1	..	1	1	1														
Tabes Mesenterica ..	7	1	..	8	4	4	Causes not specified	2	..	2	5	6							
Ascites	1	..	1	.5	.5														
Ulceration	1	..	1	1	1	Deaths from all Causes	391	273	151	1816	854	903							
Hernia	1	3	4	2	2														
Colic or Ileus	2	2	Weekly Average, 1838-9-40-1-2	428	307	167	1816	854	903							
Dis. of Stomach, &c.(3)	3	2	1	6	5	6														
Hepatitis	1	1	.9	1	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Intermittent Fever 1, Age 75. Remittent Fever 1, Age 6. Remittent Fever, Inflammation of Lungs 1, Age 11. (2) Laryngismus Stridulus 1, Age 1. (3) Obstruction of the Bowels, caused by Intussusception 1, Age 3 months. Stricture of the Rectum 1, Age 32.													
Jaundice	1	1	2	2														
Dis. of Liver, &c. ..	1	4	..	5	7	7														
Diseases of the Stomach, Liver, and other Organs of Digestion ..	40	15	7	62	55	62														

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	136
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	175
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	163
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	166
TOTAL.	Males, 424. Females, 392. (Weekly average 1838-9-40-1-2, Males, 461. Females, 412.)	438,060	219	207	176
		1,870,727	903	854	816

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 3 of the 10 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

¶ Of 56 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in Westminster; 2 in St. Martin in the Fields; St. Marylebone; 1 in Islington; 1 in Hackney; 4 in Strand; 3 in St. Luke; 1 in East London; 1 in City of London; 3 in Shoreditch; 4 in Whitechapel; St. George in the East; 1 in Stepney; 2 in St. Saviour; 2 in St. Olave; 2 in Bermondsey; 1 in St. Mary, Newington; 1 in Lambeth; 2 in Camberwell; and St. Pancras, of which 10 occurred in the Fever Hospital. It was ascertained that of the 10 patients who died in the Fever Hospital, 1 was brought by the Society Society; 5 came from St. Giles, (of which 4 were from the Workhouse); 1 from City of London Union; 1 from Camden Town; 1 from Lambeth house; and 1 from Warwick Court, Gray's Inn.

‡ The age of 1 person who died of Fever was not stated. Under this head is also the following; "Brain Fever and rupture of a Blood-vessel of the

Age 3.

General Register Office, April 19th, 1843.

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd April, 1843.

Causes of Death.	Age				Weekly Average during	
	0 to 15	15 to 60	60 and upwards	Total	5 Springs	5 Years
Small Pox	5	1	..	6	27	27
Measles	22	22	23	23
Scarlatina	26	1	..	27	24	30
Whooping Cough	37	37	33	32
Diphtheria	10	10	8	7
Thrush	5	5	4	5
Diarrhoea	3	..	1	4	5	9
Dysentery	2	..	2	1	2
Cholera	2	1
Influenza	1	1	2	2
Erysipelas	10	37	11	58	39	37
Syphilis	1	..	1	2	6	6
Hydrophobia	1	..	1	5	1
Epidemic, Endemic, & Contagious Diseases	120	42	13	175	170	182
Cephalitis	15	4	1	20	12	11
Hydrocephalus	43	1	..	44	35	34
Apoplexy	2	13	3	18	16	17
Paralysis	2	10	12	14	14
Convulsions	40	1	..	41	56	57
Epilepsy	1	2	..	3	4	4
Insanity	1	1	1	1
Delirium Tremens	2	..	2	2	1
Dis. of Brain, &c. ..	4	3	..	7	8	9
Diseases of the Brain, Nerves, and Senses.	105	28	15	148	146	148
Quinsey (1)	2	1	..	3	1	1
Bronchitis	6	7	4	17	9	10
Pleurisy	4	2	6	2	1
Pneumonia	59	10	8	77	60	73
Hydrothorax	1	1	2	4	5
Asthma	7	5	12	16	24
Consumption	34	103	13	150	149	140
Dis. of Lungs, &c. ..	3	8	5	16	12	14
Diseases of the Lungs, and other Organs of Respiration	104	141	38	283	253	268
Pericarditis	1	1	5	5
Aneurism	6	5
Dis. of Heart, &c. ..	5	14	8	27	16	17
Diseases of the Heart and Bloodvessels.	5	14	9	28	17	18
Feething	16	16	15	17
Gastritis—Enteritis ..	8	5	1	14	15	18
Peritonitis	1	1	..	2	1	1
Tubercles Mesenterica ..	9	9	4	4
Ascites	5	5
Ulceration	1	..	1	1	1
Hernia	2	1	3	2	2
Colic or Ileus	1	1	2	2
Dis. of Stomach, &c.	3	2	5	5	6
Hepatitis	2	..	2	9	1
Jaundice	1	..	1	2	2
Dis. of Liver, &c. ..	2	6	3	11	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion ..	36	21	8	65	55	62
Nephritis	1	..	1	4	4
Diabetes	3	3
Stone	4	4
Stricture	2	..	2	3	4
Dis. of Kidneys, &c.	1	2	3	4	3
Diseases of the Kidneys, &c.}	..	4	2	6	5	5
Childbed	10	..	10	6	7
Ovarian Dropsy	2	2
Dis. of Uterus, &c.	2	2
Childbed, Diseases of the Uterus, &c.}	..	10	..	10	9	9
Rheumatism	1	2	..	3	3	3
Dis. of Joints, &c.}	3	3	1	7	3	3
Diseases of the Joints, Bones and Muscles	4	5	1	10	6	6
Ulcer	1	1	4	4
Fistula	1	..	1	4	3
Dis. of Skin, &c.}	4	3
Diseases of the Skin, &c.}	..	1	1	2	1	1
Inflammation	4	1	..	5	9	9
Hæmorrhage	4	1	5	3	3
Dropsy	2	23	18	44	32	34
Abscess	1	1	..	2	4	4
Mortification	1	..	1	2	4	4
Scrofula	4	4	2	2
Carcinoma	4	4	8	7	7
Tumor	2	2
Gout	2	2	1	1
Atrophy	4	..	2	6	5	6
Debility	15	2	..	17	17	18
Maldormations	1	1	8	1
Sudden Deaths	7	7	3	17	13	14
Diseases of Uncertain Seat	39	42	31	112	100	105
Old Age, or Natural Decay	85	85	62	68
Intemperance	5	6
Privation	3	5
Violent Deaths	13	13	2	28	24	24
Deaths by Violence, Privation, or Intemperance	13	13	2	28	25	25
Causes not specified	1	1	5	6
Deaths from all Causes	426	321	206	953	854	903
Weekly Average, 1838-9-40-1-2	428	307	167	903		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis 1. Age 44.

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Springs	
West districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	150
North districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	190
Central districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	168
East districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	210
South districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	243
TOTAL. Males, 505. Females, 456. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	961

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; St. Giles; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65. The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ Of the 6 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

§ Of 58 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in St. George, Hanover Square; 2 in Westminster; 1 in St. Marylebone; 1 in Hackney; 6 in St. Giles in the Fields and St. George; 4 in Strand; 1 in Holborn; 1 in East London; 2 in West London; 1 in Shoreditch; 3 in Poplar; 2 in St. George in the East; 3 in Stepney; 1 in Poplar; 2 in St. Saviour; 2 in St. Olave; 2 in St. George, Southwark; 2 in St. Mary, Newington; 1 in Bethnal Green; 2 in Greenwich; and 8 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 2 came from St. Giles Workhouse, and 1 from Lambeth Workhouse.

|| The Return from the District of Hoxton Old Town has not been received this week, owing to unavoidable circumstances. An average of 6 has been drawn from 10 weeks preceding, and added to the head of “Causes not specified.”

¶ The ages of 2 persons who died, one from Inflammation of the Lungs, another from Dropsy, are not stated.

General Register Office, April 26th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th April, 1843.

1843.

§	Weeks ending April 22nd	April 29th	April 1831-40.
Mean height of barometer	29.860	29.780	29.870
Rain, weekly	.050	.467	.277
Mean Dryness	4.3	4.1	4.2

* Wind S. 1 day; S.S.E. 1; E. 2; W. 2; N.W. 1. Rain on 4 days.

Temperature.	Weeks ending April 22nd	April 29th	April 1831-40.
Highest....	67°	64°	72°
Lowest....	42°	39°	28°
Daily Mean	55°	49°	47°

Causes of Death.	Age				Weekly Ave- rage during		Causes of Death.	Age				Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards	Total	5 Springs	5 Years		0 to 15	15 to 60	60 and upwards	Total	5 Springs	5 Years
				1838-9-40-1-2.						1838-9-40-1-2.			
Small Pox	10	10	27	27	Nephritis	2	..	2	.4	.4
Measles	23	23	23	23	Diabetes	1	1	.3	.3
Scarlatina	18	18	24	30	Stone4	.4
Whooping Cough	50	50	33	32	Stricture	1	..	1	.3	.4
Croup	6	6	8	7	Dis. of Kidneys, &c. ..	1	4	3	8	4	3
Thrush	3	3	4	5	Diseases of the Kid- neys, &c.	1	7	4	12	5	5
Diarrhoea	3	1	..	4	5	9	Childbed	6	..	6	6	7
Dysentery	1	2	Ovarian Dropsy2	.2
Cholera	1	1	.2	1	Dis. of Uterus, &c.(3)	..	4	..	4	2	2
Influenza	1	..	1	2	.2	Childbed, Diseases of the Uterus, &c.	10	..	10	9	9
Typhus	13	36	12	62	39	37	Rheumatism	4	..	4	3	3
Erysipelas	1	3	2	6	6	6	Dis. of Joints, &c.	3	..	3	3	3
Syphilis	1	..	1	.5	1	Diseases of the Joints, Bones and Muscles	..	7	..	7	6	6
Hydrophobia1	..	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	127	42	15	185	170	182	Fistula4	.3
Cephalitis	11	4	..	15	12	11	Dis. of Skin, &c.4	.3
Hydrocephalus	38	2	..	40	35	34	Diseases of the Skin, &c.	1	1
Apoplexy	3	11	7	21	16	17	Inflammation	3	3	9	9
Paralysis	5	12	17	14	14	Hæmorrhage	1	..	1	3	3
Convulsions	41	41	56	57	Dropsy	1	12	16	29	32	34
Epilepsy	1	1	4	4	Abscess	4	4
Insanity	1	1	2	1	1	Mortification	2	2	5	9	4	4
Delirium Tremens	1	..	1	2	1	Scrofula (4)	1	1	2	2
Dis. of Brain, &c.	3	1	4	8	9	Carcinoma	5	2	7	7	7
Diseases of the Brain, Nerves, and Senses.	94	27	21	142	146	148	Tumor	1	2	2
Quinsey (1)	3	3	1	1	Gout	1	1
Bronchitis	3	4	8	15	9	10	Atrophy	7	1	2	10	5	6
Pleurisy	1	..	1	2	1	Debility	11	3	..	14	17	18
Pneumonia	54	11	2	67	60	73	Malformations8	1
Hydrothorax	3	..	3	4	5	Sudden Deaths	5	4	3	12	13	14
Asthma	12	12	24	16	24	Diseases of Uncer- tain Seat	30	28	28	87	100	105
Consumption	22	98	4	124	149	140	Old Age, or Natural Decay	73	73	62	68
Dis. of Lungs, &c. ..	3	7	5	15	12	14	Intemperance5	.6
Diseases of the Lungs, and other Organs of Respiration	85	136	31	252	253	268	Privation3	.5
Pericarditis	1	1	..	2	.5	.5	Violent Deaths	10	14	4	28	24	24
Aneurism6	.5	Deaths by Violence, Pri- vation, or Intemperance	10	14	4	28	25	25
Dis. of Heart, &c. ..	6	12	4	22	16	17	Causes not specified ..	2	1	3	12	5	6
Diseases of the Heart and Bloodvessels.	7	13	4	24	17	18	Deaths from all Causes	391	305	194	898	854	903
Teething	14	14	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis..	13	9	..	22	15	18	N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—						
Peritonitis	1	1	(1) Laryngitis 1, Age 5.						
Tabes Mesenterica ..	6	6	4	4	(2) Infantile Fever 1, Age 2. Ascites 3, Ages 28, 50, 51. Stricture of the Colon 1, Age 61. Stricture of Rectum 1, Age 35.						
Ascites	3	..	3	.5	.5	(3) Paramenia 1, Age 40.						
Ulceration	1	1	1	1	(4) Purpura hemorrhagica 1, Age 1.						
Hernia	1	..	2	3	2	2							
Colic or Ileus	1	..	1	2	2							
Dis. of Stomach, &c.(2)	1	3	3	7	5	6							
Hepatitis	1	1	.9	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	4	3	7	7	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	35	20	11	66	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	125
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	181
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	160
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	211
		438,060	219	207	221
TOTAL.	Males, 489. Females, 109. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	898

* Under the term Metropolis are comprised the 33 Districts therein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each Week. The "Daily Mean" is deduced from the highest and lowest of each Day. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 7 of the 10 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

¶ Of 62 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 2 in Westminster; 2 in St. Marylebone; 1 in Hackney; 1 in St. Giles in the Fields and St. George; 1 in Strand; 1 in Holborn; 4 in West London; 4 in Shoreditch; 2 in Bethnal Green; 3 in Stepney; 1 in St. Saviour; 3 in St. Olave; 1 in Bermondsey; 1 in St. George, Southwark; 3 in St. Mary, Newington; 2 in Lambeth; 3 in Camberwell; 5 in Greenwich, of which 2 occurred in the Dreadnought Hospital Ship; and 11 in St. Pancras, of which 7 occurred in the Fever Hospital. It was ascertained that of the 7 patients who died in the Fever Hospital, 1 came from St. Pancras Workhouse; 1 from Lambeth Workhouse; 1 from St. Olave's Workhouse; 1 from Bethnal Green; 2 from the Strand Union; and 1 from St. Giles.

† The Return from the District of Hoxton Old Town has not been received this week, owing to unavoidable circumstances. An average of 6 has been drawn from the 19 weeks preceding, and added to the head of "Causes not specified."

‡ The ages of 2 persons who died, one from Fever, another from Tumor, are not stated.

General Register Office, May 3rd, 1843.

A TABLE OF THE MORTALITY

1843.

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th May, 1843.

Weeks ending	May 1831-
April 29th	May 6th
29,780	29,764
467	1,313
4.1	4.8
2.75	6.6

Wind N.E. 1 day; N.N.W. 1;
S. 2; E. 3. Rain on 3 days.

Temperature.	Weeks ending	May 1831-
°	April 29th	May 6th
Highest....	64°	68°
Lowest....	39°	41°
Daily Mean	49°	57°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	1838-9-10-1-2.							1838-9-10-1-2.					
Small Pox	9	9	27	27	Nephritis4	.4
Measles	23	23	23	23	Diabetes	1	..	1	.3	.3
Scarlatina	23	1	..	24	24	30	Stone4	.4
Whooping Cough	39	39	33	32	Stricture3	.4
Croup	9	9	8	7	Dis. of Kidneys, &c.	1	1	4	3
Thrush	4	1	..	5	4	5	Diseases of the Kid- neys, &c.	1	1	2	5	5
Diarrhoea	1	1	5	9	Childbed	12	..	12	6	7
Dysentery	1	1	1	3	1	2	Ovarian Dropsy2	.2
Cholera2	1	Dis. of Uterus, &c.	2	2
Influenza	1	1	2	2	Childbed, Diseases of the Uterus, &c.	12	..	12	9	9
Typhus (1)	17	35	8	60	39	37	Rheumatism	1	2	1	4	3	3
Erysipelas	1	4	2	7	6	6	Dis. of Joints, &c. ...	1	6	1	8	3	3
Syphilis5	1	Diseases of the Joints, Bones and Muscles	2	8	2	12	6	6
Hydrophobia1	..	Ulcer4	.4
Epidemic, Endemic, & Contagious Diseases	127	42	12	181	170	182	Fistula	2	2	.4	.3
Cephalitis	7	2	..	9	12	11	Dis. of Skin, &c.4	.3
Hydrocephalus	23	23	35	34	Diseases of the Skin, &c.	2	2	1	1
Apoplexy	2	6	10	18	16	17	Inflammation	1	..	1	9	9
Paralysis	6	7	13	14	14	Hæmorrhage	2	1	3	3	3
Convulsions	37	2	1	40	56	57	Dropsy	1	12	14	27	32	34
Epilepsy	6	..	6	4	4	Abscess	1	..	1	4	4
Insanity	1	..	1	1	1	Mortification	1	2	3	4	4
Delirium Tremens	2	1	Scrofula	2	2	2	2
Dis. of Brain, &c. (2)	2	5	2	9	8	9	Carcinoma	1	7	4	12	7	7
Diseases of the Brain, Nerves, and Senses.	76	28	20	124	146	148	Tumor	2	2
Quinsy	1	..	1	1	1	Gout	2	2	1	1
Bronchitis	6	1	4	11	9	10	Atrophy	6	..	1	7	5	6
Pleurisy	2	1	1	4	2	1	Debility	8	5	..	13	17	18
Pneumonia	57	12	3	72	60	73	Malformations8	1
Hydrothorax	2	2	..	4	4	5	Sudden Deaths	2	10	6	18	13	14
Asthma	2	5	7	16	24	Diseases of Uncer- tain Seat	20	39	30	89	100	105
Consumption	19	114	6	139	149	140	Old Age, or Natural Decay	63	63	62	68
Dis. of Lungs, &c. ..	8	10	2	20	12	14	Intemperance	1	1	2	.5	.6
Diseases of the Lungs, and other Organs of Respiration	94	143	21	258	253	268	Privation3	.5
Pericarditis	1	1	.5	.5	Violent Deaths	12	11	5	28	24	24
Aneurism6	.6	Deaths by Violence, Pri- vation, or Intemperance	12	12	6	30	25	25
Dis. of Heart, &c. ..	4	20	6	30	16	17	Causes not specified ..	1	1	..	†8	5	6
Diseases of the Heart and Bloodvessels.	5	20	6	31	17	18	Deaths from all Causes	366	332	175	†879	854	903
Teething	16	16	15	17	Weekly Average, 1838-9-40-1-2	428	307	167			903
Gastritis—Enteritis..	4	7	3	14	15	18	N.E.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:— (1) Ague 1, Age 12. Remittent Fever 1, Age 4. (2) Chorea, hysteria tetanoides 1, Age 19. (3) Intussusception 1, Age 26. Stricture of œsophagus 1, Age 73.						
Peritonitis	2	..	2	1	1							
Tabes Mesenterica ..	6	6	4	4							
Ascites	1	1	.5	.5							
Ulceration	1	1	1	1							
Hernia	1	2	3	2	2							
Colic or Ileus	1	1	2	2							
Dis. of Stomach, &c. (3)	..	5	1	6	5	6							
Hepatitis	2	1	3	.9	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c. ..	1	9	3	13	7	7							
Diseases of the Stomach, Liver, and other Or- gans of Digestion ..	29	26	12	67	55	62							

West districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	160
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	159
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; (Poplar	373,806	184	173	190
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; (Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	†177
		438,060	219	207	193
TOTAL. Males, 151. Females, 428. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	879

*. Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society. The “Highest” and “Lowest” Temperatures are the highest and lowest during each Week. The “Daily Mean” is deduced from the highest and lowest of each Day. The “Dryness” is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

|| 5 of the 9 persons who died of Small Pox had not been vaccinated; of the remaining cases 1 is registered “Small Pox, natural, within 30 days after vaccination,” age 7 months; and in 1 the circumstance is not stated.

Of 58 deaths by TYPHUS, 2 occurred in the District of Kensington; 3 in St. George, Hanover Square; 3 in Westminster; 1 in St. Martin in the Fields; 1 in St. Marylebone; 6 in St. Giles in the Fields and St. George; 4 in the Strand; 1 in Holborn; 1 in St. Luke; 1 in East London; 7 in West London; 2 in City of London; 3 in Shoreditch; 1 in Bethnal Green; 6 in Whitechapel; 1 in St. Saviour; 2 in St. Mary, Newington; 2 in Lambeth; 3 in Greenwich (of which 2 were buried in the Dreadnought Hospital Ship); and 6 in St. Pancras.

It continues necessary to substitute an average of 6 for the Return from the District of Hoxton Old Town. It has been added as before to “Causes not specified.”

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th May, 1843.

1843.

§	Weeks ending		May 1831-40.
	May 6th	May 13th	
Mean height of barometer	29.764	29.838	29.899
Rain (weekly)	1.313	.832	.275
Mean Dryness	4.3	3.5	6.6

* Wind N. 3 days; S. 3; N.N.E. 1.
Rain on 4 days.

Temperature.	Weeks ending		May 1831-40.
	May 6th	May 13th	
Highest....	68°	71°	81°
Lowest....	41°	40°	34°
Daily Mean	57°	53°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		5	5		to	to	and		5	5
	15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.		15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	10	2	..	12	27	27	Nephritis	1	1	.4	.4
Measles	28	28	23	23	Ischuria
Scarlatina	10	10	24	30	Diabetes3	.3
Whooping Cough	54	54	33	32	Cystitis	1	1
Croup	10	10	8	7	Stone4	.4
Thrush	3	3	1	5	Stricture	2	2	.4	.4
Diarrhoea	1	..	2	3	5	9	Dis. of Kidneys, &c.	3	..	3	3	3
Dysentery	1	2	Diseases of the Kidneys, &c. }	..	3	4	7	5	5
Cholera2	1							
Influenza	2	2	Childbed	8	..	8	6	7
Ague	1	1	Paramenia
Remittent Fever	Ovarian Dropsy2	.2
Typhus	11	36	10	57	30	37	Dis. of Uterus, &c.	1	1	..	2	2	2
Erysipelas	3	1	2	6	6	6	Childbed, Diseases of the Uterus, &c. }	1	9	..	10	9	9
Syphilis5	1							
Hydrophobia1	..	Arthritis
Epidemic, Endemic, and Contagious Diseases. }	131	39	14	185	170	182	Rheumatism	1	2	3	6	3	3
							Dis. of Joints, &c.	3	1	4	3	3
Cephalitis	3	5	..	8	12	11	Rheumatism, Diseases of the Bones, Joints, &c. }	1	5	4	10	6	6
Hydrocephalus	34	1	..	35	35	31							
Apoplexy	3	8	15	26	16	17	Carbuncle	1	1
Paralysis	6	7	13	14	14	Phlegmon4	.4
Convulsions	40	1	1	42	56	57	Ulcer4	.3
Tetanus	1	1	Fistula4	.3
Chorea	Dis. of Skin, &c.4	.3
Epilepsy	3	..	3	4	4	Diseases of the Skin, Cellular Tissue, &c. }	1	1	1	1
Insanity	1	1							
Delirium Tremens	2	..	2	2	1	Inflammation	1	1	9	9
Dis. of Brain, &c.	3	5	1	9	8	9	Hæmorrhage	1	2	..	3	3	3
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	84	31	24	139	146	148	Dropsy	3	23	10	36	32	34
							Laryngitis	4
Laryngitis	1	1	Abscess	4	4
Quinsey	1	..	1	1	1	Mortification	1	..	2	3	4	4
Bronchitis	3	3	7	13	9	10	Purpura
Pleurisy	2	1	Serofula	3	1	..	4	2	2
Pneumonia	56	6	4	66	60	73	Carcinoma	5	6	11	7	7
Hydrothorax	1	1	6	8	1	5	Tumor	2	2
Asthma	6	10	16	16	24	Gout	3	2	5	1	1
Consumption	28	111	8	147	149	143	Atrophy	7	..	1	8	5	6
Dis. of Lungs, &c.	9	9	4	22	12	14	Debility	14	5	..	19	17	18
Diseases of the Lungs, and of the other Organs of Respiration }	97	137	39	273	253	268	Malformations	1	1	8	1
							Sudden Deaths	6	2	4	13	13	14
Pericarditis	1	1	.5	.5	Dropsy, Cancer, and other Diseases of Uncertain Seat }	36	41	26	104	100	105
Aneurism6	.5							
Dis. of Heart, &c.	3	17	4	24	16	17	Old Age, or Natural Decay }	49	49	62	68
Diseases of the Heart and Blood Vessels. }	3	17	5	25	17	18	Intemperance5	.6
							Teething	14	14	15	17
Teething	14	14	15	17	Privation3	.5
Gastritis—Enteritis	8	7	1	16	15	18	Violent Deaths	5	7	2	14	24	24
Peritonitis	1	1	1	3	1	1	Deaths by Violence, Privation, or Intemperance }	5	7	2	14	25	25
Tabes Mesenterica	9	9	4	4							
Worms	Causes not specified	2	2	5	5
Ascites	2	2	.5	..	Deaths from all Causes....	337	302	182	883	854	903
Ulceration (of Intest, &c.)	1	1	1	1	Average Weekly Deaths, 1838-9-40-1-2. }	428	307	167	903
Hernia	1	1	2	2							
Colic or Ileus	2	..	1	3	2	2	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.			
Intussusception	West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	142		
Stricture							
Hæmatemesis							
Dis. of Stomach, &c.	1	1	4	6	5	6							
Dis. of Pancreas							
Hepatitis	1	1	.9	1	North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	161		
Jaundice	1	2	1	4	2	2							
Dis. of Liver, &c.	2	2	4	7	7							
Dis. of Spleen							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	37	13	14	64	55	62							
Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar							East Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	220		
TOTAL. Males, 437. Females, 446. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)													

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 9 of the 12 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons, 1 under "Fever," another under "Sudden Deaths," are not stated.

¶ Of 58 deaths by TYPHUS, 1 occurred in the District of Chelsea; 3 in Westminster; 5 in St. Marylebone; 1 in Islington; 3 in St. Giles in the Fields and St. George; 1 in the Strand; 1 in Holborn; 1 in Clerkenwell; 6 in West London; 1 in Bethnal Green; 1 in Shoreditch; 1 in Whitechapel; 2 in St. George in the East; 2 in Stepney; 1 in Poplar; 3 in St. George, Southwark; 3 in St. Mary, Newington; 3 in Lambeth; 4 in Greenwich (of which 2 were in the Dreadnought Hospital Ship); and 15 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that, of 7 patients who died in the Fever Hospital, 3 came from St. Giles; 2 from Whitechapel; 1 from St. Saviour; and 1 belonged to St. Pancras. The 8th is registered, "Fever (erysipelas) in Hospital."

General Register Office, May 17th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th May, 1843.

1843.

§	Weeks ending			May 1831-40.
	May 13th	May 20th	May 27th	
Mean height of barometer	29.838	29.649	29.899	
Rain (weekly)	.832	.645	.275	
Mean Dryness	3.5	3.8	6.6	
• Wind E. 3 days; S. 2; W. 1; N. 1. Rain on 5 days.				

Temperature.	Weeks ending		
	May 13th	May 20th	May 27th
Highest....	71°	69°	81°
Lowest....	40°	45°	34°
Daily Mean	53°	55°	55°

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	1838-9-40-1-2.	1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	5	5	27	27
Measles	33	33	23	23
Scarlatina	21	21	24	30
Whooping Cough	56	56	33	32
Croup	7	7	8	7
Thrush	4	4	1	5
Diarrhoea	1	2	1	4	5	9
Dysentery	1	..	1	1	2
Cholera	1	1	2	1
Influenza	1	1	..	2	2	2
Ague
Remittent Fever
Typhus	9	24	6	39	30	37
Erysipelas	1	..	1	2	6	6
Syphilis	1	1	5	1
Hydrophobia	1	..
Epidemic, Endemic, and Contagious Diseases.	139	28	9	176	170	182
Cephalitis	7	4	..	11	12	11
Hydrocephalus	47	2	..	49	35	34
Apoplexy	9	11	20	16	17
Paralysis	6	9	15	14	14
Convulsions	33	33	56	57
Tetanus
Chorea
Epilepsy	1	6	2	9	4	4
Insanity	2	..	2	1	1
Delirium Tremens	1	..	1	2	1
Dis. of Brain, &c.	6	1	..	7	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	94	31	22	147	146	148
Laryngitis	1	1	..	2	..	1
Quinsey	2	2	1	1
Bronchitis	5	8	5	18	9	10
Pleurisy	1	2	..	3	2	1
Pneumonia	48	6	2	56	60	73
Hydrothorax	3	3	4	10	4	5
Asthma	7	5	12	16	24
Consumption	26	123	4	153	149	143
Dis. of Lungs, &c.	4	10	1	15	12	14
Diseases of the Lungs, and of the other Organs of Respiration	90	160	21	271	253	268
Pericarditis	2	2	5	5
Aneurism	6	5
Dis. of Heart, &c.	1	7	7	15	16	17
Diseases of the Heart and Blood Vessels.	3	7	7	17	17	18
Teething	15	15	15	17
Gastritis—Enteritis	4	2	5	11	15	18
Peritonitis	1	1	1	1
Tabes Mesenterica	11	1	..	12	4	4
Worms
Ascites	1	..	1	5	..
Ulceration (of Intest, &c.)	1	..	1	2	1	1
Hernia	1	1	..	2	2	2
Colic or Ileus	1	2	..	3	2	2
Intussusception	2	2
Stricture
Hematemesis	1	1
Dis. of Stomach, &c.	1	2	2	5	5	6
Dis. of Pancreas
Hepatitis	1	3	..	4	9	1
Jaundice	1	2	3	2	2
Dis. of Liver, &c.	2	3	3	8	7	7
Dis. of Spleen
Diseases of the Stomach, Liver, and other Organs of Digestion.	39	16	15	70	55	62
Nephritis	4	4
Ischuria
Diabetes	3	3
Cystitis
Stone	4	4
Stricture	1	1	2	4	4
Dis. of Kidneys, &c.	2	2	4	3	3
Diseases of the Kidneys, &c.	..	2	3	5	5	5
Childbed	9	1	10	6	7
Paramenia
Ovarian Dropsy	1	1	2	2
Dis. of Uterus, &c.	2	2
Childbed, Diseases of the Uterus, &c.	..	9	2	11	9	9
Arthritis	1	3
Rheumatism	1	..	1	3	3
Dis. of Joints, &c.	1	..	1	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	2	..	2	6	6
Carbuncle
Phlegmon
Ulcer	4	4
Fistula	1	..	1	4	3
Dis. of Skin, &c.	4	3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	2	..	2	9	9
Hæmorrhage	1	..	1	3	3
Dropsy	4	11	7	22	32	34
Abscess	1	..	1	4	4
Mortification	1	..	3	4	4	4
Purpura
Scrofula	2	..	1	3	2	2
Carcinoma	8	3	11	7	7
Tumor	2	2
Gout	3	..	3	1	1
Atrophy	3	1	3	7	5	6
Debility	18	2	..	20	17	18
Malformations	2	2	8	1
Sudden Deaths	5	5	3	13	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	35	33	21	89	100	105
Old Age, or Natural Decay	64	64	62	68
Intemperance	5	6
Privation	3	5
Violent Deaths	3	9	..	13	24	24
Deaths by Violence, Privation, or Intemperance	3	9	..	13	25	25
Causes not specified	3	..	1	4	5	5
Deaths from all Causes....	406	298	165	871	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167	903

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	164
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	181
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	192
TOTAL.	Males, 472. Females, 399. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	438,060	219	207	195
		1,870,727	903	854	871

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| The 5 persons who died of Small Pox had not been vaccinated.

¶ The ages of 2 persons who died, one from disease of Wrist-joint, another from Violence, are not stated.

‡ Of 39 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in St. Martin in the Fields; 5 in St. Marylebone; 2 in Hackney; 4 in St. Giles in the Fields and St. George; 2 in Holborn; 1 in West London; 1 in City of London; 5 in Shoreditch; 2 in Bethnal Green; 1 in Poplar; 2 in St. Olave; 2 in Bermondsey; 2 in St. George, Southwark; 1 in Lambeth; 1 in Rotherhithe; and 5 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from St. Saviour; 1 from St. Pancras; and 1 from the Strand Union Workhouse.

General Register Office, May 25th, 1843.

A TABLE OF THE MORTALITY

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th May, 1843.

§	Weeks ending		May 1831-40.
	May 20th	May 27th	
Mean height of barometer	29.649	29.581	29.899
Rain (weekly)	.645	.867	.275
Mean Dryness	3.8	4.9	6.6

Wind S. 3 days; S.S.E. 2; S.E. 1;
E. 1. Rain on 5 days.

1843.

Temperature.	Weeks ending		May 1831-40.
	May 20th	May 27th	
Highest....	69°	73°	81°
Lowest....	45°	48°	34°
Daily Mean	55°	58°	55°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Spring	Years		to	to	and		Spring	Years
	15	60	upwards		1838-9-40-1-2.			15		60		upwards	1838-9-40-1-2.
Small Pox	8	2	..	10	27	27	Nephritis
Measles	34	34	23	23	Ischuria
Scarlatina	27	27	24	30	Diabetes
Hooping Cough	35	35	33	32	Cystitis
Croup	5	5	8	7	Stone
Thrush	2	2	1	5	Stricture	3	1	4
Diarrhoea	2	..	1	3	5	9	Dis. of Kidneys, &c.	2	1	3	3	3
Dysentery	1	..	1	1	2	Diseases of the Kidneys, } &c.	5	2	7	5	5
Cholera	1	..	1	2	2	1	Childbed	9	..	9	6	7
Influenza	2	2	Paramenia
Ague	Ovarian Dropsy
Remittent Fever	Dis. of Uterus, &c.	1	2	3	2	2
Typhus	14	35	7	59	30	37	Childbed, Diseases of the } Uterus, &c.	10	2	12	9	9
Erysipelas	1	..	3	4	6	6	Arthritis	3	3
Syphilis	1	1	1	1	Rheumatism	3	3
Hydrophobia	1	..	Dis. of Joints, &c.	5	3	..	8	3	3
Epidemic, Endemic, and } Contagious Diseases. }	130	38	12	183	170	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	5	3	..	8	6	6
Cephalitis	11	3	1	15	12	11	Carbuncle
Hydrocephalus	33	33	35	34	Phlegmon
Apoplexy	1	7	14	22	16	17	Ulcer
Paralysis	13	9	22	14	14	Fistula
Convulsions	32	32	56	57	Dis. of Skin, &c.
Tetanus	Diseases of the Skin, } Cellular Tissue, &c. }	1	1
Chorea	Inflammation	1	1	9	9
Epilepsy	1	1	..	2	4	4	Hæmorrhage	3	3
Insanity	1	1	Dropsy	3	15	14	32	32	34
Delirium Tremens	2	..	2	2	1	Abscess	4	4
Dis. of Brain, &c.	1	..	1	8	9	Mortification	1	2	1	4	4	4
Diseases of the Brain, } Spinal Marrow, Nerves and Senses. }	78	27	24	129	146	148	Purpura
Laryngitis	1	1	Scrofula	2	2	2	2
Quinsey	2	2	1	1	Carcinoma	8	4	12	7	7
Bronchitis	2	7	7	16	9	10	Tumor	2	1	3	2	2
Pleurisy	1	2	..	3	2	1	Gout	1	1
Pneumonia	29	9	2	40	60	73	Atrophy	1	1	4	6	5	6
Hydrothorax	2	1	3	4	5	Debility	14	3	..	17	17	18
Asthma	8	11	19	16	24	Malformations	2	2	8	1
Phthisis or Consumption	25	130	8	163	149	143	Sudden Deaths	7	2	9	13	14
Dis. of Lungs, &c.	3	2	5	10	12	14	Dropsy, Cancer, and } other Diseases of Un- certain Seat }	24	38	26	88	100	105
Diseases of the Lungs, } and of the other Organs of Respiration }	62	160	34	256	253	268	Old Age, or Natural Decay }	65	65	62	68
Pericarditis	1	..	1	2	Intemperance
Aneurism	3	..	3	Privation
Dis. of Heart, &c.	1	9	8	18	16	17	Violent Deaths	3	12	1	17	24	24
Diseases of the Heart } and Blood Vessels. }	2	12	9	23	17	18	Deaths by Violence, Pri- } vation, or Intemperance }	3	12	1	17	25	25
Teething	12	12	15	17	Causes not specified	1	2	..	3	5	5
Gastritis—Enteritis	4	6	1	11	15	18	Deaths from all Causes....	333	334	188	859	854	903
Peritonitis	1	2	1	4	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167			903
Tabes Mesenterica	6	6	4	4	§ Under this head, the following entry has been placed: "Natural death, accelerated by his own dirty habits," age 76.						
Worms							
Ascites	1	1							
Ulceration (of Intest, &c.)	1	2	1	4	1	1							
Hernia	1	1	2	2							
Colic or Ileus	1	1	..	2	2	2							
Intussusception							
Stricture							
Hæmatemesis	1	2	3							
Dis. of Stomach, &c.	2	4	1	7	5	6							
Dis. of Pancreas							
Hepatitis	9	1							
Jaundice	1	1	1	3	2	2							
Dis. of Liver, &c.	10	4	14	7	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs of Digestion. }	28	27	13	68	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	155
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	156
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	163
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	175
TOTAL. Males, 457. Females, 402. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		438,060	219	207	210
		1,870,727	903	854	859

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 5 of the 10 persons who died of Small Pox had not been vaccinated; 4 of the remaining cases are thus described: "Sm all Pox; other particulars unknown, the child having been left at the Workhouse door," (Stepney) Male, age 10 days; "Small Pox, 3rd week after vaccination of doubtful success," age 3 years; Small Pox, 8th day after vaccination of doubtful success," age 5 years; and "Malignant Small Pox after vaccination, 62 hours (Childbirth 5 days)" age 32 years.

‡ The ages of 3 cases of Fever, and 1 of Violence, are not stated.

¶ Of 57 deaths by TYPHUS, 1 occurred in the District of Kensington; 3 in Westminster; 1 in St. Marylebone; 3 in St. Giles; 1 in Holborn; 1 in East London; 1 in West London; 6 in Shoreditch; 6 in Whitechapel; 4 in St. George in the East; 1 in Stepney; 1 in Poplar; 1 in St. Saviour; 1 in St. Olave; 1 in St. George, Southwark; 4 in St. Mary, Newington; 2 in Lambeth; 3 in Greenwich (of which 1 occurred in the Dreadnought, and 1 in the Union Workhouse); and 16 in St. Pancras, of which 10 occurred in the Fever Hospital. It was ascertained that of the 10 patients who died in the Fever Hospital, 4 came from the Strand Union, 2 from St. Giles, 1 from Clerkenwell, 1 from East London Union, 1 from Holborn Union, and 1 from Lambeth Workhouse. Of the 6 in Shoreditch, 5 occurred in St. Luke's Workhouse. Two cases of "Cynanche parotidea" have been classed under the same head with Typhus for the sake of convenience.

General Register Office, May 31st, 1843.

§	Weeks ending		May 1831-40.	A TABLE OF THE MORTALITY				1843.			
	May 27th	June 3rd*		IN THE				Metropolis,*			
Mean height of barometer {	in.	in.	in.	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Registered in the WEEK ending Saturday, the 3rd June, 1843.			
†Rain (weekly)	.867	.740	.275								
Mean Dryness	4.9	4.5	6.6								
• Wind S. 3 days; S.W. 1; E. 3. Rain on 7 days.											
								Temperature.	Weeks ending	May 1831-40.	
								§	May 27th	June 3rd	
								Highest....	73°	68°	81°
								Lowest....	48°	42°	34°
								Daily Mean	58°	58°	55°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during		
	0	15	60		5	5		0	15	60		5	5	
	to	to	and		Spring	Years		to	to	and		Spring	Years	
	15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.		15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.	
Small Pox	6	6	27	27	Nephritis	4	4	
Measles	33	33	23	23	Ischuria	
Scarlatina	28	1	..	29	24	30	Diabetes	3	3	
Hooping Cough	39	39	33	32	Cystitis	
Croup	9	9	8	7	Stone	4	4	
Thrush	4	4	1	5	Stricture	4	4	
Diarrhoea	3	3	5	9	Dis. of Kidneys, &c.	1	1	..	2	3	3	
Dysentery	2	..	2	1	2	Diseases of the Kidneys, } &c. }	1	1	..	2	5	5	
Cholera	1	1	2	1	Childbed	11	..	11	6	7	
Influenza	2	2	Paramania	
Ague	1	..	1	Ovarian Dropsy	2	2	
Remittent Fever	1	1	Dis. of Uterus, &c.	2	2	
Typhus	20	39	14	73	30	37	Childbed, Diseases of the } Uterus, &c. }	..	11	..	11	9	9	
Erysipelas	1	2	3	6	6	6	Arthritis	3	3	
Syphilis	1	..	1	2	5	1	Rheumatism	2	1	3	3	3	
Hydrophobia	1	..	Dis. of Joints, &c.	2	7	..	9	3	3	
Epidemic, Endemic, and } Contagious Diseases. }	145	45	19	209	170	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	2	9	1	12	6	6	
Cephalitis	8	1	..	9	12	11	Carbuncle	
Hydrocephalus	28	28	35	34	Phlegmon	
Apoplexy	2	8	15	25	16	17	Ulcer	4	4	
Paralysis	2	8	9	19	14	14	Fistula	1	..	1	4	3	
Convulsions	43	43	56	57	Dis. of Skin, &c.	1	1	4	3	
Tetanus	Diseases of the Skin, } Cellular Tissue, &c. }	1	1	..	2	1	1	
Chorea	Inflammation	1	2	..	3	9	9	
Epilepsy	1	..	1	4	4	Hæmorrhage	1	3	..	4	3	3	
Insanity	1	1	1	1	Dropsy	7	11	18	32	34	
Delirium Tremens	1	..	1	2	1	Abscess	1	..	1	4	4	
Dis. of Brain, &c.	1	4	2	7	8	9	Mortification	3	3	4	4	
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	84	23	27	134	146	148	Purpura	
Laryngitis	2	..	2	Scrofula	4	4	2	2	
Quinsey	1	1	..	2	1	1	Carcinoma	2	2	4	7	7	
Bronchitis	3	7	4	14	9	10	Tumor	1	..	1	2	2	
Pleurisy	1	1	1	3	2	1	Gout	1	..	1	1	1	
Pneumonia	47	9	6	62	60	73	Atrophy	4	1	..	5	5	6	
Hydrothorax	3	..	3	4	5	Debility	11	4	..	15	17	18	
Asthma	4	7	11	16	24	Malformations	3	1	..	4	8	1	
Phthisis or Consumption	26	94	8	128	149	143	Sudden Deaths	6	6	2	14	13	14	
Dis. of Lungs, &c.	8	8	2	18	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	30	28	19	77	100	105	
Diseases of the Lungs, } and of the other Organs } of Respiration }	86	129	28	243	253	268	Old Age, or Natural Decay }	54	54	62	68	
Pericarditis	5	5	Intemperance	5	6	
Aneurism	2	..	2	6	6	Privation(1)	2	2	3	5	
Dis. of Heart, &c.	2	19	12	33	16	17	Violent Deaths	4	13	4	21	24	24	
Diseases of the Heart } and Blood Vessels. }	2	21	12	35	17	18	Deaths by Violence, Pri- } vation, or Intemperance }	6	13	4	23	25	25	
Teething	18	18	15	17	Causes not specified	1	2	..	10	5	5	
Gastritis—Enteritis	7	3	4	14	15	18	Deaths from all Causes....	395	298	175	875	854	903	
Peritonitis	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903	
Tabes Mesenterica	7	7	4	4	(1) Under Privation, the following cases have been included: “Convulsions, debility, want of natural nourishment,” Age 4 days. “Inanition,” Age 1 year.							
Worms								
Ascites	2	1	3	5	..								
Ulceration (of Intest, &c.)	1	1	1	3	1	1								
Hernia	1	..	1	2	2	2								
Colic or Ileus	1	..	1	2	2								
Intussusception								
Stricture								
Hæmatemesis	1	..	1								
Dis. of Stomach, &c.	1	3	..	4	5	6								
Dis. of Pancreas								
Hepatitis	1	1	..	2	9	1								
Jaundice	2	2								
Dis. of Liver, &c.	1	3	4	8	7	7								
Dis. of Spleen								
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	37	15	11	63	55	62								

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	130
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	161
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	187
		438,060	219	207	203
TOTAL	Males, 115. Females, 130. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	875

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Brompton; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890; and in June 1841, 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 261, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

|| 3 of the 6 persons who died of Small Pox were unvaccinated; of the remaining cases, 1 is registered “Confluent Small Pox, natural, 10 days—vaccinated 23rd May,” age 12 days; and in 1 the circumstance is not stated.

‡ No Return has been received from the District of Shadwell and Wapping, in consequence of the death of the Registrar. An average of 7 has been taken from the 10 weeks preceding, and added to the head of “Causes not specified.”

§ Of 73 deaths by TYPHUS, 1 occurred in the District of Chelsea; 1 in St. George, Hanover Square; 1 in Westminster; 1 in St. Martin-in-the-Fields; 3 in St. Mary-le-bone; 2 in Islington; 5 in St. Giles; 2 in Clerkenwell; 1 in St. Luke; 5 in East London; 5 in West London; 1 in City of London; 6 in Shoreditch; 1 in Bethnal Green; 7 in Whitechapel; 3 in St. George in the East; 4 in Stepney; 1 in St. Saviour; 1 in St. Olave; 1 in Bermondsey; 3 in Newington; 4 in Lambeth; 2 in Camberwell; 3 in Greenwich (of which 1 occurred in the Union Workhouse); and 9 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that of the 8 patients who died in the Fever Hospital, 1 came from the City of London Union, 2 from St. Giles, 2 from St. Giles' Workhouse, 1 from St. James, Clerkenwell, 1 a Prisoner from Coldbath Fields, and 1 from Somers Town.

General Register Office, June 7th, 1843.

§	Weeks ending June			A TABLE OF THE MORTALITY				1843.			
	June 3rd	June 10th	June 18th	IN THE				Temperature.	Weeks ending June	June 18th	June 18th
Mean height of barometer	29.65	29.4	29.8	Metropolis,*				§	June 3rd	June 10th	June 18th
Rain (weekly)	.740	.628	.428	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Highest....	68°	79°	87°
Mean Dryness	4.5	6.3	7.0	Registered in the WEEK ending Saturday, the 10th June, 1843.				Lowest....	42°	48°	43°
* Wind S. 4 days; S.E. 1; E. 1; W. 1. Rain on 6 days.								Daily Mean	58°	59°	62°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Small Pox	10	10	27	27	Nephritis4	.4
Measles	29	29	23	23	Ischuria
Scarlatina	33	33	24	30	Diabetes3	.3
Whooping Cough	56	56	33	32	Cystitis
Croup	4	4	8	7	Stone4	.4
Thrush	3	3	1	5	Stricture	1	1	2	.4	.4
Diarrhoea	2	1	1	4	5	9	Dis. of Kidneys, &c.	1	3	.3	7	3	3
Dysentery	1	1	1	2	Diseases of the Kidneys, &c. }	1	4	4	9	5	5
Cholera2	1	Childbed	2	..	2	6	7
Influenza	1	1	2	2	Paramania
Ague	1	1	Ovarian Dropsy	1	1	.2	.2
Remittent Fever	Dis. of Uterus, &c.	2	1	3	2	2
Typhus	14	25	9	48	30	37	Childbed, Diseases of the Uterus, &c. }	..	4	2	6	9	9
Erysipelas	2	3	2	7	6	6	Arthritis	1	..	1	3	3
Syphilis	2	..	2	.5	1	Rheumatism	2	..	2	3	3
Hydrophobia1	..	Dis. of Joints, &c.	2	4	2	8	3	3
Epidemic, Endemic, and Contagious Diseases. }	155	31	13	199	170	182	Rheumatism, Diseases of the Bones, Joints, &c. }	2	7	2	11	6	6
Cephalitis	8	5	..	13	12	11	Carbuncle
Hydrocephalus	26	26	35	34	Phlegmon
Apoplexy	1	9	7	17	16	17	Ulcer4	.4
Paralysis	6	12	18	14	14	Fistula4	.3
Convulsions	36	1	1	38	56	57	Dis. of Skin, &c.4	.3
Tetanus	1	1	Diseases of the Skin, Cellular Tissue, &c. }	1	1
Chorea	Inflammation	7	7	9	9
Epilepsy	1	3	..	4	4	4	Hæmorrhage	3	3
Insanity	1	..	1	1	1	Dropsy	15	14	29	32	34
Delirium Tremens	1	..	1	2	1	Abscess	4	4
Dis. of Brain, &c.	7	3	1	11	8	9	Mortification	1	..	4	5	4	4
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	80	29	21	130	146	148	Purpura
Laryngitis	1	1	Scrofula	2	2	..	4	2	2
Quinsey	1	1	..	2	1	1	Carcinoma	7	4	11	7	7
Bronchitis	1	2	8	11	9	10	Tumor	1	..	1	2	2
Pleurisy	2	1	Gout	2	..	2	1	1
Pneumonia	40	9	4	53	60	73	Atrophy	5	1	2	8	5	6
Hydrothorax	2	2	4	5	Debility	12	4	..	16	17	18
Asthma	8	7	15	16	24	Malformations	3	3	8	1
Phthisis or Consumption	21	107	9	137	149	143	Sudden Deaths	2	4	.6	13	14
Dis. of Lungs, &c.	4	8	1	13	12	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }	30	34	28	92	100	105
Diseases of the Lungs, and of the other Organs of Respiration }	68	135	31	234	253	268	Old Age, or Natural Decay }	58	58	62	68
Pericarditis	1	1	..	2	.5	.5	Intemperance5	.6
Aneurism6	.5	Privation(1)3	.5
Dis. of Heart, &c.	1	9	10	20	16	17	Violent Deaths	3	10	3	17	24	24
Diseases of the Heart and Blood Vessels. }	2	10	10	22	17	18	Deaths by Violence, Privation, or Intemperance }	3	10	3	17	25	25
Teething	21	21	15	17	Causes not specified	1	2	..	3	5	5
Gastritis—Enteritis	5	4	..	9	15	18	Deaths from all Causes....	386	281	180	1848	854	903
Peritonitis	2	1	3	1	1	Average Weekly Deaths, 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	13	13	4	4							
Worms							
Ascites5	..							
Ulceration (of Intest, &c.)	1	1							
Hernia	2	2	2	2							
Colic or Ileus	1	1	2	2							
Intussusception	1	1							
Stricture							
Hæmatemesis	1	1							
Dis. of Stomach, &c.	2	2	5	6							
Dis. of Pancreas							
Hepatitis9	1							
Jaundice	2	2							
Dis. of Liver, &c.	4	9	1	14	7	7							
Dis. of Spleen							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	44	15	8	67	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	122
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	189
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	199
		438,060	219	207	175
TOTAL. Males, 417. Females, 431. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1833, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 2 of the 10 persons who died of Small Pox had not been vaccinated; in 5 cases the circumstance is not stated.

‡ The age of 1 person, under deaths by violence, is not stated.

¶ Of 48 deaths by TYPIUS, 2 occurred in the District of Chelsea; 4 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. Marylebone; 1 in Islington; 5 in St. Giles; 1 in Strand; 1 in East London; 2 in West London; 4 in Shoreditch; 2 in Bethnal Green; 3 in Whitechapel; 3 in St. George in the East; 2 in Stepney; 1 in St. Olave; 1 in Bermondsey; 1 in Southwark; 1 in St. Mary, Newington; 4 in Lambeth; 1 in Greenwich (in the Union Workhouse); and 6 in St. Pancras.

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th June, 1843.

§	Weeks ending June 10th	June 17th*	June 24th
Mean height of barometer {	29.646	29.930	29.879
Rain (weekly)	.628	.393	.428
Mean Dryness	6°.3	3°.7	7°.0

* Wind N. 4 days; N.E. 1; N.N.W. 1; W. 1. Rain on 4 days.

Temperature.	Weeks ending June 10th	June 17th	June 24th
Highest ...	79°	73°	87°
Lowest	48°	49°	43°
Daily Mean	59°	58°	62°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	1838-9-40-1-2.							1838-9-40-1-2.					
Small Pox	10	10	27	27	Nephritis	1	1	.4	.4
Measles	39	1	..	40	23	23	Ischuria
Scarlatina	30	1	..	31	24	30	Diabetes3	.3
Whooping Cough	51	51	33	32	Cystitis	1	1	2	.4	.4
Croup	6	6	8	7	Stone4	.4
Thrush	5	5	1	5	Stricture4	.4
Diarrhoea	1	1	2	4	5	9	Dis. of Kidneys, &c.	5	2	7	3	3
Dysentery	2	..	1	3	1	2	Diseases of the Kidneys, } &c.	..	6	4	10	5	5
Cholera	1	3	1	5	2	2	Childbed	7	..	7	6	7
Influenza	1	1	Paramenia	1	..	1
Ague	Ovarian Dropsy2	.2
Remittent Fever	Dis. of Uterus, &c.	3	..	3	2	2
Typhus	11	21	14	47	30	37	Childbed, Diseases of the } Uterus, &c.	..	11	..	11	9	9
Erysipelas	4	1	5	6	6	Arthritis	3	3
Syphilis5	1	Rheumatism	3	3
Hydrophobia1	..	Dis. of Joints, &c.	1	2	..	3	3	3
Epidemic, Endemic, and } Contagious Diseases. }	157	31	19	208	170	182	Rheumatism, Diseases of } the Bones, Joints, &c.	1	2	..	3	6	6
Cephalitis	7	4	1	12	12	11	Carbuncle
Hydrocephalus	44	44	35	34	Phlegmon
Apoplexy	1	7	7	15	16	17	Ulcer	1	1	1	.4	.4
Paralysis	8	11	19	14	14	Fistula	1	1	1	.4	.3
Convulsions	47	47	56	57	Dis. of Skin, &c.	1	1	.4	.3
Tetanus	Diseases of the Skin, } Cellular Tissue, &c.	1	..	2	3	1	1
Chorea	Inflammation	2	1	..	3	9	9
Epilepsy	5	..	5	4	4	Hæmorrhage	2	..	2	3	3
Insanity	1	..	1	1	1	Dropsy	5	12	8	25	32	34
Delirium Tremens	2	..	2	2	1	Abscess	4	4
Dis. of Brain, &c.	3	5	..	8	8	9	Mortification	2	5	7	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	102	32	19	153	146	148	Purpura	2	1	..	3	2	2
Laryngitis	2	2	Scrofula	1	..	1	2	2
Quinsey	2	1	1	4	1	1	Carcinoma	10	7	17	7	7
Bronchitis	8	8	7	23	9	10	Tumor	1	..	1	2	2
Pleurisy	1	2	..	3	2	1	Gout	1	1
Pneumonia	44	15	3	62	60	73	Atrophy	6	..	4	10	5	6
Hydrothorax	1	2	3	6	4	5	Debility	17	4	..	22	17	18
Asthma	3	11	14	16	24	Malformations	8	1
Phthisis or Consumption	31	140	8	179	149	143	Sudden Deaths	1	4	4	9	13	14
Dis. of Lungs, &c.	7	5	4	16	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat	33	37	28	99	100	105
Diseases of the Lungs, } and of the other Organs } of Respiration. }	96	176	37	309	253	268	Old Age, or Natural Decay }	59	59	62	68
Pericarditis	1	1	..	2	.5	.5	Intemperance	1	..	1	.5	.6
Aneurism	1	..	1	.6	.5	Privation	1	1	.3	.5
Dis. of Heart, &c.	1	13	9	23	16	17	Violent Deaths	3	9	1	13	24	24
Diseases of the Heart } and Blood Vessels. }	2	15	9	26	17	18	Deaths by Violence, Pri- } vation, or Intemperance }	4	10	1	15	25	25
Teething	12	12	15	17	Causes not specified	2	2	1	6	5	5
Gastritis—Enteritis	5	4	..	9	15	18	Deaths from all Causes....	424	342	186	955	854	903
Peritonitis	2	..	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	5	2	..	7	4	4	The particulars of 3 cases are thus entered:—						
Worms	"Inflammation arising from Vaccination," a Male, age 10 weeks.						
Ascites	1	..	1	.5	..	"Wilfully murdered by exposure to cold and want of attention at birth, a Male, newly born" (placed under Privation).						
Ulceration (of Intest, &c.)	..	1	..	1	1	1	"Obstruction of the Bowels," Female, age 51. On a post-mortem examination of this case, there was found Occlusion of the Ileum, and the contraction so complete, that no fluid could be made to pass.						
Hernia	1	2	3	2	2							
Colic or Ileus	1	1	..	2	2	2							
Intussusception	1	1							
Stricture							
Hæmatemesis	1	1	2							
Dis. of Stomach, &c.	1	1	..	2	5	6							
Dis. of Pancreas							
Hepatitis	1	1	.9	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	1	5	3	9	7	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	26	20	7	53	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	130
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	192
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	185
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	245
		438,060	219	207	203
TOTAL. Males, 476. Females, 479. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	955

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 4 of the 10 persons who died of Small Pox had not been vaccinated; in 3 cases the circumstance is not stated.

‡ The ages of 3 persons, severally under the heads of Typhus, Debility, and Causes not specified, are not stated.

¶ Of 47 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 4 in Westminster; 4 in St. Marylebone; 1 in Islington; 3 in St. Giles; 2 in Strand; 2 in Holborn; 1 in Clerkenwell; 1 in East London; 3 in West London; 3 in Shoreditch; 2 in Whitechapel; 2 in St. George in the East; 3 in Stepney; 1 in Poplar; 1 in St. Olave; 1 in Camberwell; 3 in Greenwich; and 8 in St. Pancras, of which 4 occurred in the Fever Hospital. It was ascertained that of the 4 Patients who died in the Fever Hospital, 1 came from St. Martin-in-the-Fields, 1 from St. Mary, Newington, 1 from Fitzroy Square, and 1 from St. Pancras Workhouse.



§	Weeks ending			A TABLE OF THE MORTALITY				1843.			
	June 17th	June 24th	June 30th	IN THE				Temperature	Weeks ending	June 1843.	June 40.
Mean height of barometer	29.930	29.963	29.850	Metropolis,*				§	June 17th	June 24th	June 30th
Rain (weekly)	3.93	Noue	4.38	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Highest....	73°	73°	87°
Mean Dryness	3.7	5.1	7.0	Registered in the WEEK ending Saturday, the 24th June, 1843.				Lowest....	49°	50°	43°
• Wind N. 5 days; N.E. 1; W. 1. Rain, none.								Daily Mean	58°	61°	62°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to 15	to 60	and upwards		Spring	Years		to 15	to 60	and upwards		Spring	Years
					1838-9	40-1-2.						1838-9	40-1-2.
Small Pox	3	1	..	4	27	27	Nephritis	1	..	1	..4	..4
Measles	38	1	..	39	23	23	Ischuria
Scarlatina	26	..	1	27	24	30	Diabetes3	..3
Whooping Cough	54	54	33	32	Cystitis
Croup	4	4	8	7	Stone4	..4
Thrush	2	2	1	5	Stricture	1	..	1	..4	..4
Diarrhoea	1	..	1	2	5	9	Dis. of Kidneys, &c.	3	3	6	3	3
Dysentery	1	..	1	1	2	Diseases of the Kidneys, } &c. }	..	5	3	8	5	5
Cholera	1	1	..2	1	Childbed	5	..	5	6	7
Influenza	2	1	..	3	2	2	Paramenia
Ague	Ovarian Dropsy	2	..	2	..2	..2
Remittent Fever	7	23	7	37	30	37	Dis. of Uterus, &c.	2	2
Typhus	1	3	1	5	6	6	Childbed, Diseases of the } Uterus, &c. }	..	7	..	7	9	9
Erysipelas5	1	Arthritis	3	3
Syphilis1	..	Rheumatism	1	1	3	3
Hydrophobia	Dis. of Joints, &c.	2	3	..	5	3	3
Epidemic, Endemic, and } Contagious Diseases. }	138	30	11	179	170	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	2	3	1	6	6	6
Cephalitis	11	3	..	14	12	11	Carbuncle
Hydrocephalus	39	40	35	34	Phlegmon4	..4
Apoplexy	3	6	6	15	16	17	Ulcer4	..4
Paralysis	1	2	14	17	14	14	Fistula4	..3
Convulsions	37	..	2	39	56	57	Dis. of Skin, &c.4	..3
Tetanus	Diseases of the Skin, } Cellular Tissue, &c. }	1	1
Chorea	Inflammation	2	2	9	9
Epilepsy	5	1	6	4	4	Hæmorrhage	1	2	3	3	3
Insanity	2	..	2	1	1	Dropsy	3	16	16	35	32	34
Delirium Tremens	2	2	1	Abscess	2	2	4	4
Dis. of Brain, &c.	3	2	1	6	8	9	Mortification	1	..	1	2	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	94	20	24	139	146	148	Purpura
Laryngitis	1	1	Scrofula	1	2	..	3	2	2
Quinsey	1	1	..	2	1	1	Carcinoma	5	1	6	7	7
Bronchitis	4	1	12	17	9	10	Tumor	2	2
Pleurisy	3	..	3	2	1	Gout	1	1
Pneumonia	58	6	10	74	60	73	Atrophy	7	..	3	10	5	6
Hydrothorax	4	1	5	4	5	Debility	15	5	..	20	17	18
Asthma	6	6	12	16	24	Malignations	2	2	8	1
Phthisis or Consumption	27	117	8	152	149	143	Sudden Deaths	7	3	4	14	13	14
Dis. of Lungs, &c.	5	7	6	18	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	40	32	27	99	100	105
Diseases of the Lungs, } and of the other Organs } of Respiration }	95	145	43	283	253	268	Old Age, or Natural Decay }	57	57	62	68
Pericarditis	2	..	2	..5	..5	Intemperance	1	..	1	..5	..6
Aneurism	1	1	2	..6	..5	Privation3	..5
Dis. of Heart, &c.	2	10	9	21	16	17	Violent Deaths	3	11	2	16	24	24
Diseases of the Heart } and Blood Vessels. }	2	13	10	25	17	18	Deaths by Violence, Pri- } vation, or Intemperance }	3	12	2	17	25	25
Teething	14	14	15	17	Causes not specified	2	..	1	3	5	5
Gastritis—Enteritis	8	2	1	11	15	18	Deaths from all Causes....	410	284	190	885	854	903
Peritonitis	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	6	6	4	4	§ Of 36 deaths by TYPHUS, 1 occurred in the District of St. George, Hanover Square; 3 in Westminster; 3 in St. Marylebone; 1 in Haokney; 2 in St. Giles in the Fields; 1 in Strand; 1 in Holborn; 2 in St. Luke; 4 in Shoreditch (of which 2 were in St. Luke's Workhouse); 2 in Bethnal Green; 1 in Whitechapel; 2 in Stepney; 1 in Bermondsey; 1 in St. Mary, Newington; 2 in Lambeth; 4 in Green- which (of which 1 was in the Union Workhouse); and 5 in St. Pancras, of which 4 occurred in the Fever Hospital. It was ascertained that of the 4 Patients who died in the Fever Hospital, 1 came from the Strand Union Workhouse, 1 from the West London Union Workhouse; 1 from St. Giles, and 1 from Farringdon-street.						
Worms	1	1							
Ascites	1	..	1	..5	..							
Ulceration (of Intest, &c.)	..	2	..	2	1	1							
Hernia	1	1	1	3	2	2							
Colic or Ileus	1	1	1	3	2	2							
Intussusception	1	1	..	2							
Stricture							
Hæmatemesis	2	..	2							
Dis. of Stomach, &c.	1	2	3	6	5	6							
Dis. of Pancreas							
Hepatitis	1	1	2	..9	1							
Jaundice	1	2	..	3	2	2							
Dis. of Liver, &c.	2	4	6	7	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	34	17	11	62	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	175
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	190
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	182
TOTAL. Males, 450. Females, 435. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		438,060	219	207	199
		1,870,727	903	854	885

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 1 of the 4 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

‡ The age of 1 person who died of Water in the head is not stated. For the sake of convenience, 1 case of Cynancha Parotidæa, age 11 months, is included under Typhus.

Abstract of cases of CHILDBIRTH, registered in the Metropolis, during 9 weeks, from the 23rd of April to the present date:—
Puerperal fever, 8 cases, of which 1 is stated to be “11th day after parturition,” and another 18 hours. Besides these there is 1 case “with syphilitic ulceration,” and another with “erysipelas and hepatitis, 4 days.” Puerperal peritonitis, 3 cases, one of which is stated to be 17 days after labour, another 5 days. Puerperal mania, 1 case, to which may be added 1 case of suicide in puerperal fever (verdict, temporary insanity). Phlegmasia dolens, 2 cases.—Tubercles in womb, 6 hours after confinement with first child. Serous effusion after childbirth, 1 case. Under uterine hæmorrhage the following occur:—“Hæmorrhage from an attempt at miscarriage (inquest).”—“Internal hæmorrhage by separation of the placenta without delivery (p. mort.).”—“Debility, produced by excessive uterine hæmorrhage, 1 month after confinement.”—“Flooding during pregnancy.”—“Exhaustion from flooding in childbirth.”—“Uterine hæmorrhage from placental presentation.”—“Flooding 3 days after premature labour, from over exertion.”—“Hæmorrhage previous to and after delivery, 1 day.”—“Hæmorrhage after parturition.”—“Exhaustion from hæmorrhage during labour.”—“Abortion, uterine hæmorrhage,” and 2 cases simply of “flooding.” Premature labour, 2 cases, also “Phthisis, fatal, soon after childbirth.”—“Consumption, attended with premature childbirth.”—“Pneumonia during puerperal state.”—“Debility after confinement (4 days).”—“Debility after childbirth.”—“Exhaustion shortly after childbirth.”—“Miscarriage from long-standing illness.”—“Convulsions after childbirth.”—“Collapse after delivery.”—“Neglect of herself after childbirth (inquest).”—“Umbilical and ventral hernia after parturition, 30 years since.”—“Typhus fever supervening on flooding.”—and “Malignant small-pox, after vaccination 62 hours, childbirth 6 days.”—“Childbirth, 9 days after parturition.”—27 cases are reported under the general designation of childbirth, no further particulars being given. It must be observed that several of the above were not classified under childbirth in the tables of mortality, as for example, “Phthisis, fatal, soon after childbirth.”



§	Weeks ending			A TABLE OF THE MORTALITY				1843.		
	June 24th	July 1st	June 30th	IN THE				Temperature.	Weeks ending	June 30th
Mean height of barometer	29.963	29.795	29.850	Metropolis,*				§	June 24th	July 1st
† Rain (weekly)	None	0.16	.428	SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES				Highest....	73°	80°
Mean Dryness	5° 1	5° 9	7° 0	Registered in the WEEK ending Saturday, the 1st July, 1843.				Lowest....	50°	47°
• Wind N. 2 days; N.W. 1; N.N.W. 1; E. 1; W. 2. Rain, 1 day.								Daily Mean	61°	60°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Spring	Years		to	to	and		Spring	Years
	15	60	upwards		1838-9-40-1-2.			1838-9-40-1-2.		1838-9-40-1-2.			
Small Pox	3	1	..	4	27	27	Nephritis4	.4
Measles	23	23	23	23	Ischuria
Scarlatina	30	2	..	32	24	30	Diabetes3	.3
Whooping Cough	52	52	33	32	Cystitis
Croup	5	5	8	7	Stone	1	1	.4	.4
Thrush	6	6	1	5	Stricture4	.4
Diarrhoea	3	2	1	6	5	9	Dis. of Kidneys, &c.	6	3	9	3	3
Dysentery	1	2	Diseases of the Kidneys, &c. }	..	6	4	10	5	5
Cholera	1	..	1	.2	1	Childbed	4	..	4	6	7
Influenza	1	..	2	3	2	2	Paramania
Ague	Ovarian Dropsy	1	..	1	.2	.2
Remittent Fever	Dis. of Uterus, &c.	1	..	1	2	2
Typhus	12	17	6	35	30	37	Childbed, Diseases of the Uterus, &c. }	..	6	..	6	9	9
Erysipelas	1	1	..	2	6	6	Arthritis
Syphilis	1	..	1	.5	1	Rheumatism	1	..	1	3	3
Hydrophobia1	..	Dis. of Joints, &c.	1	3	..	4	3	3
Epidemic, Endemic, and Contagious Diseases. }	136	25	9	170	170	182	Rheumatism, Diseases of the Bones, Joints, &c. }	1	4	..	5	6	6
Cephalitis	9	4	2	15	12	11	Carbuncle
Hydrocephalus	32	2	..	34	35	34	Phlegmon
Apoplexy	3	2	7	12	16	17	Ulcer4	.4
Paralysis	2	18	20	14	14	Fistula4	.3
Convulsions	47	47	56	57	Dis. of Skin, &c.	2	..	2	.4	.3
Tetanus	Diseases of the Skin, Cellular Tissue, &c. }	..	2	..	2	1	1
Chorea	Inflammation	5	1	..	6	9	9
Epilepsy	2	4	..	6	4	4	Hæmorrhage	1	1	2	3	3
Insanity	1	1	Dropsy	3	14	12	29	32	34
Delirium Tremens	5	..	5	2	1	Abscess	1	1	4	4
Dis. of Brain, &c.	5	2	..	7	8	9	Mortification	2	1	3	4	4
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	98	21	27	146	146	148	Purpura	2	2
Laryngitis	1	1	Scrofula	2	2	7	7
Quinsey	1	1	..	2	1	1	Carcinoma	10	3	13	7	7
Bronchitis	3	2	5	10	9	10	Tumor	2	2
Pleurisy	2	..	2	2	1	Gout	1	1
Pneumonia	38	4	7	50	60	73	Atrophy	8	..	2	10	5	6
Hydrothorax	3	1	4	4	5	Debility	10	5	..	15	17	18
Asthma	1	14	15	16	24	Malformations	1	1	8	1
Phthisis or Consumption	24	112	4	140	149	143	Sudden Deaths	5	3	7	15	13	14
Dis. of Lungs, &c.	2	7	4	13	12	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }	35	36	26	97	100	105
Diseases of the Lungs, and of the other Organs of Respiration }	69	132	35	237	253	268	Old Age, or Natural Decay }	54	54	62	68
Pericarditis	1	1	..	2	.5	.5	Intemperance5	.6
Aneurism6	.5	Privation	1	** 1	.3	.5
Dis. of Heart, &c.	1	10	9	20	16	17	Violent Deaths	5	16	6	27	24	24
Diseases of the Heart and Blood Vessels. }	2	11	9	22	17	18	Deaths by Violence, Privation, or Intemperance }	6	16	6	28	25	25
Teething	15	15	15	17	Causes not specified	2	3	1	6	5	5
Gastritis—Enteritis	8	4	1	13	15	18	Deaths from all Causes....	383	279	185	†848	854	903
Peritonitis	1	..	1	1	1	Average Weekly Deaths, 1838-9-40-1-2.	428	307	167	903
Tabes Mesenterica	6	6	4	4	† Of 35 deaths by TYPHUS, 1 occurred in the District of Chelsea; 3 in St. George, Hanover Square; 2 in Westminster; 1 in St. Marylebone; 1 in Islington; 2 in St. Giles; 1 in Strand; 1 in Holborn; 1 in Clerkenwell; 1 in St. Luke; 2 in East London; 1 in West London; 4 in Shoreditch (of which 1 occurred in St. Luke's Workhouse); 2 in Whitechapel; 2 in Poplar; 3 in St. Olave; 1 in Southwark; 1 in St. Mary, Newington; 3 in Lambeth; 1 in Greenwich; and 1 in St. Pancras.						
Worms							
Ascites	1	1	.5	..							
Ulceration (of Intest, &c.)	1	1	..	2	1	1							
Hernia	2	1	3	2	2							
Colic or Ileus	1	..	1	2	2							
Intussusception							
Stricture							
Hæmatemesis							
Dis. of Stomach, &c.	1	1	5	7	5	6							
Dis. of Pancreas							
Hepatitis	2	1	3	.9	1							
Jaundice	2	..	2	4	2	2							
Dis. of Liver, &c.	1	5	3	9	7	7							
Dis. of Spleen							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	34	17	14	65	55	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.
			5 Years	5 Springs	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	134	133
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	154	173
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	173	159
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	186	184
TOTAL. Males, 411. Females, 437. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		438,060	219	207	199
		1,870,727	903	854	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 2 of the 4 persons who died of Small Pox had not been vaccinated; of the remaining cases, 1 is entered thus: "Small pox (natural) after vaccination," age 33 years.

† The age of 1 case of pneumonia is not stated.

** The following case is included under privation, "debility from want of breast milk," age 5 weeks.

Cases of Death in CHILD BIRTH, registered in the Metropolis, during 10 weeks, from the 23rd of April to the 1st of July, inclusive:—

Phlegmasia dolens, age 38; puerperal fever, 11th day after parturition, age 39; tubercles in womb, 6 hours after confinement with 1st child, age 38; puerperal fever, age 24; puerperal fever, with syphilitic ulceration, age 22; childbirth, age 47; hæmorrhage from an attempt at miscarriage (inquest) age 33; puerperal peritonitis, age 29; childbirth; internal hæmorrhage by separation of the placenta without delivery (p. mort.), age 33; serous effusion after childbirth, age 37; childbirth; exhaustion from flooding, age 36; premature labour, age 31; childbirth, age 32; childbirth, age 27; childbirth, age 35; debility, produced by excessive uterine hæmorrhage, 1 month after confinement, age 32; debility after childbirth, age 22; childbirth, age 29; childbirth, age 41; childbirth, age 30; childbed, age 31; childbirth, age 20; puerperal fever, age 28; flooding during pregnancy, age 42; puerperal fever, age 43; peritonitis, 17 days after labour, age 30; debility after confinement 4 days, age 40; childbed fever, age 40; childbed, age 26; flooding, age 32; childbirth, age 38; childbirth, age 19; childbirth, age 25; puerperal mania, age 40; phlegmasia dolens, age 27; childbed, 9 days after parturition, age 24; uterine hæmorrhage from placental presentation, age 26; childbed, age 26; fever subsequent to delivery, age 34; puerperal fever, age 31; childbed, age 22; hæmorrhage after parturition, age 32; flooding, age 34; natural death in labour, age 38; flooding 3 days after premature labour from over exertion, age 39; puerperal fever (4 days) with erysipelas and hepatitis, age 38; childbirth, age 27; hæmorrhage previous to and after delivery, 1 day, age 32; miscarriage from long-standing illness, age 29; childbirth, age 25; premature labour, age 29; childbed, age 32; abortion; uterine hæmorrhage, age 31; childbirth, age 23; childbirth, age 37; convulsions after childbirth, age 26; puerperal fever 18 hours, age 40; natural, from neglect of herself after childbirth (inquest), age 22; exhaustion shortly after childbirth, age 41; collapse after delivery, age 32; childbirth, age 35; childbirth, age 27; puerperal peritonitis 5 days, age 29; exhaustion from hæmorrhage during labour, age 31; childbirth, age 27; childbirth, age 21; childbirth, age 32; childbed, age 21; childbed 7 days after parturition, age 27; childbirth, age 41; phlegmasia dolens, age 42; puerperal mania, age 23.

ANALYSIS OF THE ABOVE LIST.—Puerperal fever or peritonitis, 13 cases—phlegmasia dolens, 3 cases—puerperal mania, 2 cases—flooding, 13 cases—other specified causes, 11 cases—childbirth, without the specification of any cause, 30 cases—Total, 72 cases.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 101.

General Register Office, July 5th, 1843.

§	Weeks ending		
	July 1st	July 8th	July 15th
Mean height of barometer	29.795	29.836	29.902
Rain (weekly)	.016	.471	.436
Mean Dryness	5°.9	5°.6	6°.9

* Wind S. 3 days; S.W. 1; S.E. 1; N. 1; E. 1. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th July, 1843.

1843.

Temperature.	Weeks ending		
	July 1st	July 8th	July 15th
Highest....	80°	86°	87°
Lowest....	47°	56°	46°
Daily Mean	60°	69°	65°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during								
	0	15	60		5	5		0	15	60		5	5							
	to	to	and		Summrs	Years		to	to	and		Summrs	Years							
	15	60	upwards		1838-9-40-1-2.															
Small Pox	4	1	..	5	25	27	Nephritis	1	..	1	.3	.4							
Measles	27	1	..	28	27	23	Ischuria1	..							
Scarlatina	30	2	..	32	34	30	Diabetes	1	1	.3	.3							
Whooping Cough	36	36	20	32	Cystitis	1	1	.2	..							
Croup	9	9	6	7	Stone6	.4							
Thrush	2	2	8	5	Stricture	2	..	2	.4	.4							
Diarrhoea	3	1	2	6	21	9	Dis. of Kidneys, &c.	1	1	2	3							
Dysentery	3	2	<i>Diseases of the Kidneys, &c.</i>	1	3	2	6	4	5							
Cholera	1	1	3	1	Childbed	8	..	8	5	7							
Influenza	1	..	3	4	.7	2	Paramania1	..							
Ague1	..	Ovarian Dropsy3	.2							
Remittent Fever5	..	Dis. of Uterus, &c.	3	1	4	2	2							
Typhus	7	8	8	36	33	37	<i>Childbed, Diseases of the Uterus, &c.</i>	..	11	1	12	8	9							
Erysipelas	2	2	5	6	Arthritis							
Syphilis	1	1	.5	1	Rheumatism	1	1	2	3							
Hydrophobia1	..	Dis. of Joints, &c.	1	1	2	3	3							
<i>Epidemic, Endemic, and Contagious Diseases.</i>	123	26	13	162	187	182	<i>Rheumatism, Diseases of the Bones, Joints, &c.</i>	..	1	2	3	5	6							
Cephalitis	6	2	..	8	12	11	Carbuncle	1	..	1							
Hydrocephalus	31	1	..	32	35	31	Phlegmon							
Apoplexy	1	6	10	17	15	17	Ulcer3	.4							
Paralysis	5	11	16	12	14	Fistula3	.3							
Convulsions	41	41	63	57	Dis. of Skin, &c.4	.3							
Tetanus	1	..	1	.3	..	<i>Diseases of the Skin, Cellular Tissue, &c.</i>	..	1	..	1	1	1							
Chorea	Inflammation	1	1	8	9							
Epilepsy	2	3	1	6	3	4	Hæmorrhage	2	2	3	3							
Insanity8	1	Dropsy	1	19	9	29	29	34							
Delirium Tremens	3	..	3	1	1	Abscess	2	2	4	4							
Dis. of Brain, &c.	8	4	4	16	8	9	Mortification	3	2	1	6	4	4							
<i>Diseases of the Brain, Spinal Marrow, Nerves and Senses.</i>	89	25	26	140	150	148	Purpura	2	2	.3	..							
Laryngitis	1	1	.4	..	Scrofula	5	1	..	6	2	2							
Quinsy	1	2	..	3	1	1	Carcinoma	1	11	2	14	7	7							
Bronchitis	3	1	2	6	5	10	Tumor	2	2							
Pleurisy	1	..	1	1	1	Gout	1	1							
Pneumonia	46	10	5	61	49	73	Atrophy	3	..	1	4	8	6							
Hydrothorax	1	2	3	3	5	Debility	11	3	..	14	18	18							
Asthma	3	7	10	8	24	Malformations	1	1	.8	1							
Phthisis or Consumption	23	87	6	116	141	143	Sudden Deaths	4	6	2	12	11	14							
Dis. of Lungs, &c.	1	6	2	9	9	14	<i>Dropsy, Cancer, and other Diseases of Uncertain Seat</i>	32	42	19	93	98	105							
<i>Diseases of the Lungs, and of the other Organs of Respiration</i>	75	111	24	210	219	268	<i>Old Age, or Natural Decay</i>	46	46	63	68							
Pericarditis	1	1	.5	.5	Intemperance	1	..	1	.7	.6							
Aneurism5	.5	Privation2	.5							
Dis. of Heart, &c.	5	16	8	29	15	17	Violent Deaths	13	17	5	35	22	24							
<i>Diseases of the Heart and Blood Vessels.</i>	5	16	9	30	16	18	<i>Deaths by Violence, Privation, or Intemperance</i>	13	18	5	36	23	25							
Teething	19	19	22	17	<i>Causes not specified</i>	2	2	..	4	5	5							
Gastritis—Enteritis	12	4	2	18	26	18	<i>Deaths from all Causes....</i>	382	275	154	811	848	903							
Peritonitis	1	1	<i>Average Weekly Deaths, 1838-9-40-1-2.</i>	428	307	167	903							
Tabes Mesenterica	7	1	..	8	5	4	¶ Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 3 in Westminster; 3 in St. Marylebone; 1 in Islington; 2 in St. Giles; 2 in Holborn; 1 in East London; 1 in West London; 4 in Shoreditch (of which 1 occurred in St. Luke's Workhouse); 1 in Bethnal Green; 2 in Whitechapel; 1 in St. George in the East; 2 in Stepney; 1 in Poplar; 1 in St. Saviour; 2 in Bermondsey; 4 in Lambeth; 1 in Greenwich; and 2 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from St. Saviour's, Borough.													
Worms3	..														
Ascites	1	1	.6	..														
Ulceration (of Intest, &c.)	1	1	..	2	1	1														
Hernia	1	1	2	2	2														
Colic or Ileus	2	2	* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.													
Intussusception8	..														
Stricture	1	..	1	.4	..														
Hæmatemesis4	..														
Dis. of Stomach, &c.	2	5	1	8	4	6														
Dis. of Pancreas	† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.													
Hepatitis	2	..	2	1	1														
Jaundice	1	..	1	2	2														
Dis. of Liver, &c.	1	3	2	6	8	7														
Dis. of Spleen1	..														
<i>Diseases of the Stomach, Liver, and other Organs of Digestion.</i>	42	19	7	68	78	62	§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.													
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.																			
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney																				
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London																				
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar																				
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich																				
TOTAL. Males, 424. Females, 387. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727						Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.											
							5 Years	5 Summers												
							135	124												
							162	151												
							184	172												
							203	197												
							219	202												
							903	846												

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 3 of the 5 persons who died of Small Pox had not been vaccinated.

† The above 8 cases of Death in Childbirth are entered thus:—"Inflammation of the brain, third day after parturition of twins, the 1st being stillborn," age 22; "childbirth," age 24; "loss of blood, and fear in natural parturition (inquest)," age 38; "puerperal mania, 15 days after childbirth," age 36; "puerperal fever," age 35; "puerperal peritonitis," age 18; "childbed, flooding before delivery," age 45; "inflammation of uterus, a fortnight after confinement," age 26.

A TABLE OF THE MORTALITY

1843.

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th July, 1843.

§	Weeks ending		July 1841-40.
	July 8th	July 15th	
Mean height of barometer	29.836	30.002	29.902
Rain (weekly)	.471	.738	.436
Mean Dryness	5.6	4.3	0.9

* Wind N.W. 3 days; N.N.W. 2;
S.2. Rain on 3 days.

Temperature.	Weeks ending		July 1841-40.
	July 8th	July 15th	
Highest....	86°	83°	87°
Lowest....	56°	52°	46°
Daily Mean	69°	61°	65°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Summers	Years		to	to	and		Summers	Years
	15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.		15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	6	6	25	27	Nephritis3	.4
Measles	28	28	27	23	Ischuria1	..
Scarlatina	29	..	1	30	34	30	Diabetes	1	..	1	.3	.3
Whooping Cough	34	34	20	32	Cystitis	1	1	.2	..
Croup	9	9	6	7	Stone6	.4
Thrush	4	4	8	5	Stricture4	.4
Diarrhoea	6	..	1	7	21	9	Dis. of Kidneys, &c.	1	2	3	2	3
Dysentery	2	1	..	3	3	2	Diseases of the Kidneys, } &c.	2	3	5	4	5
Cholera	1	..	3	4	3	1	Childbed	5	..	** 5	5	7
Influenza	1	..	2	3	.7	2	Paramenia	1	..	1	.1	..
Ague1	..	Ovarian Dropsy	1	..	1	.3	.2
Remittent Fever5	..	Dis. of Uterus, &c.	1	1	2	2	2
Typhus	15	15	6	36	33	37	Childbed, Diseases of the } Uterus, &c.	8	1	9	8	9
Erysipelas	1	1	..	2	5	6	Arthritis
Syphilis	1	..	1	.6	1	Rheumatism	2	..	2	2	3
Hydrophobia1	..	Dis. of Joints, &c.	2	3	..	5	3	3
Epidemic, Endemic, and } Contagious Diseases. }	136	18	13	167	187	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	2	5	..	7	5	6
Cephalitis	8	2	1	11	12	11	Carbuncle
Hydrocephalus	27	27	35	31	Phlegmon
Apoplexy	8	8	15	17	Ulcer3	.4
Paralysis	5	6	11	12	14	Fistula	1	..	1	.3	.3
Convulsions	38	1	..	39	63	57	Dis. of Skin, &c.	2	..	2	.4	.3
Tetanus3	..	Diseases of the Skin, } Cellular Tissue, &c. }	..	2	1	3	1	1
Chorea	Inflammation	3	3	8	9
Epilepsy	2	1	3	3	4	Hæmorrhage	2	1	..	3	3	3
Insanity	1	..	1	.8	1	Dropsy	8	7	15	29	34
Delirium Tremens	3	..	3	1	1	Abscess	2	..	2	4	4
Dis. of Brain, &c.	2	1	3	8	9	Mortification	3	3	6	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	73	16	17	106	150	148	Purpura	1	1	.3	..
Laryngitis	2	..	2	.4	1	Scrofula	5	5	2	2
Quinsey	1	1	Carcinoma	2	1	3	7	7
Bronchitis	7	1	6	14	5	10	Tumor	1	1	2	2	2
Pleurisy	1	1	Gout	1	1
Pneumonia	32	10	3	45	49	73	Atrophy	7	..	2	9	8	6
Hydrothorax	2	1	3	3	5	Debility	12	3	..	15	18	18
Asthma	4	6	10	8	24	Malignancies	1	1	.8	1
Phthisis or Consumption	26	93	8	128	141	143	Sudden Deaths	2	3	4	9	11	14
Dis. of Lungs, &c.	3	4	7	14	9	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	33	23	18	74	98	105
Diseases of the Lungs, } and of the other Organs } of Respiration }	68	116	31	216	219	268	Old Age, or Natural Decay }	57	57	53	68
Pericarditis5	.5	Intemperance7	.6
Aneurism	1	..	1	.5	.5	Privation2	.5
Dis. of Heart, &c.	2	18	3	23	15	17	Violent Deaths	3	8	1	12	22	24
Diseases of the Heart } and Blood Vessels. }	2	19	3	24	16	18	Deaths by Violence, Pri- } vation, or Intemperance }	3	8	1	12	23	25
Teething	15	15	22	17	Causes not specified	1	1	5	5
Gastritis—Enteritis	8	10	1	19	26	18	Deaths from all Causes....	359	242	154	757	848	903
Peritonitis	2	..	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	13	13	5	4	Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 2 in St. George, Hanover Square; 4 in Westminster; 1 in St. Marylebone; 1 in St. Giles; 1 in the Strand; 1 in Clerkenwell; 3 in West London; 1 in City of London; 2 in Shoreditch; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. George in the East; 3 in St. Olave's; 1 in Bermondsey; 1 in Newington; 2 in Lambeth; 2 in Camberwell; 1 in Greenwich; and 4 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from St. George in the East, 1 from St. Giles' Workhouse, and 1 from Aldersgate Workhouse.
Worms	1	1	.3
Ascites	1	1	..	2	.6
Ulceration (of Intest, &c.)	..	1	1	2	1	1
Hernia	2	2
Colic or Ileus	1	1	1	3	2	2
Intussusception8
Stricture4
Hæmatemesis4
Dis. of Stomach, &c.	2	5	1	8	4	6
Dis. of Pancreas
Hepatitis	1	1	2	1	1
Jaundice	1	1	2	2
Dis. of Liver, &c.	4	3	7	8	7
Dis. of Spleen1
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	41	25	9	76	78	62

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	131
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	151	136
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	172	158
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	197	160
TOTAL. Males, 423. Females, 334. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		438,060	219	202	172
		1,870,727	903	846	757

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 4 of the persons who died of Small Pox had not been vaccinated; in one case the circumstance is not stated.

1 The Ages of 2 cases, one of Consumption another of Mesenteric disease, are not stated.

** The 5 cases of Death in Childbirth which appear in the present table, are entered thus:—"childbirth, age 35;" "exhaustion from difficult labour, 6 days after delivery, 27 years;" "childbirth, inflammation of the womb, age 26;" "childbirth, hæmorrhage before delivery, age 23;" "inflammation of the uterus on the ninth day after delivery, age 27." Besides these, there is a case of inflammation of the womb, age 32; but whether it occurred in childbirth, is not mentioned.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 104.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd July, 1843.

1843.

	Weeks ending		July 1831-40.
	July 15th	July 22nd	
Mean height of barometer	30.002	29.853	29.902
Rain (weekly)	.738	.477	.436
Mean Dryness	4°.3	7°.0	6°.9

Wind W. 4 days; N.W. 1; S. 2.
Rain on 1 day.

Temperature, °	Weeks ending		July 1831-40.
	July 15th	July 22nd	
Highest....	83°	81°	87°
Lowest....	52°	50°	46°
Daily Mean	64°	66°	65°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5	5		0 to 15	15 to 60	60 and upwards		5	5
					Summers	Years						Summers	Years
					1838-9-40-1-2.								
Small Pox	6	6	25	27	Nephritis	1	..	1	.3	.4
Measles	25	25	27	23	Ischuria1	..
Scarlatina	36	1	..	37	34	30	Diabetes3	.3
Hooping Cough	23	24	20	32	Cystitis2	..
Croup	3	3	6	7	Stone6	.4
Thrush	4	4	8	6	Stricture4	.4
Diarrhoea	13	1	2	16	21	9	Dis. of Kidneys, &c.	1	2	3	2	3
Dysentery	1	1	..	2	3	2	Diseases of the Kidneys, &c. }	..	2	2	4	4	5
Cholera	1	2	..	3	3	1	Childbed	4	..	** 4	5	7
Influenza	1	1	.7	2	Paramenia1	..
Ague1	..	Ovarian Dropsy3	.2
Remittent Fever5	..	Dis. of Uterus, &c.	2	1	3	2	2
Typhus	13	19	12	44	33	37	Childbed, Diseases of the Uterus, &c. }	..	6	1	7	8	9
Erysipelas	2	1	..	3	5	6	Arthritis	1	1
Syphilis5	1	Rheumatism	2	..	2	2	3
Hydrophobia	1	1	.1	..	Dis. of Joints, &c.	2	2	..	4	3	3
Epidemic, Endemic, and Contagious Diseases. }	129	25	14	170	187	182	Rheumatism, Diseases of the Bones, Joints, &c. }	3	4	..	7	5	6
Cephalitis	10	1	..	11	12	11	Carbuncle
Hydrocephalus	42	42	35	34	Phlegmon	1	..	1
Apoplexy	1	5	6	12	15	17	Ulcer3	.4
Paralysis	4	6	10	12	14	Fistula3	.3
Convulsions	35	35	63	57	Dis. of Skin, &c.4	.3
Tetanus	1	1	.3	..	Diseases of the Skin, Cellular Tissue, &c. }	..	1	..	1	1	1
Chorea	Inflammation	3	3	8	9
Epilepsy	2	3	1	6	3	4	Hæmorrhage	1	1	3	3
Insanity	1	1	.8	1	Dropsy	5	10	6	21	29	34
Delirium Tremens	1	..	1	1	1	Abscess	2	1	3	4	4
Dis. of Brain, &c.	2	4	..	6	8	9	Mortification	1	3	4	4	4
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	93	18	14	125	150	148	Purpura3	..
Laryngitis4	..	Scrofula	2	1	..	3	2	2
Quinsey	1	1	Carcinoma	8	3	11	7	7
Bronchitis	3	..	5	8	5	10	Tumor	2	2
Pleurisy	2	..	2	1	1	Gout	1	..	1	1	1
Pneumonia	42	9	6	57	49	73	Atrophy	4	..	2	6	8	6
Hydrothorax	2	..	2	3	5	Debility	13	3	..	16	18	18
Asthma	5	3	8	8	24	Malformations	2	2	.8	1
Phthisis or Consumption	24	101	8	133	141	143	Sudden Deaths	1	6	2	9	11	14
Dis. of Lungs, &c.	4	3	2	9	9	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }	31	32	17	80	98	105
Diseases of the Lungs, and of the other Organs of Respiration }	73	122	24	219	219	268	Old Age, or Natural Decay }	46	46	53	68
Pericarditis	2	1	3	.5	.5	Intemperance	2	1	3	.7	.6
Aneurism	1	..	1	.5	.5	Privation	2	† 2	.2	..
Dis. of Heart, &c.	2	14	5	21	15	17	Violent Deaths	8	12	3	23	22	24
Diseases of the Heart and Blood Vessels. }	2	17	6	25	16	18	Deaths by Violence, Privation, or Intemperance }	10	14	4	28	23	25
Teething	15	15	22	17	Causes not specified	1	1	..	2	5	5
Gastritis—Enteritis	9	7	5	21	26	18	Deaths from all Causes....	383	266	139	† 790	848	903
Peritonitis	2	1	..	3	1	1	Average Weekly Deaths, 1838-9-40-1-2.	428	307	167	903
Tabes Mesenterica	8	8	5	4	† Of 45 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in St. Martin in the Fields; 4 in St. Marylebone; 1 in Islington; 1 in Hackney; 4 in St. Giles; 1 in Holborn; 1 in St. Luke; 3 in East London; 1 in West London; 5 in Shoreditch; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. Olave; 3 in Newington; 5 in Lambeth; 3 in Camberwell; 1 in the Dreadnought Hospital Ship at Greenwich; and 6 in St. Pancras, of which 2 occurred in the Fever Hospital. It was ascertained that one of the patients who died in the Fever Hospital came from the Strand Union Workhouse, the other from the Lambeth Union Workhouse.
Worms3	..	Population, Enumerated, 1841.	300,705	135	124	113
Ascites	2	1	3	.6	..	North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	167
Ulceration (of Intest, &c.)	..	2	..	2	1	1	Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	153
Hernia	1	..	1	2	2	2	East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	180
Colic or Ileus	1	..	1	2	2	2	South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	177
Intussusception8	..	TOTAL. Males, 425. Females, 365. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	790
Stricture	1	..	1	.4	..							
Hæmatemesis4	..							
Dis. of Stomach, &c.	1	2	..	3	4	6							
Dis. of Pancreas							
Hepatitis	2	2	1	1							
Jaundice	1	1	1	3	2	2							
Dis. of Liver, &c.	3	8	..	11	8	7							
Dis. of Spleen1	..							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	41	24	11	76	78	62							

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 4 of the 6 persons who died of Small Pox, had not been vaccinated; in one case the circumstance is not stated.

‡ The ages of 2 persons who died severally of Hooping Cough and Fever, are not stated.

†† Under Privation are the following:—"Debility from want of breast-milk," age 29 days; "exhaustion from starvation by neglect of the mother, (inquest)," age 9 weeks.

** The 4 cases of Death in Childbirth which appear in the present table, are entered thus:—"Childbirth, 3 days illness," age 21; "Puerperal Fever," age 32; "Flooding," age 37; and "Puerperal Mania," age 32.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 104.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th July, 1843.

1843.

	Weeks ending		July 1831-40.
	July 22nd	July 29th	
Mean height of barometer	29.853	29.918	29.902
Rain (weekly)	.477	.509	.436
Mean Dryness	7°.0	6°.8	6°.9

* Wind W. 4 days; S. 2; S.W. 1.
Rain on 5 days.

Temperature.	Weeks ending		July 1831-40.
	July 22nd	July 29th	
Highest....	81°	74°	87°
Lowest....	50°	49°	46°
Daily Mean	66°	62°	65°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Summers	Years		to	to	and		Summers	Years
	15	60	upwards		1838-9-40-1-2.			1838-9-40-1-2.					
Small Pox	5	5	25	27	Nephritis
Measles	27	27	27	23	Ischuria
Scarlatina	31	1	..	32	34	30	Diabetes
Whooping Cough	28	28	20	32	Cystitis
Croup	5	5	6	7	Stone
Thrush	3	3	8	5	Stricture
Diarrhoea	13	2	3	18	21	9	Dis. of Kidneys, &c.	1	..	1	2	3
Dysentery	1	..	1	3	2	<i>Diseases of the Kidneys, } &c.</i>	..	1	..	1	4	5
Cholera	2	2	3	1	Childbed	8	..	8	5	7
Influenza	1	1	7	2	Parametria	1	..
Ague	1	..	Ovarian Dropsy	3	2
Remittent Fever	5	..	Dis. of Uterus, &c.	3	1	4	2	2
Typhus	6	15	3	24	33	37	<i>Childbed, Diseases of the } Uterus, &c.</i>	..	11	1	12	8	9
Erysipelas	2	2	5	6	Arthritis	1	1
Syphilis	1	1	5	1	Rheumatism	2	..	2	2	3
Hydrophobia	1	..	Dis. of Joints, &c.	3	3	3	3
<i>Epidemic, Endemic, and } Contagious Diseases. }</i>	123	19	7	149	187	182	<i>Rheumatism, Diseases of } the Bones, Joints, &c. }</i>	3	2	1	6	5	6
Cephalitis	8	2	..	10	12	11	Carbuncle
Hydrocephalus	29	1	..	30	35	34	Phlegmon
Apoplexy	1	4	5	10	15	17	Ulcer	3	4
Paralysis	5	8	13	12	14	Fistula	3	3
Convulsions	42	1	..	43	63	57	Dis. of Skin, &c.	4	3
Tetanus	3	..	<i>Diseases of the Skin, } Cellular Tissue, &c. }</i>	1	1
Chorea	Inflammation	3	3	8	9
Epilepsy	1	1	3	4	Hæmorrhage	2	..	2	3	3
Insanity	1	1	8	1	Dropsy	4	28	13	45	29	34
Delirium Tremens	3	..	3	1	1	Abscess	1	..	1	2	4	4
Dis. of Brain, &c.	4	2	1	7	8	9	Mortification	5	..	5	4	4
<i>Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }</i>	85	18	15	118	150	148	Purpura	1	1	3	..
Laryngitis	1	1	..	2	4	1	Scrofula	3	1	..	4	2	2
Quincy	1	1	1	1	Carcinoma	8	4	12	7	7
Bronchitis	2	2	3	7	5	10	Tumor	2	2
Pleurisy	2	..	1	3	1	1	Gout	1	1
Pneumonia	32	2	1	35	49	73	Atrophy	10	1	2	13	8	6
Hydrothorax	1	1	3	5	Debility	13	2	..	15	18	18
Asthma	5	2	10	8	24	Malformations	1	1	8	1
Phthisis or Consumption	21	102	10	136	141	143	Sudden Deaths	2	..	4	6	11	14
Dis. of Lungs, &c.	7	5	..	12	9	14	<i>Dropsy, Cancer, and } other Diseases of Un- } certain Seat }</i>	38	47	24	109	98	105
<i>Diseases of the Lungs, } and of the other Organs } of Respiration. }</i>	69	120	18	207	219	268	<i>Old Age, or Natural Decay }</i>	46	46	53	68
Pericarditis	5	5	Intemperance	2	..	2	7	6
Aneurism	5	6	Privation	2	5
Dis. of Heart, &c.	5	8	4	17	15	17	Violent Deaths	5	5	1	11	22	24
<i>Diseases of the Heart } and Blood Vessels. }</i>	5	8	4	17	16	18	<i>Deaths by Violence, Pri- } vation, or Intemperance }</i>	5	7	1	13	23	25
Teething	14	14	22	17	<i>Causes not specified</i>	1	1	5	5
Gastritis—Enteritis	11	6	1	18	26	18	<i>Deaths from all Causes....</i>	848	903
Peritonitis	1	1	2	1	1	<i>Average Weekly Deaths, } 1838-9-40-1-2. }</i>	374	249	126	749	..	903
Tabes Mesenterica	12	1	..	13	5	4	† Of 24 deaths by TYPHUS, 2 occurred in the District of St. George, Hanover Square; 1 in St. Martin in the Fields; 2 in St. Marylebone; 1 in Islington; 1 in Strand; 1 in Clerkenwell; 1 in West London; 1 in Shoreditch; 1 in Bethnal Green; 2 in Whitechapel; 1 in Stepney; 1 in Bermondsey; 1 in St. George, Southwark; 2 in Newington; and 6 in St. Pancras, of which 4 occurred in the Fever Hospital. It was ascertained that of the 4 patients who died in the Fever Hospital, 1 came from St. Giles's, 2 from the Lambeth Union Workhouse; and 1 from St. Pancras Workhouse.						
Worms	2	2	3	..							
Ascites	6	..							
Ulceration (of Intest, &c.)	..	1	..	1	1	1							
Hernia	2	2							
Colic or Ileus	1	..	1	2	2	2							
Intussusception	1	..	1	8	..							
Stricture	1	1	4	..							
Hæmatemesis	1	1	4	..							
Dis. of Stomach, &c.	1	1	4	6							
Dis. of Pancreas							
Hepatitis	2	2	4	1	1							
Jaundice	2	2	2	2							
Dis. of Liver, &c.	3	3	1	7	8	7							
Dis. of Spleen	1	..	1	1	..							
<i>Diseases of the Stomach, } Liver, and other Organs } of Digestion. }</i>	46	16	8	70	78	62							

	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	98
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	129
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	138
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	182
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	202
TOTAL. Males, 378. Females, 371. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	749

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Summers by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

‡ The ages of 2 persons who died severally of Whooping Cough and Fever, are not stated.

†† Under Privation are the following:—"Debility from want of breast-milk," age 29 days; "exhaustion from starvation by neglect of the mother, (inquest)," age 9 weeks.

‡‡ 3 of the 5 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

††† The 8 cases of Death in Childbirth which appear in the present table, are entered thus:—"Childbirth, age 25; "puerperal peritonitis," age 28; "childbed," age 39; "flooding after premature labour," age 37; "collapse, 26 hours after parturition," age 42; "childbirth," age 32; "childbed, 18 hours after delivery, from exhaustion," age 32; and "childbed, 7 days after delivery, from exhaustion," age 22.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death. See Statistical Nosology, No. 104.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

1843.

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th August, 1843.

§	Weeks ending		Ang. 1831- 40.
	July 29th	Aug. 5th	
Mean height of barometer	29.918	29.688	29.372
Rain (weekly)	.509	.907	.343
Mean Dryness	5°.3	5°.4	5°.7

* Wind S. 5 days; W. 2.
Rain on 3 days.

Temperature §	Weeks ending		Aug. 1831- 40.
	July 29th	Aug. 5th	
Highest....	74°	76°	84°
Lowest....	49°	54°	45°
Daily Mean	62°	64°	64°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Summers	Years		to	to	and		Summers	Years
	15	60	upwards		1838-9-40-1-2.			1838-9-40-1-2.					
Small Pox	6	6	25	27	Nephritis3	..4
Measles	21	21	27	23	Ischuria1	..3
Scarlatina	39	2	..	41	34	30	Diabetes3	..3
Whooping Cough	29	29	20	32	Cystitis2	..
Croup	6	6	6	7	Stone6	..4
Thrush	3	3	8	5	Stricture	1	1	2	.4	..4
Diarrhea	9	..	3	12	21	9	Dis. of Kidneys, &c.	1	1	2	2	3
Dysentery	5	5	3	2	Diseases of the Kidneys, } &c.	2	2	4	4	5
Cholera	1	..	1	2	3	1	Childbed	2	..	* 2	5	7
Influenza	1	..	1	.7	2	Paramenia1	..
Ague	1	1	.1	..	Ovarian Dropsy3	..2
Remittent Fever5	..	Dis. of Uterus, &c.	1	1	2	2	2
Typhus	10	22	3	† 36	33	37	Childbed, Diseases of the } Uterus, &c.	3	1	4	8	9
Erysipelas	1	1	1	3	5	6	Arthritis
Syphilis	2	1	..	3	.5	1	Rheumatism	3	..	3	2	3
Hydrophobia1	..	Dis. of Joints, &c.	2	4	..	6	3	3
Epidemic, Endemic, and } Contagious Diseases. }	133	27	8	† 169	187	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	2	7	..	9	5	6
Cephalitis	9	2	..	11	12	11	Carbuncle
Hydrocephalus	31	31	35	34	Phlegmon
Apoplexy	3	12	15	15	17	Ulcer3	..4
Paralysis	8	6	14	12	14	Fistula3	..3
Convulsions	53	2	..	55	63	57	Dis. of Skin, &c.4	..3
Tetanus	1	1	.3	..	Diseases of the Skin, } Cellular Tissue, &c. }	1	1
Chorea	Inflammation	4	4	8	9
Epilepsy	6	1	7	3	4	Hemorrhage	3	1	4	3	3
Insanity	2	..	2	.8	1	Dropsy	3	6	9	18	29	34
Delirium Tremens	6	..	6	1	1	Abscess	1	3	..	4	4	4
Dis. of Brain, &c.	6	6	3	† 16	8	9	Mortification	2	2	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	100	35	22	† 158	150	148	Purpura3	..
Laryngitis	1	1	.4	..	Serofula	2	2	..	4	2	2
Quincy	2	..	1	3	1	1	Carcinoma	9	6	15	7	7
Bronchitis	1	4	3	8	5	10	Tumor	2	2
Pleurisy	1	..	1	1	1	Gout	1	1
Pneumonia	26	4	4	34	49	73	Atrophy	5	2	2	9	8	6
Hydrothorax	2	..	2	3	5	Debility	24	3	..	27	18	18
Asthma	3	5	8	8	24	Malformations	1	1	.8	1
Phthisis or Consumption	21	98	7	126	141	143	Sudden Deaths	2	1	4	7	11	14
Dis. of Lungs, &c.	2	5	..	7	9	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	42	29	24	95	98	105
Diseases of the Lungs, } and of the other Organs } of Respiration }	53	117	20	190	219	268	Old Age, or Natural Decay }	53	53	53	68
Pericarditis5	.5	Intemperance7	..6
Aneurism	1	..	1	.5	.5	Privation	3	1	..	† 4	.2	..5
Dis. of Heart, &c.	1	17	6	24	15	17	Violent Deaths	10	16	7	33	22	24
Diseases of the Heart } and Blood Vessels. }	1	18	6	25	16	18	Deaths by Violence, Pri- } vation, or Intemperance }	13	17	7	37	23	25
Tecthing	17	17	22	17	Causes not specified	5	5
Gastritis—Enteritis	10	4	..	14	26	18	Deaths from all Causes....	387	276	151	† 816	848	903
Peritonitis	1	1	..	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	8	8	5	4	† Of 36 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in St. James's, Westminster; 2 in St. Marylebone; 1 in St. Giles's; 1 in Strand; 1 in Holborn; 1 in St. Luke; 4 in East London; 1 in West London; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. George in the East; 2 in Stepney; 1 in Poplar; 2 in St. Olave; 2 in St. George, Southwark; 1 in Lambeth; 5 in Greenwich; and 6 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 6 patients who died in the Fever Hospital, 2 came from St. Giles's, 1 from Islington; 1 from East London Union Workhouse; 1 from Holborn Union Workhouse; and 1 from St. James's, Westminster.						
Worms	1	1	.3	..							
Ascites	1	..	1	.6	..							
Ulceration (of Intest, &c.)	1	1	2	1	1							
Hernia	1	1	2	2							
Colic or Ileus	1	1	2	2	* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.						
Intussusception8	..	† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.						
Stricture4	..							
Hæmatemesis	1	1	.4	..							
Dis. of Stomach, &c.	1	1	1	3	4	6							
Dis. of Pancreas	§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.						
Hepatitis	4	1	5	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	3	7	4	14	8	7							
Dis. of Spleen	1	..	1	.1	..							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	43	21	8	72	78	62	‡ The ages of one case of Typhus and another of Disease of the Brain, are not stated.						

	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	119
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	146
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	148
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	204
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	199
TOTAL. Males, 453. Females, 363. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	816

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 2 of the 6 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

‡ The ages of one case of Typhus and another of Disease of the Brain, are not stated.

* The 2 cases of death in childbirth which appear in the present table, are entered thus:—"peritoneal inflammation of the pyloric viscera after confinement, 3 months," age 30; and "debility after childbirth," age 45. NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

† † Under Privation are the four following:—"death accelerated by want and privation (inquest)," age 53; "want of natural sustenance," age 11 weeks; "atrophy from want of breast-milk, age 10 weeks, and "debility from want of breast-milk," age 1 month.

General Register Office, August 10th, 1843.

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th August, 1843.

§	Weeks ending		Aug. 1831-40.
	Aug. 5th	Aug. 12th	
Mean height of barometer	29.688	30.100	29.872
Rain (weekly)	.907	None	.343
Mean Dryness	5.4	5.0	5.7

* Wind N. 1 day : S. 2; S.S.E. 1; N.W. 2; W. 1. Rain, None.

Temperature.	Weeks ending		Aug. 1831-40.
	Aug. 5th	Aug. 12th	
Highest....	76°	80°	84°
Lowest....	54°	53°	45°
Daily Mean	64°	65°	64°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Small Pox	6	1	..	7	25	27	Nephritis	1	1	.3	.4
Measles	25	25	27	23	Ischuria1	..
Scarlatina	45	3	..	48	34	30	Diabetes3	.3
Hooping Cough	26	26	20	32	Cystitis	1	1	.2	..
Croup	2	2	6	7	Stone	1	..	1	.6	.4
Thrush	5	5	8	5	Stricture4	.4
Diarrhoea	23	1	3	27	21	9	Dis. of Kidneys, &c.	1	4	5	2	3
Dysentery	1	1	1	3	3	2	Diseases of the Kidneys, } &c.	2	6	8	4	5
Cholera	4	1	..	5	3	1	Childbed	5	..	* 5	5	7
Influenza	2	..	1	3	.7	2	Paramenia1	..
Ague1	..	Ovarian Dropsy3	.2
Remittent Fever	2	2	.5	..	Dis. of Uterus, &c.	1	1	2	2
Typhus	8	13	3	24	33	37	Childbed, Diseases of the } Uterus, &c.	5	1	6	8	9
Erysipelas	3	1	4	5	6	Arthritis	3
Syphilis	1	1	.5	1	Rheumatism	2	3
Hydrophobia1	..	Dis. of Joints, &c.	1	1	..	2	3	2
Epidemic, Endemic, and } Contagious Diseases. }	150	23	9	182	187	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	1	1	..	2	5	6
Cephalitis	9	9	12	11	Carbuncle
Hydrocephalus	35	35	35	34	Phlegmon
Apoplexy	1	7	4	12	15	17	Ulcer	2	2	.3	.4
Paralysis	4	8	12	12	14	Fistula	1	..	1	2	.3	.3
Convulsions	48	..	1	49	63	57	Dis. of Skin, &c.4	.3
Tetanus3	..	Diseases of the Skin, } Cellular Tissue, &c. }	1	..	3	4	1	1
Chorea	Inflammation	2	2	..	4	8	9
Epilepsy	4	1	5	3	4	Hæmorrhage	3	..	3	3	3
Insanity8	1	Dropsy	2	13	11	26	29	34
Delirium Tremens	2	..	2	1	1	Abscess	4	4
Dis. of Brain, &c.	5	5	4	14	8	9	Mortification	1	1	2	4	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	98	22	18	138	150	148	Purpura3	..
Laryngitis	1	1	..	2	.4	1	Scrofula	2	1	..	3	2	2
Quinsey	1	..	1	2	1	1	Carcinoma	7	3	10	7	7
Bronchitis	1	1	5	7	5	10	Tumor	2	2
Pleurisy	1	1	2	1	1	Gout	1	1
Pneumonia	31	2	2	35	49	73	Atrophy	5	5	8	6
Hydrothorax	1	1	1	3	3	5	Debility	10	2	..	12	18	18
Asthma	5	2	7	8	24	Malformations	2	2	.8	1
Phthisis or Consumption	23	107	7	138	141	143	Sudden Deaths	1	..	3	4	11	14
Dis. of Lungs, &c.	3	4	1	8	9	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	25	29	19	73	98	105
Diseases of the Lungs, } and of the other Organs } of Respiration. }	61	122	20	204	219	268	Old Age, or Natural Decay }	60	60	53	68
Pericarditis5	.5	Intemperance	1	..	1	.7	.6
Aneurism	2	..	2	.5	.5	Privation	2	† 2	.2	.5
Dis. of Heart, &c.	2	12	4	18	15	17	Violent Deaths	3	11	4	18	22	24
Diseases of the Heart } and Blood Vessels. }	2	14	4	20	16	18	Deaths by Violence, Pri- } vation, or Intemperance }	5	12	4	21	23	25
Feetbing	20	20	22	17	Causes not specified	1	† 2	5	5
Gastritis—Enteritis	16	5	3	24	26	18	Deaths from all Causes....	393	250	156	† 801	848	903
Peritonitis	1	1	1	3	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167			903
Tabes Mesenterica	7	1	..	8	5	4	¶ Of 24 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover-square; 2 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. Marylebone; 1 in St. Giles; 2 in the Strand; 1 in St. Luke; 1 in Shore-ditch; 1 in Bethnal-green; 2 in Whitechapel; 2 in Stepney; 1 in St. Saviour; 1 in St. Olave; 1 in St. George, Southwark; 1 in Newington; 2 in Greenwich; and 1 in St. Pancras, which occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from Islington.						
Worms3	..							
Ascites	1	1	.6	..							
Ulceration (of Intest, &c.)	..	1	2	3	1	1							
Hernia	2	2							
Colic or Ileus	2	2	2	2							
Intussusception8	..							
Stricture	1	..	1	.4	..							
Hæmatemesis	2	..	2	.4	..							
Dis. of Stomach, &c.	2	2	..	4	4	6							
Dis. of Pancreas							
Hepatitis	1	1							
Jaundice	1	2	2	5	2	2							
Dis. of Liver, &c.	1	5	2	8	8	7							
Dis. of Spleen1	..							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	50	20	11	81	78	62							

	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	118
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	139
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	151
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	196
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	197
TOTAL Males, 412. Females, 359. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	801

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Mammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1833, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

|| 5 of the 7 persons who died of Small Pox had not been vaccinated.

‡ The age of one person who died of phthisis is not stated, and that of another "found dead" was unknown.

* * The 5 cases of death in childbirth which appear in the present table, are entered thus:—"Uterine inflammation after confinement (3 weeks), age 28; "puerperal typhus," age 25; puerperal fever, age 30; "paralysis, and fever consequent upon childbirth," age 28; and "childbirth, peritonitis (14 days), age 23.

†† NOTE.—The following cases are put to privation:—"Inanition from want of breast milk," and "tabes, from weaning."

General Register Office, August 16th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th August, 1843.

1843.

6	Weeks ending		Aug. 1831-40.
	Aug. 12th	Aug. 19th	
Mean height of barometer (in.)	30.100	29.968	29.872
Rain (weekly)	None	.074	.343
Mean Dryness	50.0	20.8	50.7

* Wind N. 1 day; N.E. 2; E. 2;
W. 1. S.W. 1. Rain, on 2 days.

Temperature.	Weeks ending		Aug. 1831-40.
	Aug. 12th	Aug. 19th	
Highest....	80°	81°	84°
Lowest....	53°	57°	45°
Daily Mean	65.	68°	64°

Causes of Death.	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5
	to	to	and		Summers	Years
	15	60	upwards		1838-9-40-1-2.	
Small Pox	7	1	..	8	25	27
Measles	25	25	27	23
Scarlatina	40	2	1	43	34	30
Whooping Cough	19	19	20	32
Croup	5	1	..	6	6	7
Thrush	14	14	8	5
Diarrhoea	31	1	2	34	21	9
Dysentery	1	1	8	10	3	2
Cholera	1	..	1	3	1
Influenza	1	..	1	7	2
Ague	1	..	1	2	1	..
Remittent Fever	1	1	5	..
Typhus	9	15	7	33	33	37
Erysipelas	1	1	..	2	5	6
Syphilis	1	1	5	1
Hydrophobia	1	..
Epidemic, Endemic, and Contagious Diseases. }	155	26	19	200	187	182
Cephalitis.....	5	2	1	8	12	11
Hydrocephalus	31	31	35	31
Apoplexy	1	5	11	17	15	17
Paralysis	4	9	13	12	14
Convulsions	51	51	63	57
Tetanus	3	..
Chorea
Epilepsy	1	..	1	3	4
Insanity	1	..	1	8	1
Delirium Tremens	1	..	1	1	1
Dis. of Brain, &c.....	2	2	2	6	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	90	16	23	129	150	148
Laryngitis	1	1	4	..
Quinsey	1	1	..	2	1	1
Bronchitis	1	..	1	5	10
Pleurisy	1	1
Pneumonia	21	6	4	31	49	73
Hydrothorax	2	5	7	3	5
Asthma	3	4	7	8	24
Phthisis or Consumption	28	92	3	123	141	143
Dis. of Lungs, &c.....	3	6	1	10	9	14
Diseases of the Lungs, and of the other Organs of Respiration }	57	111	17	185	219	268
Pericarditis	1	..	1	5	5
Aneurism	5	5
Dis. of Heart, &c.....	3	11	7	21	15	17
Diseases of the Heart and Blood Vessels. }	3	12	7	22	16	18
Teething	16	16	22	17
Gastritis—Enteritis	14	2	4	20	26	18
Peritonitis	1	2	..	3	1	1
Tabes Mesenterica.....	8	1	..	9	5	4
Worms	3	..
Ascites	1	..	1	6	..
Ulceration (of Intest, &c.)	2	2	1	1
Hernia	1	..	1	2	2
Colic or Ileus	2	2	2	2
Intussusception	8	..
Stricture	2	..	2	4	..
Hæmatemesis	3	..	3	4	..
Dis. of Stomach, &c.....	3	1	2	6	4	6
Dis. of Pancreas
Hepatitis	1	1
Jaundice	1	3	..	4	2	2
Dis. of Liver, &c.....	..	3	3	6	8	7
Dis. of Spleen.....	1	..
Diseases of the Stomach, Liver, and other Organs of Digestion. }	45	19	11	75	78	62

Causes of Death	Age		Total	Average during	
	0 to 15	15 to 60		5 Summers	5 Years
	1838-9-49-1-2				
Nephritis	3	4
Ischuria	1	..
Diabetes	1	..	1	3
Cystitis	2	..
Stone	1	1	1
Stricture	1	..	1	4
Dis. of Kidneys, &c.	4	..	4	3
Diseases of the Kidneys, } &c. }	..	6	1	7	5
Childbed	4	..	4	7
Paramenia	1	1	1
Ovarian Dropsy	3	2
Dis. of Uterus, &c.	2	2
Childbed, Diseases of the } Uterus, &c. }	..	4	1	5	9
Arthritis
Rheumatism	2	3
Dis. of Joints, &c.	1	1	3
Rheumatism, Diseases of } the Bones, Joints, &c. }	1	1	6
Carbuncle
Phlegmon
Ulcer	3	4
Fistula	3	3
Dis. of Skin, &c.	1	1	3
Diseases of the Skin, } Cellular Tissue, &c. }	1	1	1
Inflammation	3	3	1	7	9
Hæmorrhage	2	..	2	3
Dropsy	4	13	9	26	34
Abscess	1	1	4
Mortification	2	2	2	6	4
Purpura	3
Scrofula	1	1	2
Carcinoma	10	4	11	7
Tumor	2
Gout	1	1	2	1
Atrophy	6	..	1	7	6
Debility	22	2	..	24	18
Malformations	8
Sudden Deaths	1	2	2	5	14
Dropsy, Cancer, and } other Diseases of Un- certain Seat }	39	35	21	95	105
Old Age, or Natural Decay }	51	51	68
Intemperance	1	..	1	7
Privation	2
Violent Deaths	7	12	2	21	24
Deaths by Violence, Pri- } vation, or Intemperance }	7	13	2	22	25
Causes not specified	2	2	5
Deaths from all Causes....	400	242	153	795	903
Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167		903

* Of 33 deaths by TYPHUS, 1 occurred in the District of St. Martin-in-the-Fields; 3 in St. Marylebone; 1 in Islington; 1 in St. Giles; 2 in the Strand; 2 in Clerkenwell; 2 in St. Luke; 3 in Shoreditch; 1 in Whitechapel; 2 in Stepney; 1 in Poplar; 1 in St. Saviour; 2 in Bermondsey; 1 in Lambeth; 1 in Camberwell; 1 in Greenwich (in the Dreadnought Hospital Ship); and 5 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from St. Giles; 1 from St. George's, Southwark; 1 from St. Saviour's, Borough; 1 from St. James', Clerkenwell; and 1 from St. Pancras' Workhouse.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	115
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	151	166
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	172	163
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	197	179
		438,060	219	202	172
TOTAL Males, 392. Females 433. (Weekly average 1838-9-40-1-2, Males, 461. Females, 412.)		1,870,727	903	846	795

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 & 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Summers by 65.

§ The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

|| 1 of the 8 persons who died of Small Pox had not been vaccinated: in 6 cases the circumstance is not stated.

¶ One case of diarrhoea is stated to have been caused by improper diet, age 2 months.

†† Eight of the 10 cases of dysentery occurred in the Union Workhouse at East Greenwich, all of which were above 60 years of age.

* The 4 cases of death in childbed which appear in the present table, are entered thus:—"Uterine hæmorrhage, 3rd attack before labour, 8th month of uterogestation, nulliparous," age 43; "debility from childbed, 11 days after delivery," age 45; "inflammation of nervous membrane of the bowels after parturition" (post mortem), age 19; and "childbirth, flooding," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbed, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 101.

General Register Office, August 23rd, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th August, 1843.

1843.

Weeks ending	Aug.		Aug.
	19th	26th	1831-40.
Mean height of barometer	29.968	29.729	29.872
Rain (weekly)	.074	1.765	.343
Mean Dryness	29.8	49.6	52.7

* Wind S. 5 days; N.W. 2.
Rain, on 3 days.

Temperature.	Weeks ending		Aug.
	19th	26th	1831-40.
Highest ...	81°	81°	84°
Lowest	57°	53°	45°
Daily Mean	68°	64°	64°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to 15	to 60	and upwards		Summrs	Years		to 15	to 60	and upwards		Summrs	Years
Small Pox	4	4	25	27	Nephritis3	.4
Measles	25	25	27	23	Ischuria1	..
Scarlatina	34	34	34	30	Diabetes3	.3
Whooping Cough	15	15	20	32	Cystitis2	..
Croup	8	8	6	7	Stone6	.4
Thrush	6	6	8	5	Stricture4	.4
Diarrhoea	30	2	1	33	21	9	Dis. of Kidneys, &c.	1	2	3	2	3
Dysentery	5	2	4	11	3	2	Diseases of the Kidneys, } &c.	1	2	3	4	5
Cholera	2	1	3	6	3	1	Childbed	8	..	8	5	7
Influenza7	2	Paramania1	..
Ague	1	1	.1	..	Ovarian Dropsy	1	..	1	.3	.2
Remittent Fever5	..	Dis. of Uterus, &c.	1	1	2	2	2
Typhus	6	23	4	33	33	37	Childbed, Diseases of the } Uterus, &c.	10	1	11	8	9
Erysipelas	1	..	1	.5	6	Arthritis
Syphilis	1	..	1	.5	1	Rheumatism	3	3	2	3
Hydrophobia1	..	Dis. of Joints, &c.	3	..	3	3	3
Epidemic, Endemic, and } Contagious Diseases. }	135	30	13	178	187	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	..	3	3	6	5	6
Cephalitis	7	1	..	8	12	11	Carbuncle
Hydrocephalus	32	32	35	34	Phlegmon
Apoplexy	1	6	8	15	15	17	Ulcer3	.4
Paralysis	1	3	8	12	12	14	Fistula3	.3
Convulsions	71	71	63	57	Dis. of Skin, &c.	1	1	.4	.3
Tetanus3	..	Diseases of the Skin, } Cuticular Tissue, &c. }	1	1	1	1
Chorea	Inflammation	8	9
Epilepsy	1	2	..	3	3	4	Hemorrhage	1	2	..	3	3	3
Insanity	1	..	1	.8	1	Dropsy	2	15	8	25	29	34
Delirium Tremens	2	..	2	1	1	Abscess	1	1	..	2	4	4
Dis. of Brain, &c.	1	4	..	5	8	9	Mortification	3	1	4	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	114	19	16	149	150	148	Purpura3	..
Laryngitis4	..	Scrofula	1	..	1	2	2
Quinsey	3	3	1	1	Carcinoma	1	3	4	8	7	7
Bronchitis	2	1	4	7	5	10	Tumor	2	2
Pleurisy	1	..	1	1	1	Gout	1	1	1	1	1
Pneumonia	31	4	1	36	49	73	Atrophy	8	..	1	9	8	6
Hydrothorax	3	1	4	3	5	Debility	21	1	..	22	18	18
Asthma	2	5	7	8	24	Malformations8	1
Phtisis or Consumption	30	105	10	145	141	143	Sudden Deaths	3	11	5	19	11	14
Dis. of Lungs, &c.	4	4	4	12	9	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	37	37	20	94	98	105
Diseases of the Lungs, } and of the other Organs } of Respiration	70	120	25	215	219	268	Old Age, or Natural Decay }	45	45	53	68
Pericarditis5	.5	Intemperance7	.6
Aneurism5	.5	Privation2	.5
Dis. of Heart, &c.	1	10	5	16	15	17	Violent Deaths	7	25	1	35	22	24
Diseases of the Heart } and Blood Vessels. }	1	10	5	16	16	18	Deaths by Violence, Pri- } vation, or Intemperance }	7	25	1	35	23	25
Teething	25	25	22	17	Causes not specified	2	2	5	5
Gastritis—Enteritis	16	3	1	20	26	18	Deaths from all Causes....	426	271	143	842	848	903
Peritonitis	1	1	1	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	9	2	..	11	5	4	Of 33 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in Chelsea; 1 St. George, Hanover-square; 1 in St. Martin-in-the-Fields; 3 in St. Marylebone; 3 in St. Giles; 2 in the Strand; 2 in Shoreditch; 2 in Bethnal-green; 1 in Whitechapel; 1 in St. George-in-the-East; 1 in Stepney; 1 in St. Saviour; 3 in St. George, Southwark; 3 in Lambeth; 1 in Greenwich; and 5 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from the Lambeth Union Workhouse; 1 from the Whitechapel Union Workhouse; and 1 from St. George's, Middlesex.
Worms3	..	Intemperance7	.6
Ascites	1	1	2	.6	..	Privation2	.5
Ulceration (of Intest, &c.)	3	1	2	6	1	1	Violent Deaths	7	25	1	35	22	24
Hernia	1	..	1	2	2	Deaths by Violence, Pri- } vation, or Intemperance }	7	25	1	35	23	25
Colic or Ileus	1	1	..	2	2	2	Causes not specified	2	2	5	5
Intussusception	1	1	.8	..	Deaths from all Causes....	426	271	143	842	848	903
Stricture4	..	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Hæmatemesis	1	..	1	.4	..	Of 33 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in Chelsea; 1 St. George, Hanover-square; 1 in St. Martin-in-the-Fields; 3 in St. Marylebone; 3 in St. Giles; 2 in the Strand; 2 in Shoreditch; 2 in Bethnal-green; 1 in Whitechapel; 1 in St. George-in-the-East; 1 in Stepney; 1 in St. Saviour; 3 in St. George, Southwark; 3 in Lambeth; 1 in Greenwich; and 5 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from the Lambeth Union Workhouse; 1 from the Whitechapel Union Workhouse; and 1 from St. George's, Middlesex.
Dis. of Stomach, &c.	3	2	3	8	4	6	Intemperance7	.6
Dis. of Pancreas	Privation2	.5
Hepatitis	1	1	1	1	Violent Deaths	7	25	1	35	22	24
Jaundice	1	1	2	2	Deaths by Violence, Pri- } vation, or Intemperance }	7	25	1	35	23	25
Dis. of Liver, &c.	1	4	2	7	8	7	Causes not specified	2	2	5	5
Dis. of Spleen1	..	Deaths from all Causes....	426	271	143	842	848	903
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	59	16	12	87	78	62	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903

Districts.	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Summers	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	125
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	139
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	166
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	199
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	213
TOTAL. Males, 433. Females, 409. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	842

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

‡ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

§ 3 of the 4 persons who died of Small Pox were unvaccinated: in 1 case the circumstance is not stated.

¶ The ages of 2 persons in deaths by violence were unknown.

** The 8 cases of death in childbirth which appear in the present table, are entered thus:—"Rupture of the uterus soon after parturition" age 36; "internal flooding, produced by spontaneous rupture of the uterus, 3 days after delivery," age 36; "ulceration and rupture of the uterus, the latter during labour and escape of the child into the abdomen, (post mortem)," age 37; "puerperal peritonitis," age 27; "placental inflammation with peripneumonia, 11 days after childbirth," age 18; "debility from childbirth, 5 days after delivery," age 30; "childbirth, from exhaustion, 4 days after delivery (a fibrous tumor, weighing about 6lbs., was attached to the lower part of the uterus, producing frequent expulsive pains, post mortem)," age 32; and "hemorrhage subsequent to childbirth," age 27.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 101.

†† Five cases of dysentery occurred in the Union Workhouse at Greenwich.

General Register Office, August 30th, 1843.

A TABLE OF THE MORTALITY

1843.

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd September, 1843.

§	Weeks ending		Aug. 40.
	Aug. 26th	Sept. 2nd	
Mean height of barometer	29.729	30.114	29.872
Rain (weekly)	1.765	.036	.343
Mean Dryness	4.6	3.3	5.7

* Wind, S. 3 days; S.W. 1; E. 2; N.N.W. 1. Rain, on 1 day.

Temperature.	Weeks ending		Aug. 40.
	Aug. 26th	Sept. 2nd	
Highest....	81°	78°	84°
Lowest....	53°	55°	45°
Daily Mean	64°	66°	64°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during			
	0	15	60		5	5		0	15	60		5	5		
	to	to	and		Summers	Years		to	to	and		Summers	Years		
	15	60	upwards		1838-9-40-1-2.			1838-9-40-1-2.		1838-9-40-1-2.					
Small Pox	1	4	25	27	Nephritis	3	..4		
Measles	29	29	27	23	Ischuria	1	..		
Scarlatina	37	2	..	39	34	30	Diabetes	3	..3		
Whooping Cough	24	24	20	32	Cystitis	2	..		
Croup	3	3	6	7	Stone	6	..4		
Thrush	9	9	8	5	Stricture	4	..4		
Diarrhoea	44	2	7	53	21	9	Dis. of Kidneys, &c.	4	4	8	2	3		
Dysentery	3	3	10	16	3	2	Diseases of the Kidneys, &c. }			4	4	8	5		
Cholera	3	2	..	6	3	1	Childbed	10	..	10	5	7		
Influenza	1	1	7	2	Paramenia	1	..	1	1	..		
Ague	1	..	Ovarian Dropsy	1	..	1	3	..2		
Remittent Fever	5	37	Dis. of Uterus, &c.	2	..	2	2	2		
Typhus	9	18	6	33	33	3	Childbed, Diseases of the Uterus, &c. }			14	..	14	8	9	
Erysipelas	2	2	5	6	Arthritis		
Syphilis	1	1	5	1	Rheumatism	3	..	3	2	3		
Hydrophobia	1	..	Dis. of Joints, &c.	3	2	..	5	3	3		
Epidemic, Endemic, and Contagious Diseases. }			169	27	23	220	Rheumatism, Diseases of the Bones, Joints, &c. }			3	5	..	8	5	6
Cephalitis	9	1	2	12	12	11	Carbuncle		
Hydrocephalus	31	31	35	34	Phlegmon		
Apoplexy	4	7	7	18	15	17	Ulcer	3	..4		
Paralysis	3	7	10	12	14	Fistula	1	..	1	3	..3		
Convulsions	62	..	1	63	63	57	Dis. of Skin, &c.	4	..3		
Tetanus	1	..	1	3	..	Diseases of the Skin, Cellular Tissue, &c. }			1	..	1	1	1	
Chorea	Inflammation	8	9		
Epilepsy	3	..	3	3	4	Hæmorrhage	1	1	3	3		
Insanity	1	..	1	8	1	Dropsy	2	10	12	24	29	34		
Delirium Tremens	1	1	Abscess	2	2	4	4		
Dis. of Brain, &c.	2	4	2	8	8	9	Mortification	2	1	3	6	4	4		
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }			108	20	19	147	Purpura	3	..		
Laryngitis	1	1	4	..	Scrofula	5	2	..	7	2	2		
Quinsey	2	2	1	1	Carcinoma	1	3	4	7	7		
Bronchitis	1	1	2	5	10	Tumor	2	2		
Pleurisy	1	1	Gout	1	1		
Pneumonia	37	6	1	44	49	73	Atrophy	15	1	5	21	8	6		
Hydrothorax	1	3	..	4	3	5	Debility	30	1	..	31	18	18		
Asthma	6	8	14	8	24	Malformations	2	2	8	1		
Phthisis or Consumption	36	100	6	142	141	143	Sudden Deaths	2	4	1	7	11	14		
Dis. of Lungs, &c.	5	2	3	10	9	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }			60	20	25	105	98	105
Diseases of the Lungs, and of the other Organs of Respiration }			82	118	19	219	Old Age, or Natural Decay }	44	44	53	68		
Pericarditis	1	1	5	5	Intemperance	1	..	1	7	..6		
Aneurism	3	..	3	5	5	Privation	3	3	2	..5		
Dis. of Heart, &c.	5	9	7	21	15	17	Violent Deaths	4	9	2	16	22	24		
Diseases of the Heart and Blood Vessels. }			6	12	7	25	Deaths by Violence, Privation, or Intemperance }			7	10	2	20	23	25
Teething	24	24	22	17	Causes not specified			2	3	..	5	5	5
Gastritis—Enteritis	16	8	5	29	26	18	Deaths from all Causes....	497	255	155	909	848	903		
Peritonitis	1	1	1	1	Average Weekly Deaths, 1838-9-40-1-2.			428	307	167	..	903	
Tabes Mesenterica	9	9	5	4	Of 32 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover-square; 1 in Westminster; 6 in St. Marylebone; 1 in Islington; 1 in Hackney; 1 in St. Giles; 1 in St. Luke; 2 in Shoreditch; 1 in Bethnal-green; 1 in Whitechapel; 2 in St. George-in-the-East; 1 in Poplar; 2 in St. Saviour; 1 in St. Olave; 2 in Bermondsey; 1 in St. George, Southwark; 1 in Lambeth; 2 in Greenwich; and 3 in St. Pancras, of which 2 occurred in the Fever Hospital. It was ascertained that both the patients who died in the Fever Hospital came from St. Saviour's, Borough. One case of mumps is placed under this head for the sake of convenience.								
Worms	1	1	3	..									
Ascites	1	..	1	6	..									
Ulceration (of Intest, &c.)	..	3	1	4	1	1									
Hernia	1	1	2	2									
Colic or Ileus	2	1	3	2	2									
Intussusception	8	..									
Stricture	4	..									
Hæmatemesis	4	..									
Dis. of Stomach, &c.	7	3	1	11	4	6									
Dis. of Pancreas									
Hepatitis	1	1	1	1									
Jaundice	1	1	1	3	2	2									
Dis. of Liver, &c.	1	3	1	5	8	7									
Dis. of Spleen	1	..									
Diseases of the Stomach, Liver, and other Organs of Digestion. }			60	21	12	93									

	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Summers	
West Districts. } Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	151
North Districts. } St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	169
Central Districts. } St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	160
East Districts. } Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	222
South Districts. } St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	207
TOTAL. Males, 489. Females, 420. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	909

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London within, and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

‡ The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

§ 2 of the 4 persons who died of Small Pox were unvaccinated; in the remaining cases the circumstance is not stated.

¶ The ages of 2 cases, one of cholera, and another of violence, are not stated.

** The 10 cases of death in childbirth which appear in the present table, are entered thus:—"Puerperal fever, 14 days after delivery, 4 days' illness," age 21; "puerperal fever," age 27; "peritoneal inflammation, 10 days after delivery," age 26; "peritoneal inflammation, 9 days after delivery," age 28; "puerperal fever," 15 days after delivery," age 24; childbirth, flooding," age 43; "inflammation of the bowels, 9 days after childbirth," age 36; "childbirth," age 18; "flooding in childbirth," age 37; and "entero-peritonitis, 29 days after childbirth," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death after childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

†† 9 of the 16 cases of dysentery occurred in the Union Workhouse at Greenwich.

‡‡ Under privation are placed, "emaciation from defective nutrition," age 3 months, and 2 cases of "want of breastmilk."

General Register Office, September 6th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th September, 1843.

1843.

†	Weeks ending	Sept. 2nd	Sept. 9th	Sept. 16th
Mean height of barometer	in	30.114	30.336	29.813
Rain (weekly)	in	.036	..	.436
Mean Dryness	°	3.3	3.7	4.3

Wind, N. 2 ds.; N.N.W. 1; N.W. 1; W. 1; E. 1; E.N.E. 1. Rain, None.

Temperature.	Weeks ending	Sept. 2nd	Sept. 9th	Sept. 16th
Highest....	°	78°	78°	76°
Lowest....	°	55°	54°	41°
Daily Mean	°	66°	66°	58°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Summrs	Years		to	to	and		Summrs	Years
	15	60	upwards		1838-9-40-1-2.			1838-9-40-1-2.					
Small Pox	9	\$ 9	25	27	Nephritis3	..
Measles	17	17	27	23	Ischuria1	..
Scarlatina	41	41	34	30	Diabetes3	..
Whooping Cough	26	26	20	32	Cystitis2	..
Croup	5	5	6	7	Stone6	..
Thrush	13	13	8	5	Stricture4	..
Diarrhoea	40	3	8	51	21	9	Dis. of Kidneys, &c.	4	2	7	2	3
Dysentery	2	3	7	** 12	3	2	Diseases of the Kidneys, } &c. }	..	4	2	7	4	5
Cholera	4	1	1	6	3	1							
Influenza	1	1	.7	2							
Ague1	..							
Remittent Fever5	..							
Typhus	14	26	5	¶ 45	33	37	Childbed	7	..	7	5	7
Erysipelas	2	1	1	4	5	6	Paramenia1	..
Syphilis	1	1	.5	1	Ovarian Dropsy	1	1	.3	..
Hydrophobia1	..	Dis. of Uterus, &c.	3	..	3	2	2
Epidemic, Endemic, and } Contagious Diseases. }	175	34	22	231	187	182	Childbed, Diseases of the } Uterus, &c. }	..	10	1	11	8	9
Cephalitis	5	1	1	7	12	11							
Hydrocephalus	32	32	35	34	Arthritis
Apoplexy	2	4	4	10	15	17	Rheumatism	1	..	1	2	3
Paralysis	1	10	11	12	14	Dis. of Joints, &c.	1	3	..	4	3	3
Convulsions	56	56	63	57	Rheumatism, Diseases of } the Bones, Joints, &c. }	1	4	..	5	5	6
Tetanus3	..							
Chorea	Carbuncle
Epilepsy	1	2	..	3	3	4	Phlegmon
Insanity8	1	Ulcer3	..
Delirium Tremens	3	..	3	1	1	Fistula	1	..	1	.3	..
Dis. of Brain, &c.	3	3	2	8	8	9	Dis. of Skin, &c.	1	1	.4	..
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	99	14	17	130	150	148	Diseases of the Skin, } Cellular Tissue, &c. }	1	1	..	2	1	1
Laryngitis4	..							
Quinsy	1	1	1	1	Inflammation	8	9
Bronchitis	2	..	1	3	5	10	Hæmorrhage	3	3
Pleurisy	2	..	2	1	1	Dropsy	3	2	7	12	29	34
Pneumonia	32	1	..	¶ 34	49	73	Abscess	4	4
Hydrothorax	2	2	1	5	3	5	Mortification	1	..	2	3	4	4
Asthma	2	4	6	8	24	Purpura	1	1	.3	..
Phthisis or Consumption	52	90	4	146	111	143	Scrofula	3	2	..	5	2	2
Dis. of Lungs, &c.	2	6	2	10	9	14	Carcinoma	10	7	17	7	7
Diseases of the Lungs, } and of the other Organs } of Respiration. }	91	103	12	¶ 207	219	268	Tumor	1	..	1	2	2
Pericarditis	1	1	2	.5	.5	Gout	1	1
Aneurism5	.5	Atrophy	6	1	4	11	8	6
Dis. of Heart, &c.	2	8	4	14	15	17	Debility	18	1	..	19	18	18
Diseases of the Heart } and Blood Vessels. }	2	9	5	16	16	18	Malformations	2	1	..	3	.8	1
Feething	26	26	22	17	Sudden Deaths	1	6	2	9	11	14
Gastritis—Enteritis	23	3	2	28	26	18	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	35	24	22	81	98	105
Peritonitis	1	1							
Tabes Mesenterica	10	10	5	4	Old Age, or Natural Decay }	71	71	53	68
Worms	1	1	.3	..	Intemperance	1	1	.7	..
Ascites	1	1	.6	..	Privation	1	..	†† 1	.2	..
Ulceration (of Intest, &c.)	1	3	..	4	1	1	Violent Deaths	7	12	..	19	22	24
Hernia	1	..	1	2	2	Deaths by Violence, Pri- } vation, or Intemperance }	7	13	1	21	23	25
Colic or Ileus	1	1	2	2							
Intussusception8	..	Causes not specified	5	5
Stricture4	..							
Hæmatemesis4	..	Deaths from all Causes.	478	235	165	¶ 880	848	903
Dis. of Stomach, &c.	3	3	4	10	4	6	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167			903
Dis. of Pancreas							
Hepatitis	1	1	1	1	1							
Jaundice	1	2	1	4	2	2							
Dis. of Liver, &c.	1	7	3	11	8	7							
Dis. of Spleen1	..							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	67	19	12	98	78	62							
¶ Of 45 deaths by TYPHUS, 2 occurred in the District of Chelsea; 1 in St. George, Hanover-square; 1 in Westminster; 1 in St. Martin in the Fields; 1 in St. James, Westminster; 2 in St. Marylebone; 1 in Islington; 2 in St. Giles; 3 in Strand; 1 in Holborn; 1 in Clerkenwell; 2 in East London; 2 in West London; 4 in Shoreditch; 3 in Bethnal-green; 1 in Whitechapel; 4 in St. George in the East; 2 in Stepney; 1 in Poplar; 2 in St. Saviour; 1 in St. Olave; 1 in Lambeth; 1 in Camberwell; 1 in Greenwich; and 4 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital 1 came from St. George in the East; 1 from St. Giles; and 1 from Poland-street.													

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

§ 7 of the 9 persons who died of Small Pox had not been vaccinated.

|| The ages in 2 cases, one of pneumonia, and another of disease of the kidneys, are not stated.

‡ The 7 cases of death after childbirth which appear in the present table, are entered thus:—"childbirth," age 31; "puerperal fever and convulsions, 4 days after delivery," age 20; "puerperal fever, 9 days after delivery, 2 days' illness," age 23; "rupture of the uterus during labour," age 42; "puerperal fever, 6 days after delivery," age 23; "excessive debility, 5 hours after delivery," age 37; and "childbed," age 25. Besides these, there is the following, "paralysis, 5 months, 1st attack following parturition," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death after childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

** 10 cases of dysentery occurred in the Union Workhouse at Greenwich.

†† The following case occurs under privation, "atrophy, from imperfect nutrition," age 22.

General Register Office, September 13th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th September, 1843.

1843.

†	Weeks ending	Sept. 16th	Sept. 16th
	Sept. 9th	Sept. 16th	Sept. 16th
Mean height of barometer	30.234	29.961	29.813
Rain weekly	..	.250	.436
Mean Dryness	3.7	4.3	4.3

Wind, E. 3 days; N.E. 1; N.N.E. 1; E.N.E. 1; N.W. 1. Rain, on 1 day.

Temperature.	Weeks ending	Sept. 16th	Sept. 16th
†	Sept. 9th	Sept. 16th	Sept. 16th
Highest....	78°	74°	76°
Lowest....	54°	54°	41°
Daily Mean	66°	65°	58°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
1838-9-40-1-2.													
Small Pox	5	5	25	27	Nephritis3	..4
Measles	32	32	27	23	Ischuria	1	1	.1	..
Scarlatina	47	1	..	48	34	30	Diabetes3	..3
Whooping Cough	15	15	20	22	Cystitis	1	1	.2	..
Croup	6	6	6	7	Stone6	..4
Thrush	11	11	8	5	Stricture	1	1	2	.4	..4
Diarrhoea	54	4	11	69	21	9	Dis. of Kidneys, &c.	2	3
Dysentery	4	3	..	7	3	2	Diseases of the Kidneys, &c. }	..	1	3	4	4	5
Cholera	2	1	1	4	3	1	Childbed	2	..	2	5	7
Influenza7	2	Paramania	2	..	2	.1	..
Ague1	..	Ovarian Dropsy3	..2
Remittent Fever	1	1	.5	..	Dis. of Uterus, &c.	2	..	2	2	2
Typhus	11	24	1	36	33	37	Childbed, Diseases of the Uterus, &c. }	..	6	..	6	8	9
Erysipelas	3	3	..	6	5	6	Arthritis
Syphilis	1	1	.5	1	Rheumatism	1	2	..	3	2	3
Hydrophobia1	..	Dis. of Joints, &c.	1	2	2	5	3	3
Epidemic, Endemic, and Contagious Diseases. }	192	36	13	241	187	182	Rheumatism, Diseases of the Bones, Joints, &c. }	2	4	2	8	5	6
Cephalitis	9	6	..	15	12	11	Carbuncle
Hydrocephalus	41	41	35	34	Phlegmon
Apoplexy	3	6	7	16	15	17	Ulcer	2	..	2	.3	..4
Paralysis	1	11	9	21	12	14	Fistula3	..3
Convulsions	74	74	63	57	Dis. of Skin, &c.4	..3
Tetanus	1	..	1	.3	..	Diseases of the Skin, Cellular Tissue, &c. }	..	2	..	2	1	1
Chorea	Inflammation	2	2	8	9
Epilepsy	2	1	3	3	4	Hæmorrhage	2	..	2	3	3
Insanity8	1	Dropsy	1	11	7	19	29	34
Delirium Tremens	1	..	1	1	1	Abscess	1	1	..	2	4	4
Dis. of Brain, &c.	2	3	5	8	9	Mortification	2	3	5	4	4
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	128	29	20	177	150	148	Purpura	1	..	1	.3	..
Laryngitis4	..	Scrofula	1	1	2	2
Quinsey	3	1	..	4	1	1	Carcinoma	5	8	13	7	7
Bronchitis	4	..	3	7	5	10	Tumor	1	..	1	2	2
Pleurisy	1	..	1	1	1	Gout	1	1
Pneumonia	23	4	..	32	49	73	Atrophy	12	..	1	13	8	6
Hydrothorax	2	..	3	5	3	5	Debility	15	15	18	18
Asthma	1	5	6	8	24	Malformations	2	2	.8	1
Phthisis or Consumption	39	101	9	149	141	143	Sudden Deaths	1	3	3	7	11	14
Dis. of Lungs, &c.	4	1	1	6	9	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }	35	26	22	83	98	105
Diseases of the Lungs, and of the other Organs of Respiration }	80	109	21	210	219	268	Old Age, or Natural Decay }	44	44	53	68
Pericarditis5	.5	Intemperance7	..6
Aneurism	1	..	1	.5	.5	Privation	1	1	.2	..6
Dis. of Heart, &c.	12	3	15	15	17	Violent Deaths	8	7	2	17	22	24
Diseases of the Heart and Blood Vessels. }	..	13	3	16	16	18	Deaths by Violence, Privation, or Intemperance }	9	7	2	18	23	25
Teething	19	19	22	17	Causes not specified	2	6	..	8	5	5
Gastritis—Enteritis	23	6	1	30	26	18	Deaths from all Causes....	515	262	138	915	848	903
Peritonitis	1	1	..	2	1	1	Average Weekly Deaths, 1838-9-40-1-2. }	428	307	167	903
Tuberc Mesenterica	14	1	..	15	5	4	Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 3 in St. Marylebone; 2 in Islington; 4 in St. Giles; 2 in Strand; 1 in Clerkenwell; 1 in St. Luke; 1 in West London; 1 in Shoreditch; 4 in Bethnal-green; 1 in Stepney; 1 in Poplar; 1 in St. Olave; 1 in Camberwell; 1 in Rotherhithe; 3 in Greenwich; and 6 in St. Pancras, of which 5 occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from Whitechapel Union Workhouse; 1 from St. Giles; 1 from St. Saviour, Borough; 1 from St. George in the East; and 1 from Chelsea.
Worms3
Ascites6
Ulceration (of Intest, &c.)	1	..	1	2	1	1
Hernia	1	..	1	2	2
Colic or Ileus	2	2
Intussusception	1	1	.8
Stricture4
Hæmatemesis4
Dis. of Stomach, &c.	7	2	2	11	4	6
Dis. of Pancreas
Hepatitis	1	..	1	1	1
Jaundice	3	3	2	2
Dis. of Liver, &c.	11	1	12	8	7
Dis. of Spleen	1	1	.1
Diseases of the Stomach, Liver, and other Organs of Digestion. }	67	23	8	98	78	62

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	151
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	151	152
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	172	200
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	197	189
		438,060	219	202	223
TOTAL	Males, 471. Females, 444. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	915

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr. Robertson, at the apartments of the Royal Society.

‡ 4 of the 5 persons who died of Small Pox had not been vaccinated, of which, 1 case is registered: "small pox unvaccinated, the mother having it 8 days after confinement," age, 1 month. In 1 case the circumstance is not stated.

§ The 2 cases of death after childbirth which appear in the present table, are entered thus:—"From protracted syncope, 10 days after childbirth, (p. mort.)" age 30; and "inflammation of the bowels, 5 days after childbirth," age 33.

** 3 cases of dysentery occurred in the Union Workhouse at Greenwich. 267 cases of diarrhoea, 59 of dysentery, and 28 of cholera, have been registered in the Metropolis during 6 weeks, from the 5th of August to the 16th of September.

†† The following case is included under privation: "debility, want of breastmilk," age 2 months.

General Register Office, September 20th, 1843.



A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd September, 1843.

1843.

†	Weeks ending	Sept.	Sept.	Sept.
	16th	23rd	30th	7th
Mean height of barometer	29.964	30.195	29.813	
Rain (weekly)	.250	.197	.436	
Mean Dryness	4.3	4.5	4.3	

* Wind, N. 3 days; N.E. 1; E. 1;
S.S.W. 1; S.S.E. 1. Rain, on 1 day.

Temperature.	Weeks ending	Sept.	Sept.	Sept.
†	16th	23rd	30th	7th
Highest ...	74°	78°	78°	78°
Lowest ...	54°	54°	54°	54°
Daily Mean	65°	66°	66°	66°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
	1838-9-40-1-2.							1838-9-40-1-2.					
Small Pox	4	4	25	27	Nephritis	1	..	1	.3	.4
Measles	38	38	27	23	Ischuria1	..
Scarlatina	63	1	..	64	34	30	Diabetes3	.3
Whooping Cough	21	21	20	32	Cystitis	1	..	1	.2	..
Croup	4	4	6	7	Stone6	.4
Thrush	16	16	8	5	Stricture	1	1	.4	.4
Diarrhoea	49	3	7	59	21	9	Dis. of Kidneys, &c.	2	..	2	2	3
Dysentery	7	10	11	28	3	2	Diseases of the Kidneys, &c. }	..	4	1	5	4	5
Cholera	5	5	1	11	3	1	Childbed	7	..	7	5	7
Influenza	1	1	.7	2	Paramania	1	..	1	.1	..
Ague1	..	Ovarian Dropsy3	.2
Remittent Fever	1	..	1	.5	..	Dis. of Uterus, &c.	2	2
Typhus	8	20	5	33	33	37	Childbed, Diseases of the Uterus, &c. }	..	8	..	8	8	9
Erysipelas	1	..	2	3	5	6	Arthritis
Syphilis5	1	Rheumatism	4	1	5	2	3
Hydrophobia1	..	Dis. of Joints, &c.	3	1	..	4	3	2
Epidemic, Endemic, and Contagious Diseases. }	217	40	26	283	187	182	Rheumatism, Diseases of the Bones, Joints, &c. }	3	5	1	9	5	6
Cephalitis	11	2	..	13	12	11	Carbuncle
Hydrocephalus	39	39	35	34	Phlegmon
Apoplexy	1	7	5	13	15	17	Ulcer3	.4
Paralysis	1	8	11	20	12	14	Fistula3	.2
Convulsions	54	54	63	57	Dis. of Skin, &c.4	.3
Tetanus3	..	Diseases of the Skin, Cellular Tissue, &c. }	1	1
Chorea	Inflammation	2	2	8	9
Epilepsy	1	1	3	4	Hæmorrhage	1	2	..	3	3	3
Insanity	1	1	2	4	.8	1	Dropsy	2	11	12	25	29	34
Delirium Tremens	4	..	4	1	1	Abscess	4	4
Dis. of Brain, &c.	5	4	1	10	8	9	Mortification	2	2	4	4
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	111	26	19	156	150	148	Purpura3	..
Laryngitis4	..	Scrofula	2	1	..	3	2	2
Quinsy	1	1	1	1	Carcinoma	11	6	17	7	7
Bronchitis	3	1	2	6	5	10	Tumor	2	2
Pleurisy	1	1	Gout	1	1
Pneumonia	32	7	3	42	49	73	Atrophy	23	23	8	6
Hydrothorax	1	1	2	3	5	Debility	20	2	..	22	18	18
Asthma	2	4	6	8	24	Malformations	3	3	.8	1
Phthisis or Consumption	27	96	4	129	141	143	Sudden Deaths	2	2	2	6	11	14
Dis. of Lungs, &c.	4	2	1	7	9	14	Dropsy, Cancer, and other Diseases of Uncertain Seat }	55	29	22	106	98	105
Diseases of the Lungs, and of the other Organs of Respiration }	67	109	15	193	219	268	Old Age, or Natural Decay }	55	55	53	68
Pericarditis	2	..	2	.5	.5	Intemperance	1	..	1	.7	.6
Aneurism5	.5	Privation2	.5
Dis. of Heart, &c.	4	6	2	12	15	17	Violent Deaths	7	19	4	30	22	24
Diseases of the Heart and Blood Vessels. }	4	8	2	14	16	18	Deaths by Violence, Privation, or Intemperance }	7	20	4	31	23	25
Teething	28	28	22	17	Causes not specified	1	2	..	3	5	5
Gastritis—Enteritis	28	7	4	37	26	18	Deaths from all Causes....	546	279	156	983	848	903
Peritonitis	1	1	1	1	Average Weekly Deaths, 1838-9-40-1-2.	428	307	167	903
Tubercles Mesenterica	11	1	..	12	5	4	Of 33 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 1 in St. Marylebone; 1 in Islington; 1 in St. Giles; 1 in Strand; 1 in St. Luke; 1 in West London; 1 in City of London; 1 in Shoreditch; 2 in Whitechapel; 1 in Stepney; 1 in St. Saviour; 3 in St. Olave; 1 in Bermondsey; 2 in St. George, Southwark; 1 in Newington; 1 in Camberwell; 1 in Rotherhithe; 2 in Greenwich; and 7 in St. Pancras, of which 5 occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from St. James's, Westminster; 1 from St. Giles; 1 from St. George in the East; 1 from the London Union Workhouse; and 1 from the London Female Penitentiary.
Worms3	..	Population, Enumerated, 1841.	300,705	135	124	135
Ascites	1	..	1	.6	..	Average weekly Deaths, 1838-9-40-1-2.	365,660	162	151	159
Ulceration (of Intest, &c.)	4	1	..	5	1	1	5 Years	373,806	184	172	199
Hernia	1	..	1	2	2	5 Summers	392,496	203	197	221
Colic or Ileus	1	3	2	6	2	2	Deaths in the Week.	438,060	219	202	269
Intussusception	1	1	..	2	.8	..	TOTAL Males, 483. Females, 500. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	983
Stricture4	..							
Hæmatemesis	1	..	1	.4	..							
Dis. of Stomach, &c.	6	2	1	9	4	6							
Dis. of Pancreas							
Hepatitis	1	..	1	1	1							
Jaundice	1	4	1	6	2	2							
Dis. of Liver, &c.	2	5	2	9	8	7							
Dis. of Spleen	1	1	.1	..							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	81	28	11	120	78	62							

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr Robertson, at the apartments of the Royal Society.

‡ The ages in 2 cases of phthisis are not stated.

§ The 7 cases of death after childbirth which appear in the present table, are entered thus:—"Childbed fever," age 28; "childbirth, (9 hours)" age 45; "childbirth," age 24; "puerperal fever, 3 weeks after childbirth," age 24; "childbirth," age 25; "miscarriage," age 41; and "exhaustion in childbirth, induced by general debility," age 21. Besides these, there is the following:—"phthisis (6 months) abortion (5 days)" age 36.

** 14 cases of dysentery occurred in the Union Workhouse at Greenwich. 326 cases of diarrhoea, 87 of dysentery, and 39 of cholera, have been registered in the Metropolis during 7 weeks, from the 6th of August to the 23rd of September.

†† The 3 following cases are included under atrophy:—"debility from birth, with imperfect nutrition," age 9 days; "debility, want of breastmilk," age 2 weeks; and "atrophy, from want of breastmilk," age 6 weeks.

General Register Office, September 27th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th September, 1843.

1843.

†	Weeks ending	Sept. 23rd	Sept. 30th	Sept. 40.
Height in feet	30.195	29.981	29.813	
(weekly)	.197	.238	.436	
Barometrical Dryness	4° 5	4° 2	4° 3	

* Wind, N. 2 days; N.W. 1; W. 2;
S.W. 1; S. 1. Rain, on 1 day.

Temperature.	Weeks ending	Sept. 23rd	Sept. 30th	Sept. 40.
†				
Highest....	78°	66°	78°	
Lowest....	54°	41°	54°	
Daily Mean	66°	54°	66°	

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Summers	Years		to	to	and		Summers	Years
	15	60	upwards		1838-9-40-1-2.			15	60	upwards		1838-9-40-1-2.	
Small Pox	5	1	..	6	25	27	Nephritis3	.4
Measles	30	30	27	23	Ischuria1	..
Scarlatina	52	2	..	54	34	30	Diabetes3	.3
Whooping Cough	28	28	20	32	Cystitis2	..
Croup	5	5	6	7	Stone	1	..	1	.6	.4
Thrush	13	13	8	5	Stricture	1	..	1	.4	.4
Diarrhoea	53	4	10	67	21	9	Dis. of Kidneys, &c.	1	1	2	2	3
Dysentery	8	5	9	** 22	3	2	Diseases of the Kidneys, } &c.	3	1	4	4	5
Cholera	5	1	..	†† 6	3	1	Childbed	6	..	† 6	5	7
Influenza7	2	Paramenia1	..
Ague	1	1	.1	..	Ovarian Dropsy	1	..	1	.3	.2
Remittent Fever5	..	Dis. of Uterus, &c.	2	..	2	2	2
Typhus	17	9	3	† 29	33	37	Childbed, Diseases of the } Uterus, &c.	9	..	9	8	9
Erysipelas	4	1	..	5	5	6	Arthritis	1	1
Syphilis	1	1	.5	1	Rheumatism	1	1	2	3
Hydrophobia1	..	Dis. of Joints, &c.	4	..	4	3	3
Epidemic, Endemic, and } Contagious Diseases. }	221	23	23	267	187	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	..	4	2	6	5	6
Cephalitis	13	1	..	14	12	11	Carbuncle
Hydrocephalus	52	1	..	53	35	34	Phlegmon
Apoplexy	1	11	6	18	15	17	Ulcer	1	..	1	.3	.4
Paralysis	3	7	10	12	14	Fistula3	.3
Convulsions	55	55	63	57	Dis. of Skin, &c.4	.3
Tetanus3	..	Diseases of the Skin, } Cellular Tissue, &c. }	..	1	..	1	1	1
Chorea	Inflammation	4	..	1	5	8	9
Epilepsy	4	..	4	3	4	Hæmorrhage	3	..	3	3	3
Insanity	1	1	2	.8	1	Dropsy	3	11	9	23	29	34
Delirium Tremens	3	..	3	1	1	Abscess	1	1	..	2	4	4
Dis. of Brain, &c.	4	3	4	12	8	9	Mortification	3	3	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	125	27	18	171	150	148	Purpura3	..
Laryngitis4	..	Scrofula	1	..	1	2	2	2
Quinsey	2	2	1	1	Carcinoma	5	4	9	7	7
Bronchitis	4	1	1	6	5	10	Tumor	2	2
Pleurisy	1	1	..	2	1	1	Gout	1	1
Pneumonia	45	4	1	50	49	73	Atrophy	20	..	1	†† 21	8	6
Hydrothorax	3	..	3	3	5	Debility	21	4	..	25	18	18
Asthma	6	6	12	8	24	Malformations	3	3	.8	1
Phthisis or Consumption	44	97	3	144	141	143	Sudden Deaths	5	8	3	16	11	14
Dis. of Lungs, &c.	3	6	3	12	9	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat	58	32	22	112	98	105
Diseases of the Lungs, } and of the other Organs } of Respiration	99	118	14	231	219	268	Old Age, or Natural Decay }	49	49	53	68
Pericarditis	2	1	3	.5	.5	Intemperance	1	..	1	.7	.6
Aneurism	1	1	.5	.5	Privation2	.5
Dis. of Heart, &c.	2	16	9	27	15	17	Violent Deaths	11	27	2	40	22	24
Diseases of the Heart } and Blood Vessels. }	2	18	11	31	16	18	Deaths by Violence, Pri- } vation, or Intemperance }	11	28	2	41	23	25
Teething	35	35	22	17	Causes not specified	2	1	..	3	5	5
Gastritis—Enteritis	23	3	2	28	26	18	Deaths from all Causes....	602	281	159	1043	848	903
Peritonitis	2	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tubes Mesenterica	12	12	5	4	† Of 29 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 3 in St. George, Hanover-square; 1 in St. Martin-in-the-Fields; 2 in Strand; 1 in East London; 1 in West London; 1 in City of London; 3 in Shoreditch; 3 in Bethnal-green; 2 in Whitechapel; 4 in Stepney; 1 in St. Saviour; 2 in Camberwell; 1 in Greenwich; and 2 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from St. Mary's, Islington						
Worms	3	3	.3	..							
Ascites	1	..	1	.6	..							
Ulceration (of Intest, &c.)	2	..	2	4	1	1							
Hernia	1	..	1	2	2							
Colic or Ileus	1	..	2	3	2	2							
Intussusception	1	..	1	2	.8	..							
Stricture	1	1	.4	..							
Hæmatemesis	1	1	.4	..							
Dis. of Stomach, &c.	4	1	5	10	4	6							
Dis. of Pancreas							
Hepatitis	1	..	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	1	9	2	12	8	7							
Dis. of Spleen	1	..	1	.1	..							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	84	17	17	118	78	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Summers	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	124	143
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	151	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	172	184
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	197	270
		438,060	219	202	256
TOTAL. Males, 544. Females, 499. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	1043

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† 5 of the 6 persons who died of Small Pox had not been vaccinated.

†† The age of one person who died of cerebral disease is not stated.

‡ The 6 cases of death after childbirth which appear in the present table are entered thus:—"Puerperal fever," age 16; "puerperal peritonitis," age 25; "puerperal fever, 10 days after delivery, 3 days' illness," age 32; "puerperal fever, the third day after confinement," age 19; "childbed," age 26; and "childbirth, 4 days after delivery, from obstruction and consequent inflammation of the bowels," age 23.

* * 14 deaths by dysentery occurred in the Union Workhouse at Greenwich, of which one is registered "consumption,—dysentery 3 weeks." 63 deaths by dysentery have occurred in the Greenwich Workhouse during 7 weeks, from the 13th of August to the 30th of September.

†† Under cholera are included 2 cases of "cholera brought on by want of proper sustenance," ages respectively 7 months and 1½ year. Under atrophy are the following cases:—"atrophy from want of breast milk," age 14 weeks; and "debility from want of breast milk," age 3 months.

General Register Office, October 4th, 1843.



A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th October, 1843.

1843.

†	Weeks ending	Oct.	1831.
	Sept. 30th	7th	40.
Mean height of barometer	29.981	29.913	29.377
Rain (weekly)	.239	.277	.406
Mean Dryness	4.2	4.5	3.3

* Wind, W. 3 days; S.W. 2; S. 1;
W.S.W. 1. Rain, on 2 days.

Temperature.	Sept. 30th	Oct. 7th	Oct. 1831.
†			40.
Highest....	66°	70°	70°
Lowest....	41°	53°	30°
Daily Mean	54°	62°	52°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
					1838-9-40-1-2.							1838-9-40-1-2.	
Small Pox	8	8	28	27	Nephritis	1	1	.5	.4
Measles	39	39	26	23	Ischuria2	..
Scarlatina	43	43	41	30	Diabetes3	.3
Whooping Cough	35	35	27	32	Cystitis4	..
Croup	4	4	8	7	Stone3	.4
Thrush	17	17	4	5	Stricture6	.4
Diarrhoea	45	6	10	64	6	9	Dis. of Kidneys, &c.	4	2	6	3	3
Dysentery	7	2	12	21	2	2	Diseases of the Kidneys, } &c. }	1	4	2	7	5	5
Cholera	2	..	2	4	.4	1	Childbed	7	..	7	8	7
Influenza	1	1	1	2	Paramenia	1	..	1	.2	..
Ague3	..	Ovarian Dropsy	1	..	1	.2	.2
Remittent Fever3	..	Dis. of Uterus, &c.	4	3	7	2	2
Typhus	10	12	5	27	32	37	Childbed, Diseases of the } Uterus, &c. }	..	13	3	16	10	9
Erysipelas	1	4	1	6	6	6	Arthritis	1	1
Syphilis5	1	Rheumatism	1	1	2	3	3
Hydrophobia1	..	Dis. of Joints, &c.	2	2	3	3
Epidemic, Endemic, and } Contagious Diseases. }	215	24	30	269	183	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	2	1	2	5	6	6
Cephalitis	5	3	..	8	11	11	Carbuncle
Hydrocephalus	42	2	..	44	30	34	Phlegmon
Apoplexy	2	8	8	18	15	17	Ulcer	1	1	.4	.4
Paralysis	4	10	14	15	14	Fistula	1	1	.3	.3
Convulsions	56	..	1	58	52	57	Dis. of Skin, &c.4	.3
Tetanus4	..	Diseases of the Skin, } Cellular Tissue, &c. }	2	2	1	1
Chorea	Inflammation	5	5	9	9
Epilepsy	1	2	..	3	4	4	Hæmorrhage	1	4	2	7	3	3
Insanity	1	1	2	1	1	Dropsy	3	12	12	27	36	34
Delirium Tremens	3	1	4	2	1	Abcess	1	1	3	4
Dis. of Brain, &c.	5	7	2	14	7	9	Mortification	2	2	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	111	30	23	165	140	148	Purpura2	..
Laryngitis4	..	Scrofula	2	2	2	2
Quinsey	2	1	..	3	2	1	Carcinoma	9	3	12	7	7
Bronchitis	6	2	1	9	11	10	Tumor	2	2
Pleurisy	2	1	Gout	1	1
Pneumonia	58	5	4	67	90	73	Atrophy	10	..	4	14	5	6
Hydrothorax	4	4	5	5	Debility	31	3	..	34	18	18
Asthma	2	2	4	25	24	Malformations	2	1	..	3	.6	1
Phthisis or Consumption	35	99	3	138	131	143	Sudden Deaths	3	3	2	8	15	14
Dis. of Lungs, &c.	4	5	2	11	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	58	32	25	115	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration. }	105	114	16	236	278	268	Old Age, or Natural Decay }	73	73	69	68
Pericarditis	1	..	1	.6	.5	Intemperance6	.6
Aneurism	2	..	2	.7	.5	Privation5	.5
Dis. of Heart, &c.	4	9	5	18	19	17	Violent Deaths	8	13	2	23	23	24
Diseases of the Heart } and Blood Vessels. }	4	12	5	21	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	8	13	2	23	24	25
Teething	30	30	16	17	Causes not specified	1	1	..	2	8	5
Gastritis—Enteritis	21	6	2	29	15	18	Deaths from all Causes....	586	274	194	1056	908	903
Peritonitis	2	..	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	19	19	4	4	† Of 27 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 2 in St. George, Hanover-square; 2 in Westminster; 1 in St. Mary- lebone; 2 in Strand; 1 in Clerkenwell; 2 in St. Luke; 1 in St. George in the East; 5 in Stepney; 1 in St. Saviour; 2 in Lambeth; 1 in Camberwell; and 4 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from Peckham Union Workhouse.
Worms	5	5	.4
Ascites	1	..	1	.7
Ulceration (of Intest, &c.)	..	1	2	3	1	1
Hernia	2	2
Colic or Ileus	2	..	2	2	2
Intussusception4
Stricture5
Hæmatemesis	1	..	1	.3
Dis. of Stomach, &c.	5	7	2	14	4	6
Dis. of Pancreas
Hepatitis	3	1	4	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	5	3	8	8	7
Dis. of Spleen	1	..	1
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	81	30	11	122	59	62

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Paneras; Islington; Hackney	300,705	135	130	170
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	152
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	234
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	237
		438,060	219	227	263
TOTAL Males, 541. Females, 515. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1056

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† 5 of the 8 persons who died of Small Pox had not been vaccinated; in one case the circumstance is not stated, and one is registered "small pox (during vaccination)" age 1 month.

|| In 2 cases, 1 of convulsions and 1 of consumption, the ages are not stated.

‡ The 7 cases of death after childbirth which appear in the present table are entered thus:—"Childbirth (8 days after confinement)," age 37; "hæmorrhage consequent on miscarriage (4 days intervening)," age 28; "inflammation of the lungs, 2 days after childbirth," age 25; "childbirth (4 days after delivery) from ruptured uterus," age 37; "erysipelas and exhaustion, 4 days after delivery," age 21; "childbirth, 4 days after delivery, from flooding," age 37; and "childbirth (5 hours), exhaustion from debility," age 40. The following case may be added: "premature confinement, having some months previously been thrown from a cart," age 40.

•• The following case is included under diarrhoea, "atrophy, with diarrhoea, from want of breast-milk (3 weeks)," age 10 weeks. Under atrophy "want of natural sustenance," age 3 weeks.

†† 6 cases of death by dysentery occurred in the Union Workhouse at Greenwich.

NOTE.—A considerable number of deaths on which inquests had been held, in the district of Greenwich, and not forwarded in due time by the Coroner, have not been included in the present Bill, as having occurred previous to the 1st of October.

General Register Office, October 11th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th October, 1843.

1843.

†	Weeks ending	Oct. 7th	Oct. 14th	Oct. 21st
Mean height of barometer	29.913	29.502	29.877	
Rain weekly	277	.902	.406	
Mean Dryness	4.5	3.1	3.3	

Wind, N. 1 day; S. 1; W. 1; S.W. 2;
W.S.W. 2. Rain, on 6 days.

Temperature.	Weeks ending	Oct. 7th	Oct. 14th	Oct. 21st
†				
Highest ...	70°	66°	70°	
Lowest	53°	39°	30°	
Daily Mean	62°	62°	52°	

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	1838-9-10-1-2							1838-9-10-1-2					
Small Pox	6	6	25	17	Nephritis5	.4
Measles	33	33	16	23	Ischuria2	..
Scarlatina	52	1	1	54	41	30	Diabetes3	.3
Whooping Cough	28	28	27	32	Cystitis4	..
Croup	6	6	8	7	Stone3	.4
Thrush	8	8	4	5	Stricture	1	1	.6	.4
Dysentery	30	6	7	43	6	9	Dis. of Kidneys, &c.	1	2	1	4	3	3
Cholera	6	5	6	17	2	2	Diseases of the Kidneys, &c. }	1	2	2	5	5	5
Typhus	1	1	2	4	.4	1	Childbed	3	..	† 3	8	7
Typhoid	1	..	1	1	2	Puerperia2	..
Intermittent Fever3	..	Ovarian Dropsy2	.2
Erysipelas	12	12	7	31	32	37	Dis. of Uterus, &c.	2	2	4	2	2
Syphilis	4	1	..	5	6	6	Childbed, Diseases of the Uterus, &c. }	..	5	2	7	10	9
Hydrophobia	1	1	..	2	.5	1	Arthritis
Epidemic, Endemic, and Contagious Diseases. }	187	28	23	239	.83	182	Rheumatism	3	3
Cephalitis	10	4	1	15	11	11	Dis. of Joints, &c.	5	1	6	3	3
Hydrocephalus	32	32	30	31	Rheumatism, Diseases of the Bones, Joints, &c. }	..	5	1	6	6	6
Apoplexy	1	9	4	14	18	17	Carbuncle	1	1
Paralysis	8	14	22	15	14	Phlegmon
Convulsions	50	50	52	57	Ulcer	1	1	2	.4	.4
Tetanus4	..	Fistula	1	..	1	.3	.3
Chorea	Dis. of Skin, &c.4	.3
Epilepsy	1	1	2	4	4	Diseases of the Skin, &c. }	..	2	2	4	1	1
Insanity	1	1	Inflammation	3	1	..	4	9	9
Delirium Tremens	2	..	2	2	1	Hæmorrhage	2	1	3	3	3
Dis. of Brain, &c.	5	3	..	8	7	9	Dropsy	6	11	11	28	36	34
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	98	27	20	145	140	148	Abscess	1	2	..	3	3	4
Laryngitis	1	1	..	2	.4	1	Mortification	1	..	1	4	4
Quincy	2	1	Purpura	1	1	.2	..
Bronchitis	2	1	2	5	11	10	Scrofula	1	1	2	2
Pharyngitis	1	1	1	3	2	1	Carcinoma	2	1	3	7	7
Pneumonia	70	6	4	80	90	73	Tumor	1	1	2	2
Hydrothorax	1	2	3	5	5	Gout	1	1	2	1	1
Asthma	4	7	11	25	24	Atrophy	16	1	..	†† 17	5	6
Pleurisy or Consumption	37	67	4	128	131	143	Debility	20	2	..	22	18	18
Dis. of Lungs, &c.	6	9	3	18	12	14	Malignancies	3	3	.8	1
Diseases of the Lungs, and of the other Organs of Respiration }	117	110	23	250	278	268	Sudden Deaths	1	1	4	6	15	11
Pericarditis6	.5	Dropsy, Cancer, and other Diseases of Uncertain Seat }	53	24	18	95	106	105
Aneurism7	.5	Old Age, or Natural Decay }	66	66	69	68
Dis. of Heart, &c.	3	10	4	17	19	17	Intemperance	1	1	2	.6	.6
Diseases of the Heart and Blood Vessels. }	3	10	4	17	20	18	Privation5	.5
Tracheitis	29	29	16	17	Violent Deaths	4	13	4	22	23	21
Gastritis—Enteritis	14	4	2	20	15	18	Deaths by Violence, Privation, or Intemperance }	4	14	5	24	24	25
Peritonitis	1	2	..	3	1	1	Causes not specified	2	1	..	3	8	5
Pænes Mesenterica	18	1	..	19	4	4	Deaths from all Causes....	532	241	175	950	908	903
Wounds4	..	Average Weekly Deaths, 1838-9-10-1-2.	428	307	167	903
Ascites7	..	† Of 32 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 1 in St. George, Hanover-square; 1 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. James, Westminster; 1 in St. Marylebone; 1 in Islington; 2 in Hackney; 1 in St. Giles; 1 in Holborn; 2 in St. Luke; 2 in West London; 1 in Shoreditch; 3 in St. George in the East; 2 in Stepney; 1 in Bermondsey; 1 in Lambeth; 1 in Greenwich; and 6 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 6 patients who died in the Fever Hospital, 2 came from St. Andrew's, Holborn; 1 from St. Giles; 1 from St. Martin-in-the-Fields; 1 from Clerkenwell; and 1 from St. Pancras Workhouse.
Ulceration (of Intest, &c.)	1	1	1	1							
Hæmorrhoids	2	2							
Cole or Hæm	2	1	3	2	2							
Intussusception4	..							
Stricture	1	1	.5	..							
Hæmatemesis3	..							
Dis. of Stomach, &c.	3	1	3	7	4	6							
Dis. of Pancreas							
Hepatitis	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	2	3	5	8	7							
Dis. of Spleen							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	67	13	9	89	59	62							

Districts.	Population, Enumerated 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
		5 Years	5 Autumns	
West Districts. { Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	147
North Districts. { St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	159
Central Districts. { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	182
East Districts. { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	225
South Districts. { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	237
TOTAL Males, 509. Females, 411. (Weekly average 1838-9-10-1-2, Males, 161. Females, 412.)	1,870,727	903	908	950

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Robertson at the Apartments of the Royal Society.

‡ The 6 persons who died of Small Pox had not been vaccinated.

§ In 2 cases, 1 of Typhus, and 1 of Drowning, the ages are not stated.

¶ The 3 cases of death after childbirth which appear in the present table are entered thus:—"Puerperal peritonitis," age 20; "Puerperal Fever, (5 days after delivery)" age 29; and "Childbirth, (4 days after delivery)" age 32; to which may be added, "Consumption, (3 days after Childbirth)" age 34.

** 6 cases of death by dysentery occurred in the Union Workhouse at Greenwich.

†† Under atrophy are included 2 cases of "want of breast-milk, (the mother having died in childbirth)" respective ages, 9 days and 10 days, and "decline, from want of breast-milk," age 1 year.

NOTE.—Inquests to a considerable number, which occurred in a former part of the year in the district of Greenwich, but which were only returned during the last fortnight, have not been included in the Bill of last week, nor in the present. The Coroner had omitted to forward them in due time.

General Register Office, October 18th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st October, 1843.

1843.

†	Weeks ending		Oct. 1831-40.
	Oct. 14th	Oct. 21st*	
Mean height { in feet {	29.5	29.8	29.877
Bar (weekly)	.9.2	.698	.406
Mean Dryness	3.1	2.8	3.3

* Wind, N. 1 day; N.N.W. 1; S. 2;
W 1; W.N.W. 2. Rain, on 3 days

Temperature. †	Weeks ending		Oct. 1831-40.
	Oct. 14th	Oct. 21st	
Highest ...	66°	52°	70°
Lowest....	39°	33°	30°
Daily Mean	52°	42°	52°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		5 Autumns 1838-9-40-1-2.	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns 1838-9-40-1-2.	5 Years
Small Pox	8	8	23	27	Nephritis5	.4
Measles	30	30	26	23	Ischuria2	..
Scarlatina	56	2	..	58	41	30	Diabetes3	.3
Whooping Cough	47	47	27	32	Cystitis4	..
Croup	13	13	8	7	Stone	1	1	.3	.4
Thrush	8	1	..	9	4	5	Stricture6	.4
Diarrhoea	27	3	11	41	6	9	Dis. of Kidneys, &c.	2	3	5	3	3
Dysentery	7	8	1	** 16	2	2	Diseases of the Kidneys, } &c. }	..	2	4	6	5	5
Cholera	1	1	..	2	.4	1	Childbed	9	..	9	8	7
Influenza	1	1	1	2	Paramenia2	..
Ague3	..	Ovarian Dropsy2	.2
Remittent Fever3	..	Dis. of Uterus, &c.	2	1	3	2	2
Typhus	13	21	7	† 41	32	37	Childbed, Diseases of the } Uterus, &c. }	..	11	1	12	10	9
Erysipelas	3	1	..	4	6	6	Arthritis
Syphilis	1	..	1	.5	1	Rheumatism	1	1	3	3
Hydrophobia1	..	Dis. of Joints, &c.	4	1	5	3	3
Epidemic, Endemic, and } Contagious Diseases. }	214	38	19	271	183	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	..	4	2	6	6	6
Cephalitis	11	2	..	13	11	11	Carbuncle
Hydrocephalus	34	1	..	35	30	34	Phlegmon
Apoplexy	1	10	7	18	18	17	Ulcer	1	1	.4	.4
Paralysis	3	5	8	15	14	Fistula	1	1	.3	.3
Convulsions	62	62	52	57	Dis. of Skin, &c.4	.3
Tetanus	1	..	1	.4	..	Diseases of the Skin, } Cellular Tissue, &c. }	2	2	1	1
Chorea	Inflammation	4	4	9	9
Epilepsy	1	3	..	4	4	4	Hæmorrhage	1	4	..	5	3	3
Insanity	1	..	1	1	1	Dropsy	9	12	12	33	36	34
Delirium Tremens	2	1	Abscess	4	2	..	† 6	3	4
Dis. of Brain, &c.	4	1	3	8	7	9	Mortification	2	..	2	4	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	113	22	15	150	140	148	Purpura	1	..	1	.2	..
Laryngitis	2	2	.4	..	Scrofula	6	1	..	7	2	2
Quincy	2	1	..	3	2	1	Carcinoma	1	11	3	15	7	7
Bronchitis	3	5	6	14	11	10	Tumor	1	1	2	2
Pleurisy	2	1	Gout	1	1
Pneumonia	94	4	2	100	90	73	Atrophy	12	1	..	† 13	5	6
Hæmorrhage	2	1	4	7	5	5	Debility	12	4	..	16	18	18
Asthma	4	4	8	25	24	Malformations	2	2	.8	1
Phthisis or Consumption	33	122	10	165	131	143	Sudden Deaths	3	9	3	15	15	14
Dis. of Lungs, &c.	5	11	5	21	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	57	45	20	122	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration }	141	148	31	320	278	268	Old Age, or Natural Decay }	80	80	69	68
Pericarditis6	.5	Intemperance	1	1	.6	.6
Aneurism	1	..	1	.7	.5	Privation5	.5
Dis. of Heart, &c.	5	10	4	19	19	17	Violent Deaths	3	8	1	† 13	23	24
Diseases of the Heart } and Blood Vessels. }	5	11	4	20	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	3	8	2	† 14	24	25
Teething	24	24	16	17	Causes not specified	1	1	..	† 12	8	5
Gastritis—Enteritis	16	7	2	25	15	18	Deaths from all Causes....	596	308	191	† 1106	908	903
Peritonitis	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	11	11	4	4	† The note on Typhus is discontinued, as the number of deaths from that cause has been near the average for some time.						
Worms4	..	* * 3 deaths from dysentery occurred in the Union Workhouse at Greenwich.						
Ascites	1	1	1	3	.7	..	†† Under abscess the following case is included: "Abscesses and in- sufficient nutrition after an illness of 40 days," age 7 months. Under atrophy: 2 cases of "atrophy from want of breast-milk," aged respectively 1 month and 5 weeks.						
Ulceration (of Intest, &c.)	1	1	1	1							
Hernia	2	1	3	2	2							
Colic or Ileus	1	..	1	2	2							
Intussusception4	..							
Stricture	1	1	.5	..							
Hæmatemesis3	..							
Dis. of Stomach, &c.	5	3	1	9	4	6							
Dis. of Pancreas							
Hepatitis	1	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	2	4	5	11	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	62	18	11	91	59	62							

† The note on Typhus is discontinued, as the number of deaths from that cause has been near the average for some time.

* 3 deaths from dysentery occurred in the Union Workhouse at Greenwich.

†† Under abscess the following case is included: "Abscesses and insufficient nutrition after an illness of 40 days," age 7 months. Under atrophy: 2 cases of "atrophy from want of breast-milk," aged respectively 1 month and 5 weeks.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	144
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	† 187
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	215
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	263
TOTAL Males, 572. Females, 534. (Weekly average 1838-9-40-1-2, Males, 461. Females, 412.)		438,060	219	227	297
		1,870,727	903	908	1106

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Robertson at the Apartments of the Royal Society.

‡ 6 of the 8 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

§ The 9 cases of death in childbirth which appear in the present table are entered thus:—"Diarrhoea, accompanied by inflammation (puerperal)" age 22; "puerperal fever, 10 days after delivery (3 days' illness)," age 28; "uterine hæmorrhage, the result of a miscarriage," age 32; "fever and premature childbirth," age 30; childbirth (flooding)," age 30; "childbirth," age 33; "childbed, 9 hours after delivery," age 35; "childbed (undelivered), age 27; and "childbirth, flooding, (3 hours)," age 33.

† The age in 1 case of drowning is not stated. The return from the district of Christ Church, St. Marylebone, has not been received this week in consequence of the death of the Registrar, but an average of 10 has been taken from the 6 weeks preceding, and placed to the head of "Causes not specified."

General Register Office, November 2nd, 1843.

	Weeks ending			Oct. 1831.
	Oct. 28th	Nov. 4th	Nov. 11th	
Mean height of barometer	29.631	29.566	29.677	
Mean (weekly) temperature	54.9	1.454	4.06	
Mean Dryness	2.8	1.9	3.3	

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th November, 1843.

1843.

Temperature.	Weeks ending			Oct. 1831.
	Oct. 28th	Nov. 4th	Nov. 11th	
Highest	57°	59°	70°	
Lowest	36°	38°	30°	
Daily Mean	48°	48°	52°	

* Wind, N. 1 day; N. W. 1; S. 3;
S. E. 1; W. 1. Rain, on 4 days.

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0	15	60		5	5		0	15	60		5	5
	to	to	and		Autumns	Years		to	to	and		Autumns	Years
15	60	upwards	1838-9-10-1-2.	1838-9-10-1-2.	15	60	upwards	1838-9-10-1-2.	1838-9-10-1-2.				
Small Pox	2	2	28	27	Nephritis	5	4
Measles	34	34	26	23	Ischuria	1	1	2	..
Scarlatina	64	1	1	66	41	30	Diabetes	1	1	3	3
Hooping Cough	51	51	27	32	Cystitis	4	..
Croup	11	11	8	7	Stone	3	..
Thrush	3	3	4	5	Stricture	1	..	1	2	6	4
Diarrhoea	13	2	4	19	6	9	Dis. of Kidneys, &c.	1	1	2	3	3
Dysentery	1	2	4	7	2	2	Diseases of the Kidneys, } &c.	3	1	2	6	5	5
Cholera	1	1	4	1	Childbed	8	..	8	8	7
Influenza	4	1	1	6	1	2	Paramenia	2	..
Ague	3	..	Ovarian Dropsy	1	1	2	2	2
Remittent Fever	1	..	1	3	..	Dis. of Uterus, &c.	2	..	2	2	2
Typhus	13	20	8	41	32	37	Childbed, Diseases of the } Uterus, &c.	..	11	1	12	10	9
Erysipelas	3	2	5	6	6	Arthritis	3	..	4	3	3
Erythema	5	1	Rheumatism	1	1	3	3
H. Phobia	1	..	Dis. of Joints, &c.	1	1	3	3
Epidemic, Endemic, and } Contagious Diseases. }	196	30	21	247	183	182	Rheumatism, Diseases of } the Bones, Joints, &c.	2	3	..	5	6	6
Cephalitis	10	2	..	12	11	11	Carbuncle
Hydrocephalus	30	1	..	31	30	34	Phlegmon
Apoplexy	9	6	15	18	17	Ulcer	4	4
Paralysis	6	5	11	15	14	Fistula	3	3
Convulsions	66	66	52	57	Dis. of Skin, &c.	1	1	4	3
Tetanus	4	..	Diseases of the Skin, } Cellular Tissue, &c.	1	1	1	1
Chorea	Inflammation	3	1	..	4	9	9
Epilepsy	2	..	2	4	4	Hæmorrhage	1	1	1	3	3	3
Insanity	1	1	Dropsy	4	5	12	21	36	34
Delirium Tremens	4	..	4	2	1	Abscess	1	1	..	2	3	4
Dis. of Brain, &c.	3	2	..	5	7	9	Mortification	4	2	6	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	109	26	11	146	140	148	Purpura	2	..
Laryngitis	4	..	Scrofula	2	2	2	2
Quinsey	1	1	2	1	Carcinoma	8	2	10	7	7
Bronchitis	8	3	5	16	11	10	Tumor	2	..	2	2	2
Pleurisy	1	1	2	1	Gout	1	1
Pneumonia	113	18	9	140	90	73	Atrophy	20	..	3	23	5	6
Hydrothorax	2	1	3	6	5	5	Debility	17	4	..	21	18	18
Asthma	8	15	23	25	24	Malformations	2	2	8	1
Phthisis or Consumption	29	90	7	126	131	143	Sudden Deaths	3	5	10	18	15	14
Dis. of Lungs, &c.	2	2	4	9	12	14	Dropsy, Cancer, and } other Diseases of Uncertain Seat	53	31	30	114	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration. }	156	122	43	322	278	268	Old Age, or Natural Decay }	84	84	69	68
Pericarditis	6	5	Intemperance	1	..	1	6	6
Aneurism	2	..	2	7	5	Privation	1	6	5
Dis. of Heart, &c.	3	15	5	23	19	17	Violent Deaths	5	13	..	18	23	24
Diseases of the Heart } and Blood Vessels. }	3	17	5	25	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	5	14	..	19	24	25
Teething	20	20	16	17	Causes not specified	2	11	8	5
Gastritis—Enteritis	8	7	2	17	15	18	Deaths from all Causes....	570	275	205	1060	908	903
Peritonitis	2	..	2	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	167	903
Tabes Mesenterica	8	8	4	4	† Under privation, the following case has been included: “exhaustion from want,” a female, age 50 years. Under atrophy, “debility from want of breast milk resulting from the poverty and destitution of the parents,” age 3 weeks; and “inanition from want of breast milk” 2 cases a male under 1 year, and a female, 3 months.						
Worms	1	1	4	..	** The following cases are placed to violence, “inflammation of the throat from a fishbone sticking there, (illness 1 week)” age 42; “and apoplexy brought on by an overdose of infants’ cordial, (inquest)” age 5 days.						
Ascites	1	..	1	7	..							
Ulceration (of Intest, &c.)	1	1	..	2	1	1							
Hernia	2	1	3	2	2							
Colic or Ileus	1	1	2	2	2							
Intussusception	1	..	1	4	..							
Stricture	5	..							
Hæmatemesis	3	..							
Dis. of Stomach, &c.	3	1	2	6	4	6							
Dis. of Pancreas							
Hepatitis	1	1							
Jaundice	2	2							
Dis. of Liver, &c.	4	1	5	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	41	20	7	68	59	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	155
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	219
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	229
		438,060	219	227	246
TOTAL.	Males, 525. Females, 535. (Weekly average 1838-9-40-1-2, Males, 461. Females, 412.)	1,870,727	903	908	1060

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Robertson at the Apartments of the Royal Society.


‡ The 2 persons who died of small pox, had not been vaccinated.

§ The 8 cases of death after childbirth which appear in the present Table, are entered thus:—“Ovarian dropsy, 6th day after premature parturition (8 months) post mort.” age 35; “childbirth,” age 39; “peritonitis, 1 day after delivery,” age 26; “peritonitis, 6 days after delivery,” age 29; “childbirth, 12 hours after delivery,” age 21; “childbirth,” age 43; “childbirth, 14 days after delivery,” age 28; and childbirth, flooding,” age 20 years. The following occur in addition to the above: diseased heart (childbed 6 days after delivery”) age 35, and typhoid fever in the puerperal state, 6 days’ illness,” age 33.

¶ In 1 case of disease of the lungs, the age is not stated. The returns from Christ Church, St. Mary-le-bone, have been received this week, comprising 18 males and 21 females, but 30 of these cases have not been included in the present Bill,—a proportion equivalent to the average inserted in the Bills during the 2 weeks in which no return was received. It continues necessary to substitute an average of 9 for the return from St. Andrew (East) Holborn, which has not been received in consequence of the office of Registrar being vacant in that district.

†† 3 cases of death from dysentery occurred in the Union Workhouse at Greenwich.

General Register Office, November 8th, 1843



A TABLE OF THE MORTALITY

1843.

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th November, 1843.

	Weeks ending	
	Nov. 4th	Nov. 11th
Mean height of barometer	29.506	29.726
Rain (weekly)	1.454	†
Mean Dryness	1.9	2.1

* Wind,
Rain,

Temperature.	Weeks ending		Nov. 1841.
	Nov. 4th	Nov. 11th	
Highest....	59°	†	62°
Lowest....	38°	†	28°
Daily Mean	48°	†	45°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0	15	60		5	5		0	15	60		5	5
	to 15	to 60	and upwards		Autumns	Years		to 15	to 60	and upwards		Autumns	Years
1838-9-40-1-2.													
Small Pox	7	7	24	27	Nephritis	1	..	1	.5	.4
Measles	32	32	26	23	Ischuria2	..
Scarlatina	58	2	..	60	41	30	Diabetes3	.3
Whooping Cough	30	30	27	32	Cystitis4	..
Croup	8	8	8	7	Stone3	.4
Thrush	5	5	4	5	Stricture6	.4
Diarrhoea	7	2	3	12	6	9	Dis. of Kidneys, &c.	1	4	1	6	3	3
Dysentery	1	1	2	2	Diseases of the Kidneys, } &c.	1	5	1	7	5	5
Cholera	1	1	.4	1	Childbed	9	..	9	8	7
Influenza	3	3	1	2	Paramania2	..
Ague3	..	Ovarian Dropsy2	.2
Remittent Fever3	..	Dis. of Uterus, &c.	2	2
Typhus	17	15	2	34	32	37	Childbed, Diseases of the } Uterus, &c.	..	9	..	9	10	9
Erysipelas	1	1	..	2	6	6	Arthritis
Syphilis	2	2	.5	1	Rheumatism	1	1	3	3
Hydrophobia1	..	Dis. of Joints, &c.	3	3
Epidemic, Endemic, and } Contagious Diseases. }	170	20	7	197	183	182	Rheumatism, Diseases of } the Bones, Joints, &c.	1	1	6	6
Cephalitis	12	3	..	15	11	11	Carbuncle
Hydrocephalus	36	..	1	37	30	34	Phlegmon	1	1
Apoplexy	1	10	8	19	18	17	Ulcer4	.4
Paralysis	6	7	13	15	14	Fistula	1	1	2	.3	.3
Convulsions	65	..	1	66	52	57	Dis. of Skin, &c.4	.3
Tetanus4	..	Diseases of the Skin, } Cellular Tissue, &c.	1	1	1	3	1	1
Chorea	Inflammation	2	2	9	9
Epilepsy	1	2	..	3	4	4	Hæmorrhage	1	..	1	3	3
Insanity	2	..	2	1	1	Dropsy	4	17	10	31	36	34
Delirium Tremens	1	..	1	2	1	Abscess	1	..	1	3	4
Dis. of Brain, &c.	6	3	1	10	7	9	Mortification	2	2	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	121	27	18	166	140	148	Purpura2	..
Laryngitis	1	..	1	.4	..	Scrofula	2	1	..	3	2	2
Quinsey	2	2	2	1	Carcinoma	9	2	11	7	7
Bronchitis	10	3	5	18	11	10	Tumor	1	..	1	2	2
Pleurisy	2	..	2	2	1	Gout	1	1
Pneumonia	126	15	9	150	90	73	Atrophy	12	1	2	15	5	6
Hydrothorax	4	1	5	5	5	Debility	21	5	..	26	18	18
Asthma	5	17	22	25	24	Malformations	1	1	.8	1
Phtisis or Consumption	26	101	7	134	131	143	Sudden Deaths	2	2	6	10	15	14
Dis. of Lungs, &c.	3	6	1	10	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat	44	35	22	104	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration	167	137	40	344	278	268	Old Age, or Natural Decay }	68	68	69	63
Pericarditis6	.5	Intemperance	1	..	1	.6	.6
Aneurism7	.5	Privation5	.5
Dis. of Heart, &c.	6	19	5	30	19	17	Violent Deaths	5	11	1	17	23	24
Diseases of the Heart } and Blood Vessels. }	6	19	5	30	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	5	12	1	18	24	25
Teething	20	20	16	17	Causes not specified	2	2	8	5
Gastritis—Enteritis	10	7	..	17	15	18	Deaths from all Causes....	566	282	168	1016	908	903
Peritonitis	1	1	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	169	903
Tabes Mesenterica	12	12	4	4	† The following case is included under atrophy: "debility from want of breast milk," a female, 7 weeks.						
Worms4	..	NOTE.—Of 168 persons included in the present bill who died at 60 years and upwards, 68 died at 60 years of age and under 70; 63 at 70 years, and under 80; 32 at 80 years, and under 90, and the following are the respective ages of the remaining five: 90 years, 91 years, 93 years, 100 years and 102 years. Of these five, 4 were females.						
Ascites	1	1	2	.7	..							
Ulceration (of Intest, &c.)	1	1	..	2	1	1							
Hernia	2	2							
Colic or Ileus	3	..	3	2	2							
Intussusception4	..							
Stricture5	..							
Hæmatemesis	1	1	.3	..							
Dis. of Stomach, &c.	5	..	1	6	4	6							
Dis. of Pancreas							
Hepatitis	1	1							
Jaundice	1	..	1	2	2							
Dis. of Liver, &c.	1	1	2	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	49	14	4	67	59	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	196
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	202
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	215
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	433,060	219	227	277
TOTAL. Males, 524. Females, 492. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1016

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Temperature for the week ending Nov. 11 is necessarily omitted, in consequence of the sudden death of Mr. Robertson, Assistant Secretary to the Royal Society, by whom the Observations were made.

§ 6 of the persons who died of small pox, had not been vaccinated; in 1 case the circumstance is not stated.
|| The 9 cases of death after childbirth which appear in the present Table, are entered thus:—"puerperal fever," age 32; "inflammation of the heart after childbirth (16 days)," age 34; exhaustion from protracted miscarriage," age 31; "puerperal fever, 5 days after delivery," age 30; "dropsy and childbirth 2 days after delivery," age 30; "childbed, rupture of the uterus," age 41; "puerperal mania," "childbed fever," age 45; and "childbed fever," age 27. To these may be added "consumption, (10 months) parturition (5 weeks)" age 25.

General Register Office, November 15th, 1843



A TABLE OF THE MORTALITY

1843.

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th November, 1843.

Mean height of barometer (Rain, weekly)	Weeks ending		Nov. 1831-40.
	Nov. 11th	Nov. 18th	
†			29.726
Mean Dryness			.417
			29.1

* Wind, Rain.

Temperature. †	Weeks ending		Nov. 1831-40.
	Nov. 11th	Nov. 18th	
Highest....			62.9
Lowest....			28.9
Daily Mean	†		45.9

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	1838-9-40-1-2.	1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.	1838-9-40-1-2.		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	6	1	..	7	28	27	Nephritis5	.4
Measles	40	40	26	23	Ischuria2	..
Scarlatina	49	2	..	51	41	30	Diabetes3	.3
Whooping Cough	25	25	27	32	Cystitis	1	..	1	.4	..
Croup	12	12	8	7	Stone3	.4
Thrush	8	8	4	5	Stricture	2	2	.6	.4
Diarrhoea	9	2	4	15	6	9	Dis. of Kidneys, &c.	1	2	3	6	3	3
Dysentery	1	4	4	9	2	2	Diseases of the Kidneys, } &c.	1	3	5	9	5	5
Cholera4	1	Childbed	4	..	4	8	7
Influenza	2	..	2	4	1	2	Paramenia2	..
Ague	2	2	..	.3	Ovarian Dropsy2	.2
Remittent Fever	1	1	..	.3	Dis. of Uterus, &c.	3	2	5	2	2
Typhus	13	22	7	42	32	37	Childbed, Diseases of the } Uterus, &c.	..	7	2	9	10	9
Erysipelas	3	3	4	10	6	6	Arthritis
Syphilis	1	..	1	.5	1	Rheumatism	2	..	2	3	3
Hydrophobia1	..	Dis. of Joints, &c.	3	4	2	9	3	3
Epidemic, Endemic, and } Contagious Diseases. }	171	35	21	227	183	182	Rheumatism, Diseases of } the Bones, Joints, &c.	3	6	2	11	6	6
Cephalitis	13	1	..	14	11	11	Carbuncle
Hydrocephalus	38	38	30	34	Phlegmon
Apoplexy	1	12	12	25	15	17	Ulcer	1	..	1	.4	.4
Paralysis	1	9	12	22	15	14	Fistula3	.3
Convulsions	56	56	52	57	Dis. of Skin, &c.	1	1	..	2	.4	.3
Tetanus	1	..	1	..	.4	Diseases of the Skin, } Cellular Tissue, &c.	1	2	..	3	1	1
Chorea	Inflammation	1	1	9	9
Epilepsy	1	1	2	4	4	Hæmorrhage	2	..	4	3	3
Insanity	1	..	1	1	1	Dropsy	4	16	13	33	36	34
Delirium Tremens	2	..	2	2	1	Abscess	3	3	3	4
Dis. of Brain, &c.	5	4	..	9	7	9	Mortification	5	1	4	10	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	114	31	25	170	140	148	Purpura2	..
Laryngitis4	..	Serofula	1	1	2	2	2
Quinsey	3	3	2	1	Carcinoma	2	7	4	13	7	7
Bronchitis	8	11	9	28	11	10	Tumor	1	1	1	2	2
Pleurisy	2	1	3	2	1	Gout	1	1	2	1	1
Pneumonia	171	18	10	199	90	73	Atrophy	6	..	2	8	5	6
Hydrothorax	1	2	5	8	5	5	Debility	19	7	..	26	18	18
Asthma	1	15	17	33	25	24	Malformations	1	1	.8	1
Phthisis or Consumption	40	114	17	171	131	143	Sudden Deaths	1	2	3	15	14
Dis. of Lungs, &c.	6	6	2	14	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	41	36	30	107	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration. }	230	168	61	459	278	268	Old Age, or Natural Decay }	100	100	69	68
Pericarditis	1	1	..	2	.6	.5	Intemperance	1	..	1	.6	.6
Aneurism7	.5	Privation	1	1	.5	.5
Dis. of Heart, &c.	4	11	13	28	19	17	Violent Deaths	8	13	5	26	23	24
Diseases of the Heart } and Blood Vessels. }	5	12	13	30	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	9	14	5	28	24	25
Teething	23	23	16	17	Causes not specified	1	1	..	2	8	5
Gastritis—Enteritis	12	3	..	15	15	18	Deaths from all Causes....	619	336	275	1230	908	903
Peritonitis	1	..	1	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	169	903
Tabes Mesenterica	7	7	4	4	Under privation, the following case is included: "exhaustion from want of nutriment—died from starvation, (inquest)" a male, age 5 months.						
Worms4	..	Under atrophy, "debility from want of breast-milk," age 16 days; atrophy from want of breast-milk," under 1 year; and under diarrhoea "debility from want of breast milk, teething and diarrhoea," age 11 months.						
Ascites	3	1	4	.7	..	NOTE. Eight persons are included in the present Bill who died at 90 yrs and upwards.						
Ulceration (of Intest, &c.)	..	1	..	1	1	1							
Hernia	2	1	3	2	2							
Colic or Ileus	1	2	..	3	2	2							
Intussusception	1	1	.4	..							
Stricture5	..							
Hæmatemesis	1	..	1	.3	..							
Dis. of Stomach, &c.	3	3	4	6							
Dis. of Pancreas							
Hepatitis	1	1							
Jaundice	1	1	2	2	2							
Dis. of Liver, &c.	7	4	11	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	43	21	11	75	59	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-9-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	153
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	230
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	224
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	285
		433,060	219	227	308
TOTAL. Males, 615. Females, 615. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1230

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Metrological Observations at the Apartments of the Royal Society, have not been resumed.

§ 4 of 6 persons who died of small pox, were unvaccinated; the following case is included under the same head, "atrophy and diarrhoea after chicken pox," age 5 months.

|| The 4 cases of death after childbirth which appear in the present Table, are entered thus:—"puerperal fever," 10 days after delivery, (4 days' illness)," age 37; "puerperal fever, 9 days after delivery," age 21; "puerperal fever, 12 days after delivery," age 23; and inflammation of the chest, 15 days after childbirth," age 20;

‡ 2 cases of death from dysentery occurred in the the Union Workhouse at Greenwich. 87 deaths from dysentery have occurred in the Workhouse at Greenwich, during 14 weeks from the 13th of August to the 18th of November.

General Register Office, November 22nd, 1843.



A TABLE OF THE MORTALITY

1843.

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th November, 1843.

	Weeks ending		Nov. 1831-40.
	Nov. 18th	Nov. 25th	
Mean height of barometer (†)	29.726		
Rain (weekly)	†		417
Mean Dryness			29.1

* Wind,
Rain,

Temperature.	Weeks ending		Nov. 1831-40.
	Nov. 18th	Nov. 25th	
Highest....			62°
Lowest....	†		28°
Daily Mean			45°

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
					1838-9-40-1-2.							1838-9-40-1-2.	
Small Pox	8	3	..	11	28	27	Nephritis	4	..	4	5	..4
Measles	41	41	26	23	Ischuria	1	1	2	..
Scarlatina	60	1	..	61	41	30	Diabetes	1	1	3	..3
Whooping Cough	45	45	27	32	Cystitis	1	1	4	..4
Croup	7	7	8	7	Stone	3	..4
Thrush	5	5	4	5	Stricture	6	..4
Diarrhoea	8	..	5	13	6	9	Dis. of Kidneys, &c.	2	3	5	3	3
Dysentery	2	..	2	2	2	Diseases of the Kidneys, &c. }	1	6	5	12	5	5
Cholera	1	1	4	1							
Influenza	6	2	..	8	1	2	Childbed	4	..	4	8	7
Ague	3	..	Paramenia	2	..
Remittent Fever	2	1	..	3	3	..	Ovarian Dropsy	1	..	1	2	..2
Typhus	17	21	2	40	32	37	Dis. of Uterus, &c.	2	1	3	2	2
Erysipelas	1	2	1	4	6	6	Childbed, Diseases of the Uterus, &c. }	..	7	1	8	10	9
Syphilis	5	1							
Hydrophobia	1	..	Arthritis
Epidemic, Endemic, and Contagious Diseases. }	201	32	8	241	183	182	Rheumatism	4	2	6	3	3
							Dis. of Joints, &c.	2	1	..	3	3	3
Cephalitis	5	..	1	6	11	11	Rheumatism, Diseases of the Bones, Joints, &c. }	2	5	2	9	6	6
Hydrocephalus	43	43	30	34							
Apoplexy	1	1	19	18	Carbuncle
Paralysis	10	15	25	15	17	Phlegmon
Convulsions	57	1	..	58	52	57	Ulcer	1	..	1	4	..4
Tetanus	2	..	2	4	..	Fistula	3	..3
Chorea	Dis. of Skin, &c.	1	..	1	4	..3
Epilepsy	1	..	1	4	4	Diseases of the Skin, &c. }	..	2	..	2	1	1
Insanity	3	1	4	1	1							
Delirium Tremens	2	..	2	2	1	Inflammation	1	..	1	2	9	9
Dis. of Brain, &c.	8	5	6	19	7	9	Hæmorrhage	2	..	2	3	3
Diseases of the Brain, Spinal Marrow, Nerves and Senses. }	114	31	34	179	140	148	Dropsy	6	18	14	38	36	34
							Abscess	1	..	1	3	4
Laryngitis	2	1	1	4	4	..	Mortification	2	1	2	5	4	4
Quinsey	3	3	2	1	Purpura	2	..
Bronchitis	19	10	9	38	11	10	Serofula	1	1	..	2	2	2
Pleurisy	1	1	2	2	1	Carcinoma	7	6	13	7	7
Pneumonia	153	15	4	172	90	73	Tumor	2	2
Hydrothorax	2	2	2	6	5	5	Gout	2	1	3	1	1
Asthma	19	23	42	25	24	Atrophy	11	..	1	12	5	6
Phthisis or Consumption	29	103	9	141	131	143	Debility	11	6	..	17	18	18
Dis. of Lungs, &c.	4	3	3	10	12	14	Malformations	4	4	8	1
Diseases of the Lungs, and of the other Organs of Respiration }	212	154	52	418	278	268	Sudden Deaths	6	5	3	14	15	14
							Dropsy, Cancer, and other Diseases of Uncertain Seat }	42	43	28	113	106	105
Pericarditis	1	1	6	5	Old Age, or Natural Decay }	81	81	69	68
Aneurism	1	1	2	7	5							
Dis. of Heart, &c.	2	18	12	32	19	17	Intemperance	6	..6
Diseases of the Heart and Blood Vessels. }	3	19	13	35	20	18	Privation	1	1	2	5	..5
							Violent Deaths	8	6	4	18	23	24
Teething	18	18	16	17	Deaths by Violence, Privation, or Intemperance }	8	7	5	20	24	25
Gastritis—Enteritis	7	6	3	16	15	18	Causes not specified	1	..	1	8	5
Peritonitis	1	..	1	1	1							
Tabes Mesenterica	6	1	..	7	4	4	Deaths from all Causes....	618	331	239	1188	908	903
Worms	4	..	Average Weekly Deaths, 1838-9-40-1-2. }	428	307	169			903
Ascites	7	..							
Ulceration (of Intest, &c.)	1	2	..	3	1	1							
Hernia	1	1	2	2							
Colic or Hæm	2	1	3	2	2							
Intussusception	4	..							
Stricture	1	..	1	5	..							
Hæmatemesis	1	1	3	..							
Dis. of Stomach, &c.	2	3	1	6	4	6							
Dis. of Pancreas							
Hepatitis	1	1	1	1							
Jaundice	2	1	3	2	2							
Dis. of Liver, &c.	1	6	1	8	8	7							
Dis. of Spleen							
Diseases of the Stomach, Liver, and other Organs of Digestion. }	35	24	10	69	59	62							

† Under privation are included:—"Debility, caused by long standing privation," a male, age 60; "general decay, aggravated by extreme privation," a male, age 53. Under atrophy, 3 cases, "from the want of breast-milk," age 4 days, 32 days, and 10 weeks. Under disease of kidneys, "extravasation of urine," a male, age 50; and under "heart anæmia, produced by ossification of the arteries," age 43.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	177
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	194
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	236
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	306
		438,060	219	227	275
TOTAL	Males, 625. Females, 563. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1188

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have not been resumed.

‡ 8 of 11 persons who died of small pox, had not been vaccinated.

§ The 4 cases of death after childbirth which appear in the present Table, are entered thus:—"childbirth," age 32; "hæmorrhage during childbirth placenta presentation, death 1 hour after delivery," age 39; "puerperal fever, 10 days after delivery," age 32; "jaundice, followed by flooding and premature labour," age 31.

General Register Office, November 29th, 1843.

¶ Under atrophy, 3 cases.

‡ Under privation, "natural death accelerated by want and privation," a male, age 1 year and 10 months.

General Register Office, December 6th, 1843.



A TABLE OF THE MORTALITY

1843.

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd December, 1843.

Weeks ending		Nov. 1831-40.	Weeks ending		Nov. 1831-40.
Nov. 25th	Dec. 2nd*		Nov. 25th	Dec. 2nd*	
Mean height of barometer †	†	29.726	†	†	29.726
Mean Dryness		.417			.417
Wind, Rain,		2° 1			2° 1

Causes of Death.	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	15	60	upwards		1838-9-40-1-2.	1838-9-40-1-2.
Small Pox	3	3	28	27
Measles	52	52	26	23
Scarlatina	59	59	41	30
Whooping Cough	27	27	27	32
Croup	4	4	8	7
Thrush	6	6	4	5
Diarrhoea	6	..	3	9	6	9
Dysentery	2	1	3	2	2
Cholera	1	..	1	.4	1
Influenza	1	1	1	2
Ague3	..
Remittent Fever	1	1	.3	..
Typhus	16	20	5	41	32	37
Erysipelas	4	3	7	6	6
Syphilis5	1
Hydrophobia	1	1	.1	..
Epidemic, Endemic, and Contagious Diseases.	176	27	12	215	183	182
Cephalitis	16	1	..	17	11	11
Hydrocephalus	37	1	..	38	30	34
Apoplexy	1	7	7	15	18	17
Paralysis	7	16	23	15	14
Convulsions	62	..	1	63	52	57
Tetanus	1	1	.4	..
Chorea
Epilepsy	2	2	4	4	4
Insanity	1	1
Delirium Tremens	2	..	2	2	1
Dis. of Brain, &c.	3	5	1	9	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	120	25	27	172	140	148
Laryngitis	1	1	.4	..
Quinsey	3	3	2	1
Bronchitis	13	8	17	38	11	10
Pleurisy	2	1	3	6	2	1
Pneumonia	145	18	8	171	90	73
Hydrothorax	2	2	4	5	5
Asthma	9	16	25	25	24
Phthisis or Consumption	30	96	6	132	131	143
Dis. of Lungs, &c.	5	7	7	19	12	14
Diseases of the Lungs, and of the other Organs of Respiration	199	141	59	399	278	268
Pericarditis6	.5
Aneurism7	.5
Dis. of Heart, &c.	4	15	7	26	19	17
Diseases of the Heart and Blood Vessels.	4	15	7	26	20	18
Teething	14	14	16	17
Gastritis—Enteritis	4	6	2	12	15	18
Peritonitis	1	..	1	1	1
Tubes Mesenterica	7	7	4	4
Worms4	..
Ascites	2	..	2	.7	..
Ulceration (of Intest, &c.)	1	3	..	4	1	1
Hernia	1	..	1	2	2
Colic or Ileus	1	2	1	4	2	2
Intussusception	1	..	1	.4	..
Stricture5	..
Hæmatemesis	1	1	.3	..
Dis. of Stomach, &c.	1	1	..	2	4	6
Dis. of Pancreas
Hepatitis	1	..	1	1	1
Jaundice	2	2	4	2	2
Dis. of Liver, &c.	1	2	1	4	8	7
Dis. of Spleen
Diseases of the Stomach, Liver, and other Organs of Digestion.	29	20	7	56	59	62
Nephritis	1	1	.5	.4
Ischuria2	..
Diabetes3	.3
Cystitis4	..
Stone3	.4
Stricture6	.4
Dis. of Kidneys, &c.	3	..	3	3	3
Diseases of the Kidneys, &c.	..	3	1	4	5	5
Childbed	6	..	6	8	7
Parametria2	..
Ovarian Dropsy2	.2
Dis. of Uterus, &c.	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	10	9
Arthritis	1	1
Rheumatism	4	..	4	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	5	..	8	6	6
Carbuncle
Phlegmon
Ulcer	1	1	.4	.4
Fistula3	.3
Dis. of Skin, &c.	1	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	1	2	1	1
Inflammation	4	4	9	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	6	11	9	26	36	34
Abscess	3	4
Mortification	3	1	1	5	4	4
Purpura	1	..	1	.2	..
Scrofula	2	2
Carcinoma	6	2	8	7	7
Tumor	2	2
Gout	1	1	2	1	1
Atrophy	12	..	1	13	5	6
Debility	10	5	..	15	18	18
Malformations	1	1	.8	1
Sudden Deaths	7	6	5	18	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	44	33	19	96	106	105
Old Age, or Natural Decay	72	72	69	68
Intemperance	1	..	1	.6	.6
Privation	1	1	.5	.5
Violent Deaths	11	5	7	23	23	24
Deaths by Violence, Privation, or Intemperance	12	6	7	25	24	25
Causes not specified	2	..	1	3	8	5
Deaths from all Causes	589	284	214	1087	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169	903	908	903

Note.—Under the same head as typhus is classified, “Mercurial fever, a male, age 42; under enteritis, “dnodentis,” a male, age 62; under disease of brain, &c., “polypus in the ear and abscess on the brain,” a female, age 20; under disease of skin, &c., “Elephantiasis and scirrhus tumour in the pelvis,” (post mort.) age 44; and under purpura, “scurvy,” a male, age 20.

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	154
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	198
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	211
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	257
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	267
TOTAL.	Males, 572. Females, 515. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1087

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have not been resumed.

‡ Of 3 persons who died of small pox, “1 had not been vaccinated;” 1 “died after previous vaccination;” and in 1 case the circumstance was not stated.

¶ The 6 cases of death after childbirth which appear in the present Table, are entered thus:—“Inflammation of the abdomen after childbirth, 3 days,” age 26; “puerperal fever after childbirth, 5 days,” age 32; “exhaustion from protracted labour, 30 days after childbirth,” age 40; “flooding after childbirth,” age 23; “phlegmasia dolens, 7th day after parturition,” age 38; “brain fever succeeding childbirth,” age 35.

¶ Under atrophy, 3 cases “from want of breast milk,” ages 7 days, 3 weeks, and 1 month.

‡ Under privation, “natural death accelerated by want and privation,” a male, age 1 year and 10 months.

General Register Office, December 6th, 1843.



A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th December, 1843.

1843.

Mean height of barometer	Weeks ending		Nov. 1831- 40.
	Dec. 2nd	Dec. 9th	
Rain (weekly)	†		29.726
Mean Dryness			.417
• Wind, Rain,			2° 1

Temperature. †	Weeks ending		Nov. 1831- 40.
	Dec. 2nd	Dec. 9th	
Highest....			62°
Lowest....	†		28°
Daily Mean			45°

Causes of Death.	Age			Total	Weekly Ave- rage during		Causes of Death	Age			Total	Weekly Ave- rage during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Small Pox	12	12	28	27	Nephritis5	.4
Measles	26	26	26	23	Ischuria2	..
Scarlatina	46	1	..	47	41	30	Diabetes	1	..	1	.3	.3
Whooping Cough	36	36	27	32	Cystitis	1	1	.4	..
Croup	13	13	8	7	Stone3	.4
Thrush	4	4	4	5	Stricture6	.4
Diarrhoea	3	3	6	9	Dis. of Kidneys, &c.	2	2	4	3	3
Dysentery	1	1	1	3	2	2	<i>Diseases of the Kidneys, &c.</i>	1	3	2	6	5	5
Cholera4	1	<i>Childbed, Diseases of the Uterus, &c.</i>	1	3	2	6	5	5
Influenza	5	5	1	2							
Ague3	..	Childbed	7	..	7	8	7
Remittent Fever3	..	Paramenia2	..
Typhus	15	12	2	29	32	37	Ovarian Dropsy2	.2
Erysipelas	1	3	..	4	6	6	Dis. of Uterus, &c.	2	..	2	2	2
Syphilis5	1	<i>Childbed, Diseases of the Uterus, &c.</i>	..	9	..	9	10	9
Hydrophobia1	..							
<i>Epidemic, Endemic, and Contagious Diseases.</i>	162	17	3	182	183	182	Arthritis
Cephalitis	10	10	11	11	Rheumatism	1	..	1	3	3
Hydrocephalus	24	24	30	34	Dis. of Joints, &c.	1	1	3	3
Apoplexy	5	5	8	18	18	17	<i>Rheumatism, Diseases of the Bones, Joints, &c.</i>	1	1	..	2	6	6
Paralysis	7	12	19	15	14							
Convulsions	57	57	52	57	Carbuncle	1	..	1	2
Tetanus4	..	Phlegmon
Chorea	Ulcer4	.4
Epilepsy	4	1	5	4	4	Fistula	1	..	1	.3	.3
Insanity	1	1	Dis. of Skin, &c.	1	1	.4	.3
Delirium Tremens	1	..	1	2	1	<i>Diseases of the Skin, Cellular Tissue, &c.</i>	2	1	1	4	1	1
Dis. of Brain, &c.	4	3	..	7	7	9							
<i>Diseases of the Brain, Spinal Marrow, Nerves and Senses.</i>	100	20	21	141	140	148	Inflammation	1	1	9	9
Laryngitis	1	..	1	.4	..	Hæmorrhage	4	..	4	3	3
Quinsey	1	1	2	1	Dropsy	4	15	7	26	36	34
Bronchitis	12	7	14	33	11	10	Abscess	1	1	3	4
Pleurisy	1	2	..	3	2	1	Mortification	1	1	4	6	4	4
Pneumonia	127	16	9	152	90	73	Purpura	1	..	1	.2	..
Hydrothorax	8	1	9	5	5	Scrofula	4	4	2	2
Asthma	16	17	33	25	24	Carcinoma	6	3	9	7	7
Phthisis or Consumption	18	94	14	126	131	143	Tumor	2	2
Dis. of Lungs, &c.	5	5	7	17	12	14	Gout	2	1	3	1	1
<i>Diseases of the Lungs, and of the other Organs of Respiration.</i>	164	149	62	375	278	268	Atrophy	4	4	5	6
							Debility	8	1	..	9	18	18
Pericarditis	3	..	3	.6	.5	Malformations8	1
Aneurism	1	..	1	.7	.5	Sudden Deaths	1	6	5	12	15	14
Dis. of Heart, &c.	3	8	15	26	19	17	<i>Dropsy, Cancer, and other Diseases of Uncertain Seat</i>	24	36	20	80	106	105
<i>Diseases of the Heart and Blood Vessels.</i>	3	12	15	30	20	18							
Teething	11	11	16	17	<i>Old Age, or Natural Decay</i>	68	68	69	68
Gastritis—Enteritis	9	3	1	13	15	18							
Peritonitis	2	1	3	1	1	Intemperance6	.6
Tabes Mesenterica	12	12	4	4	Privation5	.5
Worms4	..	Violent Deaths	4	6	3	13	23	24
Ascites7	..	<i>Deaths by Violence, Privation, or Intemperance</i>	4	6	3	13	24	25
Ulceration (of Intest, &c.)	..	3	..	3	1	1							
Hernia	1	1	2	2	<i>Causes not specified</i>	3	4	..	11	8	5
Colic or Ileus	1	1	2	2	<i>Deaths from all Causes</i>	500	277	206	987	908	903
Intussusception	1	1	.4	..	<i>Average Weekly Deaths, 1838-9-40-1-2.</i>	428	307	169			903
Stricture	1	1	.5	..							
Hæmatemesis	1	1	.3	..	‡ Under hernia, the following case is included: “strangulated umbilical hernia (operation, 4 days),” age 70 years. Under disease of the skin, “ichthyosis,” age 2 years; and under violence, “an overdose of opium (inquest)” age 1 year.						
Dis. of Stomach, &c.	1	1	1	3	4	6							
Dis. of Pancreas							
Hepatitis	2	1	3	1	1							
Jaundice	1	3	1	5	2	2							
Dis. of Liver, &c.	5	3	8	8	7							
Dis. of Spleen							
<i>Diseases of the Stomach, Liver, and other Organs of Digestion.</i>	36	19	11	66	59	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	153
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	176
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	222
		438,060	219	227	271
TOTAL	Males, 512. Females, 475. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	987

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

‡ 11 of the 12 persons who died of small pox, had not been vaccinated.

§ The 7 cases of death after childbirth which appear in the present Table, are entered thus:—“Exhaustion from severe labour,” age 29; “sudden collapse after protracted childbirth (36 hours)” age 37; “puerperal convulsions 6 hours after delivery,” age 29; “inflammation from childbirth (15 days after delivery)” age 22; “childbed,” age 38; “puerperal fever (3 weeks after delivery—10 days’ illness)” age 22; and “puerperal fever,” age 26.

¶ No return having been received from the District of Old Street, St. Luke, in consequence of the resignation of the Registrar, an average of 4 has been taken from 6 weeks preceding, and added to the head of *Causes not specified*.

General Register Office, December 14th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th December, 1843.

1843.

Mean height of barometer (Rain weekly)	Weeks ending		Dec. 1831-40.
	Dec. 9th	Dec. 16th	
Mean Dryness	†		235
			1.8

Temperature. †	Weeks ending		Dec. 1831-40.
	Dec. 9th	Dec. 16th	
Highest....			56.9
Lowest....			21.9
Daily Mean	†		41.9

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Small Pox	7	3	..	10	28	27	Nephritis	1	1	.5	.4
Meas'es	38	38	26	23	Ischuria2	..
Scarlatina	44	2	..	46	41	30	Diabetes	2	..	2	.3	.3
Whooping Cough	40	1	..	41	27	32	Cystitis4	..
Croup	11	11	8	7	Stone3	.4
Thrush	4	4	4	5	Stricture6	.4
Diarrhoea	4	..	2	6	6	9	Dis. of Kidneys, &c.	1	1	..	2	3	3
Dys-ntery	2	2	2	2	Diseases of the Kidneys, } &c. }	1	3	1	5	5	5
Cholera4	1	Childbed	7	..	7	8	7
Influenza	1	1	1	2	Paramenia	1	..	1	.2	..
Ague	1	1	.3	..	Ovarian Dropsy2	.2
Remittent Fever	1	..	1	.3	..	Dis. of Uterus, &c.	1	1	2	2
Eyphus.....	7	18	4	29	32	37	Childbed, Diseases of the } Uterus, &c. }	..	8	1	9	10	9
Erysipelas	2	2	..	4	6	6	Arthritis
Syphilis5	1	Rheumatism	3	..	3	3	3
Hydrophobia1	..	Dis. of Joints, &c.	3	..	3	3	3
Epidemic, Endemic, and } Contagious Diseases. }	161	27	6	194	183	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	..	6	..	6	6	6
Cephalitis.....	13	13	11	11	Carbuncle
Hydrocephalus	44	2	..	46	30	34	Phlegmon
Apoplexy	8	9	17	18	17	Ulcer	1	..	1	.4	.4
Paralysis	9	11	20	15	14	Fistula3	.3
Convulsions	47	1	..	48	52	57	Dis. of Skin, &c.4	.3
Tetanus4	..	Diseases of the Skin, } Cellular Tissue, &c. }	..	1	..	1	1	1
Chorea	Inflammation	4	4	9	9
Epilepsy	2	..	2	4	4	Hæmorrhage	2	..	2	3	3
Insanity	5	..	5	1	1	Dropsy	6	14	6	26	36	34
Delirium Tremens	1	..	1	2	1	Abscess	2	1	..	3	3	4
Dis. of Brain, &c.	1	5	1	7	7	9	Mortification	1	3	2	6	4	4
Diseases of the Brain, } Spinal Marrow, Nerves and Senses. }	105	33	21	159	140	148	Purpura2	..
Laryngitis4	..	Scrofula	3	4	..	7	2	2
Quinsey	1	1	2	1	Carcinoma	6	2	8	7	7
Bronchitis	5	4	7	16	11	10	Tumor	1	1	2	2
Pleurisy	2	1	Gout	1	1	1	1
Pneumonia	98	7	3	108	90	73	Atrophy	15	1	..	16	5	6
Hydrothorax	1	2	1	4	5	5	Debility	19	4	..	23	18	18
Asthma	1	12	19	22	25	24	Malformations	4	4	.8	1
Phthisis or Consumption	21	88	9	118	131	143	Sudden Deaths	2	5	4	11	15	14
Dis. of Lungs, &c.	9	7	4	20	12	14	Dropsy, Cancer, and } other Diseases of Un- certain Seat }	57	40	15	112	106	105
Diseases of the Lungs, } and of the other Organs of Respiration	136	120	43	300	278	268	Old Age, or Natural Decay }	71	71	69	68
Pericarditis	2	2	.6	.5	Intemperance	1	1	.6	.6
Aneurism	1	..	1	.7	.5	Privation5	.5
Dis. of Heart, &c.	2	8	8	18	19	17	Violent Deaths	11	8	2	21	23	24
Diseases of the Heart } and Blood Vessels. }	4	9	8	21	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	11	8	3	22	24	25
Teething	16	16	16	17	Causes not specified	5	..	9	8	5
Gastritis—Enteritis	9	3	..	12	15	18	Deaths from all Causes....	510	279	173	967	908	903
Peritonitis	1	2	..	3	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	169	903
Tabes Mesenterica	5	5	4	4							
Worms	2	2	.4	..							
Ascites	1	1	2	.7	..							
Ulceration (of Intest, &c.)	..	2	..	2	1	1							
Hernia	2	2							
Colic or Ileus	1	2	..	3	2	2							
Intussusception	1	..	1	.4	..							
Stricture5	..							
Hæmatemesis3	..							
Dis. of Stomach, &c.	1	3	1	5	4	6							
Dis. of Pancreas							
Hepatitis	1	1	1	1							
Jaundice	1	1	2	2							
Dis. of Liver, &c.	5	..	5	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs of Digestion. }	35	19	4	58	59	62							

West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	300,705	135	130	126
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	365,660	162	162	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	373,806	184	183	205
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	392,496	203	206	235
		438,060	219	227	236
TOTAL. Males, 491. Females, 476. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	967

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ 7 of the 10 persons who died of small pox, had not been vaccinated; of the remaining cases one is registered "small pox after vaccination three times, but without effect," age 3 years; one is "doubtful whether vaccinated," age 38 years; and in one, the circumstance is not mentioned.

|| The 7 cases of death after childbirth which appear in the present Table, are entered thus: "puerperal fever," age 21; "debility after childbirth," age 36; "childbed with overflowing of blood," age 31; "childbirth, flooding, 1 hour after delivery," age 40; "puerperal fever 2 days after delivery," age 19; "flooding," age 22; and "childbirth from exhaustion, half an hour after delivery," age 35. To these may be added "phtisis 5 weeks after childbirth," age 25.

¶ The age in one case of Asthma is not stated. No return having been received this week from the District of Old Street, St. Luke, in consequence of the resignation of the Registrar, an average of 4 has been taken from 6 weeks preceding, and added to the head of Causes not specified.

General Register Office, December 20th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd December, 1843.

1843.

Mean height of barometer (Rain weekly) Mean Dryness	Weeks ending		Dec. 1831-40.	IN THE		Metropolis,		SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES		Registered in the WEEK ending Saturday, the 23rd December, 1843.		Weeks ending		Dec. 1831-40.
	Dec. 16th	Dec. 23rd										Dec. 16th	Dec. 23rd	
Mean height of barometer (Rain weekly) Mean Dryness	†	†	29.901									Temperature. †	†	56.9
• Wind, Rain,			2.35									Highest....	†	21.9
			1.8									Lowest....	†	41.9
												Daily Mean	†	
Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during		Total
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years	
					1838-9-40-1-2.							1838-9-40-1-2.		
Small Pox	11	11	28	27	Nephritis	1	..	1	5	..	4
Measles	29	29	26	23	Ischuria	1	1	2
Scarlatina	48	1	..	49	41	30	Diabetes
Whooping Cough	39	39	27	32	Cystitis
Croup	14	..	1	15	8	7	Stone
Thrush	3	3	4	5	Stricture	1	1	6	..	4
Diarrhoea	2	2	1	5	6	9	Dis. of Kidneys, &c.	1	2	3	3	3	3
Dysentery	1	3	1	5	2	2	Diseases of the Kidneys, } &c.	2	4	6	5	5	5
Cholera	Childbed	12	..	12	8	7	7
Influenza	1	1	..	2	1	2	Paramania
Ague	Ovarian Dropsy	1	..	1	2	..	2
Remittent Fever	1	..	1	Dis. of Uterus, &c.	2	..	2	2	2	2
Typhus	10	12	3	25	32	37	Childbed, Diseases of the } Uterus, &c.	15	..	15	10	9	9
Erysipelas	3	3	..	6	6	6	Arthritis
Syphilis	1	1	..	2	..	1	Rheumatism	1	..	1	3	3	3
Hydrophobia	Dis. of Joints, &c.	1	1	1	3	3	3	3
Epidemic, Endemic, and } Contagious Diseases. }	162	24	6	192	183	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	1	2	1	4	6	6	6
Cephalitis	7	3	..	10	11	11	Carbuncle	1	1
Hydrocephalus	36	1	..	37	30	34	Phlegmon
Apoplexy	3	7	7	17	18	17	Ulcer
Paralysis	12	8	20	16	14	Fistula
Convulsions	43	43	52	57	Dis. of Skin, &c.
Tetanus	1	..	1	Diseases of the Skin, } Cellular Tissue, &c. }	1	1	1	1	1
Chorea	Inflammation	1	1	9	9	9
Epilepsy	1	1	4	4	Hæmorrhage	1	3	2	6	3	3	3
Insanity	1	1	1	1	Dropsy	4	7	8	19	36	34	34
Delirium Tremens	2	..	2	2	1	Abscess	1	1	3	4	4
Dis. of Brain, &c.	5	3	..	8	7	9	Mortification	1	..	1	2	4	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	96	29	15	140	140	148	Purpura
Laryngitis	Scrofula	1	1	2	2	2
Quinsey	1	1	2	1	Carcinoma	10	4	14	7	7	7
Bronchitis	9	6	6	21	11	10	Tumor	2	2	2
Pleurisy	2	..	2	2	1	Gout	1	1	1
Pneumonia	111	15	4	131	90	73	Atrophy	10	1	..	11	5	6	6
Hydrothorax	2	3	5	10	5	5	Debility	12	2	..	14	18	18	18
Asthma	11	15	26	25	24	Malignancies	2	2	..	1	1
Phthisis or Consumption	16	98	7	121	131	143	Sudden Deaths	4	10	7	21	15	14	14
Dis. of Lungs, &c.	3	8	6	17	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	36	33	23	92	106	105	105
Diseases of the Lungs, } and of the other Organs } of Respiration	142	143	43	329	278	268	Old Age, or Natural Decay }	55	55	69	68	68
Pericarditis	1	1	..	2	Intemperance	1	1
Aneurism	Privation
Dis. of Heart, &c.	2	6	11	19	19	17	Violent Deaths	8	10	4	24	23	24	24
Diseases of the Heart } and Blood Vessels. }	3	7	11	21	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	8	10	5	25	24	25	25
Teething	20	20	16	17	Causes not specified	3	17	8	5	5
Gastritis—Enteritis	10	8	3	21	15	18	Deaths from all Causes....	492	287	172	968	908	903	903
Peritonitis	1	..	1	1	1	Average Weekly Deaths, } 1838-9-40-1-2.	428	307	169			903	903
Tabes Mesenterica	7	1	..	8	4	4	† The ages of 1 person who died of pneumonia, and 2 who died from violence, are not stated.							
Worms	1	1	†† Under worms, is included 1 case of "infantile fever," age 2 years.							
Ascites	1	1	2	Under atrophy, "debility from want of breast milk," age 4 months, and "starvation—never having been able to swallow food or drink," (Inquest) age 4 days; and under violence, "over dose of laudanum taken to allay pain" a female, age 57.							
Ulceration (of Intest, &c.)	..	1	..	1	1	1								
Hernia	2	..	2	2	2								
Colic or Ileus	1	1	..	2	2	2								
Intussusception								
Stricture								
Hæmatemesis								
Dis. of Stomach, &c.	1	2	3	6	4	6								
Dis. of Pancreas								
Hepatitis	1	1								
Jaundice	1	..	1	2	2								
Dis. of Liver, &c.	1	4	1	6	8	7								
Dis. of Spleen								
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	41	22	8	71	59	62								

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ 9 of the 11 persons who died of small pox, had not been vaccinated, In 2 cases the circumstance is not stated.

|| The 12 cases of death after childbirth which appear in the present Table, are entered thus: "childbirth," age 30; "childbirth," age 28; "puerperal fever 4 days after delivery," age 34; "hæmorrhage in childbirth," age 30; "affection of the heart some years—flooding after childbirth (stillborn) 4 days," age 40; "uterine hæmorrhage, 1 day," age 31; "puerperal fever," age 19; "disease of the bowels 5 days after delivery," age 27; "puerperal fever," age 27; "puerperal peritonitis, 10 days (post mort.)" age 22; "inflammation, from childbirth 2 days after delivery," age 26; and "childbed, flooding and convulsions, 2 hours after delivery," age 38.

¶ No return having been received this week from the District of St. Peter, Walworth, in consequence of the dismissal of the Registrar, an average of 14 has been taken from 6 weeks preceding, and added to the head of Causes not specified.

General Register Office, December 27th, 1843.

A TABLE OF THE MORTALITY

1843.

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th December, 1843.

	Weeks ending	Dec. 1831-40.
Mean height of barometer (†)	Dec. 23rd	29.901
Rain (weekly)	Dec. 30th	.235
Mean Dryness		1.8

	Weeks ending	Dec. 1831-40.
Temperature. †	Dec. 23rd	
Highest....	Dec. 30th	56.9
Lowest....		21.9
Daily Mean		41.9

Causes of Death.	Age			Total	Weekly Average during		Causes of Death	Age			Total	Weekly Average during	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years		0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	1838-9-40-1-2							1838-9-40-1-2					
Small Pox	14	2	..	16	28	27	Nephritis	1	..	1	.5	.4
Measles	27	27	26	23	Ischuria2	..
Scarlatina	53	1	..	54	41	30	Diabetes3	.3
Whooping Cough	32	32	27	32	Cystitis4	..
Croup	12	12	8	7	Stone3	.4
Thrush	3	3	4	5	Stricture	1	1	2	.6	.4
Diarrhoea	3	1	..	4	6	9	Dis. of Kidneys, &c.	4	2	6	3	3
Dysentery	3	1	4	2	2	Diseases of the Kidneys, } &c. }	..	6	3	9	5	5
Cholera4	1	Childbed	9	..	9	8	7
Influenza	2	2	..	4	1	2	Paramenia	1	..	1	.2	..
Ague	1	1	..	2	.3	..	Ovarian Dropsy2	.2
Remittent Fever3	..	Dis. of Uterus, &c.	3	..	3	2	2
Typhus	18	12	2	33	32	37	Childbed, Diseases of the } Uterus, &c. }	..	13	..	13	10	9
Erysipelas	1	3	1	5	6	6	Arthritis
Syphilis5	1	Rheumatism	1	..	1	3	3
Hydrophobia1	..	Dis. of Joints, &c.	1	1	..	2	3	3
Epidemic, Endemic, and } Contagious Diseases. }	166	25	4	196	183	182	Rheumatism, Diseases of } the Bones, Joints, &c. }	1	2	..	3	6	6
Cephalitis	9	2	1	12	11	11	Carbuncle
Hydrocephalus	26	26	30	34	Phlegmon
Apoplexy	3	16	6	25	18	17	Ulcer4	.4
Paralysis	11	6	17	15	14	Fistula3	.3
Convulsions	59	2	..	61	52	57	Dis. of Skin, &c.4	.3
Tetanus4	..	Diseases of the Skin, } Cellular Tissue, &c. }	1	1
Chorea	1	..	1	Inflammation	3	3	9	9
Epilepsy	2	1	3	4	4	Hæmorrhage	3	1	4	3	3
Insanity	1	1	Dropsy	6	18	4	28	36	34
Delirium Tremens	2	1	Abscess	3	1	..	4	3	4
Dis. of Brain, &c.	2	9	1	12	7	9	Mortification	2	3	3	8	4	4
Diseases of the Brain, } Spinal Marrow, Nerves } and Senses. }	99	43	15	157	140	148	Purpura2	..
Laryngitis4	..	Scrofula	2	2	2	2
Quinsey	3	1	..	4	2	1	Carcinoma	5	1	6	7	7
Bronchitis	8	5	11	24	11	10	Tumor	2	2
Pleurisy	2	1	Gout	1	1
Pneumonia	71	21	7	99	90	73	Atrophy	6	1	2	9	5	6
Hydrothorax	1	6	7	5	5	Debility	18	2	..	20	18	18
Asthma	9	23	32	25	24	Malformations	6	6	.8	1
Phthisis or Consumption	17	86	8	111	131	143	Sudden Deaths	8	6	5	19	15	14
Dis. of Lungs, &c.	6	5	2	13	12	14	Dropsy, Cancer, and } other Diseases of Un- } certain Seat }	54	39	16	109	106	105
Diseases of the Lungs, } and of the other Organs } of Respiration }	105	128	57	290	278	268	Old Age, or Natural Decay }	73	73	69	68
Pericarditis	1	1	.6	.5	Intemperance6	.6
Aneurism7	.5	Privation5	.5
Dis. of Heart, &c.	2	14	7	23	19	17	Violent Deaths	15	23	8	46	23	24
Diseases of the Heart } and Blood Vessels. }	3	14	7	24	20	18	Deaths by Violence, Pri- } vation, or Intemperance }	15	23	8	46	24	25
Teething	14	14	16	17	Causes not specified	1	..	1	17	8	5
Gastritis—Enteritis	3	11	4	18	15	18	Deaths from all Causes....	472	323	196	1007	908	903
Peritonitis	1	1	Average Weekly Deaths, } 1838-9-40-1-2. }	428	307	169	903
Tabes Mesenterica	7	7	4	4	† In one case of typhus, and another "found dead," the ages are not stated						
Worms	1	1	.4	..	†† Under inflammation, the following case is included: "inflammation, and want of natural sustenance," age 11 days; and under violence, "accidental overdose of syrup of poppies," age 14 days, and "overdose of laudanum accidentally administered," age 1 year. Under disease of the brain, nerves, &c., one case of "tic douloureux (half an hour)," age 58.						
Ascites	2	..	2	.7	..	The present table contains the death of a male, who died at the age of 100 years and 9 months.						
Ulceration (of Intest, &c.)	2	2	2	6	1	1							
Hernia	1	1	2	2	2							
Colic or Ileus	1	1	..	2	2	2							
Intussusception	1	..	1	.4	..							
Stricture	1	..	1	.5	..							
Hæmatemesis3	..							
Dis. of Stomach, &c.	5	2	7	4	6							
Dis. of Pancreas							
Hepatitis	2	2	4	1	1							
Jaundice	2	..	2	2	2							
Dis. of Liver, &c.	2	1	3	8	7							
Dis. of Spleen							
Diseases of the Stomach, } Liver, and other Organs } of Digestion. }	28	30	12	70	59	62							

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2.		Deaths in the Week.
			5 Years	5 Autumns	
West Districts. }	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	124
North Districts. }	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	184
Central Districts. }	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	225
East Districts. }	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	232
South Districts. }	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	242
TOTAL. Males, 516. Females, 491. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1007

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ The deaths from small pox are on the increase in the Metropolis. Of the 15 persons who died from this disease, 11 had not been vaccinated; in one case the circumstance is not stated. Under the same head the following case is included: "hydrocephalus, chicken pox, water pox (20 days after vaccination)" age 3 months.

|| The 9 cases of death after childbirth which appear in the present Table are entered thus: "putrid fever after childbearing (inquest)" age 25; "puerperal fever," age 27; "puerperal apoplexy, 10 hours after delivery," age 20; "puerperal fever, 3 days after delivery," age 23; "dropsy, 3 days after childbirth," age 27; "flooding after childbirth," age 26; "childbirth, 9 days after confinement," age 41; "childbirth, 15 days—typhus fever, 4 days," age 26; and "peritonitis, 18 days after delivery (post. mort.)" age 21.

¶ No return having been received this week from the District of St. Peter, Walworth, in consequence of the dismissal of the Registrar, an average of 14 has been taken from 6 weeks preceding, and added to the head of Causes not specified.

General Register Office, January 4th, 1844.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 6th January.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3							
ALL CAUSES	153	272	194	*933	1009	946	IV.—Laryngitis	1	1	..5	
SPECIFIED CAUSES	151	271	193	915	1005	942	Quinsey	1	
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	140	24	12	176	170	178	Bronchitis	7	5	11	23	19	1
SPORADIC DISEASES—							Pleurisy	1	..	1	2	
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	49	33	26	108	120	111	Pneumonia	80	10	5	95	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	107	38	23	168	163	157	Hydrothorax	1	2	1	4	7	
IV.—Diseases of the Lungs, and of the other Organs of Respiration	113	124	48	285	330	286	Asthma	15	18	33	45	2
V.—Diseases of the Heart, and Blood-vessels	5	14	6	25	23	21	Phthisis (or Consumption)	18	81	12	111	146	14
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	28	14	14	56	61	69	Dis. of Lungs, &c..	6	10	1	17	19	1
VII.—Diseases of the Kidneys, &c.	4	5	9	5	5	V.—Pericarditis	1	1	..	2	..9	
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	11	10	Aneurism	1	..	1	..6	
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	1	1	5	6	6	Dis. of Heart, &c..	4	12	6	22	21	2
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1	VI.—Teething	12	12	17	1
XI.—Old Age	54	54	88	71	Gastritis	1	1	2	16	1
XII.—Violence, Privation, Cold and Intemperance	6	11	2	19	27	26	Enteritis	4	2	2	8	3	
I.—Small Pox	13	3	..	16	21	15	Peritonitis	3	..	3	1	
Measles	25	25	19	28	Tabes Mesenterica..	6	6	5	
Scarlatina	46	..	1	47	25	34	Worms4	
Whooping Cough	28	28	42	33	Ascites	1	1	..5	
Croup	4	4	8	8	Ulceration (of Intestines, &c.)	1	
Thrush	7	7	3	5	Hernia	1	4	5	2	
Diarrhoea	1	2	4	7	5	12	Colic or Hæm.	2	1	1	4	2	
Dysentery	1	1	2	2	3	Intussusception	1	..	1	..5	
Cholera	1	..	1	..2	1	Stricture (of the Intestinal Canal)6	
Influenza	4	..	4	8	4	2	Hæmatemesis	2	..	2	..3	
Ague4	3	Dis. of Stomach, &c.	3	..	1	4	4	4
Remittent Fever	1	1	..5	..5	&c.	
Typhus	8	14	1	23	32	31	Dis. of Pancreas	
Erysipelas	3	3	1	7	6	5	Hepatitis	1	1
Syphilis6	..6	Jaundice	2	2
Hydrophobia	Dis. of Liver, &c. ..	1	3	4	8	8	8
II.—Inflammation	1	1	7	7	Dis. of Spleen1	
Hæmorrhage	2	..	2	3	3	VII.—Nephritis	1	..	1	..5	
Dropsy	5	19	14	38	39	35	Ischuria1	
Abscess	3	1	..	4	4	4	Diabetes	1	..	1	..4	
Mortification	2	..	1	3	5	5	Cystitis	1	1	2	..3	
Purpura	1	..	1	..2	..3	Stone4	
Scrofula	5	1	1	7	2	2	Stricture (of the Urethra)	1	..	1	..4	
Carcinoma	2	6	8	7	8	Dis. of Kidneys, &c.	4	4	3	3
Tumour	2	2	VIII.—Childbirth	4	..	4	8	7
Gout	1	..	1	1	1	Pavamenia2	
Atrophy	11	..	1	12	6	7	Ovarian Dropsy	1	..	1	..4	
Debility	14	2	..	16	22	21	Dis. of Uterus, &c..	..	2	1	3	2	2
Malformations	2	2	..9	1	IX.—Arthritis	
Sudden Deaths	7	4	2	13	19	15	Rheumatism	1	1	2	3	3
III.—Cephalitis	8	3	..	11	11	12	Dis. of Joints, &c..	3	3	3	3
Hydrocephalus	39	1	..	40	35	36	X.—Carbuncle	
Apoplexy	5	12	14	31	21	18	Phlegmon1	
Paralysis	1	7	8	16	19	16	Ulcer	1	1	..6	
Convulsions	50	50	59	58	Fistula	1	..	1	..4	
Tetanus	2	..	2	..6	..4	Dis. of Skin, &c....3	
Chorea1	..	XI.—Old Age	54	54	88	71
Epilepsy	3	..	3	5	4	XII.—Intemperance5	
Insanity	1	..	1	1	1	Privation	2	..	2	..7	
Delirium Tremens	1	..	1	1	2	Violent Deaths	6	9	2	17	25	25
Dis. of Brain, &c....	4	8	1	13	10	9	Causes not Specified.	2	1	1	*18	4	5

* See Note 4.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in Number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
<i>West districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James. }	17.2	301,375	138	147	139
<i>North districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,363	171	186	172
<i>Central districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,799	188	201	185
<i>East districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,312	207	216	210
<i>South districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	259	227
TOTAL.—Males, 487. Females, 446. (Weekly Average for 1844, deduced from) the Deaths in 1839-40-1-2-3, Males 483; Females, 463)		86.8	1,915,318	946	1009	933

N O T E S.

1.—THE Weekly TABLE OF MORTALITY FOR THE METROPOLIS, has been published without interruption during four years, the first having been compiled for the week ending Saturday, 11th January, 1840, and in this period embraced 33 Superintendent Registrars' Districts. To these it is now determined to add the District of Wandsworth and Clapham, which is accordingly introduced for the first time, in the present Return. The population of Wandsworth and Clapham in 1841, was 39,855, occupying a surface of 10,800 acres; the weekly average of deaths during the years 1839-40-1-2-3 was 14, and the number of deaths returned for the week ending Saturday the 6th of January 1844, amounts to 15.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 *per cent. per annum*, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 *per cent.* is allowed for the decrease from the enumeration of 1841 to July in the present year.

4.—No return having been received this week from the District of St. Peter, Walworth, in consequence of the dismissal of the Registrar, an average of 14 has been taken from 6 weeks preceding, and added to the head of *Causes not specified*.

5.—Of the 16 persons who died from Small Pox, 12 had not been vaccinated. In 2 cases the circumstance is not stated. Three deaths from this cause occurred from 20 years of age to 30.

6.—Under *purpura*, is included one case of "scurvy," a male aged 48 years. Under *scrofula*, "rachitis," a male, 4 years. Under *gout*, "gout of long standing and intemperate habits" a male, 55 years. Under *atrophy*, "debility from want of breast milk," a male, 5 months. Under *malformation*, 2 cases of "cyanosis," a male a few minutes, and a female 2½ hours. Under *disease of the brain*, "vertigo" a male, 63 years. Under *disease of the stomach*, "indigestion," a male, 6 months. Under *privation and cold*, "cold and exposure from falling in the highway in a state of intoxication," a male, 41 years, and "want of the common necessities of life which had been repeatedly offered to her by the Officers of the parish of St. Mary-le-bone, if she entered the workhouse, but which she refused to do," a female, above 50 years of age, (*Cor. inquest*).

General Register Office, January 10th, 1844.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 13th January.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages deduced from the Deaths of 1839-40-1-2-3.
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		
Weekly Average for 1844 .	417	316	177						
ALL CAUSES	437	298	194	929	1009	916	IV.—Laryngitis
SPECIFIED CAUSES	434	296	193	923	1005	942	Quinsey	1	1	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	156	24	9	189	170	178	Bronchitis	5	12	9	26	19
SPORADIC DISEASES—							Pleurisy	1	1	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	35	32	29	96	120	111	Pneumonia	90	13	7	110	91
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	77	29	28	134	163	157	Hydrothorax	1	4	4	9	7
IV.—Diseases of the Lungs, and of the other Organs of Respiration	123	164	45	332	330	286	Asthma	1	17	12	30	45
V.—Diseases of the Heart, and Blood-vessels	2	20	7	29	23	21	Phthisis (or Consumption)	23	109	7	139	146
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	34	12	11	57	61	69	Dis. of Lungs, &c..	2	9	5	16	19
VII.—Diseases of the Kidneys, &c.	1	..	2	3	5	5	V.—Pericarditis
VIII.—Childbirth, Diseases of the Uterus, &c.	5	..	5	11	10	Aneurism	1	..	1	..
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	2	..	3	6	6	Dis. of Heart, &c..	2	19	7	28	21
X.—Diseases of the Skin, Cellular Tissue, &c.	1	2	..	3	1	1	VI.—Teething	14	14	17
XI.—Old Age	62	62	88	71	Gastritis
XII.—Violence, Privation, Cold and Intemperance	4	6	..	10	27	26	Enteritis	2	2	3	7	16
I.—Small Pox	19	1	..	20	21	15	Peritonitis	2	1	1	4	1
Measles	22	1	..	23	19	28	Tabes Mesenterica ..	7	1	..	8	5
Scarlatina	49	1	1	51	25	34	Worms
Hooping Cough	32	32	42	33	Ascites	2	2	..
Croup	9	9	8	8	Ulceration (of Intestines, &c.) ..	3	1	..	4	1
Thrush	4	4	3	5	Hernia	1	1	2	2
Diarrhoea	2	1	2	5	5	12	Colic or Ileus	1	..	1	2	2
Dysentery	1	..	1	2	3	Intussusception	1	1	..
Cholera	2	1	Stricture (of the Intestinal Canal)	1	1	..
Influenza	2	..	1	3	4	2	Hæmatemesis
Ague	4	3	Dis. of Stomach, &c.	3	1	1	5	4
Remittent Fever	5	5	Dis. of Pancreas
Typhus	14	17	3	34	32	31	Hepatitis
Erysipelas	3	1	2	6	6	5	Jaundice
Syphilis	1	..	1	6	6	Dis. of Liver, &c.	1	5	1	7	8
Hydrophobia	Dis. of Spleen
II.—Inflammation	2	2	7	7	VII.—Nephritis	1	1	..
Hæmorrhage	3	3	Ischuria
Dropsy	2	15	17	34	39	35	Diabetes
Abscess	2	..	2	4	4	Cystitis
Mortification	2	2	5	5	Stone
Purpura	1	1	2	3	Stricture (of the Urethra)
Scrofula	1	1	2	2	Dis. of Kidneys, &c.	2	2	3
Carcinoma	7	5	12	7	8	VIII.—Childbirth	4	..	4	8
Tumour	2	2	2	2	Paramenia
Gout	1	1	Ovarian Dropsy
Atrophy	14	..	2	16	6	7	Dis. of Uterus, &c..	..	1	..	1	2
Debility	11	3	..	14	22	21	IX.—Arthritis
Malformations	2	2	9	1	Rheumatism	2	..	2	3
Sudden Deaths	2	5	1	8	19	15	Dis. of Joints, &c..	1	1	3
III.—Cephalitis	10	2	..	12	11	12	X.—Carbuncle
Hydrocephalus	24	24	35	36	Phlegmon
Apoplexy	1	12	11	24	21	18	Ulcer	1	1	..	2	..
Paralysis	1	6	10	17	19	16	Fistula	1	..	1	..
Convulsions	36	36	59	58	Dis. of Skin, &c..
Tetanus	6	4	XI.—Old Age	62	62	88
Chorea	1	..	XII.—Intemperance
Epilepsy	5	1	6	5	4	Privation
Insanity	1	1	1	1	Violent Deaths	4	6	..	10	25
Delirium Tremens	1	..	1	1	2	Causes not Specified.	3	2	1	6	4
Dis. of Brain, &c..	5	3	5	13	10	9						

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in Number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Eneume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	147	138
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	185
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	201	178
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	216	189
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	259	239
TOTAL.—Males, 470. Females, 459. (Weekly Average for 1844, deduced from } the Deaths in 1839-40-1-2-3, Males 483; Females, 463)		86.8	1,915,104	946	1009	929

NOTES.

1.—THE WEEKLY TABLE OF MORTALITY FOR THE METROPOLIS, has been published without interruption during four years, the first having been compiled for the week ending Saturday, 11th January, 1840, and in this period embraced 33 Superintendent Registrars' Districts. To these it was determined, at the commencement of this year, to add the District of Wandsworth and Clapham, which was accordingly introduced into the Return for the Week ending the 6th of January. The population of Wandsworth and Clapham in 1841, was 39,855, occupying a surface of 10,800 acres; the weekly average of deaths during the years 1839—40—1—2—3 was 14, and the number of deaths returned for the week ending Saturday the 6th of January 1844, amounted to 15.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839—40—1—2—3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 29 persons who died from small pox, 12 had not been vaccinated; of the remaining cases, 2 are described in the following terms: "small pox natural, 6 months after vaccination," under 1 year, and "small pox, 10 days' duration, 6th day of the eruption after vaccination," 2½ years. In 4 cases, the circumstance of vaccination is not mentioned. The following are the ages of those who died from this cause: 5 under 1 year; four 1--3; three 3--5; five 5--10; two 10--15, and one 27 years.

5.—Under *scarlatina*, is included the following case, "inflammation and ulceration of the air passages, consequent on scarlet fever while attended medically by an unqualified practitioner," a male, 2 years. Under *fever* (for the sake of convenience) "cynanche parotidæa," a male 64 years. Under *atrophy*, "marasmus from insufficiency of breast milk," a male 8 months: and want of breast milk, a male, 5 weeks. Under *malformation*, "cyanosis," a female, 11 days. Under ulceration of the *stomach*, &c. "ulceration of the tongue," a female, 7 months. And under disease of the *kidneys* "albuminuria," a male, 60 years.

6.—The following are the cases of death by *violence*, which appear in the present table, and in the former for the week ending January, 6th "murdered and exposed by some person unknown, a male newly born; "suicide by drowning," a female, 28; "accidental,"* a male, 62: "suicide by hanging," a male, 34; "fractured ribs," a male, 71; "accidental choking by a piece of meat," a male, 4; "suicide by hanging," a male, 33; "accidental injury to the spinal chord at the neck while at play," a male 25; "accidental burn," a female 6; "suicide by hanging while insane," a male, 45; "alcoholic liquors," a female 2; "poisoned herself in temporary insanity," 38; "found dead, suffocation," a male, 4 months; "hanged himself in a state of temporary derangement caused by excessive drinking," 45; "accidentally scalded," a female, 3; "accidentally drowned by falling into the Thames," a male, 17; "poisoning with laudanum, (probable cause)," a male, 52; "epilepsy, 3 days following concussion of the brain," a male 2; accidentally suffocated," a female 7 weeks; "accidental," a male, 37; "compression of the brain,"* a male, 34; "temporary insanity (2½ oz. of laudanum, and strangulation with handkerchief)," a female, 30; "accidental," a male, about 50; "accidental death by a fall," a female, 54; "accidental," a female 6; "hanged himself in a state of temporary insanity," 39; and "accidental death from inhaling the steam of a boiling kettle," a male, 2.

* These entries, "accidental," and "compression of the brain" (the verdicts of Coroner's juries), are defective. In the latter case, was it the result of violence or disease?

General Register Office, January 17th, 1844.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 20th January.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844.	447	316	177							
ALL CAUSES	159	343	238	1040	1009	946	IV.—Laryngitis	1	1	..	.5
SPECIFIED CAUSES	156	342	238	1036	1005	942	Quinsey	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	156	21	8	188	170	178	Bronchitis	7	14	12	33	19	2
SPORADIC DISEASES—							Pleurisy	1	1	..	2	..	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	30	29	22	81	120	111	Pneumonia	87	20	6	113	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	109	39	35	183	163	157	Hydrothorax	2	4	6	..	45
IV.—Diseases of the Lungs, and of the other Organs of Respiration	118	174	56	348	330	286	Asthma	20	23	43	..	146
V.—Diseases of the Heart, and Blood-vessels	3	21	7	31	23	21	Phthisis (or Consumption)	19	107	5	131	146	19
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	31	25	13	69	61	69	Dis. of Lungs, &c.	3	10	6	19
VII.—Diseases of the Kidneys, &c.	5	3	8	5	5	V.—Pericarditis	3	..	3	..	.9
VIII.—Childbirth, Diseases of the Uterus, &c.	9	..	9	11	10	Aneurism6
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	6	1	8	6	6	Dis. of Heart, &c.	3	18	7	28	21	..
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1	VI.—Teething	11	11	17	..
XI.—Old Age	89	89	88	71	Gastritis	1	1	..	2	16	..
XII.—Violence, Privation, Cold, and Intemperance	8	9	3	20	27	26	Enteritis	8	5	4	17
I.—Small Pox	21	21	21	15	Peritonitis	1	1	2	1	..
Measles	26	26	19	28	Tabes Mesenterica	6	1	..	7	5	..
Scarlatina	49	49	25	31	Worms	1	1	..	.4
Hooping Cough	26	26	42	33	Ascites	1	..	1	..	.5
Croup	5	5	8	8	Ulceration (of Intestines, &c.)	1	1	1	..
Thrush	6	6	3	5	Hernia	3	1	4	2	..
Diarrhœa	3	1	1	5	5	12	Colic or Ileus	2	..	1	3	2	..
Dysentery	1	4	..	5	2	3	Intussusception	1	1	..	.5
Cholera	2	2	..	2	Stricture (of the Intestinal Canal)	2	..	2	..	.6
Influenza	1	1	1	3	4	2	Hæmatemesis3
Ague	1	Dis. of Stomach, &c.	1	..	4	5	4	..
Remittent Fever	5	Dis. of Pancreas
Typhus	13	16	6	35	32	31	Hepatitis	3	..	3	1	..
Erysipelas	3	1	..	4	6	5	Jaundice	1	1	2	..
Syphilis	1	..	1	..	6	Dis. of Liver, &c.	8	..	8	8	..
Hydrophobia	Dis. of Spleen1
II.—Inflammation	1	1	..	2	7	7	VII.—Nephritis5
Hæmorrhage	1	..	1	3	3	Ischuria1
Dropsy	1	14	11	29	39	35	Diabetes	1	..	1	..	.1
Abscess	1	1	1	4	Cystitis3
Mortification	1	3	4	5	5	Stone4
Purpura	1	1	..	3	Stricture (of the Urethra)	2	1	3	..	.1
Scrofula	5	2	..	7	2	2	Dis. of Kidneys, &c.	2	2	4	3	..
Carcinoma	6	2	8	7	8	VIII.—Childbirth	7	..	7	8	..
Tumour	2	2	Paramenia2
Gout	1	1	Ovarian Dropsy4
Atrophy	11	11	6	7	Dis. of Uterus, &c.	2	..	2	2	..
Debility	6	1	..	10	22	21	IX.—Arthritis
Malformations	1	Rheumatism	4	..	4	3	..
Sudden Deaths	1	..	6	7	19	15	Dis. of Joints, &c.	1	2	1	4	3	..
III.—Cephalitis	11	4	..	15	11	12	X.—Carbuncle
Hydrocephalus	11	41	35	36	Phlegmon1
Apoplexy	14	15	29	21	18	Ulcer	1	1	2	..	.6
Paralysis	12	15	27	19	16	Fistula4
Convulsions	50	50	59	58	Dis. of Skin, &c.3
Tetanus	6	XI.—Old Age	89	89	88	..
Chorea	1	XII.—Intemperance5
Epilepsy	3	..	3	5	4	Privation7
Insanity	2	..	2	1	1	Violent Deaths	8	9	3	20	25	..
Delirium Tremens	2	..	2	1	2	Causes not Specified.	3	1	..	4	4	..
Dis. of Brain, &c.	7	2	5	14	10	9							

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in Number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- me- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40: 1-2-3		Deaths in the Week
				5 Years	5 Winters	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	147	144
<i>North Districts</i>	{ St. Marylebone; St. Paneras; Islington; Hackney	17.3	366,303	171	186	197
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	201	199
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	216	226
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	10.7	479,469	212	259	274
TOTALS.....		86.8	1,915,104	916	1009	1040

TOTAL.

Weekly Average for 1841, from the Deaths in
1839-40-1-2-3

Males 483

Females 463

Total.... 946

Deaths in the Week ..

Males 532

Females 508

Total.... 1040

NOTES.

1.—THE WEEKLY TABLE OF MORTALITY FOR THE METROPOLIS, has been published without interruption during four years, the first having been compiled for the week ending Saturday, 11th January, 1840, and in this period embraced 33 Superintendent Registrars' Districts. To these it was determined, at the commencement of this year, to add the District of Wandsworth and Clapham, which was accordingly introduced into the Return for the Week ending the 6th of January. The population of Wandsworth and Clapham in 1841, was 39,855, occupying a surface of 10,800 acres; the weekly average of deaths during the years 1839-40-1-2-3 was 14, and the number of deaths returned for the week ending Saturday the 6th of January 1844, amounted to 15.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 31 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Under *smallpox* is included one case of "chicken-pox," a male, aged 8 weeks. Of the 20 persons who died from *smallpox*, 12 had not been vaccinated; of others, a boy aged 4 years had been vaccinated three times without effect. In 4 cases the circumstance of vaccination is not mentioned. The following are the ages of those who died from *smallpox*; seven were under 1 year: six 1-3; three 3-5; three 5-10; and one 10 years.

5.—Under *scrofula*, are included "cachexia, a female, 1 year, and "rachitis, contracted chest, and general debility from birth," a female 5 years. Under *atrophy*, "want of breastmilk," 2 females, aged respectively 10 days and 8 months. Under *epilepsy*, "disease attending hysteria," a female 18 years. Under disease of the *brain*, &c., "abscess in the ear," a female 63 years. Under *phthisis*, "hectic fever," a male 59 years. Under *worms*, "infantile remittent fever," a male 2 years. Under *ulceration of intestines*, "gallstones and ulceration of the bowels," a male 66 years. Under *hernia*, three cases of strangulated hernia after operation, and one in which the patient refused to submit to an operation; a male 26 years, and 3 females, 40, 48, and 69 years. And under *disease of the digestive organs*, "dyspepsy," a male 71 years. One female died at the age of 100 years.

6.—The following are the cases of death by *violence*, which appear in the present table: "convulsions following a scald, a male, 3; "drowning," a male, 38; "accidental,"* a male, 43; "accidental burn," a female, 6: "disease of the brain following an accident on the knee-joint," a female, 27; "an overdose of muriate of morphia, mixed by himself," 78; "accidental," a male, 1; "accidental death from scalds," a male, 6; "found dead, apparently suffocated," a male, 4 months; "died from the effects of immersion in water, 6 days after the event," a male, 59; "accidental death from drowning," a male, 27; "fracture of his legs by falling into a ditch," 78; "run over by a carriage," a male, 82; "effects of a fall from a scaffold," a male, 45; "accidentally run over by a waggon, rupture of the bladder," a male, 43; "fracture of the left leg," a male, 35; "fracture of the skull by falling through a trap door," a male, 25; "burned by the clothes taking fire," 3 females, aged respectively 5, 6, and 9 years.

7.—ANALYSIS of deaths by *violence* registered during three weeks from the 31st of December, 1843, to the 20th of January, 1844:—FRACTURES AND CONTUSIONS, 12 cases, of which 4 were from *falls*, and 2 by *carriages*; BURNS, 5 cases; SCALDS, 3 cases; POISONING, 2 cases (of which 1 is stated to be *suicide*); INTOXICATING LIQUOR, 1 case; MEDICINE IMPROPERLY TAKEN 1 case; DROWNING, 5 cases (of which one was *suicide*); HANGING, OR STRANGULATION, 6 cases of *suicide*; CHOKING, 1 case; INHALING STEAM, 1 case; SUFFOCATION, 3 cases, of which 1 was accidental, and in 2 it is not stated whether by intention or accident; MURDER 1 case; and 6 deaths by such causes as are not specified. Of the 47 cases, 8 were stated to have been suicides, 5 being males, and 3 females. In 6 cases it is not apparent whether death was accidental or otherwise.

* In such cases, the Coroners' Juries neglected to state the nature of the accident.

General Register Office, January 24th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending January 20, 1844.

1844, Day.	Mean height of the Barometer from 12 Observations (cor- rected and reduced to 32° Fahr.)	Thermometers						Wind			Rain in Inches read at 9 o'Clock, the next Morn- ing	Mean amount of Clouds 0—10	Phases of the Moon	GENERAL REMARKS				
		Dry		Difference between the mean temperature of the day, and the mean of the same day on an average of 25 years	Wet	Difference of Dry and Wet (Dryness)		General Direction		Pressure in lbs. on the Square Foot								
		High- est	Low- est			Mean from 12 Obs.	From 12 Obs.	Great- est	Least	A.M.					P.M.	Great- est	Least of 12 Obs.	
		in.	°	°	°	°	°	°	°	°	°	°	°		°	°	°	
Jan. 15	30.212	31.2	28.0	31.5	3.0 lower	30.1	1.1	2.6	1.6	N. E.	E. N. E.	0.3	0.0	0.2	lbs.	Perigee	6.2	Overcast A.M., clear night.
16	30.149	31.4	26.3	30.5	3.9 lower	29.6	0.9	2.1	0.1	N. N. E.	Calm	0.0	0.0	0.0	0.0	Greatest Declinat. S.	3.9	Generally cloudless till 5 P.M. ; afterwards cloudy ; stratus.
17	30.092	42.6	33.5	38.4	2.9 higher	37.3	1.1	2.4	6.4	N.	N. N. W.	0.1	0.0	0.0	0.0	9.8	Overcast : cirrostratus ; clouds became broken about 5 P.M.
18	30.088	42.8	39.3	41.5	6.3 higher	39.8	1.7	2.5	0.5	W.	W.	0.3	0.0	0.1	0.0	10.0	Cloudy throughout : cirrostratus.
19	29.878	46.5	33.2	42.4	7.5 higher	40.1	2.3	4.0	1.2	W. S. W.	W. N. W.	3.5	0.1	1.3	0.0	New Moon	7.4	Broken clouds, with sand and vapour.
20	29.907	41.5	32.7	37.9	3.1 higher	35.1	2.8	4.3	1.0	N. W.	N. W. & S. W.	3.5	0.0	0.5	0.0	7.7	Cirrostratus in the morning ; afterwards clear for a short time, cumuli, and then quite overcast.
Mean of Six days	30.059	40.3	33.2	37.0	2.1 higher	35.4	1.6	3.0	0.3								7.5	

On Jan. 15, at 10 A.M., the reading of the Wet Thermometer was 1°6 higher than that of the Dry Thermometer: the water on the bulb of the Thermometer was frozen.

The height of the eastern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

G. B. AIRY,
Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 27th January.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	15	60	and upwards		5 Winters	5 Years
Weekly Average for 1844.	447	316	177
ALL CAUSES	436	333	240	1011	1009	946
SPECIFIED CAUSES	435	332	240	*1008	1005	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	132	25	11	168	170	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	33	29	23	85	120	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	118	33	26	177	163	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	116	179	51	346	330	286
V.—Diseases of the Heart, and Blood-vessels	3	17	13	33	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	27	24	14	65	61	69
VII.—Diseases of the Kidneys, &c.	6	4	10	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	8	..	8	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	2	..	4	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	95	*96	88	71
XII.—Violence, Privation, Cold and Intemperance	3	9	3	15	27	26
I.—Small Pox	17	1	..	18	21	15
Measles	22	22	19	28
Scarlatina	41	1	..	42	25	34
Whooping Cough	28	28	42	33
Croup	6	6	8	8
Thrush	2	2	3	5
Diarrhoea	3	2	..	5	5	12
Dysentery	2	1	3	2	3
Cholera	2	1
Influenza	1	..	3	4	4	2
Ague	4	3
Remittent Fever	5	5
Typhus	10	16	6	32	32	31
Erysipelas	2	1	1	4	6	5
Syphilis	2	..	2	6	6
Hydrophobia
II.—Inflammation	1	1	7	7
Hæmorrhage	2	..	2	3	3
Dropsy	3	14	14	31	39	35
Abscess	1	1	2	4	4
Mortification	1	2	3	6	5	5
Purpura	2	3
Scrofula	1	1	2	2
Carcinoma	1	6	1	8	7	8
Tumour	2	2
Gout	1	1
Atrophy	6	..	2	8	6	7
Debility	18	2	..	20	22	21
Malformations	1	1	9	1
Sudden Deaths	1	3	2	6	19	15
III.—Cephalitis	7	3	..	10	11	12
Hydrocephalus	41	41	35	36
Apoplexy	10	11	21	21	18
Paralysis	6	13	19	19	16
Convulsions	62	62	59	58
Tetanus	1	..	1	6	4
Chorea	1	..
Epilepsy	1	4	..	5	5	4
Insanity	1	1	1	1
Delirium Tremens	2	..	2	1	2
Dis. of Brain, &c.	6	7	2	15	10	9
IV.—Laryngitis	5
Quinsey	1	..	1	..	1
Bronchitis	7	10	10	27	19	19
Pleurisy	1	2	..	3	2	2
Pneumonia	85	18	6	109	91	91
Hydrothorax	2	1	4	7	7	7
Asthma	23	16	39	45	45
Phthisis (or Consumption)	14	112	6	132	146	146
Dis. of Lungs, &c.	7	12	9	28	19	19
V.—Pericarditis	1	..	1	..	9
Aneurism	6
Dis. of Heart, &c.	3	16	13	32	21	21
VI.—Teething	9	9	17	17
Gastritis	1	..	1	16	16
Enteritis	6	4	..	10	1	1
Peritonitis	5	..	5	5	5
Tabes Mesenterica	9	9	5	5
Worms	4	4
Ascites	2	2	5	5
Ulceration (of Intestines, &c.)	2	1	3	1	1
Hernia	1	2	3	2	2
Colic or Ileus	1	1	2	2	2
Intussusception	5	5
Stricture (of the Intestinal Canal)	6	6
Hæmatemesis	3	3
Dis. of Stomach, &c.	2	1	2	5	4	4
Dis. of Pancreas
Hepatitis	2	..	2	1	1
Jaundice	1	3	4	2	2
Dis. of Liver, &c.	1	6	3	10	8	8
Dis. of Spleen	1	1
VII.—Nephritis	5	5
Ischuria	1	1
Diabetes	4	4
Cystitis	1	1	2	3	3
Stone	1	1	2	4	4
Stricture (of the Urethra)	1	1	2	4	4
Dis. of Kidneys, &c.	4	1	5	3	3
VIII.—Childbirth	7	..	7	8	8
Paramenia	2	2
Ovarian Dropsy	4	4
Dis. of Uterus, &c.	1	..	1	2	2
IX.—Arthritis
Rheumatism	3	3
Dis. of Joints, &c.	2	2	..	4	3	3
X.—Carbuncle
Phlegmon	1	1
Ulcer	6	6
Fistula	4	4
Dis. of Skin, &c.	1	1	3	3
XI.—Old Age	95	*96	88	88
XII.—Intemperance	1	..	1	5	5
Privation	7	7
Violent Deaths	3	8	3	14	25	25
Causes not Specified	1	1	..	*3	4	4

* The ages of one entry, "natural decay," and another under *causes not specified*, are not stated.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)						Area in square Miles	Population Ennume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Winters	
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } Districts { St. Martin in the Fields; St. James.....						17.2	301,326	138	147	177
North { St. Marylebone; St. Pancras; Islington; Hackney						17.3	366,303	171	186	170
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } Districts { East London; West London; City of London						2.8	371,759	188	201	192
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Districts { Stepney; Poplar						8.5	393,247	207	216	252
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- Districts { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich						40.7	479,469	242	259	220
TOTALS.....						86.8	1,915,104	946	1009	1011

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3	Males	483
	Females	463
	Total....	946

Deaths in the Week ..	Males	513
	Females	498
	Total....	1011

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending January 27, 1844.

1844, Day.	Thermometers										Difference between the mean temperature of the day, and the mean of the same day on an average of 25 years		Wind			Rain in Inches read at 9 o'Clock the next Morning	Mean amount of Clouds 0—10	Phases of the Moon	GENERAL REMARKS	
	Dry				Wet		Difference of Dry or Wet (Dryness)				General Direction		Pressure in lbs. on the Square Foot			lbs. 0·0	lbs. 0·0	lbs. 0·0		
	High-est	Low-est	Mean from 12 Obs.	Mean from 12 Obs.	From 12 Obs.	Great-est	Least	A.M.	P.M.	Great-est	Least	Mean of 12 Obs.								
Jan. 22	in. 29·804	43·0	33·5	39·2	38·5	0·7	1·9	0·0	0·0	0·0	2·1 higher	Calm	Calm	0·2	0·0	0·0	0·0	7·3		Generally cloudy A.M.; partially clear P.M.
23	29·963	40·9	33·7	37·6	36·3	1·3	2·6	0·2	0·2	0·3 higher	0·3 higher	Calm	Calm	0·2	0·0	0·0	0·0	9·8	1st Quarter	Nearly cloudy all day; cirrostratus and scud.
24	30·108	39·5	30·2	35·8	34·1	1·7	3·2	0·8	0·8	2·0 lower	2·0 lower	Calm	Calm	0·2	0·0	0·1	0·0	6·6		Cloudy early A.M.; vapour and light clouds, P.M.
25	30·117	43·0	31·6	38·0	36·8	1·2	1·9	0·3	0·3	0·1 higher	0·1 higher	S.W.	S.W.	0·3	0·0	0·2	0·0	6·3		Cloudless A.M.; cloudy P.M.
26	30·136	45·3	39·8	42·2	39·9	2·3	4·3	0·8	0·8	4·3 higher	4·3 higher	N.W.	N.W.	1·5	0·2	0·3	0·0	5·7		Cirrostratus and scud.
27	30·121	47·1	36·1	42·6	41·1	1·5	2·6	0·6	0·6	5·3 higher	5·3 higher	W.S.W.	S.W.	0·3	0·0	0·2	0·0	9·3	1st Quarter	Nearly cloudy throughout.
Mean of Six days	30·012	43·2	34·2	39·2	37·8	1·4	2·8	0·5	0·5	1·7 higher	1·7 higher							7·5		

The height of the eastern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory; from the observations made at his residence in the neighbourhood of Greenwich Park.

G. B. AIRY,
Astronomer Royal.

UAL SERIES.
V.

1844.—No. 5.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 3d February.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 .	447	316	177							
ALL CAUSES	153	375	254	*1086	1009	946	IV.—Laryngitis	2	2	..	.5
SPECIFIED CAUSES	151	374	253	1081	1005	942	Quinsey	5	1	..	6	1	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	141	26	8	*176	170	178	Bronchitis	3	15	7	25	19	1
SPORADIC DISEASES—							Pleurisy	1	1	2	1
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	39	37	25	101	120	111	Pneumonia	73	21	12	106	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	115	27	36	*180	163	17	Hydrothorax	5	6	3	14	7	7
IV.—Diseases of the Lungs, and of the other Organs of Respiration	116	200	75	391	330	286	Asthma	22	27	49	45	1
V.—Diseases of the Heart, and Blood-vessels	27	7	34	23	21	Phthisis (or Consumption)	22	127	13	162	146	1
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	33	29	11	73	1	69	Dis. of Lungs, &c..	6	8	12	26	19	1
VII.—Diseases of the Kidneys, &c.	1	1	3	5	5	5	V.—Pericarditis	2	..	2	..	.9
VIII.—Childbirth. Diseases of the Uterus, &c.	12	..	12	11	10	Aneurism	1	..	1	..	.6
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	1	..	4	6	6	Dis. of Heart, &c..	..	21	7	31	21	1
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1	VI.—Teething	10	10	17	1
XI.—Old Age	85	85	88	71	Gastritis	16	1
XII.—Violence, Privation, Cold and Intemperance	3	14	2	19	27	26	Enteritis	3	4	2	9	1	1
I.—Small Pox	16	2	..	18	21	15	Peritonitis	1	..	1	1	1
Measles	26	2	..	28	19	28	Tabes Mesenterica ..	8	8	5	1
Scarlatina	31	31	2	34	Worms	1	1	..	.4
Hooping Cough	37	37	42	33	Ascites	4	1	5	..	.5
Croup	5	5	8	8	Ulceration (of Intestines, &c.) ..	1	4	..	5	1	1
Thrush	3	3	3	5	Hernia	1	2	1	4	2	1
Diarrhoea	2	1	3	5	12	Colic or Ileus	3	3	1	7	2	1
Dysentery	1	1	2	2	3	Intussusception	1	1	..	.5
Cholera	1	1	..	2	Stricture (of the Intestinal Canal) ..	1	1	..	.6
Influenza	1	1	4	2	Hæmatemesis	1	1	..	2	..	.3
Ague4	Dis. of Stomach, &c.	1	5	..	6	4	1
Remittent Fever	2	2	..	.5	Dis. of Pancreas
Typhus	17	16	4	*38	32	31	Hepatitis	1	1	2	1	1
Erysipelas	3	3	..	6	6	5	Jaundice	2	1	2	5	2	1
Syphilis	1	1	..	.6	Dis. of Liver, &c.	3	3	6	8	1
Hydrophobia	Dis. of Spleen
II.—Inflammation	1	1	7	7	VII.—Nephritis5
Hæmorrhage	2	4	1	7	3	3	Ischuria1
Dropsy	2	13	13	28	9	35	Diabetes1
Abscess	2	2	4	4	Cystitis3
Mortification	1	2	3	5	5	Stone	1	1	..	.4
Purpura2	Stricture (of the Urethra)1
Scrofula	3	1	..	4	2	2	Dis. of Kidneys, &c.	1	1	2	4	3	1
Carcinoma	1	8	1	10	7	8	VIII.—Childbirth	10	..	10	8	1
Tumour	2	2	Paramenia2
Gout	1	1	2	1	1	Ovarian Dropsy	1	..	1	..	.1
Atrophy	11	1	1	13	6	7	Dis. of Uterus, &c..	..	1	..	1	2	1
Debility	10	4	..	14	22	21	IX.—Arthritis
Malignancies	1	1	..	.9	Rheumatism	1	1	3	1
Sudden Deaths	6	4	6	16	19	15	Dis. of Joints, &c..	2	1	..	3	3	1
III.—Cephalitis	8	2	1	*13	11	12	X.—Carbuncle	1	1
Hydrocephalus	47	1	..	48	35	36	Phlegmon1
Apoplexy	1	7	14	22	21	18	Ulcer6
Paralysis	8	16	24	19	16	Fistula4
Convulsions	53	53	59	58	Dis. of Skin, &c..3
Tetanus6	XI.—Old Age	85	85	88	1
Chorea1	XII.—Intemperance	1	..	1	..	.5
Epilepsy	1	2	..	3	5	4	Privation7
Insanity	1	1	Violent Deaths	3	13	2	18	25	1
Delirium Tremens	1	..	1	1	2	Causes not Specified.	2	1	1	*5	4	1
Dis. of Brain, &c..	5	6	5	16	10	9							

* The ages of four persons are not stated; of whom one was "found dead on the roof of a house in Pear-tree Alley, (age unknown)

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James..... }	17.2	301,326	138	147	134
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	189
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,759	188	201	194
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,217	207	216	216
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	259	323
TOTALS.....		86.8	1,915,104	946	1009	1086
Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3		Males 483 Females 463 Total.... 946		Deaths in the Week ..		Males 548 Females 538 Total.... 1086

NOTES.

1.—THE WEEKLY TABLE OF MORTALITY FOR THE METROPOLIS, has been published without interruption during four years, the first having been compiled for the week ending Saturday, 11th January, 1840, and in this period embraced 33 Superintendent Registrars' Districts. To these it was determined, at the commencement of this year, to add the District of Wandsworth and Clapham, which was accordingly introduced into the Return for the Week ending the 6th of January. The population of Wandsworth and Clapham in 1841, was 39,855, occupying a surface of 10,800 acres; the weekly average of deaths during the years 1839-40-1-2-3 was 14, and the number of deaths returned for the week ending Saturday the 6th of January 1844, amounted to 15.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 18 persons who died of *smallpox*, 11 had not been vaccinated. Of the remainder, one is stated to have died "after vaccination without effect," a male aged 1 year, and another who had been vaccinated twice, a male 33 years. In 2 cases the circumstance of vaccination is not mentioned. The 18 deaths occurred at the following ages: one under 1 year; seven 1-3; four 3-5; four 5-10; one at 25 and one at 33 years.

5.—Under *atrophy*, are included two cases of "atrophy from want of breastmilk," males, aged respectively 3 weeks and 10 weeks. Under *malformation*, "imperfect closure of the heart," a male 30 hours. Under *disease of the heart*, "polypus of the heart (*post mort.*)" a male 41 years. Under *disease of the digestive organs*, "dyspepsia, flatus," a male 32 years; and "dyspepsia," a male 59 years. Under *childbirth*, "debility 8 days after confinement, produced by excessive privation," 23 years. And under *disease of the joints, bones, &c.* "amputation for disease of the bones of the leg," a male aged 40 years.

6.—The following are the cases of deaths by *violence*, which appear in the present table: "accidental burn," a male, 4; "concussion of the brain, from accidentally falling over a wall in the Chalk-road," a male, 54; "cutting the throat—suicide," a female, 67; "accidental death from drowning," a male, 20; "accidentally drowned," a male, 20; "accidental death from drowning," a male, 44; "drowned herself, in mental derangement from excessive drinking," 24; "accidentally burnt," a female, 8; "drowned," a male, 51; "accidentally drowned in bathing," a male, 17; "drowned," a male, 59; "drowned," a female, 33; "drowned herself in the Surrey Canal, being in a state of mental derangement," 21; "burnt by her clothes accidentally taking fire," 5 years; "drowned," a male, 17; "accidentally drowned," a male, 72; "accidentally killed by the wheels of a waggon passing over his body," 25 years; and "drowned herself being at the time of unsound mind," 46 years.

7.—ANALYSIS of the above list:—FRACTURE OR CONTUSION by a carriage, 1 case; FALL, 1 case; WOUND by a sharp instrument, 1 case—suicide, 3 cases; DROWNING, 12 cases, of which 5 were accidental, 3 suicides, and in 4 it is not stated whether accidental or otherwise. Total 18, of which the suicides, 4 in number, were of females.

* 4 cases of "drowning" occur, in which Corouers' juries have neglected to state that death was accidental or otherwise—or that the fact could not be ascertained.

General Register Office, February 7th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, February 3, 1844.

1844, Day.	Thermometers										Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 22 years		Wind		Rain in Inches read at 9 o'Clock. the next Morning	Mean amount of Clouds 0—10	Phases of the Moon	GENERAL REMARKS					
	Dry				Wet		Difference of Dry and Wet (Dryness)		General Direction	Pressure in lbs. on the Square Foot													
	High- est	Low- est	Mean from 12 Obs. 12 Obs.		From 12 Obs.	Great- est	Great- est	Least		Mean of 12 Obs.													
			°	°							°	°	°	°									
Jan. 29	in.	29.757	49.2	37.5	43.8	42.0	°	1.8	°	3.5	°	1.2	°	6.2	higher	S.W.	S.W.	lbs. 4.0	lbs. 0.2	lbs. 0.9	in. 0.05	6.4	A.M. nearly clear, P.M. overcast and a thin rain falling.
30		29.661	50.1	39.2	45.8	42.2	°	3.6	°	6.3	°	0.2	°	9.1	higher	W.N.W.	W.N.W.	11.0	0.3	2.5	0.06	6.8	A.M. broken clouds; P.M. principally clear, night overcast, wind in gusts all the day. Between 5 ^h and 7 ^h the barometer fell 0.118 ^u .
31		29.682	38.8	33.5	35.7	33.8	°	1.9	°	3.5	°	0.5	°	1.5	lower	W.N.W.	W.N.W.	12.0	1.0	3.1	0.07	7.6	Great- est Declinat.N.
Feb. 1		29.852	35.2	27.5	31.0	29.2	°	1.8	°	2.8	°	0.7	°	6.7	lower	N.N.W.	W.S.W.	2.5	0.2	0.6	0.01	1.3	Nearly cloudless; at night a rapid fall in the barometer; between 9 ^h and 11 ^h the fall was 0 ^m .084; between 11 ^h & 13 ^h it was 0 ^m .113; between 13 ^h & 15 ^h it was 0 ^m .159.
2		29.444	33.0	29.8	31.6	30.8	°	0.8	°	1.6	°	0.4	°	5.1	lower	S.S.E.	E.	0.2	0.0	0.0	0.21	10.0	Overcast; snow falling during the greater part of the day.
3		29.798	36.5	30.6	33.7	32.3	°	1.4	°	2.3	°	0.5	°	3.4	lower	N.N.E.	N.N.W.	0.2	0.0	0.0	0.00	8.3	The clouds were broken about noon; hazy; a coloured corona about the Moon.
Mean of Six days		29.706	40.5	33.0	36.9	35.1	°	1.9	°	3.3	°	0.6	°	0.2	lower			0.2	0.0	1.2		6.7	

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;

SHewing THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 10th February.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	15	60	upwards		5 Winters	5 Years
Weekly Average for 1844 ..	447	316	177
ALL CAUSES	160	368	248	1076	1009	946
SPECIFIED CAUSES	160	366	248	1074	1005	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	145	32	9	186	170	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	42	33	22	97	120	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	111	27	27	165	163	17
IV.—Diseases of the Lungs, and of the other Organs of Respiration	122	216	77	415	330	286
V.—Diseases of the Heart, and Blood-vessels	6	16	12	34	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	30	15	12	57	61	69
VII.—Diseases of the Kidneys, &c.	3	3	6	5	5
VIII.—Childbirth. Diseases of the Uterus, &c.	5	..	5	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	2	..	3	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1
XI.—Old Age	85	85	88	71
XII.—Violence, Privation, Cold, and Intemperance	3	16	1	20	27	26
I.—Small Pox	13	4	..	17	21	15
Measles	30	30	19	28
Scarlatina	35	2	..	37	25	34
Whooping Cough	44	44	42	33
Croup	8	8	8	8
Thrush	2	2	3	5
Diarrhoea	3	1	2	6	5	12
Dysentery	1	..	1	2	3
Cholera	2	1
Influenza	5	5	4	2
Ague	1	1	4	3
Remittent Fever	5	5
Typhus	8	20	2	30	32	31
Erysipelas	3	..	3	6	5
Syphilis	1	..	1	6	6
Hydrophobia	1	1
II.—Inflammation	2	..	1	3	7	7
Hæmorrhage	1	1	2	3	3
Dropsy	3	16	12	31	9	5
Abscess	2	2	4	4
Mortification	1	1	2	5	5
Purpura	2	3
Scrofula	1	1	..	2	2	2
Carcinoma	9	2	11	7	8
Tumour	1	1	2	2
Gout	1	..	1	1	1
Atrophy	9	1	1	11	6	7
Debility	17	1	..	18	22	21
Malformations	2	2	9	1
Sudden Deaths	5	2	4	11	19	15
III.—Cephalitis	11	2	..	13	11	12
Hydrocephalus	35	35	35	36
Apoplexy	3	12	11	26	21	18
Paralysis	8	13	21	19	16
Convulsions	58	1	..	59	59	58
Tetanus	1	1	6	4
Chorea	1	1	1	..
Epilepsy	1	..	1	5	4
Insanity	1	2	3	1	1
Delirium Tremens	1	2
Dis. of Brain, &c.	2	2	1	5	10	9
IV.—Laryngitis	1	1
Quinsey
Bronchitis	12	17	10	39
Pleurisy	1	..	1
Pneumonia	77	25	9	111
Hydrothorax	1	2	7	10
Asthma	30	40	70
Phthisis (or Consumption)	27	133	6	166
Dis. of Lungs, &c.	1	8	5	17
V.—Pericarditis	1	..	1
Aneurism	1	1
Dis. of Heart, &c.	6	15	11	32
VI.—Teething	17	17
Gastritis	1	1
Enteritis	7	4	1	12
Peritonitis	1	..	1
Tabes Mesenterica	5	5
Worms
Ascites	1	..	1
Ulceration (of Intestines, &c.)	1	1
Hernia	1	2	3
Colic or Ileus	1	1
Intussusception
Stricture (of the Intestinal Canal)
Hæmatemesis	1	1	2
Dis. of Stomach, &c.	2	1	3
Dis. of Pancreas
Hepatitis	1	..	2	3
Jaundice	2	2	4
Dis. of Liver, &c.	5	..	5
Dis. of Spleen
VII.—Nephritis
Ischuria
Diabetes
Cystitis	1	..	1
Stone
Stricture (of the Urethra)	1	1	2
Dis. of Kidneys, &c.	1	2	3
VIII.—Childbirth	4	..	4
Paramenia
Ovarian Dropsy	1	..	1
Dis. of Uterus, &c.
IX.—Arthritis
Rheumatism
Dis. of Joints, &c.	1	2	..	3
X.—Carbuncle
Phlegmon
Ulcer
Fistula	1	..	1
Dis. of Skin, &c.
XI.—Old Age	85	85	88	71
XII.—Intemperance
Privation
Violent Deaths	3	16	1	20	25	23
Causes not Specified	2	..	2	4	5

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, February 10, 1844.

1844, Day.	Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fahr.)	Thermometers						Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years	Wind				Rain in Inches read at 9 o'Clock the next Morning	Mean amount of Clouds 0-10	Phases of the Moon	GENERAL REMARKS	
		Dry		Wet		Wet below Dry			General Direction	Pressure in lbs. on the Square Foot							
		High-est	Low-est	Mean from 12 Obs.	Mean from 12 Obs.	From 12 Obs.	Great-est			Least	Mean of 12 Obs.						
Feb. 5	in 29.350	31.8	25.8	30.8	30.0	0.8	2.1	0.0	°	7.7 lower	N.W.	lbs. 0.2	lbs. 0.0	lbs. 0.0	in. 0.00	3.6	A.M. broken clouds; P.M. nearly cloudless with vapour and haze.
6	29.423	38.5	27.2	32.5	31.6	0.9	2.4	0.0	°	5.9 lower	Calm	0.2	0.0	0.0	0.19	6.8	A.M. Cloudy and foggy; P.M. broken clouds A corona around the Moon.
7	29.167	43.0	31.2	39.0	38.0	1.0	3.0	0.1	°	0.1 lower	Calm and S.W.	0.2	0.0	0.0	0.24	9.8	The clouds were broken about noon; overcast at all other times; cirrostratus and scud. Rain falling after 5h. At 10h the Magnets were disturbed.
8	29.221	41.3	32.2	35.5	33.9	1.6	3.7	0.4	°	4.4 lower	W.S.W.	4.5	0.2	0.5	0.01	1.3	Nearly cloudless: wind in gusts; a squall of hail and rain at 5h.
9	29.088	40.5	32.7	35.4	31.2	1.2	2.7	0.0	°	4.8 lower	W.S.W.	3.0	0.0	0.3	0.16	6.5	Perigee A.M. a thin film of cloud covered the sky early, then generally clear till 3h, after which quite cloudy. At 10h snow began to fall.
10	29.363	38.2	32.0	31.6	33.3	1.3	2.9	0.0	°	4.9 lower	Calm	1.0	0.0	0.3	0.00	8.0	A.M. sleet and snow falling early; large masses of scud passing afterwards from E.N.E. Afternoon white flimsy clouds and scud. After 9h quite cloudy; cirrostratus.
Mean of six days	29.269	39.4	30.7	31.6	33.5	1.1	2.8	0.1	°	4.6 lower		1.5	0.0	0.2		6.0	

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

The amount of rain collected in the month of January was 2ⁱⁿ.42.

February 9. Snow began to fall at about 11^h, and, at the same time, a development of negative electricity took place; at 11^h. 40^m. the snow was succeeded by rain, and the electricity became positive; at 11^h. 47^m. the electricity was again negative, and at 11^h. 50^m. at which time the rain ceased, it was finally negative at 11^h. 52^m, after which the Instruments ceased to be affected. A little snow fell at 10^h. 10^m. when negative electricity was exhibited.

G. B. AIRY,
Astronomer Royal

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 17th February.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 ..	447	316	177							
ALL CAUSES	174	377	295	1146	1009	946	IV.—Laryngitis5
SPECIFIED CAUSES	172	376	295	1143	1005	942	Quinsey	2	..	1	3	..	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	171	29	7	207	170	178	Bronchitis	6	18	23	47	19	2
SPORADIC DISEASES—							Pleurisy	4	2	6	..	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	39	39	26	104	120	111	Pneumonia	90	28	15	133	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	94	25	35	154	163	17	Hydrothorax	2	6	8	..	7
IV.—Diseases of the Lungs, and of the other Organs of Respiration	123	218	107	448	330	285	Asthma	17	40	57	45	..
V.—Diseases of the Heart, and Blood-vessels	2	20	10	32	23	21	Phthisis (or Consumption)	20	139	11	170	146	1
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	32	19	12	63	61	69	Dis. of Lungs, &c... ..	5	10	9	24	19	..
VII.—Diseases of the Kidneys, &c.	5	5	V.—Pericarditis	1	..	1
VIII.—Childbirth, Diseases of the Uterus, &c.	9	3	12	11	10	Aneurism	196
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	2	..	5	6	6	Dis. of Heart, &c... ..	2	19	10	31	21	..
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1	VI.—Teething	11	11	17	..
XI.—Old Age	88	88	88	71	Gastritis	1	2	1	4	16	..
XII.—Violence, Privation, Cold and Intemperance	8	14	6	28	27	26	Enteritis	9	5	3	17
I.—Small Pox	28	1	..	29	21	15	Peritonitis	1	..	1	1	..
Measles	28	28	19	28	Tabes Mesenterica	7	7	5	..
Scarlatina	42	1	..	43	25	34	Worms4	..
Hooping Cough	37	37	42	33	Ascites	1	1	..5	..
Croup	6	6	8	8	Ulcration (of Intestines, &c.)	1	..
Thrush	1	1	3	5	Hernia	1	1	2	1	2	..
Diarrhoea	5	1	2	8	5	12	Colic or Ileus	1	1	2	..
Dysentery	1	1	2	2	3	Intussusception5	..
Cholera2	1	Stricture (of the Intestinal Canal)6	..
Influenza	5	1	3	9	4	2	Hæmatemesis3	..
Ague1	..3	Dis. of Stomach, &c.	2	3	2	7	4	..
Remittent Fever	1	1	..5	..5	Dis. of Pancreas
Typhus	17	22	1	40	32	31	Hepatitis	1	..
Erysipelas	2	..	2	6	5	Jaundice	2	..
Syphilis	1	1	..6	..6	Dis. of Liver, &c.	7	3	10	8	..
Hydrophobia	Dis. of Spleen1	..
II.—Inflammation	1	1	..	2	7	7	VII.—Nephritis5	..
Hæmorrhage	2	2	3	3	Ischuria1	..
Dropsy	3	17	8	28	9	..5	Diabetes1	..
Abscess	1	..	1	4	..	Cystitis
Mortification	2	2	2	6	5	5	Stone1	..
Purpura	1	..	1	..2	..3	Stricture (of the Urethra)4	..
Scrofula	2	2	2	2	Dis. of Kidneys, &c.	3	..
Carcinoma	7	5	12	7	8	VIII.—Childbirth	6	..	6
Tumour	1	..	1	2	2	Paramenia2	..
Gout	1	1	1	1	Ovarian Dropsy4	..
Atrophy	14	1	1	16	6	7	Dis. of Uterus, &c...	3	3	6	2	..
Debility	14	5	..	16	22	21	IX.—Arthritis	1	1
Malformations	5	5	..9	1	Rheumatism	1	2	..	3	3	..
Sudden Deaths	1	3	7	11	19	15	Dis. of Joints, &c... ..	1	1	3	..
III.—Cephalitis	10	4	..	14	11	12	X.—Carbuncle	1	..	1
Hydrocephalus	36	1	..	37	35	36	Phlegmon1	..
Apoplexy	1	4	15	20	21	18	Ulcer	1	1
Paralysis	8	15	23	19	16	Fistula4	..
Convulsions	41	1	2	47	59	58	Dis. of Skin, &c...3	..
Tetanus6	..4	XI.—Old Age	88	88	88	..
Chorea1	..	XII.—Intemperance	1	..	1
Epilepsy	2	1	3	5	4	Privation7	..
Insanity	1	1	1	1	Violent Deaths	8	13	6	27	25	..
Delirium Tremens	2	..	2	1	2	Causes not Specified	2	1	..	3	4	..
Dis. of Brain, &c... ..	3	3	1	7	10	9							

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James. }	17.2	301,326	138	147	164
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	206
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	201	209
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	216	270
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,169	242	259	297
TOTALS.....		86.8	1,915,104	946	1009	1143
Weekly Average for 1841, deduced from the		Deaths in 1839-40-1-2-3		Deaths in the Week ..		
		Males 483 Females 463 Total.... 946		Males 563 Females 583 Total.... 1146		

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 29 persons who died of *Small Pox*, 17 had not been vaccinated. In three cases the circumstance of vaccination is not reported. Of the remainder, 4 had been vaccinated without effect; in one case vaccination having been performed twice, and in another three times. The deaths from Small Pox occurred at the following ages:—six under 1 year; eight 1-3; four 3-5; ten 5-10; and one 15-20.

5.—Under *typhus* (for the sake of convenience) are included 2 cases of parotitis, males, aged respectively 9 months, and 2 years. Under *hemorrhage*, “epistaxis,” a female, 67 years. Under *scrofula*, “cachexia,” a female, 8 years. Under atrophy “weaning,” a female, 6 months, and “decline from want of breast milk,” a male, under 1 year. Under *malformation*, 2 cases of spina bifida, a male, 1 year, and a female 6 weeks. Under *pleurisy*, 2 cases of empyema, a male, 36 years, and a female 56. Under *disease of the lungs* “bronchitis and gangrene of the right lung,” (*post mort*) a male 67 years. And under *arthritis*, “ostitis,” a female, 7 years.

6.—The following are the cases of death by *violence*, which appear in the present table:—“accidentally burnt,” a male, 9; “slow suffocation in bed,” a male, 4 months; “injuries of the head from an accidental fall,” a male, 57; “injury of the back,” a male, 43; “poisoning by prussic acid (suicide),” a male, 38; “suffocated while sleeping on a brick-kiln,” a male, 16; “injuries to the head from an accident at birth,” a male, newly born; “from eating sprats in a diseased state of the stomach,” a male, 36; “hanging himself in temporary insanity,” a male, 68; “accidentally drowned,” a male, 20; “accidental from a fall of a piece of meat,” a male, 24; “accidental by a fall into a lighter,” a male, 25; “accidentally killed by the shaft of a steam-engine,” a male, 33; “accidental from a fall down stairs,” a male, 70; “accidental from a fall,” a male, 16; “accidental death from burns,” a male, 6; “accidental from burns, a female, 58; “accidental from burns,” a female, 6; “accidental from burns, a female, 42; “accidental from burns,” a female, 83; “natural death, which may have been accelerated by choking,” a female, 64; “accidental,” a female, 4; “accidentally burnt,” a female, 71; “paralysis caused by being injured by an omnibus,” a female, 44; “injuries of the head from being accidentally run over by an omnibus,” a female, 11; strangulation during protracted labour,” a female 10 minutes; and “natural death accelerated by a fall,” a female, 68.

7.—ANALYSIS of the above list of violent deaths: FRACTURE or CONTUSION by FALLS, 5 cases; by Machinery, 1 case; by Carriages 2 cases, and by other means, 2 cases. POISON, 1 case (suicide.) IMPROPER FOOD, 1 case. DROWNING, 1 case. HANGING, 1 case (suicide.) CHOKING, 1 case. STRANGULATION at BIRTH, 1 case. SUFFOCATION, 2 cases. BURNS, 7 cases. And INJURY of a kind not stated, 2 cases. TOTAL 27 cases.

8. It has been ascertained that the death of a female, aged 9 years, by *tetanus*, registered in the week ending 10th February, was caused by a Needle which entered the knuckle of the forefinger 8 months previous and had not been extracted.

General Register Office, February 20th, 1844.

Day, 1844.	Readings of Thermometers						Difference between the Dew Point and Temperature				Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years				Wind				Amount of Horizontal Movement in the Air each Day	Electricity	Rain in Inches read at 9 o'clk. the next morning	Phases of the Moon	GENERAL REMARKS
	Dry		Dew Point		Highest in the Sun as shown by the Self-registering Thermometer		Lowest on the Grass as shown by the Self-registering Thermometer		Air Temperature		General Direction		Pressure in lbs. on the Square Foot		Mean of 12 Obs.								
	High-est	Low-est	Mean from 12 Obs.	Mean of 12 Obs.			Mean from 12 Obs.	Great-est	Least			Great-est	Least	Mean of 12 Obs.									
Feb. 11	in.	°	°	°	°	°	°	°	°	°	°	N.W.	N.N.W.	lbs. 0.5	lbs. 0.0	lbs. 0.0	130 miles	in. 0.00	10.0	3rd Quarter	A dense cirro-stratus: A little snow fell early in the morning; the day cloudy throughout.		
12	29.900	33.6	26.0	30.1	25.1	38.4	18.3	2.0	3.3	0.0	9.3 lower	N.N.W.	Calm	Very light	0.0	0.0	0.0	100 miles	0.00	8.1		At about 4h. the clouds became broken and the sky was partially clear, with that exception the day was cloudy throughout; fog at night.	
13	29.981	29.3	21.3	25.0	25.1	31.8	14.0	0.9	2.5	0.0	12.9 lower	Calm	Calm	0.0	0.0	0.0		0.00	9.1	Greatest Declination S.	Fog all day, the outline of the sun seen after noon, and the clouds became broken a little before midnight.		
14	29.939	40.1	21.2	31.6	28.5	50.5	28.3	3.3	7.0	1.7	7.8 lower	Calm	S.S.W.	0.0	0.2	0.0		0.01	9.7		Fog: white frost early in the morning; overcast: at 4h. the clouds were a little broken.		
15	29.851	41.8	35.7	41.3	39.1	48.5	21.1	1.9	6.2	0.0	1.5 higher	S.S.W.	S.W.	1.0	0.2	0.3	140 miles	0.01	9.4		A few breaks in the clouds at 9 A.M. A thin rain fell after noon. Wind in G. at night. Occasional small rain.		
16	30.036	45.5	31.0	38.8	34.8	55.8	26.3	1.0	9.0	1.5	1.1 higher	N.N.W.	N.N.W.	0.2	0.2	0.2	200 miles	0.00	1.2		At 2h. A.M. the clouds became broken in the N. and by 4 A.M. they had passed away to the S. the day was clear and fine.		
17	29.971	47.0	34.0	39.8	36.6	56.0	29.2	3.2	8.0	1.0	2.8 higher	Calm	W.S.W.	0.2	0.2	0.2	180 miles	0.00	8.4		At 2h. A.M. the sky became nearly overcast, and shortly afterwards became quite so, and thus continued till 6.20, when the clouds were broken for a short time; vapour prevalent at night.		
Mean	29.951	40.1	28.7	34.7	32.1	46.3	23.1	2.6	6.0	0.7	1.1 lower								8.1				

The height of the cistern of the barometer is considered to be 130 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

The amount of rain collected in the month of January was 29.42.

February 13. The reading of a self-registering thermometer placed on raw wool on grass was 7.08; that of another placed on flax on grass was 8.90. The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read, thus, on Feb. 11, the number 43 represents the highest reading of the thermometer between Feb. 11, 9th A.M., and Feb. 12, 9th A.M., &c.

Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day, which precedes that on which the anemometer is read.

G. B. AIRY,
Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 24th February.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 ..	447	316	177							
ALL CAUSES	423	402	288	*1115	1009	946	IV.—Laryngitis5
SPECIFIED CAUSES	423	401	288	*1114	1005	942	Quinsey	1	1	1	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	143	32	11	186	170	178	Bronchitis	10	28	25	63	19	2
SPORADIC DISEASES—							Pleurisy	2	..
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	38	36	33	107	120	111	Pneumonia	63	30	17	*111	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	102	46	25	173	163	17	Hydrothorax	4	5	6	15	45	..
IV.—Diseases of the Lungs, and of the other Organs of Respiration	110	224	93	*428	330	285	Asthma	1	21	30	52	47	..
V.—Diseases of the Heart, and Blood-vessels	2	25	18	45	23	21	Phthisis (or Consumption)	27	131	7	165	146	..
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	17	16	11	44	61	69	Dis. of Lungs, &c..	4	9	8	21	19	..
VII.—Diseases of the Kidneys, &c.	3	3	6	5	5	V.—Pericarditis	2	1	3
VIII.—Childbirth. Diseases of the Uterus, &c.	7	..	7	11	10	Aneurism	1	..	1	..	.6
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	5	2	9	6	6	Dis. of Heart, &c..	2	22	17	41	21	..
X.—Diseases of the Skin, Cellular Tissue, &c.	2	..	2	1	1	VI.—Teething	7	7	17	..
XI.—Old Age	89	89	88	71	Gastritis	16	..
XII.—Violence, Privation, Cold and Intemperance	9	5	3	*18	27	26	Enteritis	4	3	2	9
I.—Small Pox	14	5	..	19	21	15	Peritonitis	1	1	1	..
Measles	18	18	19	28	Tabes Mesenterica..	2	2	5	..
Scarlatina	42	1	..	43	25	34	Worms4	..
Whooping Cough	33	33	42	33	Ascites	1	2	3	.5	..
Croup	13	1	..	14	8	8	Ulceration (of Intestines, &c.)	1	..
Thrush	2	2	3	5	Hernia	2	2	4	2	..
Diarrhœa	3	3	1	7	5	12	Colic or Ileus	1	..	1	2	..
Dysentery	1	..	1	2	3	Intussusception5	..
Cholera2	1	Stricture (of the Intestinal Canal)6	..
Influenza	2	1	1	4	4	2	Hæmatemesis	1	..	1	.3	..
Ague4	.3	Dis. of Stomach, &c.	2	2	3	7	4	..
Remittent Fever5	.5	Dis. of Pancreas
Typhus	14	19	9	42	32	31	Hepatitis	1	..	1	1	..
Erysipelas	2	1	..	3	6	5	Jaundice	1	1	2	2	..
Syphilis6	.6	Dis. of Liver, &c.	1	4	1	6	8	..
Hydrophobia	Dis. of Spleen1	..
II.—Inflammation	1	1	7	7	VII.—Nephritis5	..
Hæmorrhage	1	..	1	3	3	Ischuria1	..
Dropsy	4	14	14	32	9	.5	Diabetes	1	..	1	.4	..
Abscess	1	..	1	4	..	Cystitis3	..
Mortification	1	1	3	5	5	5	Stone4	..
Purpura2	.3	Stricture (of the Urethra)	1	1	.4	..
Scrofula	4	4	2	2	Dis. of Kidneys, &c.	..	2	2	4	3	..
Carcinoma	6	6	12	7	8	VIII.—Childbirth	6	..	6	6	..
Tumour	3	2	5	2	2	Paramenia2	..
Gout	1	1	2	1	1	Ovarian Dropsy4	..
Atrophy	10	1	4	15	6	7	Dis. of Uterus, &c..	..	1	..	1	2	..
Debility	12	2	..	14	22	21	IX.—Arthritis
Malformations	2	2	.9	1	Rheumatism	1	3	1	5	3	..
Sudden Deaths	4	6	3	13	19	15	Dis. of Joints, &c..	1	2	1	4	3	..
III.—Cephalitis	4	1	..	5	11	12	X.—Carbuncle
Hydrocephalus	35	35	35	36	Phlegmon1	..
Apoplexy	2	13	9	24	21	18	Ulcer	2	..	2	.6	..
Paralysis	16	9	25	19	16	Fistula4	..
Convulsions	58	..	1	59	59	58	Dis. of Skin, &c....3	..
Tetanus	1	1	2	.6	.4	XI.—Old Age	89	89	88	..
Chorea1	..	XII.—Intemperance	1	1	2	.5	..
Epilepsy	5	2	7	5	4	Privation	* 1	.7	..
Insanity	2	..	2	1	1	Violent Deaths	9	4	2	15	25	..
Delirium Tremens	3	..	3	1	2	Causes not Specified.	..	1	..	1	4	..
Dis. of Brain, &c....	3	5	3	11	10	9							

* The ages of 2 persons are not stated.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	147	161
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	189
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	201	243
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	216	250
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	272
TOTALS.....		86.8	1,915,104	946	1009	1115

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3	{ Males 483 Females 463 Total.... 946	Deaths in the Week ..	{ Males 551 Females 564 Total.... 1115

Day, 1841.	Readings of Thermometer				Difference between the Dew Point and Temperature				Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years				Wind		Amount of Horizontal Movement in the Air each Day		Electricity		Rain in Mean Inches read at the next Morning		Phases of the Moon		GENERAL REMARKS
	Dry		Dew Point		Air Temperature (Dryness)		Least	Direction	Pressure in lbs. on the Square Foot		Mean of 12 Obs.	Amount of Horizontal Movement in the Air each Day	Electricity	Rain in Mean Inches read at the next Morning	Cloud	Moon							
	High- est	Low- est	Mean from 12 Obs.	Mean of 12 Days	Great- est	Least			Great- est	Least													
	Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fah.)				Highest in the Sun as shown by a Self-registering Thermometer				Lowest on the Grass as shown by a Self-registering Thermometer														
Feb. 18	in.	°	°	°	°	°	°	°	°	S.	S.	lbs. 5.0 a gust	lbs. 0.0	lbs. 0.0	220 miles	Feb. 19, From 11 ^h , a.m., to 11 ^h , 46 ^m , a.m., during rain, negative and active; and between 7 ^h 24 ^m p.m., and 7 ^h 40 ^m p.m., at first negative and weak, then positive and active.	in. 0.03	10.0	New	Overcast: Cirrostratus and Scud. Wind frequently in strong gusts to 3, 4, and 5 lbs. on the square foot. The clouds were much broken at 5 a.m., and the sky afterwards became nearly free of clouds till 11 a.m.; afterwards cloudy. At noon rain began falling. The wind in gusts, with a pres- sure of 6 lbs. on the square foot, P.M. About one-third of the sky was covered with cloud at all times of the day. Wind in gusts throughout the day. Cloudless till 5 a.m., from which time the sky was wholly covered with clouds. At 9 a.m. snow began to fall; sleet was falling from 11 a.m. to 2 p.m., and a thin rain was falling after 7 p.m. Cloudy, with snow or sleet falling till noon. After 7 p.m. cloudless. Cloudless till noon; cloudy after- wards, with a thin rain or sleet falling; the wind in gusts near midnight. Cloudy till 9 P.M., after which partially clear; rain falling; heavy gusts of wind, varying from 6 lbs. to 12 lbs. pressure on the square foot; and calm towards midnight.			
19	29.301	46.5	33.6	41.7	38.5	57.2	21.3	3.2	9.7	0.0	2.6	higher	gust	0.0	1.0	270 miles	0.15	6.8	in Equator				
20	29.657	37.3	29.0	33.1	26.0	50.9	18.8	7.1	12.3	1.2	5.7	lower	gusts	0.3	0.7	290 miles	0.00	3.6					
21	29.326	37.1	28.1	33.4	30.7	41.6	3.7	2.7	6.7	0.6	6.6	lower	0.2	0.0	0.1	130 miles	0.11	8.3					
22	29.320	34.4	27.5	31.8	29.1	34.6	12.8	2.7	7.6	0.3	8.1	lower	4.0 in gusts	0.0	0.2	90 miles	0.05	7.3					
23	29.461	46.5	23.5	33.3	29.1	49.5	27.0	4.2	11.5	1.2	6.4	lower	8.0 gusts	0.0	0.6	90 miles	0.39	5.3					
24	29.111	48.3	33.1	39.9	36.2	49.5	25.2	3.7	8.8	0.0	0.1	higher	12.0 in gusts	0.0	1.0	370 miles	0.00	8.0	Apogee				
Mean	29.363	41.7	29.1	35.5	31.6	47.7	24.4	3.9	9.4	0.6	4.0	lower					7.0						

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

During the latter part of the week the changes in the height of the Barometer have been considerable. On Feb. 22, 6^h a.m., after some fluctuation it had fallen to 29.115; at Feb. 23, 9^h a.m., it had risen to 29.708; at Feb. 24, 4^h a.m., it had fallen to 28.663; at midnight on Feb. 24 it had risen to 29.536.

G. B. AIRY,

Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 9.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS;
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 2nd March.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 18, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 ..	447	316	177							
ALL CAUSES	165	341	219	1055	1009	946	IV.—Laryngitis	2	2
SPECIFIED CAUSES	165	341	219	1055	1005	942	Quinsey	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	168	31	16	215	170	178	Bronchitis	6	10	18	34	19	19
SPORADIC DISEASES—							Pleurisy	1	2	3	2	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	33	37	26	96	120	111	Pneumonia	70	18	8	96	91	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	103	27	22	152	163	17	Hydrothorax	2	2	3	7	7	7
IV.—Diseases of the Lungs, and of the other Organs of Respiration	108	189	69	366	330	286	Asthma	25	26	51	45	45
V.—Diseases of the Heart, and Blood-vessels	3	22	13	38	23	21	Phthisis (or Consumption)	21	122	10	156	146	146
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	17	5	57	61	69	Dis. of Lungs, &c. ..	4	11	2	17	19	19
VII.—Diseases of the Kidneys, &c.	1	3	4	8	5	5	V.—Pericarditis	2	..	2
VIII.—Childbirth, Diseases of the Uterus, &c.	5	..	5	11	10	Aneurism	1	1	2
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	Dis. of Heart, &c. ..	3	19	12	34	21	21
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1	VI.—Teething	15	15	17	17
XI.—Old Age	86	86	88	71	Gastritis
XII.—Violence, Privation, Cold and Intemperance	10	4	6	20	27	26	Enteritis	5	2	1	8	16	16
I.—Small Pox	17	17	21	15	Peritonitis	1	2	3	1	1
Measles	28	1	..	29	19	28	Tabes Mesenterica ..	7	7	5	5
Scarlatina	38	1	..	39	25	34	Worms
Hooping Cough	52	52	42	33	Ascites	1	..	1
Croup	10	10	8	8	Ulceration (of Intestines, &c.)	4	..	4	1	1
Thrush	3	5	Hernia	1	1	2	2
Diarrhoea	4	3	3	10	5	12	Colic or Ileus	2	3	1	6	2	2
Dysentery	1	1	1	3	2	3	Intussusception
Cholera	2	1	Stricture (of the Intestinal Canal)	1	..	1
Influenza	2	..	4	6	4	2	Hæmatemesis	1	..	1
Ague	4	3	Dis. of Stomach, &c. ..	3	3	4	4
Remittent Fever	5	5	&c.
Typhus	13	20	8	41	32	31	Dis. of Pancreas
Erysipelas	3	4	..	7	6	5	Hepatitis	1	..	1	1	1
Syphilis	6	6	Jaundice	1	..	1	2	2
Hydrophobia	1	..	1	Dis. of Liver, &c. ..	3	2	..	5	8	8
II.—Inflammation	7	7	Dis. of Spleen
Hæmorrhage	1	..	1	3	3	VII.—Nephritis
Dropsy	1	21	10	32	9	4	Ischuria
Abscess	2	2	1	5	Diabetes	1	..	1
Mortification	1	1	2	5	5	Cystitis
Purpura	2	3	Stone	1	1
Scrofula	1	..	1	2	2	Stricture (of the Urethra)	1	1
Carcinoma	6	5	11	7	8	Dis. of Kidneys, &c.	2	3	5	3	3
Tumour	1	..	1	2	2	VIII.—Childbirth	5	..	5
Gout	2	2	1	1	Paramenia
Atrophy	8	..	2	10	6	7	Ovarian Dropsy
Debility	16	5	..	21	22	21	Dis. of Uterus, &c.
Malformations	1	1	9	1	IX.—Arthritis
Sudden Deaths	5	1	6	12	19	15	Rheumatism	1	2	1	4	3	3
III.—Cephalitis	14	2	2	18	11	12	Dis. of Joints, &c. ..	3	3	..	6	3	3
Hydrocephalus	38	2	..	40	35	36	X.—Carbuncle	1	1
Apoplexy	3	10	9	22	21	18	Phlegmon
Paralysis	1	3	9	13	19	16	Ulcer
Convulsions	43	43	59	58	Fistula	1	..	1
Tetanus	6	4	Dis. of Skin, &c.
Chorea	1	..	XI.—Old Age	86	86	88	88
Epilepsy	1	..	1	5	4	4	XII.—Intemperance
Insanity	1	..	1	1	1	1	Privation	1	1
Delirium Tremens	2	..	2	1	2	Violent Deaths	10	4	5	19	25	25
Dis. of Brain, &c.	4	6	2	12	10	9	Causes not Specified	4	4

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
West Districts	Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	147	154
North Districts	St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	194
Central Districts	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	201	218
East Districts	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	216	243
South Districts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	246
TOTALS.....		86.8	1,915,104	946	1009	1055

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3	Males	483
	Females	463
	Total....	946

Deaths in the Week ..	Males	543
	Females	512
	Total....	1055

Deaths Registered in the Metropolis during the last 5 Weeks.—At ALL AGES, 1,086; 1,076; 1,146; 1,115; 1,055. At 60 Years and upwards, 254; 248; 295; 288; 219. By diseases of the lungs (at all ages), 391; 415; 448; 428; 366. By small pox (at all ages), 18; 17; 29; 19; 17.

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality,—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Stratham; Tooting Gravency; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 17 persons who died of smallpox, 10 had not been vaccinated. The following case is reckoned among the unvaccinated: "A return of porrigio larvalis succeeded by an attack of smallpox—had been vaccinated, but without satisfactory results," a male, aged 2 years. The deaths from smallpox occurred at the following ages: two under 1 year; nine 1-3; one 3-5; and five, 5-10 years. Three occurred in the same house.

5.—Under measles is included the case of a female, aged 36, who, according to the medical certificate, "died from the effects of measles which she had 9 years before." Under scarlatina, "Bright's disease of the kidneys after scarlet fever," a male, 2 years. Under disease of the brain, nerves, &c., "disease of the spinal nerves after a long illness," a male, 12 years. Under disease of the respiratory organs, "spasms of the glottis," a female, 1 year. Under stricture of the intestinal canal, "stricture of the gullet," a male, 46 years. Under disease of the stomach, &c., "drum belly," a male, 9 months. Under disease of the joints and bones, "necrosis of the jawbone," a male, 23 years. And under privation, "old age and privation, (inquest)" a male, 70 years.

6.—The following are the cases of death by violence, which appear in the present table: "Paralysis, the result of a blow on the head on board ship," a male, 66; "rupture of the urethra," a male, 73; "from burns," a male, 2; "accidental death from burns," a male, 3; "accidental from an injury by a coach wheel," a male, 14; "accidental from burns," a male, 7; "accidentally run over by a horse," a male, 70; "accidental from a fall down stairs," a male, 68; "found drowned," a male, 56; "hanged himself in a state of mental derangement," a male, 51; "accidental suffocation," a female, under 1; "accidental burn," a female, 5; "accidental burn," a female, 6; "scald," a female, 1; "accidentally burnt," a female, 3; "accidental from burns," a female, 66; "accidental death at the time of birth," a female, 5 minutes; "natural death, accelerated by an excessive draught of gin, and a fall," a female, 18; and "sloughing of the leg from an injury to the foot," a female, 39. Under hydrophobia, is included the death of a male, 31 years, "from a bite in his forefinger by a dog, producing lyssa."

7.—ANALYSIS of the preceeding list of violent deaths: FRACTURE or CONTUSION, 4 cases, of which one was by a fall, and two by carriages or animals. INTemperance and a FALL, 1 case. BURNS, 7 cases. SCALD, 1 case. DROWNING, 1 case. HANGING, 1 case, (suicide.) SUFFOCATION, 1 case. And INJURY, by means not stated, 3 cases. Total, 19 cases.

General Register Office, March, 2nd 1844.

1844 Day	Readings of Thermometer						Difference between the Dew Point Temperature and Air Temperature			Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years			Wind			Electricity	Circumstances accompanying the exhibition of Electricity	Rain in Inches read at 9 o'Clock the next Morn- ing	Phases of the Moon	GENERAL REMARKS					
	Day		Dew Point	Highest in the Sun as shewn by a Self-registering Thermometer		Lowest on the Grass as shewn by a Self-regis- tering Thermometer	Mean from 12 Obs.	Great- est	Least	A.M.	P.M.	Pressure in lbs. on the Square Foot		Amount of Horizontal Movement in the Air each Day in Miles											
	High- est	Low- est	Mean from 12 Obs.	Mean from 12 Obs.	Great- est	Least						Great- est	Least		Mean of 12 Obs.										
FEB.	in.																								
Su 25							50.3	32.9				*	S.	S.W.	8.0	0.0	1.6	150		10.0	0.25				
M 26	28.669	46.5	32.5	41.0	37.9	60.3	22.1	3.1	7.7	0.0	+ 1.0	S.W.	W.	5.5	0.0	1.7	320	8.8	0.07	First Quarter.	Frequent and heavy showers of rain throughout the day: the wind blowing in frequent gusts.				
Tu 27	29.273	36.8	28.0	32.7	26.9	53.5	25.4	5.6	13.0	3.3	- 7.4	N.	W.	4.0	0.0	0.7	310	4.7	0.00	Greatest Declin- ation N.	Early in the morning overcast: the clouds became broken at 5 A.M. it was quite overcast again at 9 A.M. and clear and cloudy alter- nately afterwards: a low barometer.				
W 28	29.476	45.4	34.1	38.8	33.0	63.0	26.3	5.8	10.3	2.0	- 0.8	W.	W. & S.	3.0	0.0	0.2	160	6.2	0.08		Overcast till 5h. A.M. A little snow fell in the morning, & clouds at 5h. 30m. A.M. clouds again collect- ed at 7 P.M.				
Th 29	29.433	48.2	33.2	41.3	37.8	66.3	35.8	3.5	9.9	0.0	+ 1.3	W.S.W.	S.W.	0.5	0.0	0.3	320	6.1	0.13		Broken clouds till 5 P.M. after which the sky was overcast with rain falling.				
MARCH F 1	29.273	51.1	41.6	46.4	41.3	69.0	31.6	5.1	12.2	0.6	+ 6.0	S.	W.	5.0	0.0	0.9	250	7.5	0.07		Early in the morning the sky was clear and cloudy alternately. Af- ter 2 P.M. cumuli and scud prevailed. Heavy rain at 9h. P.M.				
SA 2	29.208	47.6	38.1	41.6	36.5	62.5	31.0	5.1	10.9	2.5	- 0.1	S.W.	S.W.	10.0	0.5	2.3	330	7.2	0.09		Early in the morning, cloudy, with the wind blowing in gusts to 10h. on the square foot. Occasional hails of rather a long duration; at 2h. the wind fell, and the pressure afterwards was always more than 1lb. on the square foot.				
Mean ..	29.237	45.9	34.6	40.3	35.6	60.7	29.3	4.7	10.7	1.4	0.0							7.2							

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read. Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day, which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. * In reading the 13th column, it will be borne in mind that " + 1° 0' " is read " one degree higher," and " - 7° 4' " " seven degrees and four-tenths lower," than the average.

G. B. AIRY,
Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 10.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 9th March.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 .	447	316	177
ALL CAUSES	450	332	247	*1030	1009	946
SPECIFIED CAUSES	150	331	247	1028	1005	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	151	26	14	191	170	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	43	25	28	96	120	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	101	29	26	156	163	17
IV.—Diseases of the Lungs, and of the other Organs of Respiration	108	193	74	375	330	286
V.—Diseases of the Heart, and Blood-vessels	6	17	17	40	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	18	12	65	61	69
VII.—Diseases of the Kidneys, &c.	6	6	12	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	9	1	10	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	4	1	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	63	63	88	71
XII.—Violence, Privation, Cold and Intemperance	4	4	4	12	27	26
I.—Small Pox	14	2	..	16	21	15
Measles	31	1	..	32	19	28
Scarlatina	38	2	..	40	25	34
Hooping Cough	43	43	42	33
Croup	8	1	..	9	8	8
Thrush	5	5	3	5
Diarrhoea	4	4	5	12
Dysentery	1	..	1	2	2	3
Cholera	2	1
Influenza	2	1	4	7	4	2
Ague	4	3
Remittent Fever	5	5
Typhus	9	18	4	31	32	31
Erysipelas	1	1	6	5
Syphilis	1	..	1	6	6
Hydrophobia
II.—Inflammation	2	2	7	7
Hæmorrhage	3	3
Dropsy	4	10	15	29	9	45
Abscess	4	5
Mortification	2	1	1	4	5	..
Purpura	2	3
Scrofula	2	2	2	2
Carcinoma	7	6	13	7	8
Tumour	2	2
Gout	2	..	2	1	1
Atrophy	5	..	1	6	6	7
Debility	21	3	..	27	22	21
Malformations	1	1	9	1
Sudden Deaths	3	2	5	10	19	15
III.—Cephalitis	18	2	..	20	11	12
Hydrocephalus	30	2	..	32	35	36
Apoplexy	1	10	5	16	21	18
Paralysis	8	18	26	19	16
Convulsions	51	51	59	58
Tetanus	1	1	6	4
Chorea	1	..
Epilepsy	4	..	4	5	4
Insanity	1	1	2	1	1
Delirium Tremens	1	..	1	1	2
Dis. of Brain, &c.	1	2	1	4	10	9
IV.—Laryngitis	1	1	..	5
Quinsey	1	1	..	1
Bronchitis	7	10	20	37	19	19
Pleurisy	2	..
Pneumonia	74	30	9	113	91	91
Hydrothorax	6	..	6	7	..
Asthma	13	29	42	45	..
Phthisis (or Consumption)	19	122	9	150	146	1
Dis. of Lungs, &c.	7	12	6	25	19	..
V.—Pericarditis	3	..	1	4	9	..
Aneurism	1	..	1	6	..
Dis. of Heart, &c.	3	16	16	35	21	..
VI.—Teething	15	15	17	..
Gastritis	2	2	1	5	16	..
Enteritis	3	3	2	8
Peritonitis	1	2	1	4	1	..
Tabes Mesenterica	11	11	5	..
Worms	4	..
Ascites	1	1	2	5	..
Ulceration (of Intestines, &c.)	1	..
Hernia	1	1	2	..
Colic or Ileus	1	1	2	..
Intussusception	5	..
Stricture (of the Intestinal Canal) }	6	..
Hæmatemesis	3	..
Dis. of Stomach, &c.	2	3	3	8	4	..
Dis. of Pancreas
Hepatitis	1	1	2	1	..
Jaundice	1	1	2	..
Dis. of Liver, &c.	1	6	..	7	8	..
Dis. of Spleen	1	..
VII.—Nephritis	1	..	1	5	..
Ischuria	1	..
Diabetes	4	..
Cystitis	1	1	3	..
Stone	4	..
Stricture (of the Urethra)	4	..
Dis. of Kidneys, &c.	5	5	10	3	..
VIII.—Childbirth	8	..	8	8	..
Paramenia	2	..
Ovarian Dropsy	1	1	4	..
Dis. of Uterus, &c.	1	..	1	2	..
IX.—Arthritis
Rheumatism	2	1	3	3	..
Dis. of Joints, &c.	2	2	..	4	3	..
X.—Carbuncle
Phlegmon	1	..
Ulcer	6	..
Fistula	4	..
Dis. of Skin, &c.	1	1	3	..
XI.—Old Age	63	63	8	7
XII.—Intemperance	5	..
Privation	7	..
Violent Deaths	4	4	4	12	25	2
Causes not Specified	1	..	2	4	5

* The age of one person "found dead," is not stated.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	147	138
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	181
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	201	182
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	216	226
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	303
TOTALS.....		86.8	1,915,104	946	1009	1030
Population corrected for July 1st, 1841		Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..		Males 483 Females .. 463 Total.. 946
				Deaths in the Week		Males 531 Females .. 499 Total.. 1030

Deaths registered in the Metropolis in the last 5 Weeks, and the *Mean Temperature* for the same periods :—

DEATHS AT ALL AGES	1076	..	1146	..	1115	..	1055	..	1030
From Diseases of the Lungs, &c.....	415	..	448	..	428	..	366	..	375
From Small Pox	17	..	29	..	19	..	17	..	16
Deaths at 60 and upwards.....	248	..	295	..	288	..	249	..	247
Mean Temperature	34.6	..	34.7	..	35.5	..	40.3	..	37.3

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within* and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 winters by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 *per cent. per annum*, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 *per cent.* is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 16 persons who died of *smallpox*, 11 had not been vaccinated. In one case the circumstance of vaccination is not reported. Among the unvaccinated, there are reckoned one male, aged 8 months, who was “vaccinated a few days before death;” and another, aged 7 years, who had been “vaccinated in infancy, but without effect.” The deaths from this disease occurred at the following ages:—five under 1 year; five 1-3; four 5-10; one 15-20; and one under thirty years.

5.—Under *scarlatina*, is included one case of “*chorea* from *scarlatina*,” a female, 10 years. Under *thrush*, “*thrush* and *diarrhœa* from want of breast milk,” a male, 3 months. Under *mortification*, 2 cases of *cancrem oris*, females, aged respectively 2 and 4 years. Under *malformation*, “*foramen ovale open*,” a female, 2 months. Under *disease of the digestive organs*, *prolidentia ani*, a male, 70 years. Under *disease of the kidneys*, &c. *hæmaturia*, a male, 74, years; “*exhaustion from fistula in the urethra*,” a male, 56 years; and abscess in the perinæum, a male, 45 years. And under *ovarian dropsy*, “*diseased ovaries and liver, afflicted with dropsy 2 years, having been tapped 29 times, (post mort.)*” a female, 60 years. In the return for the week ending 24th February, a female was included, who died at the age of 101 years; and in the present there appears a male, who died at the same age.

6.—The following are the cases of death by *violence*, which appear in the present table: “*pneumonia after fractured ribs*,” a male, 54; “*hanged himself in a temporary state of insanity*,” a male, 62; “*extensive burn after 13 days*,” a male, 2; “*suffocated by a piece of meat in the larynx*,” a male, 50; “*wound on the head*,” a male, 65; “*injury of the head from an accidental fall*,” a female, 1; “*from a severe burn*,” a female, 3; “*falling in a fit when alone, being subject to giddiness in the head*,” a female, 73; “*drowned herself in a state of insanity*,” a female, 26; “*concussion of the brain, caused by blows, (post mort.)*” a female, 23; “*from her clothes accidentally taking fire*,” a female, 81; “*from bodily injuries received by being accidentally scalded with coffee*,” a female, 1. A case of *rupture of the urethra*, included in the list of *violent deaths* of last week, was, as has been since ascertained, not the effect of accident, but of *disease connected with stricture*.

7.—ANALYSIS of the present return of *deaths by violence*:—FRACTURE OR CONTUSION, 4 cases, of which 2 were by falls, 1 by blows, and 1 by means not stated. WOUND, 1 case. BURNS, 3 cases. SCALD, 1 case. HANGING, 1 case, (suicide). DROWNING, 1 case, (suicide). SUFFOCATION by meat, 1 case. TOTAL, 12 cases.

General Register Office, March, Wednesday, 13th, 1844.

1844										Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fah.)										Readings of Thermometers				Difference between the Dew Point and Air Temperature				Wind				Electricity		Circumstances		Rain in		Phases		GENERAL REMARKS					
Day		Dry		Dew Point		Highest in the Sun as shewn by a Self-registering Thermometer		Lowest on the Grass as shewn by a Self-registering Thermometer		Air Temperature		Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years		General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day		Electricity		Electricity		Mean amount of the Cloud next morning		Inches read at 9 o'Clock of the Moon																			
		High-est		Low-est		Mean from 12 Obs.		Mean from 12 Rite.		Mean from 12 Days.		Great-est		Least		Great-est		Least		Mean of 12 Obs.		+		exhibition of Electricity		0-10		Morn-ing																	
MARCH																				Miles																									
Su		3		in.		°		°		°		°		°		°		°		°		°		°		°		°		°		°													
M		4		29.285		39.7		37.2		38.1		36.0		30.4		26.5		2.1		6.0		0.0		— 1.9		S.W.S. & N.N.E.		N.W.E. and N.N.W.		3.0		0.0		0.2		360		8.3		0.48		Full.			
Tu		5		29.660		38.9		28.6		34.4		29.8		48.2		15.2		4.6		11.3		2.0		— 6.3		N.N.W. and S.W.		N.N.W. and S.W.		0.3		0.0		0.2		160		8.3		0.00		In Equator.			
W		6		29.698		39.6		24.3		32.8		27.1		63.0		23.8		5.7		13.0		0.5		— 8.1		N.		N.		1.0		0.0		0.2		20		3.5		0.00		A clear sky a.m. <i>March 6.</i> Positive and weak.			
Th		7		30.012		39.8		31.9		35.9		30.1		62.7		18.8		5.8		9.8		3.4		— 5.4		N.		N.		1.5		0.0		0.3		190		8.4		0.00		Perigee.			
F		8		30.143		43.2		30.9		36.8		31.3		68.4		31.6		5.5		9.9		0.0		— 4.3		N.N.E.		S.		0.2		0.2		0.2		90		6.5		0.00					
SA		9		29.990		55.6		38.2		45.8		41.6		68.7		36.0		4.2		9.6		1.3		+ 5.3		S.S.W.		W.S.W.		6.0		0.2		1.8		200		7.9		0.57					
Mean ..				29.798		42.8		31.9		37.3		32.7		58.4		26.4		4.7		9.6		1.2		— 3.5												6.9									

The height of the cistern of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky, represented by 0; a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read. Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day, which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "higher," and — "lower," than the average.

† On Wednesday, March 6, at 10 A.M. the Electrical Apparatus was disabled by an accident, and had not been reinstated before the end of the week.

G. B. AIRY,
Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 11.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 16th March.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 .	447	316	177
ALL CAUSES	112	340	236	*989	1009	946
SPECIFIED CAUSES.....	110	340	236	987	1005	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	131	33	13	177	170	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	25	27	30	82	120	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	117	33	25	175	163	17
IV.—Diseases of the Lungs, and of the other Organs of Respiration	83	168	56	307	330	286
V.—Diseases of the Heart, and Blood-vessels	1	22	7	30	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	19	12	66	61	69
VII.—Diseases of the Kidneys, &c.	8	4	12	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	16	2	18	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	1	..	3	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	2	..	3	1	1
XI.—Old Age	82	82	88	71
XII.—Violence, Privation, Cold and Intemperance	15	11	5	* 32	27	26
I.—Small Pox	16	5	..	21	21	15
Measles	21	21	19	28
Scarlatina	41	2	..	43	25	34
Hooping Cough.....	32	32	42	33
Croup	9	9	8	8
Thrush	4	4	3	5
Diarrhœa	1	..	2	3	5	12
Dysentery	2	1	3	2	3
Cholera	2	1
Influenza	3	3	4	2
Ague	2	..	2	4	3
Remittent Fever.....	5	5
Typhus	6	18	4	28	32	31
Erysipelas	1	2	3	6	6	5
Syphilis	2	..	2	6	6
Hydrophobia
II.—Inflammation	1	1	7	7
Hæmorrhage	1	1	3	3
Dropsy	9	14	23	9	45
Abscess	1	3	..	4	4	5
Mortification	3	3	5	..
Purpura	2	3
Scrofula	1	1	2	2
Carcinoma	9	7	16	7	8
Tumour	2	2
Gout	1	1	1	1
Atrophy	10	1	1	12	6	7
Debility	12	4	..	16	22	21
Malformations	1	1	9	1
Sudden Deaths	1	2	3	19	15
III.—Cephalitis	9	2	1	12	11	12
Hydrocephalus	36	36	35	36
Apoplexy	3	10	11	24	21	18
Paralysis	9	10	19	19	16
Convulsions	64	64	59	58
Tetanus	6	4
Chorea	1	..
Epilepsy	6	1	7	5	4
Insanity	2	1	3	1	1
Delirium Tremens...	2	..	2	1	2
Dis. of Brain, &c....	5	2	1	8	10	9
IV.—Laryngitis	5
Quinsey	1	1	..	1
Bronchitis	6	10	12	28	19	1
Pleurisy	3	1	4	2	..
Pneumonia	56	16	10	82	91	7
Hydrothorax	1	2	4	7	7	..
Asthma	16	19	35	45	..
Phthisis (or Consumption)	15	112	6	133	146	14
Dis. of Lungs, &c....	4	9	4	17	19	1
V.—Pericarditis.....	9
Aneurism	6
Dis. of Heart, &c....	1	22	7	30	21	..
VI.—Teething	11	11	17	..
Gastritis	1	..	1	2	16	..
Enteritis	5	6	3	14	3	..
Peritonitis	2	1	3	1	..
Tubercles Mesenterica..	12	12	5	..
Worms	4	..
Ascites	1	..	1	5	..
Ulceration (of Intestines, &c.)	1	..	1	1	..
Hernia	1	1	2	..
Colic or Ileus.....	..	1	..	1	2	..
Intussusception	1	..	1	5	..
Stricture (of the Intestinal Canal) }	6	..
Hæmatemesis.....	1	1	3	..
Dis. of Stomach, &c.	2	2	..	4	4	..
Dis. of Pancreas.....
Hepatitis	1	..	1	1	..
Jaundice	3	2	5	2	..
Dis. of Liver, &c.	3	1	3	7	8	..
Dis. of Spleen	1	1	1	..
VII.—Nephritis	5	..
Ischuria	1	..
Diabetes	3	..	3	4	..
Cystitis	3	..
Stone	1	1	4	..
Stricture (of the Urethra)	2	..	2	4	..
Dis. of Kidneys, &c.	3	3	6	3	..
VIII.—Childbirth	9	..	9	8	..
Paramenia	2	..
Ovarian Dropsy	3	..	3	4	..
Dis. of Uterus, &c....	..	4	2	6	2	..
IX.—Arthritis
Rheumatism	3	..
Dis. of Joints, &c....	2	1	..	3	3	..
X.—Carbuncle
Phlegmon	1	..
Ulcer	1	1	..	2	6	..
Fistula	1	..	1	4	..
Dis. of Skin, &c....	3	..
XI.—Old Age	82	82	88	7
XII.—Intemperance	2	..	2	5	..
Privation.....	1	1	7	..
Violent Deaths	14	9	5	*29	25	2
Causes not Specified.	2	2	4	5

* The age of one person who died from poison, was unknown.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population in 'Eneume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Winters	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	147	158
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	186	185
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374 759	188	201	189
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	216	212
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	259	245
TOTALS.....		86.8	1,915,104	946	1009	989

Population corrected for July 1st, 1844	{	Males.... 940,300	{	Males 483	{	Males 505
		Females.. 1,067,250		Females .. 463		Females .. 484
		Total.. 2,007,550		Total.. 946		Total .. 989

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	
Males 483	Males 505
Females .. 463	Females .. 484
Total.. 946	Total .. 989

DEATHS AT ALL AGES	1076	..	1146	..	1115	..	1055	..	1030	..	989
From Diseases of the Lungs, &c.....	415	..	448	..	428	..	366	..	375	..	307
From Small Pox	17	..	29	..	19	..	17	..	16	..	21
Deaths at 60 and upwards.....	248	..	295	..	288	..	249	..	247	..	236
Mean Temperature.....	34.6	..	34.7	..	35.5	..	40.3	..	37.3	..	41.1

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Peuge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

Readings of Thermometers															Difference between the Dew Point and Air Temperature			Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years		General Direction		Wind			Electricity		Circumstances accompanying the exhibition of Electricity		Rain in Inches read at 9 o'Clock of the next Morning		Plagues of the Moon		GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1844		Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fah.)					Dry		Dew Point		Highest in the Sun as shewn by a Self-registering Thermometer		Lowest on the Grass as shewn by a Self-registering Thermometer		Air Temperature																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Day		High-est	Low-est	Mean from 12 Obs.	Mean from 12 Rits									Mean from 12 Diff.	Great-est	Least	*	A.M.	P.M.	Great-est	Least	Mean of 12 Obs.	Amount of Horizontal Movement of the Air in each Day Miles	March 12. Negative, and active for a short time.	March 11. Negative and active from 11h. 30m. to 10h. 30m.	Rain falling at about 5h. p.m.	Cloud amount	of the next																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

The height of the station of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be consistent with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky represented by 0, a cloudy sky by 10, and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

Whevel's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M. and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "higher," and - "lower" than the average.

On Tuesday, March 12th, at noon, the Electrical Apparatus was reinstated. On the same day at 6 p.m., Whevel's Anemometer was disabed, and since that time the "Amount of Horizontal Movement of the Air" has been supplied for each civil day by a rule roughly deduced from the comparisons of the estimated forces of the wind, with the Amounts of the Horizontal Movements during the time that Whevel's Anemometer was in action.

G. B. AIRY, *Astronomer Royal.*

L. SERIES.
V.

1844.—No. 12.

A TABLE

OF THE

MORTALITY IN THE METROPOLIS,

SHEWING THE

NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 23rd March.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages deduced from the 1839-40-1-2-3.
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years		0 to 15	15 to 60	60 and upwards		
Weekly Average for 1844 ..	447	316	177						
ALL CAUSES	440	316	217	*981	1009	946	IV.—Laryngitis	1	1	..
SPECIFIED CAUSES	438	316	217	971	1005	942	Quinsey	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	168	14	8	190	170	178	Bronchitis	6	11	17	34	19
SPORADIC DISEASES—							Pleurisy	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	34	41	25	100	120	111	Pneumonia	60	16	2	78	91
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	104	29	31	167	163	157	Hydrothorax	1	2	1	4	7
IV.—Diseases of the Lungs, and of the other Organs of Respiration	86	177	46	309	330	286	Asthma	12	14	26	45
V.—Diseases of the Heart, and Blood-vessels	1	13	4	18	23	21	Phthisis (or Consumption)	14	126	7	147	146
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	21	10	66	61	69	Dis. of Lungs, &c..	4	10	5	19	19
VII.—Diseases of the Kidneys, &c.	4	2	6	5	5	V.—Pericarditis	1	3	..	4	..
VIII.—Childbirth, Diseases of the Uterus, &c.	4	3	7	11	10	Aneurism
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	1	1	4	6	6	Dis. of Heart, &c..	..	10	4	14	21
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	..	2	1	1	VI.—Teething	13	13	17
XI.—Old Age	79	79	88	71	Gastritis	2	2	..
XII.—Violence, Privation, Cold and Intemperance	7	11	5	23	27	26	Enteritis	4	6	2	12	16
I.—Small Pox	20	2	..	22	21	15	Peritonitis	1	..	1	1
Measles	27	27	19	28	Tabs Mesenterica	10	10	5
Scarlatina	35	1	..	36	25	34	Worms	1	1	..
Hooping Cough	51	51	42	33	Ascites
Croup	10	10	8	8	Ulceration (of Intestines, &c.)	1	..	1	1
Thrush	4	4	3	5	Hernia	1	1	2
Diarrhoea	5	..	1	6	5	12	Colic or Ileus	1	1	..	2	2
Dysentery	1	1	2	3	Intussusception	1	..	1	..
Cholera	2	Stricture (of the Intestinal Canal)
Influenza	2	..	2	4	4	2	Hæmatemesis	1	..	1	..
Ague	1	1	..	2	..	3	Dis. of Stomach, &c.	2	1	..	3	4
Remittent Fever	2	2	..	5	Dis. of Pancreas
Typhus	9	9	1	19	32	31	Hepatitis	1	1	1
Erysipelas	2	1	3	6	6	5	Jaundice	2	3	1	6	2
Syphilis	6	Dis. of Liver, &c.	5	5	10	8
Hydrophobia	Dis. of Spleen	1	..	1	1
II.—Inflammation	7	7	VII.—Nephritis
Hæmorrhage	3	2	..	5	3	3	Ischuria
Dropsy	5	13	12	30	39	35	Diabetes	1	..	1	..
Abscess	1	..	1	4	4	Cystitis
Mortification	1	1	3	5	5	5	Stone	1	..	1	..
Purpura	1	..	1	..	2	Stricture (of the Urethra)	1	..	1	..
Scrofula	2	2	2	2	Dis. of Kidneys, &c..	..	1	2	3	3
Carcinoma	11	4	15	7	8	VIII.—Childbirth	3	..	3	..
Tumour	1	1	1	3	2	2	Paramenia
Gout	1	1	1	1	Ovarian Dropsy
Atrophy	5	1	1	7	6	7	Dis. of Uterus, &c..	..	1	3	4	2
Debility	10	6	..	16	22	21	IX.—Arthritis
Malformations	1	1	..	9	Rheumatism	1	..	1	2	3
Sudden Deaths	6	4	3	13	19	15	Dis. of Joints, &c..	1	1	..	2	3
III.—Cephalitis	5	5	11	12	X.—Carbuncle
Hydrocephalus	31	31	35	36	Phlegmon
Apoplexy	2	9	11	22	21	18	Ulcer
Paralysis	8	16	24	19	16	Fistula	1	..	1	..
Convulsions	64	64	59	58	Dis. of Skin, &c....	1	1	..
Tetanus	1	..	1	..	6	XI.—Old Age	79	79	88
Chorea	1	1	..	1	XII.—Intemperance	3	..	3	..
Epilepsy	1	3	2	6	5	4	Privation
Insanity	1	..	1	1	1	Violent Deaths	7	8	5	20	25
Delirium Tremens	1	..	1	1	2	Causes not Specified.	2	*10	1
Dis. of Brain, &c....	..	6	5	11	10	9						

* An average of 5 males and 3 females, drawn from the deaths of 6 weeks preceeding, has been taken for the district of T. Newington, and added to the head of causes not specified; the usual return not having been obtained this week in consequence the office of Registrar being vacant.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
<i>West Districts</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....		17.2	301,326	138	147	171
<i>North Districts</i> { St. Marylebone; St. Paneras; Islington; Hackney		17.3	366,303	171	186	197
<i>Central Districts</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London		2.8	374,759	188	201	176
<i>East Districts</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar		8.8	393,247	207	216	202
<i>South Districts</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich		40.7	479,469	242	259	235
TOTALS.....		86.8	1,915,104	946	1009	981
Population corrected for July 1st, 1844 { Males... 910,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3.. { Males 483 Females .. 463 Total.. 946		Deaths in the Week { Males 507 Females .. 474 Total.. 981		

Deaths registered in the Metropolis in the last 7 Weeks, and the *Mean Temperature* for the same periods :—

DEATHS AT ALL AGES	1076	1146	1115	1055	1030	989	981
From Diseases of the Lungs, &c.....	415	448	428	366	375	307	309
From Small Pox	17	29	19	17	16	21	22
Deaths at 60 and upwards.....	248	295	288	249	247	236	217
Mean Temperature.....	34.6	34.7	35.5	40.3	37.3	41.1	39.7

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Paneras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—Of the 22 persons who died of *smallpox*, 17 had not been vaccinated. In 1 case the circumstance of vaccination is not reported. Among the unvaccinated are reckoned 1 case of “smallpox, the eruption having appeared on the 8th day after vaccination,” a male 4 years; 1 case of “smallpox succeeding vaccination,” a female 2 years; and 1 case of a female aged 4 years, who had been vaccinated twice without effect. The deaths from this disease occurred at the following ages :—two under 1 year; seven 1-3; seven 3-5; four 5-10; one 20-30; and one 51 years.

3.—Under *malformation* has been included 1 case of “imperforate anus” a male under 1 year. Under *disease of the brain, &c.* “vertigo,” a male 63 years. Under *bronchitis* “spasmodic contraction of the windpipe caused by coughing, (inquest),” a male 6 months. Under *phthisis*, “pneumonia 5 years—abscess of lung opening into air-tubes,” a male 54 years. Under *worms*, “infantile remittent fever,” a female 3 months. Under *hematemesis*, “melæna, the termination of vomiting and spasms occasionally for two years,” a female 52 years. Under *jaundice*, “icterus infantum (*post mort.*)” a female 8 days. Under *disease of the urinary organs*, “abscess in the perinæum,” a male 56 years. And under *disease of the skin*, “pemphigus,” a male 1 year.

4.—The following are the cases of *death by violence* which appear in the present table: “accidental crushing of the head by the wheel of a cart,” a male 28; “comminuted fracture of thigh, and bronchitis, (*post mort.*)” a male 71; “insanity, drowned himself,” a male 38; “erysipelas of the shoulder occurring after an injury from a fall (*post mort.*)” a male 10; “hanged himself, state of mind unknown,” a male 43; “accidental hanging,” a male 14; “fracture of his skull from a fall when intoxicated,” a male 40; “accidental by a fall down a ship’s hold,” a male 50; accidental from burns,” a male 5; “accidental from burns,” a male 5; accidental death from burns,” a male 66: “hanged himself, being of unsound mind,” a male 65; “found drowned,” a male 22; “accidentally burnt,” a female 8; “accidental by burning,” a female 22; “accidental by burning,” a female 4; “found dead, apparently suffocated,” a female 1 month; “accidentally burnt to death,” a female 86; “died by a fall from a wall in a state of temporary insanity,” a female 70; and “accidental from a wound in the heel from treading on a nail,” a female 35. Under *tetanus* is included a case of “traumatic tetanus; bronchitis,” a male 30.

5.—ANALYSIS of the present return of *deaths by violence*; FRACTURE OR CONTUSION, 6 cases, of which 1 was by a carriage and 4 by falls. WOUND, 1 case. BURNS, 7 cases. DROWNING, 2 cases, of which 1 was suicide. HANGING, 3 cases, of which 2 were suicides and 1 accidental. And SUFFOCATION, 1 case. TOTAL 20 cases, in 3 of which it does not appear whether death occurred by accident or design.

General Register Office, Tuesday, March, 26th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, March 23, 1844.

[illegible]

The height of the station of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be concordant with those of the Royal Society's third glass standard barometer. The amount of cloudiness is indicated by a number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass, fully exposed to the sky, are thermometry at 5 A.M., and therefore exhibit the highest and lowest readings at which precedes that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

Whereas a anemometer from the indications of which the estimation of horizontal movement is made is read at 10 A.M., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "higher," and — "lower" than the average.

March 20th. The reading of a self-registering Thermometer placed on raw wool was 90°·0; that of another placed on flax was 84°·0; those placed on hare-skin and on rabbit-skin were nearly as low; that placed on long grass was 16°·0; that on lead placed on long grass was 21°·0.

G. B. AIRY, *Astronomer Royal.*

AL SERIES.
V.

1844.—No. 13.

A T B L E

OF THE

MORTALITY IN THE METROPOLIS,

SHEWING THE

NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 30th March.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON,

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
	0 to 15	15 to 60	60 and upwards		5 Winters	5 Years
Weekly Average for 1844 .	447	316	177
ALL CAUSES	172	367	231	*1080	1009	946
SPECIFIED CAUSES	168	367	231	1068	1005	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	158	33	17	208	170	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	47	47	34	*129	120	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	118	39	36	193	163	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	92	159	13	294	330	286
V.—Diseases of the Heart, and Blood-vessels	1	11	15	27	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	27	20	10	57	61	69
VII.—Diseases of the Kidneys, &c.	3	5	8	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	6	1	9	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1
XI.—Old Age	60	60	88	71
XII.—Violence, Privation, Cold and Intemperance	23	41	9	* 74	27	26
I.—Small Pox	17	1	..	18	21	15
Measles	25	25	19	28
Scarlatina	31	4	..	35	25	34
Whooping Cough	44	44	42	33
Croup	12	12	8	8
Thrush	5	5	3	5
Diarrhoea	4	2	4	10	5	12
Dysentery	1	2	..	3	2	3
Cholera	2	1
Influenza	4	..	5	9	4	2
Ague	1	3
Remittent Fever	5	5
Typhus	13	19	7	39	32	31
Erysipelas	1	4	1	6	6	5
Syphilis	1	1	..	2	6	6
Hydrophobia
II.—Inflammation	1	1	..	2	7	7
Hæmorrhage	2	1	3	6	3	3
Dropsy	1	16	10	27	39	35
Abscess	1	1	..	2	4	4
Mortification	2	3	1	4	5	5
Purpura	2	3
Scrofula	1	1	..	2	2	2
Carcinoma	1	1	5	7	8
Tumour	2	2
Gout	1	1	1	1
Atrophy	10	2	1	13	6	7
Debility	11	1	..	12	22	21
Malformations	4	4	9	1
Sudden Death	14	19	17	* 51	19	15
III.—Cephalitis	10	2	..	12	11	12
Hydrocephalus	38	3	..	41	35	36
Apoplexy	8	12	20	21	18
Paralysis	10	17	27	19	16
Convulsions	63	..	1	64	59	58
Tetanus	6	4
Chorea	1	..	1	1	..
Epilepsy	7	1	8	5	4
Insanity	4	1	5	1	1
Delirium Tremens	1	..	1	1	2
Dis. of Brain, &c.	7	3	4	14	10	9
IV.—Laryngitis	5
Quinsey	2	1	..	3	..	1
Bronchitis	10	8	10	28	..	19
Pleurisy	2	..	2	..	2
Pneumonia	56	9	5	70	..	91
Hydrothorax	4	1	5	..	7
Asthma	11	17	28	..	45
Phthisis (or Consumption)	23	114	5	142	..	146
Dis. of Lungs, &c.	1	10	5	16	..	19
V.—Pericarditis	1	1	..	9
Aneurism	1	..	1	..	6
Dis. of Heart, &c.	1	10	14	25	..	21
VI.—Teething	12	12	..	17
Gastritis	16
Enteritis	3	6	1	10
Peritonitis	1	1	..	1
Tabes Mesenterica	7	1	..	8	..	5
Worms	4
Ascites	1	..	1	..	5
Ulceration (of Intestines, &c.)	1	..	1	..	1
Hernia	1	1	..	2
Colic or Ileus	3	1	2	6	..	2
Intussusception	5
Stricture (of the Intestinal Canal)	1	..	1	..	6
Hæmatemesis	1	..	1	..	3
Dis. of Stomach, &c.	2	1	6	..	4
Dis. of Pancreas
Hepatitis	1
Jaundice	1	1	..	2
Dis. of Liver, &c.	6	2	8	..	8
Dis. of Spleen	1
VII.—Nephritis	5
Ischuria	1	..	1	..	1
Diabetes	4
Cystitis	1	..	1	..	3
Stone	4
Stricture (of the Urethra)	1	1	..	4
Dis. of Kidneys, &c.	1	4	5	..	3
VIII.—Childbirth	7	..	7	..	8
Paramenia	2
Ovarian Dropsy	4
Dis. of Uterus, &c.	1	1	..	2
IX.—Arthritis
Rheumatism	5	..	5	..	3
Dis. of Joints, &c.	2	1	1	4	..	3
X.—Carbuncle
Phlegmon	1
Ulcer	1	..	1	..	6
Fistula	4
Dis. of Skin, &c.	3
XI.—Old Age	60	60	88	71
XII.—Intemperance	1	..	1	..	5
Privation	2	..	2	..	7
Violent Deaths	23	38	9	*71	25	2
Causes not Specified	4	*12	4	5

* The ages of 2 persons are not stated. An average of 5 males and 3 females, drawn from the deaths of 6 weeks preceding, has been taken for the district of Trinity, Newington, and placed to the head of *Causes not specified*; the usual return not having been obtained this week in consequence of the office of Registrar being vacant.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 <i>Registrars' Districts</i>)						Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week	
								5 Years	5 Winters		
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } istricts { St. Martin in the Fields; St. James..... }						17.2	301,326	138	147	119	
North { St. Marylebone; St. Pancras; Islington; Hackney						17.3	366,303	171	186	199	
entral { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } istricts { East London; West London; City of London						2.8	374,759	188	201	168	
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } istricts { Stepney; Poplar						8.8	393,217	207	216	227	
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } istricts { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich						40.7	479,469	242	259	337	
TOTALS.....						86.8	1,915,104	946	1009	1080	
Population corrected for July 1st, 1844		Males.... 910,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..		Males 483 Females .. 463 Total.. 946		Deaths in the Week		Males 558 Females .. 522 Total.. 1080	

eaths registered in the Metropolis in the last 8 Weeks, and the *Mean Temperature* for the same periods:—

DEATHS AT ALL AGES	1076	1146	1115	1055	1030	989	981	1080
From Diseases of the Lungs, &c.....	415	418	428	366	375	307	309	294
From Small Pox	17	29	19	17	16	21	22	18
Deaths at 60 and upwards.....	248	295	288	219	217	236	217	231
Mean Temperature.....	31.6	34.7	35.5	40.3	37.3	41.1	39.7	47.2

NOTES.

1.—Of the 18 persons who died of *smallpox*, 13 had not been vaccinated. In 2 cases the circumstance of vaccination is not reported. Among the unvaccinated, is reckoned a male, aged 7 years, who had been vaccinated twice without effect. The deaths from this disease occurred at the following ages:—six under 1 year; four 1-3; two 3-5; four 5-10; one 10-15; and one 20-30.

2.—Under *typhus*, is included; (for the sake of convenience) 1 case of mumps, a female, 1 year. Under *hemorrhage*, profuse bleeding from the mouth and nose, a female 4 years. Under *atrophy*, "want of breastmilk—atrophy," a male, 4 weeks. Under *debility*, "debility from birth, and unnatural nourishment," a male, 1 month. Under *malformation*, "spina bifida," a male under 1 year; and "convulsions" from malformation, and imperforate rectum, a female, 3 days. Under *insanity*, "natural death, accelerated by fright and grief," a female, 51 years. Under *quinsey*, "diphtheria," a female, 8 years. Under *disease of the digestive organs*, "dyspepsia," a female, 62 years. Under *disease of the urinary organs*, "abscesses in the perinaeum," a male, 59 years. And under *privation*, "natural death, accelerated by want and privation, (inquest)," a male 25 years; and disease of the brain from exposure to the cold, and intoxication, (inquest)," a male, 40 years. A female, included in the present return, died at the age of 104 years, and 3 months.

3.—The present list of violent deaths is much above the usual amount. It contains a number of inquests which had been held at former periods, principally in the DISTRICT of GREENWICH, but which had not been received from the Coroner when they occurred.—"Accidental," a male, 42; "accidental," a male 22; "accidental," a male 5; "accidental," a male 16; "accidental," a male 24; "accidental by a horse and van," a male 40; "suffocation from fixed air in the stomach, produced by soda powders," a male 25; "from food having been incautiously administered by the monthly nurse from a sancer that had previously contained laudanum, and which she had left unwashed," a male 4 days; "accidental burns," a male 5; "hanged himself," a male 50; "injuries of the head from being knocked down and run over by a cart," a male 50; "injuries by a fall from a coachbox by its giving way," a male 66; "accidental death from a fall," a male 14; "hanged himself in a temporary state of insanity," a male 48; "wilful murder," a male 1; "injuries by a railroad carriage," a male 25; "accidentally drowned," a male 29; "drowning," a male, 8; "from having swallowed a quantity of boiling water," a male 2; "injuries from being accidentally scalded," a male 1; "cut throat—murdered by the mother," a male 3; "found drowned in the Grand Surrey Canal," a male 25; "found dead in the river," a male 17; "found dead in the Thames," a male 18 or 20; "found dead in the river Thames," (age not known); "accidentally drowned," a male 54; "accidentally drowned," a male 25; "injuries received from a steam engine," a male 36; "smothered by a fall of sand," a male 24; "smothered by a fall of sand," a male 19; "injuries to the ribs from a fall," a male 73; "drowning," a male 56; "found hanging, suicide in insanity," a male 24; "disease of the heart, or violence received in, or the excitement consequent on a scuffle," a male 72; "suffocation whilst eating his dinner," a male 73; "found dead in the river Thames," a male 56; "drowned in the Thames," a male 85; "injuries on the head by a flagstaff suddenly falling on him by accident," a male, 39; "accidentally drowned in the Thames," a male 18; "injuries casually received," a male 25; "injuries to the skull from an accidental fall," a male 36; "injuries from being casually burnt," a male 3; "found drowned," a male 4 or 5; "injuries to the head by falling from the graveyard of the Medora," a male 27; "from having his arm accidentally crushed by a steam engine," a male 35; "injuries from being accidentally burnt," a male 3; "a gunshot wound accidentally received," a male 29; "suicide by hanging," a female 35; "accidental," a female 69; "accidental," a female 63; "accidentally burnt," a female 7; "accidentally burnt," a female 4; "accidentally burnt by the clothes taking fire," a female 20; "burning," a female 6; "accidentally burnt," a female 3 months; "accidental burn, a female 5; accidental burn, a female 3; "accidentally run over by a cart," a female 8; "fracture of her skull by a fall," a female 22; "hanging herself in temporary insanity," a female 27; "accidental death," a female 64; "natural death accelerated by a fall," a female 84; "found drowned," a female about 25; "wilful murder," a female, new born; "accidental by burning," a female 18; "injuries from being burnt," a female 14; "found drowned in the Surrey Canal," a female 18; "cut throat, murdered by the mother," a female 1; "suffocated," a female 5 weeks; "accidentally overlaid by the mother," a female 5 weeks; and suicide by strangulation while insane," a female 22.

General Register Office, Tuesday, April, 2nd, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday, March 30, 1844.

1844 Day	Mean height of the Barometer (corrected and reduced to 32° Fahr.)			Readings of Thermometers				Difference between the Dew Point and Air Temperature			Wind			Electricity		Circumstances accompanying the exhibition of Electricity	Phases of the Moon	Rain in inches read at 9 o'Clock, of the next Morning	GENERAL REMARKS
	in.	Dry		Dew Point	Temperature		Least	Great-est	Mean of 12 Diffs.	General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day	Electricity				
		High-est	Low-est		Mean from 12 Obs.	Mean from 12 Rts.				A.M.	P.M.	Great-est	Least						

MARCH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Su	21	29.457	50.6	39.8	45.5	12.6	59.2	31.9	7.2	1.5	+	1.0	S.S.W. and W.N.W.	lbs. 7.0	lbs. 0.0	1.0	29.0	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

The height of the eastern of the barometer is considered to be 129 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a clear sky represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass, fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M. and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "HIGHER;" and - "LOWER," than the average.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 6th April.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
† Weekly Average for 1844.	446	310	188
ALL CAUSES	444	286	184	*923	883	946
SPECIFIED CAUSES	443	286	182	*912	879	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	150	32	13	195	161	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	37	31	22	90	105	114
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	108	29	29	166	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	88	130	39	257	269	286
V.—Diseases of the Heart, and Blood-vessels	6	19	14	39	21	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	34	15	7	56	61	69
VII.—Diseases of the Kidneys, &c.	2	8	1	11	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	12	..	12	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	4	2	1	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	54	54	64	71
XII.—Violence, Privation, Cold and Intemperance	14	8	2	* 25	25	26
I.—Small Pox	20	1	..	21	12	15
Measles	22	22	29	28
Scarlatina	34	1	..	35	26	34
Whooping Cough	46	46	35	33
Croup	13	13	8	8
Thrush	3	3	4	5
Diarrhoea	1	1	..	2	5	12
Dysentery	1	1	..	2	1	3
Cholera	1	1	.4	1
Influenza	4	4	2	2
Ague2	.3
Remittent Fever5	.5
Typhus	7	22	9	38	32	31
Erysipelas	2	6	..	8	5	5
Syphilis6	.6
Hydrophobia
II.—Inflammation	1	1	7	7
Hæmorrhage	1	1	2	4	3	3
Dropsy	2	13	5	20	33	35
Abscess	2	2	3	4
Mortification	1	1	4	5
Purpura3	.3
Scrofula	2	1	..	3	2	2
Carcinoma	1	8	4	13	9	8
Tumour	2	2
Gout	1	1	2	1	1
Atrophy	8	1	5	14	6	7
Debility	16	3	..	19	19	21
Malformations	2	2	1	1
Sudden Deaths	3	3	3	9	14	15
III.—Cephalitis	9	4	1	14	13	12
Hydrocephalus	39	39	37	36
Apoplexy	2	7	13	22	17	18
Paralysis	5	11	16	15	16
Convulsions	52	52	54	58
Tetanus3	.4
Chorea1	..
Epilepsy	1	4	1	6	4	4
Insanity	1	1
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	5	7	3	15	9	9
IV.—Laryngitis	1	..	1	..	.6
Quinsey	1	1	2	1	1
Bronchitis	7	9	8	24	11	11
Pleurisy	1	1	2	2	2
Pneumonia	43	13	5	61	65	65
Hydrothorax	3	2	4	9	4	4
Asthma	10	10	20	16	16
Phthisis (or Consumption)	29	85	7	121	155	155
Dis. of Lungs, &c.	6	8	3	17	14	14
V.—Pericarditis	1	1	..	.9
Aneurism	1	..	1	..	.7
Dis. of Heart, &c.	6	18	13	37	19	19
VI.—Teething	15	15	17	17
Gastritis	1	1	..	2	16	16
Enteritis	4	4	2	10
Peritonitis	1	1
Tabes Mesenterica	9	9	5	5
Worms3	.3
Ascites8	.8
Ulceration (of Intestines, &c.) ..	1	1	1	1
Hernia	3	..	3	2	2
Colic or Ileus	1	1	2	2
Intussusception4	.4
Stricture (of the Intestinal Canal)6	.6
Hæmatemesis	1	1	.5	.5
Dis. of Stomach, &c.	2	2	..	4	4	4
Dis. of Pancreas
Hepatitis	1	1
Jaundice	2	2
Dis. of Liver, &c.	1	5	4	10	8	8
Dis. of Spleen1	.1
VII.—Nephritis	1	1	1	3	.4	.4
Ischuria2	.2
Diabetes	1	..	1	.3	.3
Cystitis	1	..	1	.3	.3
Stone4	.4
Stricture (of the Urethra)5	.5
Dis. of Kidneys, &c.	1	5	..	6	4	4
VIII.—Childbirth	10	..	10	6	6
Paramenia2	.2
Ovarian Dropsy3	.3
Dis. of Uterus, &c.	2	..	2	2	2
IX.—Arthritis
Rheumatism	1	..	1	2	3	3
Dis. of Joints, &c.	3	2	..	5	3	3
X.—Carbuncle
Phlegmon
Ulcer3	.3
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	54	54	64	7
XII.—Intemperance5	.5
Privation3	.3
Violent Deaths	14	8	2	*25	24	2
Causes not Specified.	1	..	2	*11	4	5

† This average has now been deduced from the last 5 years.

* The age of 1 person "found drowned," was unknown. An average of 5 males and 3 females, drawn from the deaths of weeks preceding, has been taken for the district of Trinity, Newington, and placed to the head of *Causes not specified*; the usual return not having been obtained for this and the two former weeks, in consequence of a temporary vacancy in the office of Registrar.

SUPERINTENDENT REGISTRARS' DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Ename- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	135	134
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	179
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	176	174
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,217	207	185	200
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	226	236
TOTALS.....		86.8	1,915,104	946	883	923
Population corrected for July 1st, 1844		{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		{ Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3 ..		{ Males 483 Females .. 463 Total.. 946
				{ Deaths in the Week		{ Males 475 Females .. 448 Total.. 923

Deaths registered in the Metropolis in the last 9 Weeks, and the *Mean Temperature* for the same periods :

DEATHS AT ALL AGES	1076 ..	1146 ..	1115 ..	1055 ..	1030 ..	989 ..	981 ..	1080 ..	923 ..
From Diseases of the Lungs, &c.....	415 ..	448 ..	428 ..	366 ..	375 ..	307 ..	309 ..	294 ..	257 ..
From Small Pox	17 ..	29 ..	19 ..	17 ..	16 ..	21 ..	22 ..	18 ..	21 ..
Deaths at 60 and upwards.....	248 ..	295 ..	288 ..	249 ..	247 ..	236 ..	217 ..	231 ..	184 ..
Mean Temperature.....	34.6 ..	34.7 ..	35.5 ..	40.3 ..	37.3 ..	41.1 ..	39.7 ..	47.2 ..	50.9 ..

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—Of the 21 persons who died of *small pox*, 18 had not been vaccinated. In one case the circumstance of vaccination is not reported. Among the unvaccinated is reckoned a male aged 2 years, who died 7 days after vaccination. The deaths from this disease occurred at the following ages: two under 1 year; eleven, 1-3; three 3-5; four 5-10; and one, 15 years.

4.—Under *scrofula* is included "disease of the spine from rachitis," a female, 4 years. Under *atrophy*, "atrophy from want of breastmilk," a male, 7 weeks. Under *malformation*, "spina bifida," a male, 4 months. Under *epilepsy*, "epilepsy, 4 years, following fright," a male, 8 years; and "hysteria and dyspepsy," a female, 23 years. Under *pleurisy*, "emphysema," a female, 63 years. Under *disease of the organs of respiration*, "spasms of the glottis," a male, 6 hours; and "stricture of the windpipe," a female, 63 years. Under *colic*, "lead colic," a male, 12 years. Under *disease of the liver*, &c., "chololithus," a female, 53 years; and under *disease of the urinary organs*, "albuminuria," a female, 31 years; and "low fever, occasioned by long-continued hæmaturia," a male, 48 years.

5.—The following are the cases of *death by violence*, which appear in the present table:—"poisoning by an overdose of syrup of poppies," a male, 3 weeks; "accidentally run over by a cab which fractured the skull," a male, 9; "found drowned in the Regent's Canal," a male, about 35; "found drowned," a male, age unknown; "fracture of his skull by an iron girder falling on him," a male, 5; "burned by his clothes taking fire," a male, 4; "burned by his clothes taking fire," a male, 7; "drowned," a male, 66; "accidentally drowned in a pond," a male, 8; "drowned himself, being at the time insane," a male, 32; "fracture of the humerus; debility and diarrhœa, (1 months)," a female, 78; "wilfully murdered by Wm. Crouch, by cutting her throat with a razor," a female, 28; "wilfully murdered by a person or persons unknown," a female, newly born; "murdered," a female, newly born; "found dead in the New River, supposed to be a suicide," a female, 20; "taking opium in temporary insanity," a female, 34; "accidental death by a fall down stairs," a female, 42; "burned by her clothes taking fire," a female, 10; "burned by her clothes taking fire," a female, 8; "fracture of her spine by falling down stairs," a female, 36; "burned by her clothes taking fire," a female, 4; "accidentally suffocated in bed," a female, 8 weeks; "drowned herself in the Thames, being in a state of mental derangement," a female, 45; "apoplexy, arising from violence, how occurring no evidence," a female, newly born; and "accidentally suffocated in bed," a female, 12 weeks.

ANALYSIS of the preceding list of violent deaths:—FRACTURE or CONTUSION, 5 cases, of which 2 were by falls, and 1 by a carriage. DROWNING, 7 cases, of which 3 were suicides, 1 an accident, and in 3 it is not stated whether accidental or otherwise. ACCIDENTAL SUFFOCATION in bed, 2 cases. BURNING, by the clothes taking fire, 5 cases. POISON, 1 case, (suicide.) MEDICINE improperly given, 1 case. MURDER, 3 cases. And INJURY by means not stated, 1 case. Total, 25 cases.

General Register Office, Tuesday, April 9th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday, April 6, 1844.

1844 Day	Readings of Thermometers										Difference between the Dew Point and Air Temperature			Wind				Rain in Inches read at 9 o'Clock the next Morn- ing		Phases of the Moon	Electricity	Circumstances accompanying the exhibition of Electricity
	Dry					Dew Point	Highest in the Sun as shown by a Self-registering Thermometer		Lowest on the Grass as shown by a Self-regis- tering Thermometer	General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day	Mean amount of Cloud 0-10							
	High- est	Low- est	Mean from 12 Obs.	Mean from 12 Rits	A.M.		P.M.	Great- est		Least	Mean of 12 Obs.											
MARCH & APRIL	in.	°	°	°	°	°	°	°	°	°	E.N.E.	E.N.E.	lbs. 2.0	lbs. 0.0	lbs. 0.3	Miles 60	in. 0.00	In Equa- tor				
Su 31																						
M 1	30.091	62.7	37.0	48.7	43.5	28.5	36.7	5.2	16.0	0.0	+	5.3	E.N.E.	0.2	0.0	0.1	50	4.7	0.00	Positive and weak, from 1h. 30m. p.m. to 4h. 55m. p.m.		
Tu 2	29.960	67.0	37.5	51.9	43.8	28.7	36.7	8.1	18.4	0.0	+	7.4	E. & N.N.E.	1.5	0.0	0.2	160	1.0	0.00	Positive and very active from 6h. 0m. a.m. to 8h. 0m. a.m., and positive & weak, from 2h. 45m. p.m. to midnight.		
W 3	29.688	65.2	41.5	52.8	43.1	30.0	30.0	9.7	18.2	1.8	+	7.7	S.S.W.	2.0	0.0	0.3	150	0.0	0.00	April 3. Positive and weak, from 0h. 0m. a.m. to 9h. 30m. p.m.		
Th 4	29.533	61.3	45.6	53.1	44.1	33.0	33.0	9.0	16.3	3.6	+	8.5	Calm	0.3	0.0	0.1	140	2.1	0.00	Perigee April 4. Positive and weak, from 9h. 0m. a.m. to 9h. 20m. p.m.		
F 5	29.761	57.3	40.3	48.2	41.5	23.5	29.0	6.7	13.1	1.1	+	2.0	S.	3.0	0.0	0.1	10	5.0	0.00			
SA 6	29.807	63.3	40.4	50.9	43.2	29.9	29.9	7.7	16.4	1.3	+	6.2	Nearly Calm	0.7	0.0	0.1	70	3.4	0.00	April 6. Positive and weak for a short time about 9h. a.m.		
Mean ..																		2.9				

The height of the eastern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's barometer. The readings of the barometer are estimated, considering a clear sky, represented by 0, a cloudy sky by 10, and a storm by 100, and the result given is for the 24 hours preceding. It is placed here opposite to the day which precedes that on which the barometer is read.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the day which precedes that on which the thermometers are read.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the day which precedes that on which the thermometers are read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "HIGHER;" and - "LOWER" than the average.

Erratum in Report for the Week ending March 30.—For "Full moon on March 28," read "First Quarter on March 27."

G. B. AIRY, Astronomer Royal.

A TABLE

OF THE

MORTALITY IN THE METROPOLIS,

SHEWING THE

NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 20th April.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		
	15	60	upwards		5 Springs	5 Years		15	60	upwards		
Weekly Average for 1844 .	446	310	188						
ALL CAUSES	378	281	185	*846	883	946	IV.—Laryngitis	2	..	2	..6
SPECIFIED CAUSES	378	281	185	846	879	942	Quinsey	1	2	..	3	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	126	29	17	172	161	178	Bronchitis	9	5	8	22	11
SPORADIC DISEASES—							Pleurisy	1	..	1	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	37	36	25	98	105	111	Pneumonia	41	12	4	57	65
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	94	19	28	141	152	157	Hydrothorax	1	3	4	4
IV.—Diseases of the Lungs, and of the other Organs of Respiration	78	143	41	262	269	286	Asthma	5	7	12	16
V.—Diseases of the Heart, and Blood-vessels	2	12	11	25	21	21	Phthisis (or Consumption)	25	106	11	142	155
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	21	16	4	*45	61	69	Dis. of Lungs, &c..	2	9	8	19	14
VII.—Diseases of the Kidneys, &c.	6	3	9	5	5	V.—Pericarditis	1	..	3	4	..9
VIII.—Childbirth, Diseases of the Uterus, &c.	8	1	9	9	10	Aneurism7
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	3	..	6	6	6	Dis. of Heart, &c..	1	12	8	21	19
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	..	2	1	1	VI.—Teething	7	7	17
XI.—Old Age	48	48	64	71	Gastritis	16
XII.—Violence, Privation, Cold and Intemperance	13	8	7	*29	25	26	Enteritis	5	4	..	9	..
I.—Small Pox	18	2	..	20	12	15	Peritonitis	1	..	1	1
Measles	10	10	29	28	Tabes Mesenterica ..	8	8	5
Scarlatina	31	1	..	32	26	34	Worms3
Hooping Cough	40	40	35	33	Ascites	1	..	1	..8
Croup	8	8	8	8	Ulceration (of Intestines, &c.)	1	..	1	1
Thrush	2	2	4	5	Hernia	1	1	2
Diarrhœa	3	2	1	6	5	12	Colic or Ileus	1	1	2
Dysentery	3	3	1	3	Intussusception4
Cholera4	1	Stricture (of the Intestinal Canal)6
Influenza	2	2	2	2	Hæmatemesis	1	..	1	..5
Ague	1	1	..2	..3	Dis. of Stomach, &c.	1	1	..	2	4
Remittent Fever5	..5	Dis. of Pancreas
Typhus	12	20	9	41	32	31	Hepatitis	1
Erysipelas	2	3	1	6	5	5	Jaundice	1	..	*2	2
Syphilis	1	..	1	..6	..6	Dis. of Liver, &c.	2	6	3	11	8
Hydrophobia	Dis. of Spleen1
II.—Inflammation	7	7	VII.—Nephritis	1	..	1	..4
Hæmorrhage	2	..	2	3	3	Ischuria2
Dropsy	1	13	7	21	33	35	Diabetes3
Abscess	1	1	..	2	3	4	Cystitis3
Mortification	3	2	1	9	4	5	Stone	1	..	1	..4
Purpura3	..3	Stricture (of the Urethra)	1	1	..5
Scrofula	2	2	..	4	2	2	Dis. of Kidneys, &c.	4	2	6	4
Carcinoma	9	7	16	9	8	VIII.—Childbirth	7	..	7	6
Tumour	2	2	Paramenia2
Gout	1	3	4	1	1	Ovarian Dropsy3
Atrophy	9	9	6	7	Dis. of Uterus, &c..	..	1	1	2	2
Debility	18	3	..	21	19	21	IX.—Arthritis
Malformations	1	1	1	1	Rheumatism	3
Sudden Deaths	2	3	4	9	14	15	Dis. of Joints, &c..	3	3	..	6	3
III.—Cephalitis	8	8	13	12	X.—Carbuncle
Hydrocephalus	37	37	37	36	Phlegmon	1	1	..
Apoplexy	6	5	11	22	17	18	Ulcer	1	..	1	..3
Paralysis	2	8	14	24	15	16	Fistula4
Convulsions	39	..	1	40	54	58	Dis. of Skin, &c..4
Tetanus	1	..	1	..3	..4	XI.—Old Age	48	48	61
Chorea	1	1	..1	..	XII.—Intemperance	1	1	..5
Epilepsy	3	..	3	4	4	Privation	1	1	..3
Insanity	1	1	Violent Deaths	13	8	5	*27	24
Delirium Tremens	1	..	1	2	2	Causes not Specified	4
Dis. of Brain, &c..	1	1	2	4	9	9						5

The ages of 2 persons are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	135	127
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	711	161	180
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	176	147
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	185	171
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	226	221
TOTALS.....		86.8	1,915,104	946	883	846

Population corrected for July 1st, 1844	{ Males... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839—40—1—2—3..	{ Males 483 Females .. 463 Total.. 946	Deaths in the Week	{ Males 418 Females .. 428 Total.. 846
---	--	---	---	--------------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 10 weeks, with the Mean Temperature for the same periods.

DEATHS AT ALL AGES	1119	1100	1036	1018	960	961	*977	898	857	819
From Diseases of the Lungs, &c.	448	428	366	375	307	309	294	257	257	262
From Small Pox	29	19	17	16	21	22	18	21	21	20
Deaths at 60 and upwards	289	286	244	243	231	217	208	182	169	180

Mean Temperature 31°7 | 35.5 | 40.3 | 37.3 | 41.1 | 39.7 | 47.2 | 50.9 | 50.3 | 52.3 |

* The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of sudden deaths for that week is deducted in the above table.

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Distriets above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Distriets, as returned in 1841, includes police on duty, and 1366 men on the river.

4.—Of the 20 persons who died of smallpox, 14 had not been vaccinated; of the remainder, a male, aged 2 years, had been vacceinated 3 times. The deaths from this disease, occurred at the following ages:—five, under 1 year; seven, 1-3; five, 3-5; one, 5; one, 21; and one, 26 years.

5.—Under diarrhœa, is included, 1 case of “diarrhœa, and want of breast-milk,” a male, 2 weeks. Under typhus, for the sake of convenience,) 1 case of “cynanhe parotidœa,” a female, 2 years. Under mortification, “sloughing of the cellular tissue, consequent on the application of a blister,” a female, 2 years. Under scrofula, “inflammation of the veins, produced by inflamed glands in the axilla—13 days, (post mort.),” a male, 1 year. Under atrophy, “atrophy, from want of breast-milk,” a male, 5 months. Under paralysis, “paralysis of the brain, caused by malignant polypus of the nose,” a female, 56. Under disease of the nervous system, “neuralgia,” a female, 63. Under hæmatemesis, “melœna,” a male, 8 years. Under disease of the liver, 2 cases of “gallstones,” females, aged respectively, 61 and 68 years; and a case of “hydatids of the liver,” a female, 55 years. Under disease of the urinary organs, “granular disease of the kidneys,” a female, 33 years; “chronic abscess in the pelvis,” a female, 29 years; and “tumour on the pelvis,” a male, 52 years. and under privation, “natural death, accelerated by privation, want, and neglect, (inquest),” a male, 62 years.]

6.—The following are the cases of death by violence which appear in the present table:—“burn—3 hours,” a male, 5; exhaustion, consequent on the extension of a collection of magnesia in the bowels,” a male, 67; “cut his throat in a state of insanity—6 hours,” a male, 26; “injury of the spine, from an accidental fall,” a male, 39; “accidental burn,” a male, 3; “hectic fever, following an injury to the knee,” a male, 65; “accidentally run over by a cart,” a male, 2; “hanged himself in a temporary state of insanity,” a male, 75; “hanged himself in a temporary state of insanity,” a male, 45; inflammation from incautiously taking too great a quantity of Borthwick's Tincture for the Gout,” a male, 49; drowned accidentally by falling out of a boat in the river Thames,” a male, 13; “exhaustion, from fracture of the left leg,” a female, 90; “drowned,” a female, 68; “accidentally suffocated while in bed with the mother,” a male, 5 weeks; suicide, by throwing herself from a window, insane,” a female, 24; “accidental burn,” a female, 5; “effusion of blood to the brain, from being accidentally knocked down by a van,” a female, 51; “accidental burn,” a female, 5; “fractured leg by a fall,” a female, 59; “burned by her clothes taking fire,” a female, 39; “burned by her clothes taking fire,” a male, 13; “accidentally scalded,” a female, 5; “accidental injury of the spine, from a fall,” a female, 6; “injured spine,” a female, 8; “killed accidentally by the wheel of a cart passing over her head,” a female, 4; “found dead in the river Thames,” a female (age unknown); and “injuries received from being accidentally burnt,” a female, 1.

General Register Office, Tuesday, April 23rd, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, April 20, 1844.

1844 Day		Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature			Wind				Electricity		Circumstances accompanying the exhibition of Electricity		
Mean height of the Barometer (corrected and reduced to 32° Fah.) from 12 Observations (cor- rected)		Dry			Dew Point		Highest in the Sun as shown by a Self-registering Thermometer		Lowest on the Grass as shown by a Self-regis- tering Thermometer		Air Temperature		General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day		Mean amount of Cloud 0-10	Rain in Inches read at 9 o'Clock the next Morn- ing		Phases of the Moon	
		High- est	Low- est	Mean from 12 Obs.	Mean from 12 Rits						Mean of 12 Diffs.	Great- est	Least		A.M.	P.M.	Great- est	Least	Mean of 12 Obs.				
April.																							
Su	14	in.	°	°	°	°	°	°	°	°	°	°	°	°	W.S.W. and W.	W. & W.S.W.	lbs. 2.5	lbs. 0.0	lbs. 0.2	Miles 120	in. 0.01		In Equator
M	15	29.990	60.0	43.8	51.1	47.4	80.2	42.0	38.2	71.8	38.2	3.7	9.7	0.0	+	4.4	3.0	0.0	0.3	200	5.5	0.01	
Tu	16	30.074	61.1	47.5	52.8	49.6	75.8	31.2	31.2	75.8	3.2	8.0	0.1	+	6.9		0.3	0.0	0.1	130	7.8	0.00	
W	17	30.019	66.8	41.7	53.9	47.9	87.3	33.5	33.5	87.3	6.0	16.2	0.0	+	8.2		0.2	0.0	0.0	40	4.2	0.00	New
Th	18	30.054	57.8	42.5	49.8	43.3	76.2	21.4	21.4	76.2	6.5	10.8	0.4	+	4.6		1.5	0.0	0.1	90	4.2	0.00	
F	19	30.220	60.3	36.3	50.8	41.8	83.8	37.2	37.2	83.8	9.0	16.2	1.6	+	4.9		0.2	0.0	0.0	90	5.8	0.00	Apogee
Sa	20	30.154	63.1	47.4	55.3	49.5	77.7	42.1	42.1	77.7	5.8	12.6	1.3	+	8.1		0.3	0.0	0.1	90	9.5	0.00	
Mean ..		30.090	61.5	43.2	52.3	46.6	79.0	35.5	35.5	79.0	5.7	12.3	0.6	+	6.2						6.7		

APRIL 14.		A slight rain was falling between 10h. a.m. and 11h. a.m., with the exception of a few breaks in the cloud during the afternoon, and at 11h p.m. the day was cloudy throughout.
APRIL 15.		Early in the morning the sky was cloudless; at 5h. a.m. scud began forming in various direc- tions; at 9h. a.m. a thick scud covered the sky, and continued so to till after noon, and from that time till 11h. p.m. cumuli, fleecy clouds and scud prevailed; by midnight the sky was overcast.
APRIL 16.		Overcast, with occasionally a few drops of rain falling till 8h. a.m.; after that time the sky was nearly cloudless till 11h. a.m., when it was overcast again. There were few breaks in the clouds during the afternoon and at 4h. p.m. it became cloudless and continued so till midnight.
APRIL 17.		Cloudless early in the morning; at 5h. a.m. cirrostratus and fleecy clouds began to collect, and by 7h. a.m. this sort of the sky was covered by them, and the same amount of the sky was covered by cumuli, cirri, and fleecy clouds, which continued till 9 p.m., but varied in amount; at 9h. p.m. the sky became cloud- less. During the early part of this day the magnets were dis- turbed.
APRIL 18.		Nearly cloudless till 9h. a.m., at which time scud and undefined clouds covered the sky; at 11h. a.m. the sky was nearly covered with cirrostratus and scud; at noon it was overcast, and con- tinued thus till 7h. p.m., after which time it was cloudless.
APRIL 19.		Heavy vapour, light clouds, and haze till 9h. a.m.; after that

The height of the eastern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of Sundays.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

What is given in the columns of the estimation of horizontal movement is made (as is read at 10 A.M. and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

APRIL 14.
A slight rain was falling between 10h. a.m. and 11h. a.m., with the exception of a few breaks in the cloud during the afternoon, and at 11h. p.m. the day was cloudy throughout.

APRIL 15.
Early in the morning the sky was cloudless; at 5h. a.m. scud began forming in various directions; at 9h. a.m. a thick scud covered the sky, and continued to thicken till noon, and from that time till 11h. p.m. cumuli, fleecy clouds and scud; and by midnight the sky was overcast.

APRIL 16.
Overcast, with occasionally a few drops of rain falling till 6h. a.m. after which the sky was nearly cloudless till 11h. a.m. when it was overcast again. There were a few breaks in the clouds during the afternoon, and at 6h. p.m. it became cloudless, and continued so till midnight.

APRIL 17.
Cloudless early in the morning; at 5h. a.m. cirrostratus and fleecy clouds began to collect, and by 7h. a.m. three-fourths of the sky was covered by them; at 9h. a.m. the same amount of the sky was covered by cumuli, cirri, and fleecy clouds, which continued till 9 p.m., but varied in amount; at 9h. p.m. the sky became cloudless. During the early part of this day the magnets were disturbed.

APRIL 18.
Nearly cloudless till 6h. a.m., at which time scud and undefined clouds covered the sky; at 11h. a.m. the sky was nearly covered with cirrostratus and scud; at noon it was overcast, and continued thus till 7h. p.m., after which time it was cloudless.

APRIL 19.
Heavy vapour, light clouds, and haze till 9h. a.m.; after that time cumuli and fleecy clouds began to collect. After 3h. p.m. the sky was cloudy.

APRIL 20.
With the exception of a few breaks in the clouds which occurred at 11h. a.m., 1h. p.m., and 5h. p.m., the sky was covered with cirrostratus and thick scud all the day.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at this residence in the neighbourhood of Greenwich Park.

G. B. AIRY, Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, 27th April.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844.	446	310	188
ALL CAUSES	386	315	179	880	883	946
SPECIFIED CAUSES	384	315	179	878	879	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	125	32	5	162	161	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	24	30	31	85	105	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	119	29	23	171	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	67	159	29	255	269	286
V.—Diseases of the Heart, and Blood-vessels	1	20	13	34	21	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	33	19	8	60	61	69
VII.—Diseases of the Kidneys, &c.	2	3	5	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	8	1	9	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	3	3	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1
XI.—Old Age	55	55	64	71
XII.—Violence, Privation, Cold and Intemperance	14	12	8	34	25	26
I.—Small Pox	29	2	..	31	12	15
Measles	10	10	29	28
Scarlatina	33	2	..	35	26	34
Hooping Cough	27	27	35	33
Croup	11	11	8	8
Thrush	4	5
Diarrhoea	1	1	1	3	5	12
Dysentery	1	3
Cholera4	1
Influenza	1	2	..	3	2	2
Ague2	.3
Remittent Fever	1	1	.5	.5
Typhus	12	23	3	38	32	31
Erysipelas	1	1	2	5	5
Syphilis	1	..	1	.6	.6
Hydrophobia
II.—Inflammation	1	..	1	7	7
Hæmorrhage	1	..	1	3	3
Dropsy	4	20	16	40	33	35
Abscess	3	4
Mortification	1	1	3	5	4	5
Purpura	1	..	1	.3	.3
Scrofula	2	2
Carcinoma	3	3	6	9	8
Tumour	2	2
Gout	1	2	3	1	1
Atrophy	3	1	3	7	6	7
Debility	8	1	..	9	19	21
Malformations	1	1	1	1
Sudden Deaths	7	..	4	11	14	15
III.—Cephalitis	8	3	..	11	13	12
Hydrocephalus	49	1	..	50	37	36
Apoplexy	3	7	11	21	17	18
Paralysis	3	10	13	15	16
Convulsions	54	54	54	58
Tetanus3	.4
Chorea1	..
Epilepsy	1	4	1	6	4	4
Insanity	2	..	2	1	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c.	4	6	1	11	9	9
IV.—Laryngitis	1	1	..	2	..	.6
Quinsey	1	..	1	..	1
Bronchitis	2	6	3	11	11	11
Pleurisy	1	..	1	..	2
Pneumonia	30	9	2	41	65	65
Hydrothorax	1	2	3	6	4	4
Asthma	6	9	15	16	16
Phthisis (or Consumption)	26	126	10	162	155	1
Dis. of Lungs, &c.	7	7	2	16	14	14
V.—Pericarditis	2	1	3	..	.9
Aneurism	1	1	..	.7
Dis. of Heart, &c.	1	18	11	30	19	19
VI.—Teething	11	11	17	17
Gastritis	2	1	3	16	16
Enteritis	7	8	4	19	1	1
Peritonitis
Tabes Mesenterica	11	11	5	5
Worms3	.3
Ascites8	.8
Ulceration (of Intestines, &c.)	1	..	1	1	1
Hernia	1	1	2	2
Colic or Ileus	1	..	1	2	2
Intussusception4	.4
Stricture (of the Intestinal Canal)6	.6
Hæmatemesis	1	1	.5	.5
Dis. of Stomach, &c.	3	3	..	6	4	4
Dis. of Pancreas
Hepatitis	1	1	1	1
Jaundice	1	1	2	2	2
Dis. of Liver, &c.	3	..	3	8	8
Dis. of Spleen1	.1
VII.—Nephritis	1	..	1	.4	.4
Ischuria2	.2
Diabetes3	.3
Cystitis4	.4
Stone	1	1	2	.3	.3
Stricture (of the Urethra)5	.5
Dis. of Kidneys, &c.	1	2	3	4	3
VIII.—Childbirth	6	..	6	6	6
Paramenia	1	..	1	.2	.2
Ovarian Dropsy	1	..	1	.3	.3
Dis. of Uterus, &c.	1	1	2	2
IX.—Arthritis
Rheumatism	1	1	3	3
Dis. of Joints, &c.	1	3	2	6	3	3
X.—Carbuncle
Phlegmon
Ulcer	1	..	1	.3	.3
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	55	55	61	71
XII.—Intemperance	1	..	1	.5	.5
Privation3	.3
Violent Deaths	14	11	8	33	24	25
Causes not Specified	2	2	4	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	135	134
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	149
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	176	178
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	185	172
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	226	247
TOTALS.....		86.8	1,915,104	946	883	880
Population corrected for July 1st, 1844		Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..		Males 483 Females .. 463 Total.. 946
				Deaths in the Week		Males 457 Females .. 423 Total.. 880

Deaths not caused by Violence, registered in the Metropolis in the last 11 weeks, with the Mean Temperature for the same periods.

DEATHS AT ALL AGES	1119	1100	1036	1018	960	961	*977	898	857	819	847
From Diseases of the Lungs, &c.	448	428	366	375	307	309	294	257	257	262	255
From Small Pox	29	19	17	16	21	22	18	21	21	20	31
Deaths at 60 and upwards	289	286	244	243	231	212	208	182	169	180	171

Mean Temperature 34.7 | 35.5 | 40.3 | 37.3 | 41.1 | 39.7 | 47.2 | 50.9 | 50.3 | 52.3 | 54.3

* The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of sudden deaths for that week is deducted in this comparative statement.

NOTES.

1.—Of the 31 persons who died from *smallpox*, 24 had not been vaccinated. In 1 case, the circumstance of vaccination is not reported. Among the unvaccinated are reckoned, a male, under 1 year, who died "7 days after vaccination;" a female, who had been "vaccinated with doubtful success, (10th day)," aged 4 years; a male, aged 3 years, who had been "vaccinated 3 times without effect;" and a female, who died "3 weeks after vaccination," aged 5 years. The deaths from this disease, occurred at the following ages:—two, under 1 year; eight, 1-3; ten, 3-5; eight, 5-10; one, 14 years; and two, 20-30.

2.—Under *hydrocephalus*, is included, 1 case of "dentition, followed by infantile remittent fever, 10 days, and hydrocephalus, 3 days," a female, 1 year; and "hydrocephalus—empyema," a male, 5 years. Under *epilepsy*, "epileptic fit from white lead, 5 days," a male, 34. Under *laryngitis*, "convulsions from laryngismus stridulus," a male, 1 year. Under *phthisis*, "hectic fever," a female, 75. Under *disease of the heart*, "angina pectoris," a male, 48 years. Under *disease of the urinary organs*, "abscess in the perinæum," a male, 67 years. And under *disease of the bones*, &c., "mollities ossium, (4 years)," a female, 39.

3.—The following are the cases of death by *violence*, which appear in the present table:—"accidental by a fall from a window, in a state of intoxication," a male, 35; "suicide, by cutting his throat," a male, 64; "accidentally crushed by a wheel," a male, 18; "accidentally run over by a cabriolet," a male, 13; "injury to the spine by a fall down stairs," a male, about 65; "accidentally run over by a fire-engine," a male, 26; "poisoned himself in a temporary state of insanity," a male, 72; "accidentally killed by a London and Blackwall railway carriage," a male, 40; "accidental from a fractured skull by a fall of a bag of sugar," a male, 23; "accidentally run over by a cart—ruptured pelvis," a male, 61; "accidental by a fall from a window," a male, 55; "accidental by concussion, and immersion in the waters of the Thames," a male, 56; "found dead, apparently drowned," a male, 13; "fracture of his thigh by a fall," a male, 70; "accidentally run over by an omnibus," a male, 13; "fracture of his leg by a fall," a male, 69; "drowning," a male, 2; "fracture of his skull by a bag of orange-peel falling on him," a male, 67; "accidentally scalded," a male, 3; "laceration of the thigh, accidentally received from a cart wheel," a male, 3; "drowned," a male, 38; "accidental," a female, 4; "accidentally falling from the top of a house," a female, 11; "accidentally run over by a cabriolet, a female, 81; "found drowned in the Regent's Canal," a female, (new-born); "accidental death from scalds," a female, 2; "accidental from burns," a female, 15; "accidental from burns," a female, 5; "accidental from a fall into a cellar," a female, 80; "taking oil of vitriol in a state of insanity, resulting from excessive drinking of ardent spirits," a female, 25; "from her clothes taking fire, accidentally," a female, 6; "injuries on the head by the wheel of a cart passing on it accidentally, a female, 3; and "accidentally injured by a cart wheel," a male, 9 months.

4.—ANALYSIS of the preceding list of violent deaths:—FALLS, 7 cases. FALL of heavy bodies, 2 cases. INJURY BY CARRIAGES, 9 cases. INJURY by machinery of a kind not described, 1 case. ACCIDENTAL CONCUSSION, 1 case. Wound, 1 case, (suicide.) CLOTHES TAKING FIRE, 1 case. BURNS, by means not stated, 2 cases. SCALDS, 2 cases. DROWNING, 4 cases, in which it is not stated whether they occurred from accident, or otherwise. POISON, 2 cases, (suicides.) And accidental injury of a nature not stated, 1 case. Total, 33 cases.

A case of tetanus, which appeared in the table of last week, has been since ascertained to have been caused by a "small lacerated wound at the end of the little finger, accidentally, by a hammer, 19 days," a male, 17 years.

General Register Office, Tuesday, April 30th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday, April 27, 1844.

1844 Day	Readings of Thermometers										Difference between the Dew Point and Temperature				Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years		Wind				Rain in inches read at 9 o'Clock.		Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Dry				Dew Point		Lowest on the Grass as shown by a Self-registering Thermometer				Air Temperature		General Direction		Pressure in lbs. on the Square Foot		Mean amount of Cloud 0-10	Phases of the Moon																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	High- est		Low- est		Mean from 12 Obs.	Mean from 12 Rts.	Highest in the Sun as shown by a Self-registering Thermometer	Lowest on the Grass as shown by a Self-registering Thermometer	Mean of 12 Diffs.	Great- est	Least	A.M.	P.M.	Great- est	Least	Mean of 12 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	in.	in.	in.	in.															in.	in.	in.	in.				in.	in.	in.	in.	in.	in.	in.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
April.	Su	21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

The height of the eastern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of fathoms of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of Sundays.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m. and the readings are noted in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

and the result of an anemometer from the indications of which the estimation of horizontal movement is made is read at 10 a.m. and the result is noted in the previous 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

ANNUAL SERIES.
V.

1844.—No. 18.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 4th May.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	383	331	163	877	883	946	IV.—Laryngitis	1	1	..	26
SPECIFIED CAUSES	379	331	163	873	879	942	Quinsey	1	..
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	121	32	13	169	161	178	Bronchitis	2	4	5	11	11	1
SPORADIC DISEASES—							Pleurisy	2	..
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	45	38	22	105	105	111	Pneumonia	46	13	8	67	65	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	97	27	21	145	152	157	Hydrothorax	3	3	6	4	..
IV.—Diseases of the Lungs, and of the other Organs of Respiration	71	172	30	273	269	286	Asthma	8	5	13	16	2
V.—Diseases of the Heart, and Blood-vessels	3	19	10	32	21	21	Phthisis (or Consumption)	20	141	7	168	155	14
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	30	20	9	59	61	69	Dis. of Lungs, &c..	2	2	2	6	14	1
VII.—Diseases of the Kidneys, &c.	1	5	5	11	5	5	V.—Pericarditis	2	..	29
VIII.—Childbirth. Diseases of the Uterus, &c.	4	..	4	9	10	Aneurism	1	..	17
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	4	3	1	8	6	6	Dis. of Heart, &c..	3	16	10	29	19	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1	VI.—Teething	10	10	17	19
XI.—Old Age	45	45	64	71	Gastritis	16	19
XII.—Violence, Privation, Cold and Intemperance	3	11	7	21	25	26	Enteritis	6	4	2	12
I.—Small Pox	28	3	..	31	12	15	Peritonitis	1	5	..	6	1	..
Measles	7	7	29	28	Tabes Mesenterica..	10	1	..	11	5	..
Scarlatina	23	1	..	24	26	34	Worms3	..
Whooping Cough	39	39	35	33	Ascites	1	1	2	..8	..
Croup	12	1	..	13	8	8	Ulceration (of Intestines, &c.)	1	..
Thrush	3	3	4	5	Hernia	2	..
Diarrhoea	4	3	1	8	5	12	Colic or Ileus	1	2	3	2	..
Dysentery	1	1	1	3	Intussusception4	..
Cholera4	1	Stricture (of the Intestinal Canal)	1	..	1	..6	..
Influenza	1	1	2	2	Hæmatemesis5	..
Ague	1	..	1	..2	..3	Dis. of Stomach, &c.	2	3	2	7	4	4
Remittent Fever	1	1	..5	..5	Dis. of Pancreas
Typhus	4	21	11	36	32	31	Hepatitis	2	..	2	1	1
Erysipelas	1	2	..	3	5	5	Jaundice	2	2	2	2
Syphilis	1	1	..6	..6	Dis. of Liver, &c.	1	2	..	3	8	8
Hydrophobia	Dis. of Spleen1	..
II.—Inflammation	7	7	VII.—Nephritis	1	1	..4	..
Hæmorrhage	1	2	..	3	3	3	Ischuria2	..
Dropsy	1	18	9	28	33	35	Diabetes3	..
Abscess	3	4	Cystitis3	..
Mortification	1	..	1	2	4	5	Stone4	..
Purpura3	..3	Stricture (of the Urethra)	2	1	3	..5	..
Scrofula	1	1	2	2	Dis. of Kidneys, &c.	3	4	7	4	3
Carcinoma	9	6	15	9	8	VIII.—Childbirth	2	..	2	6	7
Tumour	1	..	1	2	2	2	Paramenia	1	..	1	..2	..2
Gout	1	1	Ovarian Dropsy	1	..	1	..3	..3
Atrophy	10	2	1	13	6	7	Dis. of Uterus, &c..	2	2
Debility	21	2	..	23	19	21	IX.—Arthritis
Malformations	2	1	..	3	1	1	Rheumatism	1	1	..	2	3	3
Sudden Deaths	7	4	4	15	14	15	Dis. of Joints, &c..	3	2	1	6	3	3
III.—Cephalitis	9	9	13	12	X.—Carbuncle
Hydrocephalus	44	44	37	36	Phlegmon
Apoplexy	2	12	9	23	17	18	Ulcer3	..4
Paralysis	2	9	11	15	16	Fistula4	..4
Convulsions	41	41	54	58	Dis. of Skin, &c....	1	1	..4	..4
Tetanus	1	1	..3	..4	XI.—Old Age	45	45	61	71
Chorea	1	..	XII.—Intemperance	2	2	4	..5	..6
Epilepsy	3	1	4	4	4	Privation3	..5
Insanity	2	..	2	1	1	Violent Deaths	3	9	5	17	24	25
Delirium Tremens	2	..	2	2	2	Causes not Specified.	1	4	4	5
Dis. of Brain, &c....	1	6	1	8	9	9							

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)						Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Springs	
West Districts { Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }						17.2	301,326	138	135	140
North Districts { St. Marylebone; St. Pancras; Islington; Hackney						17.3	366,303	171	161	145
Central Districts { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London						2.8	374,759	188	176	176
East Districts { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar						8.8	393,247	207	185	198
South Districts { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Wandsworth and Clapham; Camberwell; Rotherhithe; Greenwich						40.7	479,469	242	226	218
TOTALS.....						86.8	1,915,104	946	883	877

Population corrected for July 1st, 1844	{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..	{ Males 483 Females .. 463 Total.. 946	Deaths in the Week	{ Males 473 Females .. 404 Total.. 877
---	---	--	---	--------------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 12 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	1119	1100	1036	1018	960	961	977	898	857	819	847	860
From Diseases of the Respiratory Organs	448	428	366	375	307	309	294	257	257	262	255	273
From Small Pox	29	19	17	16	21	22	18	21	21	20	31	31
All Diseases at 60 and upwards	289	286	244	243	231	212	208	182	169	180	171	158

Mean Temperature 34.7 | 35.5 | 40.3 | 37.3 | 41.1 | 39.7 | 47.2 | 50.9 | 50.3 | 52.3 | 54.3 | 51.0

* The return for the week ending 30th March having contained more than an average number of Coroners' cases, the excess of sudden deaths for that week is deducted in this comparative statement.

NOTES.

1.—Of the 31 persons who died of *smallpox*, 20 had not been vaccinated. Among the unvaccinated, are reckoned a male, aged 1 year, who had been "vaccinated twice without effect;" a female, aged 2 years, who died "12 days after vaccination;" a male, aged 3 years, who had been "vaccinated with doubtful success;" and a male, aged 6 years, who had been "vaccinated only 2 days before the smallpox eruption." In 1 case, it could not be ascertained whether the deceased had been vaccinated, and in another, the circumstance of vaccination is not reported. The deaths from this disease, occurred at the following ages:—four under 1 year; eleven, 1-3; six, 3-5; seven, 5-10; two, 20-30; and one, 41 years.

2.—Under *atrophy*, are included "atrophy, from want of breast milk, (12 hours)," a male, 3 months; and "debility, from premature birth, and want of breast milk," a male, 16 days. Under *malformation*, "cyanosis," a male, 60 hours; and "malformation of the chest," a female, 21 years. Under *apoplexy*, "attack of hysteria, ending in an effusion on the brain, (7 hours illness)," a female, 26 years. Under *disease of the brain, spinal marrow, &c.*, "disease of the spinal marrow," a male, 53 years; "vertigo," a male, 58 years; and "abscess of the ear," a female, 62 years. Under *laryngitis*, "œdema glottidis," a female, 29 years. Under *stricture of the œsophagus, &c.*, "stricture of the gullet," a female, 55 years. Under *disease of the digestive organs*, "dyspepsia," a male, 79 years. Under *disease of the urinary organs*, "phagedænic ulcer of the meatus urinarius," a female, 34 years; and "catarrh of the bladder, (8 months),—enlarged prostate," a male, 74 years. And under *disease of the skin*, "eczema," a male, 3 months.

3.—The following are the cases of *death by violence*, which appear in the present table:—"accidental, by a kick from a horse," a male, 31; "injuries to his pelvis, wilfully inflicted on him by Henry Reynolds, with a dust-cart wheel," a male, 67; "unknown—probably murdered wilfully and exposed," a male, newly born; "accidental, by a horse-engine," a male, 27; "apoplexy, from an accidental fall, (41 hours)," a male, 15; "an accidental scald," a male, 1; "accidental, by a horse and chaise," a male, 41; "accidental, by a wound from an iron skewer forced into his eye," a male, 7; "natural death, accelerated by excessive drink, and accidental fall," a male, 54; "apoplexy, produced by accidentally falling into a sawpit, when in a state of intoxication," a male, 24; "inflammation of the pleura, from fracture of five ribs, but when or by what cause, there was no satisfactory evidence," a male, 45; "destroyed himself, by cutting his throat and abdomen with a razor, being at the time insane," a male, 60; "hanged himself, being at the time of unsound mind," a male, 30; "suffocation in a natural attempt to swallow a piece of roast beef," a female, 27; "erysipelas of the arm, following accidental application of sulphuric acid to the fingers, (3 days)," a female, 60; "accidentally burned," a female, 97; and "accidental death, from burns," a female, 85.

4.—ANALYSIS of the preceding list of violent deaths:—FRACTURE or CONTUSION, 8 cases, of which, 3 were by falls, 2 having been caused by intoxication; 1 by machinery; 2 by animals and carriages; and 1 was a case of wilful injury, inflicted by another. WOUND, by sharp instruments, 2 cases, of which 1 was a suicide. MURDER and EXPOSURE, 1 case. HANGING, 1 case, (suicide). CHOKING, by meat, 1 case. SCALD, 1 case. SULPHURIC ACID, accidentally applied, 1 case. AND BURNS, 2 cases. TOTAL, 17 cases.

General Register Office, Tuesday, May 7th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday, May 4, 1844.

1844 Day	Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fah.)		Readings of Thermometers						Difference between the Dew Point Temperature and Air Temperature			Wind			Rain in Inches read at 9 o'Clock the next Morning		Phases of the Moon	Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS		
	Dry			Dew Point		Highest in the Sun as shown by a Self-registering Thermometer		Lowest on the Grass as shown by a Self-registering Thermometer		Air Temperature		Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day						
	High-est	Low-est	Mean from 12 Obs.	Mean from 12 Rits	Mean	Least	Mean of 12 Diffs.	Great-est	Least	Mean	Of 12 Obs.	Great-est	Least	Mean								
															General						A.M.	P.M.
APRIL and MAY																						
Su 28																						APRIL 28. Hazy in the morning. Light clouds prevalent throughout the day.
M 29	53.2	35.9	45.2	39.4	76.2	29.0	5.8	11.6	0.5	0	0	0	0	0	0	0	0	0	0	0	0	APRIL 29. Nearly cloudless till 11h. 30m. p.m., when the sky became suddenly overcast, but continued so for a short time only.
Tu 30	61.3	42.6	51.0	42.6	83.8	28.2	8.4	18.5	0.0	+	1.0	0	0	0	0	0	0	0	0	0	0	APRIL 30. Cloudless till 3h. a.m.; at 4h. a.m. one half of the sky was obscured by cirrostratus and vapour; then light fleecy clouds, with thin, dense cirri, prevailed till noon. In the afternoon light cirri were scattered about the sky till shortly before 10h.; at that time the sky became overcast.
W 1	64.2	40.3	52.8	43.3	86.9	28.6	9.5	19.6	0.0	+	0.7	0	0	0	0	0	0	0	0	0	0	MAY 1. Scud and thin cirrostratus until 9h. 20m. a.m., when the sky was cloudless; a few light cirri and fleecy clouds during the afternoon. The evening splendidly clear.
Th 2	67.3	40.5	53.5	44.7	93.0	26.2	8.6	18.4	1.1	+	1.5	0	0	0	0	0	0	0	0	0	0	MAY 2. The day was nearly cloudless throughout; a few linear cirri and cymoid cirri occasionally appeared, and at 7h. p.m. there was a bank of slate-colored clouds low down in the W. horizon
F 3	62.2	41.0	51.6	42.4	87.0	36.2	9.2	16.5	2.0	-	1.5	0	0	0	0	0	0	0	0	0	0	MAY 3. At times a few clouds prevailed till 9 p.m.; after that time the sky was covered with cumulostratus and scud.
Sa 4	57.5	47.5	51.7	48.3	79.0	47.0	3.4	5.9	0.8	-	1.4	0	0	0	0	0	0	0	0	0	0	MAY 4. At about 10h. a.m. a little rain fell; the day was cloudy throughout, except at about 6 h. p.m., when about one-fourth of the sky was free of cloud for a short time, the cloud being cirrostratus and nimbi.
Mean ..	61.0	41.3	51.0	43.4	85.7	31.3	7.5	15.1	0.7	-	0.6	0	0	0	0	0	0	0	0	0	0	

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the extent of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 o'clock, and the highest and lowest readings are noted respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read.

The result given under (Fah.) for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park.

ANNUAL SERIES.
V.

1844.—No. 19.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 11th May.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	339	311	159	*812	883	946	IV.—Laryngitis	1	1	..6	..
SPECIFIED CAUSES	338	310	159	810	879	942	Quinsey	1	1	..	2	1	2
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	119	36	16	171	161	178	Bronchitis	6	4	4	14	11	12
SPORADIC DISEASES—							Pleurisy	3	..	3	2	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	24	30	17	71	105	111	Pneumonia	40	10	4	54	65	79
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	97	38	30	165	152	157	Hydrothorax	1	3	4	4	5
IV.—Diseases of the Lungs, and of the other Organs of Respiration	67	145	29	241	269	286	Asthma	7	5	12	16	24
V.—Diseases of the Heart, and Blood-vessels	5	21	8	*35	21	21	Phthisis (or Consumption)	17	111	6	134	155	147
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	23	18	13	54	61	69	Dis. of Lungs, &c..	2	8	7	17	14	15
VII.—Diseases of the Kidneys, &c.	3	1	4	5	5	V.—Pericarditis	1	..	1	2	..9	..
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	9	10	Aneurism	2	..	2	..7	..
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	2	3	6	6	6	Dis. of Heart, &c..	4	19	7	*31	19	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1	VI.—Teething	10	10	17	19
XI.—Old Age	37	37	64	71	Gastritis	16	19
XII.—Violence, Privation, Cold and Intemperance	2	9	4	*17	25	26	Enteritis	4	2	1	7	1	1
I.—Small Pox	21	6	..	27	12	15	Peritonitis	1	..	1	5	6
Measles	9	9	29	28	Tabes Mesenterica..	5	5	..3	..
Scarlatina	33	2	..	35	26	34	Worms8	..
Hooping Cough	26	26	35	33	Ascites	3	3	1	2
Croup	10	10	8	8	Ulceration (of Intestines, &c.)	2	2
Thrush	1	1	..	2	4	5	Hernia	2	2	2	2
Diarrhoea	4	3	1	8	5	12	Colic or Ileus	1	3	1	5	2	2
Dysentery	2	2	1	3	Intussusception	2	2	..4	..
Cholera	1	2	3	..4	1	Stricture (of the Intestinal Canal)6	..
Influenza	1	..	2	3	2	2	Hæmatemesis	1	..	1	..5	..
Ague2	3	Dis. of Stomach, &c.	3	2	5	4	4
Remittent Fever5	5	Dis. of Pancreas
Typhus	11	19	5	35	32	31	Hepatitis	2	2	1	1
Erysipelas	2	3	4	9	5	5	Jaundice	1	..	1	2	2
Syphilis	1	1	..	2	..6	6	Dis. of Liver, &c.	1	7	2	10	8	8
Hydrophobia	Dis. of Spleen1	..1
II.—Inflammation	7	7	VII.—Nephritis	1	..	1	..4	..5
Hæmorrhage	5	..	5	3	3	Ischuria2	..2
Dropsy	3	10	9	22	33	35	Diabetes3	..4
Abscess	1	..	1	3	4	Cystitis	1	1	..3	..3
Mortification	1	1	2	4	5	Stone4	..4
Purpura3	3	Stricture (of the Urethra)	1	..	1	..5	..5
Scrofula	2	2	..	4	2	2	Dis. of Kidneys, &c.	..	1	..	1	4	3
Carcinoma	7	3	10	9	8	VIII.—Childbirth	3	..	3	6	7
Gout	1	1	1	1	Paramenia2	..2
Atrophy	6	1	..	7	6	7	Ovarian Dropsy	1	1	2	..3	..3
Debility	10	10	19	21	Dis. of Uterus, &c..	..	3	..	3	2	2
Malformations	2	2	1	1	IX.—Arthritis
Sudden Deaths	1	3	3	7	14	15	Rheumatism	3	3
III.—Cephalitis	9	3	..	12	13	12	Dis. of Joints, &c..	1	2	3	6	3	3
Hydrocephalus	38	38	37	36	X.—Carbuncle
Apoplexy	2	14	15	31	17	18	Phlegmon
Paralysis	7	13	20	15	16	Ulcer	1	..	1	..3	..4
Convulsions	42	1	..	43	54	58	Fistula4	..4
Tetanus3	4	Dis. of Skin, &c....4	..4
Chorea1	..	XI.—Old Age	37	37	64	71
Epilepsy	1	3	..	4	4	4	XII.—Intemperance5	..6
Insanity	2	..	2	1	1	Privation3	..5
Delirium Tremens	2	..	2	2	2	Violent Deaths	2	9	4	*17	24	25
Dis. of Brain, &c....	5	6	2	13	9	9	Causes not Specified.	1	1	..	2	4	5

* The ages of 3 persons, of whom 1 died from hypertrophy of the heart, and 2 from violence, are not stated.

DISTRICTS of the Métropolis, (Amounting to 34 in number, and comprising 129 <i>Réregistrars' Districts</i>)		Area in square Miles	Population Enu- me- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James.....	17.2	301,326	138	135	117
North districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	154
Central districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,759	188	176	151
East districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,247	207	185	178
South districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	226	212
TOTALS.....		86.8	1,915,104	946	883	812

Population corrected for July 1st, 1844	{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	{ Males.... 483 Females.. 463 Total.. 946	Deaths in the Week	{ Males.... 432 Females.. 380 Total.. 812
---	---	---	---	--------------------------	---

th not caused by Violence, registered in the Metropolis in the last 13 weeks, with the *Mean Temperature* for the same periods.

DEATHS (except from Violence)	1119	1100	1036	1018	960	961	*977	898	857	819	847	860	795
in Diseases of the Respiratory Organs ..	448	428	366	375	307	309	294	257	257	262	255	273	211
a Small Pox	29	19	17	16	21	22	18	21	21	20	31	31	27
Diseases at 60 and upwards	289	286	244	243	231	212	208	182	169	180	171	158	155

n Temperature 31.7 | 35.5 | 40.3 | 37.3 | 41.1 | 39.7 | 47.2 | 50.9 | 50.3 | 52.3 | 51.3 | 51.0 | 56.7

The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of *sudden deaths* for that week is deducted in this comparative statement.

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London (thin and without the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and e Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of age); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,104

2.—Of the 27 persons who died of *smallpox*, 18 had not been vaccinated. In 1 case, the circumstance of vaccination not reported. Of one person, a male, aged 44 years, it is stated, that "he was vaccinated when an infant, and subsequently d smallpox, with which his face was marked." In the District of Rotherhithe, 3 children of the same family, aged spectively, 10 months, 6 years, and 7 years, died within the last 17 days, none of whom had been previously vaccinated. e 27 deaths from this disease, occurred at the following ages:—five, under 1 year; ten, 1-3; three, 3-5; three, 5-10; o, 15-20; three, 20-30; and one, 44 years.

3.—Under *diarrhoea*, is included 1 case of "diarrhoea, from want of breast-milk, and teething," a male, 6 months. nder *atrophy*, 2 cases of inanition, a male, 2 years, and a female, 3 months. Under *malformation*, "spina bifida," a male, days. Under *disease of the nervous system*, "affection of the brain, and spinal marrow," a female, 68; and "neuralgia," a female, 70 years. Under *pleurisy*, "exhaustion, arising from illness, and self-neglect, (verdict),—pleuritis, (post mort.)," a female, 35 years. Under *disease of the respiratory organs*, "ulceration of the left bronchial tube," a male, 41. Under *disease of the heart*, "disease of the heart, and granulated kidneys, and anasarca," a male, 44 years. Under *colic*, "painters' lic," a male, 35 years. Under *disease of the stomach*, "dyspepsia," a male, 70 years. Under *disease of the liver*, "cirrhosis," a female, 71 years. Under *childbirth*, "inflammation, with obstruction of the womb, from tumors, (post mort.) months—fœtus putrescent, 4 days," aged 36 years. And under *disease of the joints*, "secondary deposits after pputation of the thigh for diseased knee-joint," a male, 17 years; and "necrosis of the bones of the arms, producing itative fever," a female, 15 years.

4.—The following are the cases of *death by violence*, which appear in the present table:—"accidental," a male, 8; insanity—"hanged himself," a male, 46; "hanging himself—temporary insanity," a male, 63; "hanged himself, in a state of mporary insanity, a male, 31; "found drowned," a male, 20; "found dead—apparently drowned," a male, age unknown; fracture and bed-sores," a male, 79; "cut his throat, being of unsound mind at the time," a male, 55; "found drowned," a male, 25; "found dead in the Surrey Canal, without legs, and one arm—cause of death unknown," a male, age unknown; drowned," a male, 19; "breaking up of the constitution, accelerated by a burn accidentally received," a female, 28; concussion of the brain," a female, 68; "accidentally run over by a cart," a female, 9; "hanged herself," a female, 18; hemorrhage, from a wound of the scalp arising accidentally from a fall," a female, 81; and "wilfully murdered—the roat being cut," a female, 45.

5.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 3 cases, of which 1 was by a rriage. WOUND, 3 cas of which 1 was suicide, 1 murder, and 1 a fall. BURN, 1 case. HANGING, 4 cases, (suicides.) ROWNING, 4 cases. ACCIDENT, of which the nature is not stated, 1 case. And *probable violence*, 1 case. TOTAL, 17.

General Register Office, Tuesday, May 14th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday, May 11, 1844.

1844 Day	Readings of Thermometers										Difference between the Dew Point and Air Temperature				Wind				Phases of the Moon		Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Dry				Dew Point		Lowest on the Grass as shewn by a Self-regis- tering Thermometer		Highest in the Sun as shewn by a Self-registering Thermometer		General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day		Mean amount of Cloud 0-10	Rain in Inches read at 9 o'Clock, the next Morn- ing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	High- est	Low- est	Mean from 12 Obs.	Mean from 12 Rts	Mean	Least	Mean of 12 Diffs.	Greatest	Least	A.M.	P.M.	Greatest	Least	Amount of Horizontal Movement of the Air in each Day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	From 12 Observations (cor- rected and reduced to 32° Fah.)	Mean height of the Barometer	in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The height of the column of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10, and when partially cloudy, estimating the extent of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of Sunday, when the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are read every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometer are read.

Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M. and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, 18th May.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 ..	446	310	188						
ALL CAUSES	404	287	170	*862	883	946						
SPECIFIED CAUSES	402	286	170	859	879	942						
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	148	25	8	181	161	178						
SPORADIC DISEASES—												
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	37	33	20	90	105	111						
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	108	26	30	164	152	157						
IV.—Diseases of the Lungs, and of the other Organs of Respiration	66	142	35	243	269	286						
V.—Diseases of the Heart, and Blood-vessels	1	14	8	*24	21	21						
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	31	21	8	63	61	69						
VII.—Diseases of the Kidneys, &c.	3	3	6	5	5						
VIII.—Childbirth. Diseases of the Uterus, &c.	1	5	..	6	9	10						
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	3	2	6	6	6						
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1						
XI.—Old Age	53	53	64	71						
XII.—Violence, Privation, Cold and Intemperance	6	13	2	21	25	26						
I.—Small Pox	29	1	..	30	12	15						
Measles	16	16	29	28						
Scarlatina	37	4	..	41	26	34						
Whooping Cough	38	38	35	33						
Croup	8	8	8	8						
Thrush	4	4	4	5						
Diarrhoea	3	1	1	5	5	12						
Dysentery	1	3						
Cholera	1	1	..4	1						
Influenza	1	..	1	2	2	2						
Ague2	..3						
Remittent Fever5	..5						
Typhus	8	17	5	30	32	31						
Erysipelas	3	1	1	5	5	5						
Syphilis	1	..	1	..6	..6						
Hydrophobia						
II.—Inflammation	1	1	7	7						
Hæmorrhage	4	1	5	3	3						
Dropsy	5	7	7	19	33	35						
Abscess	2	2	..	4	3	4						
Mortification	3	3	4	5						
Purpura3	..3						
Scrofula	2	2	2	2						
Carcinoma	8	5	13	9	8						
Tumour	1	..	1	2	2						
Gout	1	1	2	1	1						
Atrophy	4	2	1	7	6	7						
Debility	21	5	..	26	19	21						
Malformations	1	1	1	1						
Sudden Deaths	1	3	2	6	14	15						
III.—Cephalitis	8	1	..	9	13	12						
Hydrocephalus	31	34	37	36						
Apoplexy	1	12	13	26	17	18						
Paralysis	5	12	17	15	16						
Convulsions	58	1	1	60	54	58						
Tetanus3	..4						
Chorea1	..						
Epilepsy	2	2	4	4						
Insanity	1	1						
Delirium Tremens	1	..	1	2	2						
Dis. of Brain, &c.	5	6	4	15	9	9						
IV.—Laryngitis	1	16						
Quinsey	1	1	..	1						
Bronchitis	3	3	8	14	11	11						
Pleurisy	2						
Pneumonia	37	9	4	50	65	65						
Hydrothorax	1	5	6	4	4						
Asthma	4	6	10	16	16						
Phthisis (or Consumption)	21	110	7	138	155	155						
Dis. of Lungs, &c.	3	15	5	23	14	14						
V.—Pericarditis	2	..	2	..9	..9						
Aneurism7	..7						
Dis. of Heart, &c.	1	12	8	*22	19	19						
VI.—Teething	10	10	17	17						
Gastritis	1	1	16	16						
Enteritis	4	4	1	9	1	1						
Peritonitis	1	3	..	4	1	1						
Tabes Mesenterica	12	12	5	5						
Worms	2	2	..3	..3						
Ascites8	..8						
Ulceration (of Intestines, &c.)	1	1						
Hernia	1	1	2	2	2						
Colic or Ileus	1	1	2	2						
Intussusception4	..4						
Stricture (of the Intestinal Canal)	1	..	1	..6	..6						
Hæmatemesis5	..5						
Dis. of Stomach, &c.	2	..	1	3	4	4						
Dis. of Pancreas						
Hepatitis	1	..	1	1	1						
Jaundice	1	1	1	3	2	2						
Dis. of Liver, &c.	1	10	3	14	8	8						
Dis. of Spleen1	..1						
VII.—Nephritis4	..4						
Ischuria2	..2						
Diabetes3	..3						
Cystitis3	..3						
Stone	1	..	1	..4	..4						
Stricture (of the Urethra)	2	1	3	..5	..5						
Dis. of Kidneys, &c.	2	2	4	4						
VIII.—Childbirth	3	..	3	6	7						
Paramenia2	..2						
Ovarian Dropsy3	..3						
Dis. of Uterus, &c.	1	2	..	3	2	2						
IX.—Arthritis						
Rheumatism	1	2	3	3	3						
Dis. of Joints, &c.	1	2	..	3	3	3						
X.—Carbuncle						
Phlegmon						
Ulcer	1	1	2	..3	..3						
Fistula4	..4						
Dis. of Skin, &c.4	..4						
XI.—Old Age	53	53	64	71						
XII.—Intemperance	2	..	2	..5	..5						
Privation3	..3						
Violent Deaths	6	11	2	19	24	25						
Causes not Specified	2	1	..	3	4	5						

* The age of one person, who died from disease of the heart, is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)						Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Springs	
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } Districts { St. Martin in the Fields; St. James..... }						17.2	301,326	138	135	149
North { St. Marylebone; St. Pancras; Islington; Hackney }						17.3	366,303	171	161	141
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } Districts { East London; West London; City of London }						2.8	374,759	188	176	166
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Districts { Stepney; Poplar..... }						8.8	393,247	207	185	178
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } Districts { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich }						40.7	479,469	242	226	228
TOTALS.....						86.8	1,915,104	946	883	862
Population { Males.... 940,300 corrected for { Females.. 1,067,250 July 1st, 1844 { Total.. 2,007,550						Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 .. { Males 483 Females .. 463 Total.. 946		Deaths { Males 443 in the { Females .. 419 Week { Total.. 862		

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	1100	1036	1018	960	961	*977	898	857	819	847	860	795	843
from Diseases of the Respiratory Organs ..	428	366	375	307	309	294	257	257	262	255	273	211	243
from Small Pox	19	17	16	21	22	18	21	21	20	31	31	27	30
from Diseases at 60 and upwards	286	244	243	231	212	208	182	169	180	171	158	155	168

Mean Temperature 35.5 | 40.3 | 37.3 | 41.1 | 39.7 | 47.2 | 50.9 | 50.3 | 52.3 | 54.3 | 51.0 | 56.7 | 52.1

* The return for the week ending 30th March having contained more than an average number of Coroners' cases, the excess of sudden deaths for that week is deducted in this comparative statement.

NOTES.

- 1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penze); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104
- 2.—Of the 30 persons, who died from smallpox, 25 had not been vaccinated. Among the unvaccinated, are reckoned a male, aged 35 years, who had been “vaccinated with indifferent success;” and a female, aged 11 months, who had been “vaccinated on three several occasions, twice ineffectually, and the third time, only 12 days previous to death.” The deaths from this disease, occurred at the following ages:—nine, under 1 year; four, 1-3; five, 3-5; eleven, 5-10; and one, 35 years.
- 3.—Under typhus, (for the sake of convenience,) are included “cynanche parotidæa, 5 days,” a male, 1 year; and “mortification of the penis from excess of urine after typhus fever,” a male, 31 years. Under carcinoma, “malignant ulceration between the orbits of the eyes,” a female, 67 years. Under convulsions, “convulsions—want of breast-milk,” a female, 10 weeks. Under epilepsy, “coma,” a female, 3 weeks. Under disease of the brain, nerves, &c., “nervous disease from anxiety of mind,” a male, 61 years. Under laryngitis, “laryngismus stridulus,” a male, 4 months. Under disease of the respiratory organs, “suffocation, caused by mucus and phlegm in an attenuated larynx, (post mort.),” a female, 31 years. Under worms, “infantile remittent fever,” a male, 1 year; and “infantile fever,” a female, 1 year. Under stricture of the intestinal canal, &c., “stricture of the œsophagus,” a male, 54 years. And under disease of the joints, bones, &c., “diseased sacrum,” a female, 47 years.
- 4.—The following are the cases of death by violence, which appear in the present table:—“accidentally drowned,” a male, 23; “accidentally poisoned by white lead, 4 days,” a male, 5; “hanged himself in a temporary state of insanity,” a male, 24; “arsenic taken accidentally, a male, 70; “accidentally drowned whilst bathing, a male, 23; “accidentally drowned in the Thames,” a male, 19; “suffocated in a well,” a male, 43; “loekjaw from an injury to the head by a fall from a tree,” a male, 13; “punctured wound of the hand—phlegmonous erysipelas supervening,” a male, 56; “from disease of the brain, accelerated by being forced against a post, by a horse and cart accidentally, (post mort.),” a male, 14; “found drowned in the Thames—supposed to have been drowned,” a male, 28; “found dead in the Thames—supposed to have been drowned,” a male, 18; “concussion of the brain, 8th day,” a female, 7; “convulsions, supposed to have been occasioned by an internal injury received 3 months ago,” a female, 1; “an extensive burn, 15 days,” a female, 3; “hanged herself in a temporary state of insanity,” a female, 30; “injuries of the head by a fall into a yard from a window,” a male, 18; “drowning,” a female, about 23; and “fracture of the neck of the thighbone, 3 months duration,” a male, 83.
- 5.—ANALYSIS of the preceding list of violent deaths:—FRACTURE or CONTUSION, 6 cases, of which 2 were by falls; by a carriage; and 3 by means not stated. WOUND, 1 case. BURN, 1 case. POISON, 2 cases, (accidental.) DROWNING, 1 case. HANGING, 2 cases, (suicides) And SUFFOCATION, 1 case. TOTAL, 19 cases.

General Register Office, Tuesday, May 21st, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, May 18, 1844.

1844 Day		Readings of Thermometers										Difference between the Dew Point and Air Temperature		Wind		Places of the Moon		Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fahr.)		Dry				Wet				In the Water of the Thames at Greenwich, by the Self- registering Thermometer		Highest in the Sun as shown by a Self-registering Thermometer		Lowest in the Shade as shown by a Self-regis- tering Thermometer		Mean of 12 Diffs.		Mean of 12 Diffs.			Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.		Mean of 12 Diffs.	

The height of the cistern of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated by the Royal Society's first glass standard barometer. The amount of clouds is estimated by the Royal Society's first glass standard barometer. The amount of clouds is estimated by the Royal Society's first glass standard barometer.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read. The result is an anemometer from the indications of which the estimation of horizontal movement is made: is read at 10 a.m., and the result is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory; from the observation made at this residence in the neighbourhood of Greenwich Park. In reading the 15th column, it will be borne in mind that + is read "HIEHEN," and - is read "LOWER." The average of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N. Superintendent of the Dreadnought.

G. B. AIRY, Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 21.

A TABLE

OF THE

MORTALITY IN THE METROPOLIS,

SHEWING THE

NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 25th May.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	431	274	171	876	883	946	IV.—Laryngitis
SPECIFIED CAUSES	430	273	171	874	879	942	Quinsey	1	..	1	1	..
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	163	26	17	206	161	178	Bronchitis	3	2	5	10	11	2
SPORADIC DISEASES—							Pleurisy	1	1	2	2	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	40	27	24	91	105	111	Pneumonia	49	7	6	62	65	5
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	100	26	27	153	152	157	Hydrothorax	1	1	1	3	1	1
IV.—Diseases of the Lungs, and of the other Organs of Respiration	84	127	28	239	269	286	Asthma	6	6	12	16	16
V.—Diseases of the Heart, and Blood-vessels	6	18	8	32	21	21	Phthisis (or Consumption)	26	104	6	136	155	155
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	30	27	12	69	61	69	Dis. of Lungs, &c... ..	5	5	3	13	11	11
VII.—Diseases of the Kidneys, &c.	3	1	4	5	5	V.—Pericarditis	1	1	1	3
VIII.—Childbirth, Diseases of the Uterus, &c.	5	..	5	9	10	Aneurism
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	1	..	4	6	6	Dis. of Heart, &c... ..	5	17	7	29	19	7
X.—Diseases of the Skin, Cellular Tissue, &c.	2	2	1	1	VI.—Teething	8	8	17	17
XI.—Old Age	54	54	61	71	Gastritis	16	16
XII.—Violence, Privation, Cold and Intemperance	2	13	..	15	25	26	Euteritis	6	4	1	11	1	1
I.—Small Pox	30	6	..	36	12	15	Peritonitis	1	2	..	3	1	1
Mensles	23	23	29	28	Tabes Mesenterica ..	8	8	5	5
Scarlatina	44	5	..	49	26	34	Worms	1	1
Hooping Cough	27	27	35	33	Ascites	2	1	3
Croup	15	15	8	8	Ulceration (of Intestines, &c.) ..	1	1	1	1
Thrush	4	5	Hernia	3	2	5	2	2
Diarrhœa	5	1	2	8	5	12	Colic or Ileus	1	1	1	3	2	2
Dysentery	1	3	Intussusception	1	..	1
Cholera	4	1	Stricture (of the Intestinal Canal)	1	..	1
Influenza	3	..	1	4	2	2	Hæmatemesis	2	..	2
Ague	1	..	1	2	3	Dis. of Stomach, &c.	2	1	1	4	4	4
Remittent Fever	1	1	5	5	&c.
Typhus	10	10	12	32	32	31	Dis. of Pancreas
Erysipelas	1	1	2	4	5	5	Hepatitis	2	1	3	1	1
Syphilis	4	2	..	6	6	6	Jaundice	2	..	4	6	2	2
Hydrophobia	Dis. of Liver, &c.	8	1	9	8	8
II.—Inflammation	1	1	7	7	Dis. of Spleen
Hæmorrhage	2	..	2	3	3	VII.—Nephritis	1	1
Dropsy	4	9	11	24	33	35	Ischuria
Abscess	1	..	1	2	3	4	Diabetes
Mortification	1	1	3	5	4	5	Cystitis
Purpura	3	3	Stone
Scrofula	4	4	2	2	Stricture (of the Urethra)
Carcinoma	8	5	13	9	8	Dis. of Kidneys, &c.	3	..	3	4	4
Tumour	1	..	1	2	2	VIII.—Childbirth	4	..	4	6	6
Gout	1	1	Paramenia
Atrophy	13	..	1	14	6	7	Ovarian Dropsy
Debility	14	4	..	18	19	21	Dis. of Uterus, &c...	1	..	1	2	2
Malformations	1	1	IX.—Arthritis
Sudden Deaths	2	2	3	7	14	15	Rheumatism	1	..	1	3	3
III.—Cephalitis	8	2	..	10	13	12	Dis. of Joints, &c... ..	3	3	3	3
Hydrocephalus	47	1	..	48	37	36	X.—Carbuncle
Apoplexy	3	6	12	21	17	18	Phlegmon	1	1
Paralysis	6	11	17	15	16	Ulcer
Convulsions	40	40	54	58	Fistula
Tetanus	3	4	Dis. of Skin, &c.... ..	1	1
Chorea	1	..	XI.—Old Age	54	54	61	7
Epilepsy	1	3	4	8	4	4	XII.—Intemperance	1	..	1
Insanity	1	..	1	1	1	Privation	2	..	2
Delirium Tremens	3	..	3	2	2	Violent Deaths	2	10	..	12	24	2
Dis. of Brain, &c... ..	1	4	..	5	9	9	Causes not Specified ..	1	1	..	2	4	5

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, May 25, 1844.

1844 Day		Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature		Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years		Wind				Mean amount of the Cloud 0-10		Rain in Inches read at 9 o'Clock, the next Morn- ing	Plases of the Moon	Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS			
		Dry		Dew Point		Highest in the Sun as shown by a Self-registering Thermometer		Lowest on the Grass as shown by a Self-regis- tering Thermometer		In the Water of the Thames at Greenwich, by the Self- registering Thermometer						General Direction		Pressure in lbs. on the Square Foot									Amount of Horizontal Movement of the Air in each Day		
		High- est	Low- est	Mean from 12 Obs.	Mean from 12 Rts.	Mean	Dew Point	Highest	Lowest	In the Water of the Thames at Greenwich, by the Self- registering Thermometer	Mean of 12 Dils.	Great- est	Least	A.M.	P.M.	Great- est	Least	Mean of 12 Obs.	Amount of Horizontal Movement of the Air in each Day										
MAY	in.																												
Su 19																													
M 20	29-832	61-2	44-0	50-9	41-7	54-5	52-0	54-5	52-0		9-2	14-8	5-1	- 3-9	N.N.E.	N.N.E.	10-0	0-5	3-3	230	7-0	in. 0-00	0-00						Overcast till 3h. p.m., cirrostratus; after this time the sky was of a fine deep blue with frequent fine specimens of cymoid cirri and of the long narrow linear clouds; cumuli appeared and such clouds afterwards till midnight.
Tu 21	29-812	59-3	43-7	51-0	48-3	55-5	53-5	55-5	53-5		2-7	8-8	0-0	- 3-6	N.	N.E. & E.N.E.	3-0	0-0	0-1	100	7-6	0-01	0-01						Overcast till 3h. p.m., cirrostratus; after this time the sky was of a fine deep blue with frequent fine specimens of cymoid cirri and of the long narrow linear clouds; cumuli appeared and such clouds afterwards till midnight.
W 22	30-024	65-9	46-3	54-7	50-8	56-0	55-0	56-0	55-0		3-9	10-7	0-0	+ 1-1	N.E.	N.	1-0	0-0	0-1	160	8-5	0-00	0-00						With the exception of the clouds being much broken between 11h. a.m. and 1h. p.m. the day was very calm. A very small quantity of rain fell at 5h. a.m. and again at 11h. p.m.
Th 23	29-984	66-3	47-3	54-3	50-1	55-5	55-0	55-5	55-0		4-2	8-6	0-2	- 0-2	N.	N.N.E. and E.	1-0	0-0	0-1	130	7-3	0-00	0-00						Overcast till after 6h.: cirrostratus from 1h. p.m. to 5h. p.m., cumuli with fine ray clouds; from 5h. p.m. to 9h. p.m. cloudless, and after that time cloudy.
F 24	29-897	66-8	45-1	51-6	46-7	56-0	55-5	56-0	55-5		7-9	15-8	1-5	- 0-5	N.	N.N.E.	4-0	0-0	0-4	205	8-4	0-00	0-00						Overcast till after 6h.: cirrostratus from 1h. p.m. to 5h. p.m., cumuli with fine ray clouds; from 5h. p.m. to 9h. p.m. cloudless, and after that time cloudy.
SA 25	29-917	63-8	42-8	52-0	42-6	56-5	55-0	56-5	55-0		9-4	20-2	4-8	- 2-6	N.E.	N.E. & N.N.E.	4-0	0-5	1-1	265	5-7	0-00	0-00						Overcast with cirrostratus and sand till 9h. p.m. About the fourths of the sky were covered with sand and cumuli: from that time till 7 p.m. and after that time, the sky was cloudless.
Mean ..	29-911	63-9	44-9	52-9	46-7	55-7	54-3	55-7	54-3		6-2	13-2	1-9	- 1-6						Sum 1400	6-9	Sum 0-01	0-01						

The height of the eastern of the barometer is considered to be 130 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of Sundays.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass exposed to the sky, are taken every morning at 9 A.M., and therefore exhibit the highest and lowest readings respectively occurring in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometer (from the indications of which the estimation of horizontal movement is made) is read at 10 A.M. and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observation made at his residence in the neighbourhood of Greenwich Park. * In reading the 13th column, it will be borne in mind that + is read "lower," and - is read "lower." The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N. Superintendent of the Dreadnought.

G. B. AIRY, Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 22.

A TABLE

OF THE

MORTALITY IN THE METROPOLIS,

SHEWING THE

NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 1st June.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844	446	810	188
ALL CAUSES	405	301	177	*885	883	946
SPECIFIED CAUSES	405	301	177	885	879	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	156	21	7	*186	161	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	31	31	26	88	105	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	91	32	25	148	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	70	143	33	246	269	286
V.—Diseases of the Heart, and Blood-vessels	4	19	10	33	21	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	41	26	7	74	61	69
VII.—Diseases of the Kidneys, &c.	3	3	6	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	5	..	5	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	4	..	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	60	60	64	71
XII.—Violence, Privation, Cold and Intemperance	9	17	5	31	25	26
I.—Small Pox	28	3	..	31	12	15
Measles	14	14	29	28
Scarlatina	61	2	..	63	26	34
Whooping Cough	20	20	35	33
Croup	8	8	8	8
Thrush	3	..	1	4	4	5
Diarrhoea	4	2	1	7	5	12
Dysentery	1	3
Cholera	1	..	1	..4	1
Influenza	2	2
Ague2	..3
Remittent Fever5	..5
Typhus	15	12	3	*32	32	31
Erysipelas	2	1	2	5	5	5
Syphilis	1	1	..6	..6
Hydrophobia
II.—Inflammation	1	1	..	2	7	7
Hæmorrhage	6	1	7	3	3
Dropsy	7	11	18	33	35
Abscess	3	3	3	4
Mortification	1	4	5	4	5
Purpura3	..3
Scrofula	2	2	..	4	2	2
Carcinoma	9	6	15	9	8
Tumour	2	2
Gout	2	1	3	1	1
Atrophy	8	..	3	11	6	7
Debility	11	1	..	12	19	21
Malformations	5	5	1	1
Sudden Deaths	1	2	..	3	14	15
III.—Cephalitis	13	3	1	17	13	12
Hydrocephalus	36	36	37	36
Apoplexy	2	13	9	24	17	18
Paralysis	4	8	12	15	16
Convulsions	36	..	2	38	54	58
Tetanus	1	..	1	..3	..4
Chorea	1	..	1	..1	..
Epilepsy	2	2	4	4	4
Insanity	1	..	1	1	1
Delirium Tremens	3	1	4	2	2
Dis. of Brain, &c.	4	4	2	10	9	9
IV.—Laryngitis	1	..	1	2	..6	..5
Quinsey	3	3	1	2
Bronchitis	8	4	4	16	11	12
Pleurisy	1	1	2	2	2
Pneumonia	29	15	5	49	65	79
Hydrothorax	1	3	3	7	4	5
Asthma	2	7	9	16	24
Phthisis (or Consumption)	23	114	5	142	155	147
Dis. of Lungs, &c.	5	4	7	16	14	15
V.—Pericarditis	2	..	2	..9	..8
Aneurism	3	..	3	..7	..7
Dis. of Heart, &c.	4	14	10	28	19	20
VI.—Teething	13	13	17	19
Gastritis	1	1	..	2	16	19
Enteritis	5	4	..	9	1	1
Peritonitis	1	..	1	5	6
Tabes Mesenterica	13	13	..3	..4
Worms8	..8
Ascites	2	1	3	1	2
Ulceration (of Intestines, &c.)	2	2	2	2
Hernia	1	..	1	2	2
Colic or Ileus	1	..	1	2	2	2
Intussusception	1	1	..4	..5
Stricture (of the Intestinal Canal)6	..6
Hæmatemesis	2	..	2	..5	..4
Dis. of Stomach, &c.	3	5	1	9	4	4
Dis. of Pancreas
Hepatitis	1	1	2	1	1
Jaundice	2	2	..	4	2	2
Dis. of Liver, &c.	7	3	10	8	8
Dis. of Spleen1	..1
VII.—Nephritis	1	..	1	..4	..4
Ischuria2	..3
Diabetes3	..4
Cystitis3	..4
Stone4	..5
Stricture (of the Urethra)	1	1	..5	..6
Dis. of Kidneys, &c.	2	2	4	4	3
VIII.—Childbirth	4	..	4	6	7
Paramenia2	..3
Ovarian Dropsy	1	..	1	..3	..4
Dis. of Uterus, &c.	2	2
IX.—Arthritis
Rheumatism	1	3	..	4	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
X.—Carbuncle
Phlegmon
Ulcer	1	1	..3	..4
Fistula4	..4
Dis. of Skin, &c.4	..4
XI.—Old Age	60	60	64	71
XII.—Intemperance	1	..	1	..5	..6
Privation	1	..	1	..3	..4
Violent Deaths	9	15	5	29	21	25
Causes not Specified	4	5

* The ages of 2 persons, who died from fever, are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	135	164
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	173
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	176	151
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	185	170
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	226	227
TOTALS.....		86.8	1,915,104	946	883	885

Population corrected for July 1st, 1844	{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..	{ Males 483 Females .. 463 Total.. 946	Deaths in the Week	{ Males 462 Females .. 423 Total.. 885
---	---	--	---	--------------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.													
DEATHS (except from Violence)	1018	960	961	*977	898	857	819	817	860	795	843	864	856
in Diseases of the Respiratory Organs ..	375	307	309	294	257	262	255	273	241	243	239	246	
Small Pox	16	21	22	18	21	21	20	31	31	27	30	36	31
Diseases at 60 and upwards	243	231	212	208	182	169	180	171	158	155	168	171	172
Mean Temperature	37.3	41.1	39.7	47.2	50.9	50.3	52.3	54.3	51.0	56.7	52.1	52.9	50.9
The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of sudden deaths for that week is deducted in this comparative statement.													

NOTES.

1.—Of the 31 persons who died of *smallpox*, 22 had not been vaccinated. In 1 case the circumstance of vaccination could not be ascertained. Among the unvaccinated are reckoned 2 females, aged respectively, 1 and 3 years, who were vaccinated, one only 8 days, and another only 3 days before the smallpox eruption. The deaths from this disease, occurred at the following ages:—eight, under 1 year; five, 1-3; ten, 3-5; four, 5-10; and the remainder respectively, 14, 20, 23, and 35 years.

2.—Under *diarrhæa*, is included 1 case of “convulsions supervening diarrhæa, and want of breast-milk,” a female, 5 weeks. Under *atrophy*, “want of breast-milk—atrophy,” a female, 14 weeks. Under *carcinoma*, “sweeps’ cancer,” a male, 37 years. Under *malformation*, “cyanosis from birth,” a male, 5 months; “cyanosis from premature birth, convulsions, (3 days),” a male, 3 days; and “inability to swallow from the passage of the stomach being closed,” a male, 5 days.” Under *phthisis*, “combined effects of phthisis laryngea, and one of the cartilages of the larynx being separated by relaxation and lodged in the entrance to the trachea, (post mort.),” a male, 48 years. Under *disease of the respiratory organs*, “spasms of the glottis,” a female, 71 years. Under *teething*, “convulsions—cutting back teeth,” a male, 6 years. Under *tabes mesenterica*, “tabes mesenterica, 4 months, without breast-milk from birth,” a male, 6 months. Under *disease of the stomach*, “tympanites,” a male, 33 years; and “dyspepsia,” a male, 67 years. Under *disease of the joints*, “caries of the spine,” a male, 5 years. And under *starvation*, “starvation,” a male, 36 years.

3.—The following are the cases of *death by violence*, which appear in the present table:—“congestion of the brain from dipping the head into cold water during perspiration,” a male, 7; “hanged himself—insane,” a male, 49; “comminuted fracture of the left thigh, (post mort.),” a male, 81; “insanity—cut his throat,” a male, 44; “fracture of the thigh,” a male, 84; “suicide by cut throat, while insane,” a male, 42; “injuries of the knee and thigh from being accidentally run over by a van,” a male, 27; “suicide, by cutting his throat with a razor,” a male, 66; “accidental—run over by a cart,” a male, 2; “injuries of the leg by an accidental fall from a horse,” a male, 13; “accidentally crushed by a crane,” a male, 13; “kill by the wheel of a truck going over his body accidentally,” a male, 10; “fracture of the skull by being thrown from his cab,” a male, about 28; “injuries by the falling of the roof of a railway terminus,” a male, 42; “hanging himself in temporary insanity,” a male, 44; “accidentally scalded,” a male, 1; “injuries by being thrown from a cart accidentally,” a male, 34; “cutting his throat in temporary insanity,” a male, 47; “locked jaw—injury to his right foot by a ploughshare,” a male, 19; “compression of the brain by a fall,” a male, 60; “injury to his brain by a fall,” a male, 67; “hanged himself, being of unsound mind,” a male, about 40; “injuries by his clothes accidentally taking fire, (48 hours),” a male, 6; “accidental burn,” a female, 6; “injuries by a fall from a scaffold,” a female, 45; “taking laudanum in temporary insanity,” a female, about 32; “taking arsenic in temporary insanity,” a female, 48; “drowning,” a female, about 40; “burned by her clothes taking fire,” a female, 4; and “injury to her spine from falling down stairs,” a female, 59.

4.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 14 cases, of which 4 were by falls, 6 by carriages or horses, 1 by machinery, and the remainder by means not stated. WOUND, 5 cases, of which 4 were suicides. BURNS, 3 cases. SCALDS, 1 case. POISON, 2 cases, (suicides.) HANGING, 3 cases, (suicides.) DROWNING, 1 case. And IMMERSION OF THE HEAD, 1 case. TOTAL, 30 cases, (including 1 case of tetanus.)

General Register Office, Tuesday, June 4th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday, June 1, 1844.

1844 Day	Readings of Thermometers												Difference between the Dew Point Temperature and Air Temperature				Wind				Rain in Inches read at 9 o'Clock, the next Morn- ing		Phases of the Moon	Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	Dry					In the Water of the Thames at Greenwich, by the Self- registering Thermometer read at 9 o'Clock next morning.							General Direction		Pressure in lbs. on the Square Foot		Amount of Horizontal Movement of the Air in each Day	Mean amount of Cloud 0-10	Mean amount of Cloud 0-10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	High- est		Low- est	Mean from 12 Obs.		Mean from 12 Rits	Dew Point	Highest in the Sun as shown by a Self-registering Thermometer	Lowest on the Grass as shown by a Self-registering Thermometer	In the Shade as shown by a Self-registering Thermometer	In the Water of the Thames at Greenwich, by the Self- registering Thermometer read at 9 o'Clock next morning.	A.M.	P.M.	Great- est	Least	Mean of 12 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Mean height of the Barometer from 12 Observations (corrected and reduced to 32° Fah.)	Mean		Lowest	Highest															Mean	Lowest																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
MAY	in.	Mean	Lowest	High- est	Mean from 12 Obs.	Mean from 12 Rits	Dew Point	Highest in the Sun as shown by a Self-registering Thermometer	Lowest on the Grass as shown by a Self-registering Thermometer	In the Shade as shown by a Self-registering Thermometer	In the Water of the Thames at Greenwich, by the Self- registering Thermometer read at 9 o'Clock next morning.	A.M.	P.M.	Great- est	Least	Mean of 12 Obs.	Amount of Horizontal Movement of the Air in each Day	Mean amount of Cloud 0-10	Rain in Inches read at 9 o'Clock, the next Morn- ing	Phases of the Moon	Electricity	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Su 26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

The height of the eastern of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flint glass standard barometer. The amount of clouds is estimated of the clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night, with the exception of Sundays.

The reading of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes the day on which the thermometers are read.

When an observation is taken at a time when the sun is not visible, the temperature is read at 10 a.m.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, who has made at his residence in the neighbourhood of Greenwich Park. In reading the 15th column, it will be borne in mind that + is read "above," and - is read "below." The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought House (Ship) at a height of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N. Superintendent of the Dreadnought.

ANNUAL SERIES.
V.

1844.—No. 23.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 8th June.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	416	310	188							
ALL CAUSES	123	307	169	*901	883	946	IV.—Laryngitis6
SPECIFIED CAUSES	122	306	168	*897	879	942	Quinsey	3	3	..	1
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	170	26	10	206	161	178	Bronchitis	5	3	4	12	11	11
SPORADIC DISEASES—							Pleurisy	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	36	53	28	117	105	111	Pneumonia	41	8	5	54	65	65
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	97	33	29	159	152	157	Hydrothorax	1	2	2	5	4	4
IV.—Diseases of the Lungs, and of the other Organs of Respiration	77	153	19	249	269	286	Asthma	9	3	12	16	16
V.—Diseases of the Heart, and Blood-vessels	2	11	6	19	21	21	Phthisis (or Consumption)	24	125	3	152	155	155
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	13	8	56	61	69	Dis. of Lungs, &c..	3	6	2	11	14	14
VII.—Diseases of the Kidneys, &c.	5	5	10	5	5	V.—Pericarditis	2	2	..	.9
VIII.—Childbirth, Diseases of the Uterus, &c.	7	2	9	9	10	Aneurism	1	..	1	..	.7
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	4	..	5	6	6	Dis. of Heart, &c..	2	10	4	16	19	19
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	10	10	17	17
XI.—Old Age	58	58	64	71	Gastritis	1	1	..	16
XII.—Violence, Privation, Cold and Intemperance	1	1	3	*9	25	26	Enteritis	5	2	2	9	..	16
I.—Small Pox	46	3	..	49	12	15	Peritonitis	1	..	1	1	1
Measles	22	22	29	28	Tabs Mesenterica ..	12	12	5	5
Scarlatina	55	..	1	56	26	34	Worms3
Hooping Cough	16	16	35	33	Ascites	1	1	..	.8
Croup	10	10	8	8	Ulceration (of Intestines, &c.)	1	..	1	1	1
Thrush	7	7	4	5	Hernia	1	..	1	2	2
Diarrhoea	4	1	..	5	5	12	Colic or Ileus	2	..	2	2	2
Dysentery	2	..	2	1	3	Intussusception4
Cholera4	1	Stricture (of the Intestinal Canal)6
Influenza	1	..	1	2	2	Hæmatemesis5
Ague2	.3	Dis. of Stomach, &c.	2	2	..	4	4	4
Remittent Fever5	.5	Dis. of Pancreas
Typhus	9	14	9	32	32	31	Hepatitis	1	1	1	1
Erysipelas	1	4	..	5	5	5	Jaundice	2	2	1	5	2	2
Syphilis	1	..	1	.6	.6	Dis. of Liver, &c.	3	2	3	8	8	8
Hydrophobia	Dis. of Spleen1
II.—Inflammation	7	7	VII.—Nephritis4
Hæmorrhage	1	3	..	4	3	3	Ischuria2
Dropsy	4	19	15	38	33	35	Diabetes3
Abscess	1	1	2	3	4	Cystitis3
Mortification	1	1	2	4	5	Stone	1	1	..	.4
Purpura	1	..	1	.3	.3	Stricture (of the Urethra)	1	1	2	..	.5
Scrofula	4	1	1	6	2	2	Dis. of Kidneys, &c.	4	3	7	4	4
Carcinoma	15	5	20	9	8	VIII.—Childbirth	6	..	6	6	6
Tumour	2	2	Paramenia	1	..	1	..	.2
Gout	1	1	1	1	Ovarian Dropsy3
Atrophy	10	1	2	13	6	7	Dis. of Uterus, &c..	2	2	2	2
Debility	14	8	..	22	19	21	IX.—Arthritis	1	..	1
Malformations	1	1	1	1	Rheumatism	1	1	..	2	3	3
Sudden Deaths	2	4	2	8	14	15	Dis. of Joints, &c..	..	2	..	2	3	3
III.—Cephalitis	14	3	..	17	13	12	X.—Carbuncle
Hydrocephalus	37	..	1	38	37	36	Phlegmon
Apoplexy	3	7	9	19	17	18	Ulcer3
Paralysis	8	15	23	15	16	Fistula4
Convulsions	12	..	1	13	54	58	Dis. of Skin, &c..4
Tetanus3	.4	XI.—Old Age	58	58	61	71
Chorea1	..	XII.—Intemperance5
Epilepsy	4	1	5	.4	.4	Privation3
Insanity	2	2	1	1	Violent Deaths	4	1	3	*9	21	21
Delirium Tremens	5	..	5	2	2	Causes not Specified ..	1	1	1	*4	4	5
Dis. of Brain, &c..	1	6	..	7	9	9							

* The ages of 1 person found dead, and 1 who died from violence, are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enum- erated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	135	141
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	170
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	371,759	188	176	156
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	185	194
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	212	226	237
TOTALS.....		86.8	1,915,104	946	883	901
Population corrected for July 1st, 1844 { Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3.. { Males.... 483 Females.. 463 Total.. 946		Deaths in the Week { Males.... 412 Females.. 159 Total.. 901		

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.														
ALL DEATHS (except from Violence)	960	961	977	898	857	819	847	860	795	813	864	856	892	
From Diseases of the Respiratory Organs ..	307	309	294	257	257	262	255	273	241	243	239	246	249	
From Small Pox	21	22	18	21	21	20	31	31	27	30	36	31	49	
All Diseases at 60 and upwards	231	212	208	182	169	180	171	158	155	168	171	172	166	
Mean Temperature	41.1	39.7	47.2	50.9	50.3	52.3	54.3	51.0	56.7	52.1	52.9	50.9	59.5	
* The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of sudden deaths for that week is deducted in this comparative statement.														

NOTES.

- Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.
- The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.
- The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 springs by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.
- Of the 49 persons who died from small pox, 36 had not been vaccinated. In 2 cases the circumstance of vaccination is not reported. Among the unvaccinated are reckoned 2 males, of whom one aged 1 year had been vaccinated only 3 weeks previous; and another aged 2 years had been vaccinated without effect, at the age of 1½ years. It is stated, with reference to a male aged 4 years, that he died of “purpura hæmorrhagica consequent on small pox; having been twice vaccinated, the first time without effect.” The deaths from this disease occurred at the following ages:—eight under 1 year; eighteen 1-3; twelve 3-5; six 5-10; two 10-15; two 15-20; and one 25 years.
- Under diarrhœa, is included, “exhaustion from want of breast-milk—diarrhœa (3 days),” a male, 7 weeks. Under carcinoma, “amputation for fungus hæmatodes of the heel,” a male, 40 years. Under atrophy, “atrophy—want of breast-milk,” a male, 10 weeks; and “convulsions—debility from birth, without breast-milk,” a female, 11 weeks. Under debility, “exhaustion and debility from sudden and extreme change of habits,” a male, 52 years. Under malformation, “imperforate lower bowel,” a male, 1 year. Under convulsions, “cerebral irritation produced by mumps—dentition and convulsions,” a male, 1 year. Under phthisis, “hectic fever,” a male, 44 years. Under disease of the digestive organs, “hæmorrhoids,” a male, 47 years. Under disease of the liver, “ulceration of the gall-bladder (post mort.),” a male, 60 years. Under disease of the urinary organs, “abscess in the perinaeum, and diseased bladder,” a male, 52 years; and 2 cases of “extravasation of urine,” males, aged respectively 50 and 60 years. Under arthritis, “periostitis,” a male, 40 years. Under disease of the joints, “secondary deposits after amputation of the leg,” a male, 29 years. And under disease of the organs of generation, “tumour in the breast,” a female, 62 years.
- The following are the cases of death by violence, which appear in the present table:—“burnt (2½ hours),” a male, 3; “hanged himself in temporary insanity,” a male, 63; “suicide by hanging himself, insane,” a male, 55; “accidentally burnt to death,” a male, 3; found drowned,” age unknown; “concussion of the brain by a fall,” a male, 3; “accidental burns,” a female, 7; “accidental from a fall,” a female, 73; and “accidentally burnt,” a female, 87.
- ANALYSIS of the preceding list of violent deaths:—FALLS, 2 cases. BURNS, 4 cases. DROWNING, 1 case. HANGING, 2 cases (suicides). TOTAL, 9 cases.

General Register Office, Tuesday, June 11th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday June 8, 1844.

1844 Day	Phases of the Moon	Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit, from 12 observations)	Readings of Thermometers										Difference between the Dew Point Temperature Air Temperature			WIND					Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the evolution of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			Dry		Dew Point	In the Water of the Thames at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning		Lowest in the grass, as shown by a self-register- ing thermometer	Highest in the sun, as shown by a self-register- ing thermometer	Lowest on the grass, as shown by a self-register- ing thermometer	Mean of the two		Greatest	Least	Diff.	General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			High est	Low est		Mean from 12 to 12	Obs. Rls.				Mean from 12 to 12	Obs. Rls.					Mean of 12	Obs.	Mean of 12	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.	Obs.	Rls.						Obs.	Rls.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
June																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's flat glass standard barometer. The amount of clouds is estimated, considering a clear sky to be the standard. The observations are taken every two hours, day and night, with the exception of Sundays, when the observations are taken every four hours, day and night. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings, respectively that have occurred in the previous 24 hours. Wiche's anemometer, from the indications of which the estimation of horizontal movement of the wind is made, is placed at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the cistern of the barometer, so that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence; in reading the 12th column, it will be borne in mind that + is read "minus" and - is read "plus" than the average. The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sappers, R.N., Superintendent of the Dreadnought.

G. B. AIRY, Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 15th June.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844 deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 ..	446	310	188							
ALL CAUSES	404	297	154	855	883	946	IV.—Laryngitis	1	1	..	2	.6	..
SPECIFIED CAUSES	403	296	154	853	879	942	Quinsey	2	2	1	2
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	155	29	10	194	161	178	Bronchitis	4	5	5	14	11	12
SPORADIC DISEASES—							Pleurisy	1	2	..	3	2	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	37	35	17	89	105	111	Pneumonia	38	15	4	57	65	79
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	92	22	22	136	152	157	Hydrothorax	3	2	5	4	5
IV.—Diseases of the Lungs, and of the other Organs of Respiration	71	148	28	247	269	286	Asthma	5	11	16	16	24
V.—Diseases of the Heart, and Blood-vessels	2	17	8	27	21	21	Phthisis (or Consumption)	25	107	4	136	155	147
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	38	19	8	65	61	69	Dis. of Lungs, &c.	10	2	12	14	15
VII.—Diseases of the Kidneys, &c.	3	5	8	5	5	V.—Pericarditis	2	1	3	.9	..
VIII.—Childbirth, Diseases of the Uterus, &c.	1	8	..	9	9	10	Aneurism	1	..	1	.7	..
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	4	3	8	6	6	Dis. of Heart, &c. ..	2	14	7	23	19	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	11	11	17	19
XI.—Old Age	50	50	64	71	Gastritis	16	17
XII.—Violence, Privation, Cold and Intemperance	6	11	3	20	25	26	Enteritis	10	4	2	16	1	1
I.—Small Pox	39	8	..	47	12	15	Peritonitis	1	4	..	5	5	5
Measles	13	13	29	28	Tabs Mesenterica ..	10	1	..	11	5	3
Scarlatina	59	3	..	62	26	34	Worms	2	2	.3	..
Hooping Cough	20	20	35	33	Ascites	1	..	1	.8	..
Croup	6	6	8	8	Ulceration (of Intestines, &c.)	1	..	1	1	1
Thrush	4	4	4	5	Hernia	2	2
Diarrhoea	4	..	5	9	5	12	Colic or Ileus	2	..	2	.4	..
Dysentery	1	1	Intussusception	1	1	.6	..
Cholera	1	1	.4	1	Stricture (of the Intestinal Canal)5	..
Influenza	1	..	1	2	2	Hæmatemesis	4	4
Ague2	.3	Dis. of Stomach, &c.	1	3	4	8	1	1
Remittent Fever5	.5	&c.	2	2
Typhus	8	15	4	27	32	31	Dis. of Pancreas	8	8
Erysipelas	1	1	1	3	5	5	Hepatitis	1	..	1	.1	..
Syphilis	1	..	1	.6	.6	Jaundice	2	2
Hydrophobia	Dis. of Liver, &c.	2	2	4
II.—Inflammation	7	7	Dis. of Spleen
Hæmorrhage	3	3	VII.—Nephritis4	..
Dropsy	2	17	8	27	33	35	Ischuria2	..
Abscess	1	..	1	2	3	4	Diabetes	1	..	1	.3	..
Mortification	1	2	3	4	5	Cystitis3	..
Purpura3	.3	Stone4	..
Scrofula	5	5	2	2	Stricture (of the Urethra)5	..
Carcinoma	7	4	11	9	8	Dis. of Kidneys, &c.	2	5	7	4	4
Tumour	1	..	1	2	2	VIII.—Childbirth	6	..	6	6	6
Gout	1	..	1	1	1	Paramenia2	..
Atrophy	6	6	6	7	Ovarian Dropsy3	..
Debility	21	7	..	28	19	21	Dis. of Uterus, &c.	1	2	..	3	2	2
Malformations	1	1	1	1	IX.—Arthritis
Sudden Deaths	1	1	2	4	14	15	Rheumatism	3	3
III.—Cephalitis	13	3	..	16	13	12	Dis. of Joints, &c.	1	4	3	8
Hydrocephalus	33	33	37	36	X.—Carbuncle
Apoplexy	1	9	8	18	17	18	Phlegmon3	..
Paralysis	3	10	13	15	16	Ulcer4	..
Convulsions	42	42	54	58	Fistula4	..
Tetanus	1	1	.3	.4	Dis. of Skin, &c.
Chorea1	..	XI.—Old Age	50	50	64	64
Epilepsy	1	1	2	4	4	XII.—Intemperance5	..
Insanity	1	1	1	1	Privation	1	..	1	.3	..
Delirium Tremens	3	..	3	2	2	Violent Deaths	6	10	3	19	24	24
Dis. of Brain, &c.	2	3	2	7	9	9	Causes not Specified.	1	1	..	2	4	4

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deducted from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
<i>West</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } <i>districts</i> { St. Martin in the Fields; St. James..... }		17.2	301,326	138	135	131
<i>North</i> { St. Marylebone; St. Paneras; Islington; Hackney }		17.3	366,303	171	161	168
<i>Central</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } <i>districts</i> { East London; West London; City of London }		2.8	374,759	188	176	150
<i>East</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } <i>districts</i> { Stepney; Poplar }		8.8	393,247	207	185	174
<i>South</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } <i>districts</i> { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich }		40.7	479,469	242	226	232
TOTALS.....		86.8	1,915,104	946	883	855
Population { Males.... 940,300 corrected for { Females.. 1,067,250 July 1st, 1844 { Total.. 2,007,550		Weekly Average for 1844, { Males 183 deducted from the Deaths { Females .. 463 in 1839-40-1-2-3 .. { Total.. 946		Deaths { Males 445 in the { Females .. 410 Week { Total.. 855		

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the *Mean Temperature* for the same periods.

ALL DEATHS (except from Violence)	961	*977	898	857	819	847	860	795	843	864	856	892	836
from Diseases of the Respiratory Organs ..	309	294	257	257	262	255	273	241	243	239	246	249	247
from Small Pox	22	18	21	21	20	31	31	27	30	36	31	49	47
from Diseases at 60 and upwards	212	208	182	169	180	171	158	155	168	171	172	166	151

Mean Temperature 39.7 | 47.2 | 50.9 | 50.3 | 52.3 | 54.3 | 51.0 | 56.7 | 52.1 | 52.9 | 50.9 | 59.5 | 62.7

* The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of *sudden deaths* for that week is deducted in this comparative statement.

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Paneras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—Of the 47 persons who died from *smallpox*, 36 had not been vaccinated. In 1 case the circumstance of vaccination is not reported. Among the unvaccinated are reckoned a female, aged 11 months, who was "vaccinated only 10 days before death;" a female, aged 3 years, who had been "vaccinated 3 times without effect;" and a male, aged 6 years, who had been "vaccinated with doubtful success." Among the vaccinated, are included a male aged 25 years, who "had been vaccinated young—one indifferent cicatrix;" and a female, aged 23 years, who had been "vaccinated when six years old—one small cicatrix scarcely perceptible." The deaths from this disease, occurred at the following ages:—eleven under 1 year; seventeen, 1-3; three, 3-5; seven, 5-10; one, 13; five, 20-30; and three, 30-40 years.

4.—Under *tetanus*, is included "intermitting tetanus, 6 months' duration," a male, 7 years. Under *worms*, "irritation in the bowels, and tapeworm, (*post mort.*)," a male, 4 years; and "infantile fever," a female, 1 year. Under *disease of the digestive organs*, 2 cases of dyspepsia, males, aged respectively 61 and 64 years. Under *disease of the joints, bones, &c.*, "disease of the bones of the face," a female, 68 years. And under *privation*, "destitution," a male, 50 years.

5.—The following are the cases of *death by violence*, which appear in the present table:—"acute pleurisy from an accidental injury of his chest," a male, 65; "injuries of the head from an accidental fall down stairs," a male, 63; "accidental death by a fall from a mast," a male, 34; "accidental death from drowning," a male, 16; "drowning—manslaughter," a male, 8; "manslaughter," a male, 58; "accidentally drowned," a male, 16; "drowned by accidentally falling into the River Thames," a male, 47; "hanged himself—but what state of mind he was in at the time, there is no positive evidence," a male, 57; "wilfully murdered by a person or persons unknown," a female, newly born; "accidentally drowned," a female, 13; "suicide by hanging," a female, 43; "compound fracture of the thigh from a fall 2 months previous," a female, 52; "suicide by throwing herself from Waterloo-bridge," a female, 35; "accidental death by a fall down stairs," a female, 72; "drowning—manslaughter," a female, 12; "suffocation, arising accidentally in bed," a female, 4 months; "hanged himself," a male, 44; and "accidentally suffocated in the uterine fluid of the mother," a female, newly born.

6.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION by falls, 4 cases. DROWNING, 7 cases, of which 4 were accidents, 1 suicide, and 2 manslaughter. HANGING, 3 cases, (suicides). SUFFOCATION in bed, 1 case, and at birth 1 case. In the remaining cases, respectively "injury," "manslaughter," "murder," the means by which death was caused, are not stated. TOTAL, 19 cases.

General Register Office, Tuesday, June 18th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday, June 15, 1844.

[illegible]

The height of the eastern of the barometer is considered to be 150 feet above the mean level of the sea. The reading of the barometer are considered to be compensated with those of the Royal Society's first gas standard barometer. The amount of clouds is estimated, considering a cloud to be represented by a cloudy sky by 10; and when partially cloudy, estimating the number of fathoms of the whole sky covered with a cloud.

The readings of the barometer were taken every two hours, day and night with the exception of Sunday.

The readings of the thermometer were taken at the top rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 6 a.m., and therefore exhibit the highest and lowest temperatures respectively.

There are, however, placed here opposite to the ritual day which precedes that on which the thermometer was exposed, and 21 hours. Whence a thermometer (from the indications of which the estimation of horizontal movement is made) is read at 5 a.m., and the result

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

In reading the 13th column, it will be borne in mind that + is read "lower," and — is read "higher," than the average.

The temperature of the air is given by Mr. Henry, and is taken from the thermometer suspended from the side of the dome of the Drednought Hospital Ship at the depth of about 2 feet below the surface, the readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Drednought.

G. B. AIRY, *Astronomer Royal.*

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 22nd June.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years		0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	456	316	147	*920	883	946	IV.—Laryngitis	1	1	..	2	..	6
SPECIFIED CAUSES.....	454	316	147	918	879	942	Quinsey	1	1	1	1
I.—Zymotic (or Epidemic, Endemic, and Contagious Diseases	179	35	12	226	161	178	Bronchitis	2	6	7	15	11	1
SPORADIC DISEASES—							Pleurisy	1	..	1	2	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	39	33	15	87	105	111	Pneumonia	54	9	3	66	65	7
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	93	37	21	151	152	157	Hydrothorax	1	1	2	4	4
IV.—Diseases of the Lungs, and of the other Organs of Respiration	80	129	23	*233	269	286	Asthma	3	4	7	16	2
V.—Diseases of the Heart, and Blood-vessels	3	13	8	24	21	21	Phthisis (or Consumption)	18	102	4	*125	155	14
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	44	30	13	87	61	69	Dis. of Lungs, &c... }	4	6	4	14	14	1
VII.—Diseases of the Kidneys, &c.	1	..	1	5	5	V.—Pericarditis.....	..	1	..	1	..	9
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	9	10	Aneurism	1	..	1	..	7
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	2	3	7	6	6	Dis. of Heart, &c... }	3	11	8	22	19	2
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	14	14	17	1
XI.—Old Age	46	46	64	71	Gastritis	16	1
XII.—Violence, Privation, Cold and Intemperance	11	29	5	48	25	26	Enteritis	15	7	1	23
I.—Small Pox	28	2	..	30	12	15	Peritonitis	1	2	..	3	1	1
Measles	21	21	29	28	Tabes Mesenterica..	8	8	5	..
Scarlatina	74	4	..	78	26	34	Worms	3
Whooping Cough	22	22	35	33	Ascites	1	..	1	..	8
Croup	9	..	1	10	8	8	Ulceration (of Intestines, &c.) }	..	1	..	1	1	1
Thrush	5	5	4	5	Hernia	3	2	5	2	2
Diarrhoea	5	2	2	9	5	12	Colic or Ileus	3	2	..	5	2	2
Dysentery	1	1	2	1	3	Intussusception	1	1	..	4
Cholera	1	1	..	1	Stricture (of the Intestinal Canal) }	6
Influenza	1	1	2	2	Hæmatemesis.....	..	1	..	1	..	5
Ague	2	3	Dis. of Stomach, &c.	1	..	3	4	4	4
Remittent Fever.....	5	5	Dis. of Pancreas....	1	1
Typhus	9	21	6	36	32	31	Hepatitis	6	1	7	1	1
Erysipelas	2	4	2	8	5	5	Jaundice	1	1	1	3	2	2
Syphilis	2	1	..	3	..	6	Dis. of Liver, &c.	6	4	10	8	8
Hydrophobia	Dis. of Spleen	1
II.—Inflammation	7	7	VII.—Nephritis	4
Hæmorrhage	1	5	..	6	3	3	Ischuria	2
Dropsy	4	7	7	18	33	35	Diabetes	3
Abscess	1	1	3	4	Cystitis	3
Mortification	1	1	2	4	5	Stone	4
Purpura	3	3	Stricture (of the Urethra)	5
Scrofula	2	1	..	3	2	2	Dis. of Kidneys, &c. }	..	1	..	1	4	3
Carcinoma	10	4	14	9	8	VIII.—Childbirth	7	..	7	6	6
Tumour	2	2	Paramenia	2
Gout	1	1	1	1	Ovarian Dropsy	1	1	..	3
Atrophy	9	..	1	10	6	7	Dis. of Uterus, &c... }	2	2
Debility	12	3	..	15	19	21	IX.—Arthritis
Malformations	2	2	1	1	Rheumatism	1	3	4	3	3
Sudden Deaths	8	6	1	15	14	15	Dis. of Joints, &c... }	2	1	..	3	3	3
III.—Cephalitis	6	2	..	8	13	12	X.—Carbuncle
Hydrocephalus	32	1	..	33	37	36	Phlegmon
Apoplexy.....	1	14	8	23	17	18	Ulcer	3
Paralysis	7	10	17	15	16	Fistula	4
Convulsions	51	1	..	52	54	58	Dis. of Skin, &c....	4
Tetanus	3	4	XI.—Old Age	46	46	64	7
Chorea	1	..	XII.—Intemperance.....	..	1	..	1	..	5
Epilepsy	1	3	..	4	4	4	Privation.....	3
Insanity	3	..	3	1	1	Violent Deaths	14	28	5	47	24	2
Delirium Tremens..	..	2	..	2	2	2	Causes not Specified.	2	2	4	..
Dis. of Brain, &c... }	2	4	3	9	9	9							

* The age of 1 person who died of Consumption is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.	17.2	301,326	138	135	142
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	191
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	176	144
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	185	213
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	226	230
TOTALS.....		86.8	1,915,104	946	883	920
Population corrected for July 1st, 1844 { Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3.. { Males.... 483 Females.. 463 Total.. 946		Deaths in the Week { Males.... 492 Females.. 428 Total.. 920		

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	*977	898	857	819	847	860	795	843	864	856	892	836	873
from Diseases of the Respiratory Organs ..	294	257	257	262	255	273	241	243	239	246	249	247	233
from Small Pox	18	21	21	20	31	31	27	30	36	31	49	47	30
from Diseases at 60 and upwards	208	182	169	180	171	158	155	168	171	172	166	151	142

Mean Temperature 47.2 | 50.9 | 50.3 | 52.3 | 54.3 | 51.0 | 56.7 | 52.1 | 52.9 | 50.9 | 59.5 | 62.7 | 60.8

* The return for the week ending 30th March having contained more than an average number of Coroner's cases, the excess of sudden deaths for that week is deducted in this comparative statement.

NOTES.

1.—Of the 30 persons who died of *smallpox*, 16 had not been vaccinated. Among the unvaccinated are reckoned a female aged 4 years, who had been vaccinated, but “without leaving cicatrices;” and a male, aged 9 years, who had been “vaccinated 4 months previously, without effect.” The deaths from this disease occurred at the following ages:—seven under 1 year; six 1-3; six 3-5; six 5-10; three 10-15; and two 15-20 years.

2.—Under *laryngitis* is included “inflammation of the epiglottis,” a female, 28 years. Under *disease of the respiratory organs*, “coup-de-soleil (24 hours)” a male, 2 years. And under *colic*, “diseased brain from gout and painters’ colic,” a male, 42 years.

3.—The following are the cases of *death by violence* which appear in the present table: “erysipelas and mortification of the thigh following fracture, 10 weeks since,” a male, 41; “secondary deposits after amputation of the finger—crushed hand,” a male, 41; “drowned,” a male, 16; “compound fracture of the leg from an accidental fall,” a male, 56; “injuries from an accidental fall out of a window,” a male, 45; “accidentally burned,” a male, 1; “suicide by hanging,” a male, 43; “injuries of the lungs from a fall down stairs, while intoxicated,” a male, 55; “accidentally run over by a carriage drawn by two horses,” a male, 4; “accidentally run over by an omnibus,” a male, 11; “cutting his throat in temporary insanity,” a male, 30; “accidentally run over by a timber carriage,” a male, 7; “accidentally burned by his clothes taking fire,” a male, 4; “accidental injury from the drum of a steam engine,” a male, 25; “injury to his brain by falling from the roof of a house,” a male, 1; “accidental from the fall of a pile of timber,” a male, 42; “accidental from a fall,” a male, 60; “burns from explosion of gunpowder accidentally caused,” a male, 19; “accidental from injured spine by a fall from a gangway,” a male, 22; “accidental by a fall from a horse and cart,” a male, 13; “accidental by a fall into a ship’s hold,” a male, 40; “found drowned,” a male, 56; “accidentally burnt to death in the fore-castle of a vessel,” a male, 22; “poisoned himself in a temporary state of insanity,” a male, 44; “found dead in the Thames at Limehouse, apparently from drowning,” a male about 20; “accidental death from a fall down a ship’s hold,” a male, 40; “accidentally drowned,” a male, 56; “disease of the lungs, produced by falling from a heap of rags, accidentally,” a male, 49; “injuries to the loins from being tossed by a bull, 2 years since, inducing anasarca,” a male, 62; “compression of the brain by accidentally falling from a dray,” a male, 21; “compression of the brain by accidentally falling from a ladder,” a male, 64; “accidentally drowned,” a male, 8; “suffocation—the cause unknown,” a female, 4 months; “drowned—not known how she got into the water,” a female, 41; “injury of the spine from an accidental fall down stairs,” a female, 27; “accidental injury of the head from being run over by an omnibus,” a female, 11; “fracture of the left thigh bone, from being knocked down in the street by boys unknown,” a female, 80; “effects of a scald,” a female, 8 months; “taking arsenic in temporary insanity,” a female, 48; “accidental from burns,” a female, 48; “accidental from burns,” a female, 12; “cut her throat in a temporary state of insanity,” a female, 86; “accidentally burnt,” a female, 5; “found drowned,” a female, 30; “found drowned,” a female, 18; “accidentally overlaid by the mother, while in a fit, and unconscious,” a female, 4 days; and “hanged herself in a temporary state of insanity,” a female, 47.

4.—ANALYSIS of the preceding list of violent deaths:—FRACTURE or CONTUSION, 23 cases, of which 13 were from falls, 6 from animals and carriages, and 1 from machinery. WOUND, 2 cases (suicides). BURNS, 7 cases. SCALD, 1 case. POISON, 2 cases (suicides). DROWNING, 8 cases. HANGING, 2 cases (suicides). And SUFFOCATION in bed, 1 case, and from an unknown cause, 1 case. TOTAL, 47 cases.

General Register Office, Tuesday, June 25th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday June 22, 1844.

1844 Day	Phase of the Moon	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature				WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Dry			Wet			In the Water of the Thermometer, at Greenwich, by the self- registering thermometer, read at 10 o'clock next morning			Lowest on the Grass, as shown by a self-register- ing thermometer			Highest in the sun, as shown by a self-register- ing thermometer			General Direction								Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		High.	Low.	Est.	Mean	Point	Dew	Mean	Lowest	Highest	Mean	Greatest	Least	Obs.	A.M.	P.M.	Greatest	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°						°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
JUNE		in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

The height of the column of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be those of the Royal Society's flat glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, and a sky completely overcast by 10. The observations are taken every two hours, day and night with the exception of Sundays to the sky. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every two hours, day and night, and the more exact the barometer and lowest readings respectively that have occurred in the previous 24 hours; they are, however, placed in a room, where the temperature is maintained at 61° F., and the thermometer is read at 10 a.m., and the result given is for the 24 hours previous to the day on which the observations are made.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the last column, it will be borne in mind that it is read "Hottest" and "Lowest" than the average.

The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Dreadnought.

G. B. AIRY, Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 29th June.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
	0 to 15	15 to 60	60 and upwards		5 Springs	5 Years
Weekly Average for 1844 .	446	310	188
ALL CAUSES	468	325	170	*964	883	946
SPECIFIED CAUSES	464	325	170	*960	879	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	167	34	6	*208	161	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	44	41	20	105	105	111
III.—Diseases of the Brain, Spinal Marrow, Nerves, and Senses	105	32	23	160	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	76	119	32	227	249	286
V.—Diseases of the Heart, and Blood-vessels	4	19	7	30	21	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	52	21	11	84	61	69
VII.—Diseases of the Kidneys, &c.	2	7	4	13	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	6	3	9	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	3	6	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	49	49	64	71
XII.—Violence, Privation, Cold, and Intemperance	14	43	12	69	25	26
I.—Small Pox	41	7	..	51	12	15
Measles	18	1	..	19	29	28
Scarlatina	59	1	..	60	26	34
Whooping Cough	13	13	35	33
Croup	5	5	8	8
Thrush	4	4	4	5
Diarrhoea	9	..	1	10	5	12
Dysentery	3	1	4	1	3
Cholera	1	..	1	.4	1
Influenza	2	2
Ague2	.3
Remittent Fever5	.5
Typhus	14	20	4	*39	32	31
Erysipelas	1	..	1	5	5
Syphilis6	.6
Hydrophobia	1	1
II.—Inflammation	7	7
Hæmorrhage	3	..	3	3	3
Dropsy	5	11	10	26	33	35
Abscess	1	..	1	3	4
Mortification	3	..	3	4	5
Purpura3	.3
Scrofula	1	..	1	2	2	2
Carcinoma	7	4	11	9	8
Tumour	2	2
Gout	1	1
Atrophy	9	..	4	13	6	7
Debility	19	3	..	22	19	21
Malformations	1	1	1	1
Sudden Deaths	9	13	1	23	14	15
III.—Cephalitis	13	1	..	14	13	12
Hydrocephalus	35	35	37	36
Apoplexy	15	9	24	17	18
Paralysis	4	9	13	15	16
Convulsions	53	53	54	58
Tetanus	1	2	..	3	.3	.4
Chorea1	..
Epilepsy	4	..	4	4	4
Insanity	1	2	3	1	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c....	3	4	3	10	9	9
IV.—Laryngitis	1	1	..	.6
Quinsey	1	1	1	1
Bronchitis	6	1	7	14	11	11
Pleurisy	1	1	..	2	2	2
Pneumonia	34	3	5	42	65	65
Hydrothorax	1	1	4	6	4	4
Asthma	1	3	4	16	16
Phthisis (or Consumption)	31	107	8	146	155	1
Dis. of Lungs, &c....	2	5	4	11	14	14
V.—Pericarditis	1	1	2	.9	.9
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c....	4	17	6	27	19	19
VI.—Teething	24	24	17	17
Gastritis	16	16
Enteritis	10	8	1	19	1	1
Peritonitis	5	5
Tubercles Mesenterica	8	8	1	1
Worms	1	1	.3	.3
Ascites	1	1	.6	.6
Ulceration (of Intestines, &c.)	1	1
Hernia	1	1	2	2
Colic or Ileus	2	2	1	5	2	2
Intussusception	1	..	1	.4	.4
Stricture (of the Intestinal Canal)6	.6
Hæmatemesis	1	..	1	.5	.5
Dis. of Stomach, &c....	2	2	6	10	4	4
Dis. of Pancreas	1	1
Hepatitis	2	2
Jaundice	2	1	2	5	8	8
Dis. of Liver, &c....	1	6	1	8	.1	.1
Dis. of Spleen
VII.—Nephritis4	.4
Ischuria2	.2
Diabetes3	.3
Cystitis3	.3
Stone4	.4
Stricture (of the Urethra)	3	1	4	.5	.5
Dis. of Kidneys, &c....	2	4	3	9	4	4
VIII.—Childbirth	5	..	5	6	6
Parametria2	.2
Ovarian Dropsy3	.3
Dis. of Uterus, &c....	..	1	3	4	2	2
IX.—Arthritis	3	3
Rheumatism	2	2	4	3	3
Dis. of Joints, &c....	..	1	1	2
X.—Carbuncle
Phlegmon
Ulcer3	.3
Fistula4	.4
Dis. of Skin, &c....4	.4
XI.—Old Age	49	49	64	64
XII.—Intemperance	2	..	2	.5	.5
Privation	1	1	.3	.3
Violent Deaths	14	41	11	66	24	25
Causes not Specified.	4	4	4	4

The age of 1 person who died of Fever, is not stated.

Districts of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Springs	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	135	160
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	198
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	176	150
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	185	212
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	226	244
TOTALS.....		86.8	1,915,104	946	883	964

Population corrected for July 1st, 1844	{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	{ Males.... 483 Females.. 463 Total.. 946	Deaths in the Week	{ Males.... 513 Females.. 451 Total.. 964
---	---	---	---	--------------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.												
ALL DEATHS (except from Violence)	898	857	819	847	860	795	843	864	856	892	836	873
From Diseases of the Respiratory Organs ..	257	257	262	255	273	241	243	239	246	249	247	233
From Small Pox	21	21	20	31	31	27	30	36	31	49	47	30
All Diseases at 60 and upwards	182	169	180	171	158	155	168	171	172	166	151	142

Mean Temperature	50.9	50.3	52.3	54.3	51.0	56.7	52.1	52.9	50.9	59.5	62.7	60.8
------------------------	------	------	------	------	------	------	------	------	------	------	------	------

NOTES.

1.—Of the 51 persons who died of *smallpox*, 31 had not been vaccinated. In 3 cases the circumstance of vaccination is not reported, and in 2 it is stated as unknown. Among the unvaccinated are reckoned a male, aged 1 year, and a female 2 years, who had been "vaccinated without effect;" a male, aged 5 years, who had been vaccinated "three times without effect;" and a male, 27 years, who is "said to have been vaccinated, but no cicatrix remained."—The deaths from this disease occurred at the following ages:—ten, under 1 year; seventeen, 1-3; nine, 3-5; five, 5-10; three, 10-15; one, 18; five, 20-30; and one, 30 years.

2.—Under *typhus*, (for the sake of convenience) is included 1 case of "mumps," a female, 42 years. Under *hydrophobia*, "hydrophobia from the bite of a dog, (it the premonitory symptoms of the dog had been attended to, this dreadful calamity would not have occurred)," (inquest), a male, 14 years. Under *malformation*, "spina bifida," a female, 4 months. Under *tetanus*, "locked jaw, apparently excited by exposure to cold, and habitual intemperance," a male, 43 years. Under *insanity*, "natural death, accelerated by excitement," (inquest), a female, 70 years. Under *disease of the respiratory organs*, "ulcerated larynx," a female, 38 years. Under *worms*, "infantile fever," a male, 7 months. Under *disease of the urinary organs*, "ulceration of the bladder," a male, 70 years, and 2 cases of albuminuria, a male, 39 years, and a female, 33 years. Under *disease of the joints, bones, &c.*, "necrosis of the patella," a male, 72 years. And under *privation*, "exhaustion, supposed to arise from want of the necessaries of life," (inquest), a male, about 60 years.

3.—The following are the cases of *death by violence*, which appear in the present table:—"inflammation, excited by a bone which he had accidentally swallowed," a male, 45; "accidentally drowned," a male, 8; "accidentally suffocated and burnt," a male, 10 months; "accidentally suffocated and burnt," a male, 12; "drowning," a male, 53; "accidental death from wrestling," a male, 57; "accidental injury from the spokes of a wheel: mortification, (7 days)," a male, 44; "hanged himself in temporary insanity," a male, 65; "accidental fall—wrist cut by a flint—followed by inflammation, (9 days)," a male, 36; "accidental from a quoit—fractured skull, (2 days)," a male, 49; "accidental by a fall from a tree," a male, 39; "accidental by a horse," a male, 2; "accidental by a horse," a male, 33; "cut his throat in temporary insanity," a male, 21; "accidental by a fall from a building," a male, 32; "accidental by a barge and towing rope," a male, 20; "accidental," a male, 72; "drowning," a male, about 40; "hanged himself," a male, 56; "suicide with the essential oil of almonds," a male, about 30; "suicide by drowning," a male, 53; "found drowned," a male, 48; "accidental fall down stairs," a male, 48; "executed," a male, 28; "erysipelas by accidental injury to his elbow," a male, 56; "erysipelas from a wound on his left thumb," a male, 65; "accidentally scalded," a male, 2; "drowned himself in a fit of temporary insanity," a male, 69; "drowned by falling from a ship," a male, 22; "drowning," a male, 24; "accidentally drowned by the sinking of a boat," a male, 18; "accidentally drowned," a male, 14; "threw himself from a window in a temporary state of insanity," a male, 28; "hanged himself in a state of temporary insanity," a male, 48; "natural death, accelerated by a strain or blow, how received unknown," a male, 62; "cut his throat in a temporary state of insanity," a male, 68; "found drowned," a male, 42; "accidentally run over by an omnibus," a male, 72; "accidentally drowned in bathing," a male, 17; "accidentally drowned," a male, 12; "accidentally drowned," a male, 11; "injury to his fore-finger," a male, 34; "locked jaw, caused by a splinter in his right thumb," a male, 13; "injury to his left leg by a carriage wheel," a male, 90; "drowned," a male, 8; "accidentally drowned in bathing," a male, 16; "accidentally drowned in the River Thames," a male, 20; "suffocation," a male, 2; "drowned by the accidental upsetting of a skiff," a male, 36; "accidentally suffocated and burnt," a female, 31; "accidentally suffocated and burnt," a female, 4; "accidentally suffocated and burnt," a female, 25; "accidentally suffocated and burnt," a female, 17; "drowning," a female, 69; "accidentally suffocated in bed," a female, 4 weeks; "accidentally burnt from her clothes catching fire," a female, 66; "accidentally scalded when in a fit," a female, 36; "oxalic acid, (post mort.)," a female, 40; "suicide by hanging," a female, 55; "accidentally run over by an omnibus," a female, 2; "wilfully murdered," a female, newly born; "suicide by hanging," a female, 25; "suicide by hanging," a female, 68; "threw herself from a window in a temporary state of insanity," a female, 37; "poisoned by Prussic acid, (wilful murder against James Cockburn Belaney)," a female, 22; "drowning," a female, 24; and "drowned herself—insanity," a female, 30. Total, 49 males and 18 females, (including 1 case under tetanus).

General Register Office, Tuesday, July 2nd, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday June 29, 1844.

1844 Day	Phase of the Moon	Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.) From 12 Observations.	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature			mean temperature of the day, and the mean temperature of the same day on an average of 25 years	WIND				Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Dry					In the Water of the Thames at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning					Air Temperature		General Direction		Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			High- est	Low- est	Mean	Dew Point	Highest in the sun, as shown by a self-registering thermometer	Lowest in the shade, as shown by a self-registering thermometer	Highest at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning	Lowest	Mean	Greatest	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
JUNE.		in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

ANNUAL SERIES.
V.

1844.—No. 27.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 6th July.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 ..	446	310	188
ALL CAUSES	447	282	141	*871	900	946
SPECIFIED CAUSES	446	282	141	*870	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	149	34	8	191	191	178
SPORADIC DISEASES—II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	45	32	21	98	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	104	25	28	157	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	84	134	19	*238	233	286
V.—Diseases of the Heart, and Blood-vessels	1	18	8	27	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	52	17	9	78	88	69
VII.—Diseases of the Kidneys, &c.	1	1	2	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	..	7	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	3	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	2	1	1
XI.—Old Age	46	46	56	71
XII.—Violence, Privation, Cold and Intemperance	8	13	..	21	25	26
I.—Small Pox	27	9	..	36	11	15
Measles	21	21	33	28
Scarlatina	54	4	..	58	39	34
Whooping Cough	17	17	22	33
Croup	4	4	6	8
Thrush	7	7	9	5
Diarrhoea	10	2	..	12	27	12
Dysentery	1	1	5	3
Cholera	4	1
Influenza	1	1	2	1	2
Ague	2	3
Remittent Fever	2	2	5	5
Typhus	6	14	4	24	28	31
Erysipelas	3	2	6	4	5
Syphilis	1	..	1	7	6
Hydrophobia	1	..
II.—Inflammation	6	7
Hæmorrhage	1	1	1	3	3	3
Dropsy	5	14	10	29	30	35
Abscess	1	1	3	4
Mortification	2	2	4	8	4	5
Purpura	4	3
Scrofula	3	3	3	2
Carcinoma	5	1	6	9	8
Tumour	2	2
Gout	1	..	1	8	1
Atrophy	10	..	3	13	10	7
Debility	20	3	..	23	21	21
Malformations	1	1	1	1
Sudden Deaths	2	6	2	10	12	15
III.—Cephalitis	10	2	1	13	13	12
Hydrocephalus	40	40	38	36
Apoplexy	1	9	8	18	16	18
Paralysis	5	13	18	14	16
Convulsions	49	..	1	50	63	58
Tetanus	3	4
Chorea	3	..
Epilepsy	3	..	3	..	4
Insanity	1	1	9	1
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	4	4	4	12	9	9
IV.—Laryngitis	5
Quinsey	3	3	..	2
Bronchitis	10	3	3	16	6	1
Pleurisy	3	..	1	4	1	..
Pneumonia	33	9	1	43	53	7
Hydrothorax	4	..	4	3	..
Asthma	5	4	*10	9	2
Phthisis (or Consumption)	27	103	7	137	148	14
Dis. of Lungs, &c.	8	10	3	21	10	13
V.—Pericarditis	1	1	..	7
Aneurism	6
Dis. of Heart, &c.	1	18	7	26	18	2
VI.—Teething	14	14	21	..
Gastritis	29	..
Enteritis	24	3	1	28	1	..
Peritonitis	7	..
Tabes Mesenterica	9	1	1	11	1	..
Worms	5	..
Ascites	1	..	1	9	..
Ulceration (of Intestines, &c.)	1	2	..	3	2	..
Hernia	1	2	3	1	..
Colic or Ileus	6	..	6	2	..
Intussusception	7	..
Stricture (of the Intestinal Canal)	1	1	5	..
Hæmatemesis	5	..
Dis. of Stomach, &c.	2	..	1	3	5	4
Dis. of Pancreas	1	..
Hepatitis	2	..
Jaundice	2	1	2	5	9	..
Dis. of Liver, &c.	2	1	3
Dis. of Spleen
VII.—Nephritis	4	..
Ischuria	1	..
Diabetes	4	..
Cystitis	2	..
Stone	6	..
Stricture (of the Urethra)	4	..
Dis. of Kidneys, &c.	1	1	2	3	3
VIII.—Childbirth	4	..	4	6	..
Paramenia	2	..
Ovarian Dropsy	4	..
Dis. of Uterus, &c.	3	..	3	2	..
IX.—Arthritis
Rheumatism	1	1	2	..
Dis. of Joints, &c.	2	2	3	..
X.—Carbuncle	1	..
Phlegmon
Ulcer	3	..
Fistula	3	..
Dis. of Skin, &c.	1	1	2	4	..
XI.—Old Age	46	46	56	71
XII.—Intemperance	2	..	2	9	..
Privation	1	..	1	4	..
Violent Deaths	8	10	..	18	24	25
Causes not Specified	1	1	4	5

* The age of 1 person who died from *Asthma*, is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)						Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Summers	
<i>West Districts</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....						17.2	301,326	138	129	156
<i>North Districts</i> { St. Marylebone; St. Pancras; Islington; Hackney						17.3	366,303	171	161	165
<i>Central Districts</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London						2.8	374,759	188	179	160
<i>East Districts</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar						8.8	393,247	207	204	166
<i>South Districts</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich						40.7	479,469	242	227	224
TOTALS.....						86.8	1,915,104	946	900	871

Population corrected for July 1st, 1844 {	Males.... 940,300 Females.. 1,067,250 <hr/> Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 .. {	Males 464 Females .. 436 <hr/> Total.. 900	Deaths in the Week {	Males 437 Females .. 434 <hr/> Total.. 871
---	---	--	---	----------------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.															
ALL DEATHS (except from Violence)	857	819	847	860	795	843	864	856	892	836	873	898	853		
From Diseases of the Respiratory Organs ..	257	262	255	273	241	243	239	246	249	247	233	227	238		
From Small Pox	21	20	31	31	27	30	36	31	49	47	30	51	36		
All Diseases at 60 and upwards	169	180	171	158	155	168	171	172	166	151	142	159	141		
Mean Temperature	50.3	52.3	54.3	51.0	56.7	52.1	52.9	50.9	59.5	62.7	60.8	60.5	58.9		

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

3.—The Weekly Averages of deaths in the 34 districts during the years 1839-40-1-2-3, were obtained by dividing the deaths in the 5 years by 260, and the deaths in the 5 springs by 65; and a correction has been made for the present year, according to the increase of population since the census of 1841, which is assumed to be 1.55 per cent. per annum, the rate of increase in the Metropolis during the ten years preceding the last enumeration. 4.83 per cent. is allowed for the increase from the enumeration of 1841 to July in the present year.

4.—Of the 36 persons who died of small pox, 27 had not been vaccinated. In one case the circumstance of vaccination is not reported. Among the unvaccinated are reckoned a male aged 1 year, who had been "vaccinated the same day he was attacked;" a female aged 1 year, who had been vaccinated only "14 days before death;" a female aged 21, who had been "vaccinated with doubtful success;" a male aged 30, of whom "it could not be ascertained whether he had been previously vaccinated, not the slightest mark being visible on either arm;" and a female aged 33, who had been "inoculated when an infant." The deaths of the vaccinated occurred at the following ages:—four under one year; one 1; one 3; one 5; and one 25 years—and of the unvaccinated, two under 1 year; eleven 1-3; two 3 to 5; three 5-10; one 11; four 20-30; and four 30-40 years.

5.—Under thrush is included, "want of breast-milk—thrush (15 days)" a female 18 days. Under carcinoma, "melanotic tumour attached to the stomach," a female 69 years. Under atrophy, 2 cases of "want of breast-milk," a male, 5 months, and a female 1 month. Under malformation, "want of nourishment in consequence of cleft palate," a male 9 days. Under cephalitis, "myelitis—mortification of the back," a female 4 years. Under disease of the nervous system, "neuralgia and diarrhoea," a female 46 years. Under pleurisy, "empyema," a female, 5 years. Under disease of the heart, "syncope, dependent upon sympathy from the early months of pregnancy," a female 24 years. Under colic, 2 cases of "painters' colic," males aged respectively 26 and 52 years. Under disease of the skin, "lupus on the face," a male 16 years; and "noli me tangere of the face and eye," a female 70 years. And under privation, "destitution and want of the comforts of life, while labouring under natural disease," a male 49 years.

6.—The following are the cases of death by violence, which appear in the present table:—"A burn accidentally received (9 hours)" a male 5; "suicide by prussic acid—state of mind not proved," a male 42; "accidental scald of the throat by drinking hot water from the spout of a kettle," a male 3; "fractured thigh," a male 5; "accidentally drowned," a male 17; "hanged himself in a temporary state of insanity," a male 40; "concussion of the brain from accidentally falling down stairs in a state of intoxication," a male 45; "fracture of his skull by a fall," a male 21; "burned by his clothes taking fire," a male 6; "accidental injury by a box falling on him," a male 14; "accidentally drowned by falling into a ditch," a male 3; compression of the brain by the wheel of a timber carriage passing accidentally over his head and body," a male 7; "injury of the head," a male 46; "suicide—laudanum," a female 41; "wilfully murdered by persons unknown," a female newly born; "drowning herself in temporary insanity," a female 30; "accidentally scalded," a female 28; and "laudanum taken by herself being of unsound mind (8 hours)," a female 39.

ANALYSIS of the preceding List of Violent Deaths:—FRACTURE OR CONTUSION, 5 cases; of which 2 were by falls and 1 by a carriage. BURNS, 2 cases. SCALDS, 2 cases. POISON, 3 cases (suicides.) DROWNING, 3 cases, of which 2 were accidental, and 1 a suicide. HANGING, 1 case (suicide). MURDER (by means not stated), 1 case. And injury of a kind not described, 1 case. Total, 13 males and 5 females.

General Register Office, Tuesday, July 9th, 1844.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, 13th July.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 ..	446	310	188
ALL CAUSES	438	259	133	*831	900	946
SPECIFIED CAUSES	438	259	133	*831	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	178	35	5	*219	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	34	24	20	78	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	106	17	15	138	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	64	131	26	221	233	286
V.—Diseases of the Heart, and Blood-vessels	4	15	5	24	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	48	17	9	74	88	69
VII.—Diseases of the Kidneys, &c.	2	2	4	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	5	..	5	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	7	2	10	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1
XI.—Old Age	46	46	56	71
XII.—Violence, Privation, Cold and Intemperance	3	5	3	11	25	26
I.—Small Pox	38	5	..	43	11	15
Measles	18	*19	33	28
Scarlatina	65	4	..	69	39	34
Hooping Cough	12	12	22	33
Croup	7	7	6	8
Thrush	7	1	..	8	9	5
Diarrhoea	18	..	2	20	27	12
Dysentery	1	..	1	5	3
Cholera	4	1
Influenza	1	2
Ague	1	..	1	.2	.3
Remittent Fever5	.5
Typhus	11	17	3	31	28	31
Erysipelas	2	5	..	7	4	5
Syphilis	1	..	1	.7	.6
Hydrophobia1	..
II.—Inflammation	2	2	6	7
Hæmorrhage	1	1	2	3	3
Dropsy	5	10	9	24	30	35
Abscess	2	1	..	3	3	4
Mortification	1	..	3	4	4	5
Purpura4	.3
Scrofula	1	1	2	3	2
Carcinoma	6	3	9	9	8
Tumour	1	..	1	2	2
Gout8	1
Atrophy	9	9	10	7
Debility	14	3	..	17	21	21
Malformations	1	1
Sudden Deaths	1	1	3	5	12	15
III.—Cephalitis	14	1	..	15	13	12
Hydrocephalus	32	32	38	36
Apoplexy	1	4	5	10	16	18
Paralysis	2	8	10	14	16
Convulsions	56	1	1	58	63	58
Tetanus3	.4
Chorea	3	..
Epilepsy	2	4	..	6	..	4
Insanity9	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c.	1	2	1	4	9	9
IV.—Laryngitis	1	1	..	.5
Quinsey	3	1	..	4	2	2
Bronchitis	3	4	5	12	6	12
Pleurisy	1	1	2	1	2
Pneumonia	36	8	3	47	53	79
Hydrothorax	1	2	3	3	5
Asthma	4	7	11	9	24
Phthisis (or Consumption)	22	106	6	134	148	147
Dis. of Lungs, &c.	6	1	7	10	15
V.—Pericarditis	2	2	..	.7
Aneurism	1	..	1	..	.6
Dis. of Heart, &c.	2	14	5	21	18	24
VI.—Teething	15	15	24	19
Gastritis	1	1	29	19
Enteritis	21	1	3	25
Peritonitis	1	..	1	1	1
Tabes Mesenterica	5	5	7	6
Worms5	..
Ascites	1	1	1	3	.9	..
Ulceration (of Intestines, &c.)	1	..	1	2	2
Hernia	2	..	2	1	2
Colic or Ileus	2	2
Intussusception	1	..	1	.7	..
Stricture (of the Intestinal Canal)	1	1	.5	..
Hæmatemesis5	..
Dis. of Stomach, &c.	5	2	..	7	5	4
Dis. of Pancreas
Hepatitis	1	1	2	1	1
Jaundice	2	..	2	2	2
Dis. of Liver, &c.	6	3	8	9	8
Dis. of Spleen
VII.—Nephritis4	..
Ischuria1	..
Diabetes4	..
Cystitis2	..
Stone6	..
Stricture (of the Urethra)	1	2	3	.4	..
Dis. of Kidneys, &c.	1	..	1	3	3
VIII.—Childbirth	4	..	4	6	7
Paramenia2	..
Ovarian Dropsy4	..
Dis. of Uterus, &c.	1	..	1	2	2
IX.—Arthritis
Rheumatism	2	2	4	2	3
Dis. of Joints, &c.	1	5	..	6	3	3
X.—Carbuncle1	..
Phlegmon
Ulcer3	..
Fistula3	..
Dis. of Skin, &c.	1	..	1	.4	..
XI.—Old Age	46	46	56	71
XII.—Intemperance9	.6
Privation4	.3
Violent Deaths	3	5	3	11	24	25
Causes not Specified	4	5

* The age of 1 person who died from *Measles*, is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Eneume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	129	113
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	170
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	179	145
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,217	207	204	169
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	227	234
TOTALS.....		86.8	1,915,104	946	900	831

Population corrected for July 1st, 1844	{ Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..	{ Males 483 Females .. 463 Total.. 946	Deaths in the Week	{ Males 407 Females .. 424 Total.. 831
---	---	--	---	--------------------------	---

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The statement of population in the 34 Metropolitan Districts, as returned in 1841, includes police on duty, and 1366 men on the river.

4.—Of the 43 persons who died from *small pox*, 35 had not been vaccinated. In 2 cases the circumstance of vaccination is not reported. The deaths of the *vaccinated* occurred at the following ages:—One, 1 year; one, 5; one, 6; one, 7; one, 10; and one, 21 years.—of the *unvaccinated*:—Four under 1 year; five, 1 year; three, 2; seven, 3; four, 4; four, 5; two, 6; one, 10; one, 14; one, 19; one, 21; one, 34, and one 38 years.

6.—The following are the cases of *death by violence*, which appear in the present table:—"injuries caused by an accidental fall from a cart," a male 60; "accidental death from drowning," a male 15; "found dead, apparently suffocated," a male 5 months; "found in a drowning state, and died from the effects, but how caused unknown," a male 45; "accidental by fracture of the base of the skull," a male 70; "fracture of the skull, occasioned by the accidental fall of a piece of timber from a scaffold," a male 62; "convulsions from a scald," a male 6; "suicide—cut his throat, being of unsound mind at the time," a male 36; "found dead—apparently drowned," a female 28; "accidentally run over and crushed to death by a cart," a female 1; and "knocked down and killed on the spot by a horse and cart (manslaughter)" a female 23.

General Register Office, Tuesday, July 16th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday, July 13, 1844.

[illegible][illegible]

ANNUAL SERIES.
V.

1844.—No. 29.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 20th July.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844 deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	480	274	139	*896	900	946	IV.—Laryngitis5	..
SPECIFIED CAUSES.....	479	273	139	*894	897	942	Quinsey	2	1	..	3	2	2
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	198	37	16	251	191	178	Bronchitis	5	3	4	12	6	12
SPORADIC DISEASES—							Pleurisy	2	1	3	1	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	39	26	15	*81	106	111	Pneumonia	37	4	2	43	53	79
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	115	26	12	*154	159	157	Hydrothorax	1	2	1	4	*3	5
IV.—Diseases of the Lungs, and of the other Organs of Respiration	72	113	23	208	233	286	Asthma	4	4	8	9	24
V.—Diseases of the Heart, and Blood-vessels	3	13	10	26	19	21	Phthisis (or Consumption)	25	96	8	129	148	147
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	45	20	3	68	88	69	Dis. of Lungs, &c..	2	1	3	6	10	15
VII.—Diseases of the Kidneys, &c.	8	2	10	5	5	V.—Pericarditis.....	1	2	..	3	.7	..
VIII.—Childbirth. Diseases of the Uterus, &c.	17	2	19	9	10	Aneurism6	..
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	3	1	7	5	6	Dis. of Heart, &c..	2	11	10	23	18	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	12	12	24	19
XI.—Old Age	51	51	56	71	Gastritis	1	1	..	2	29	19
XII.—Violence, Privation, Cold and Intemperance	4	10	4	*19	25	26	Enteritis	13	4	1	18	1	1
I.—Small Pox	28	8	1	37	11	15	Peritonitis	2	2	..	4	7	6
Measles	24	24	33	28	Tabes Mesenterica..	10	10	.5	..
Scarlatina	68	4	..	72	39	34	Worms	2	2	.9	..
Hooping Cough.....	13	13	22	33	Ascites	2	..	2	2	2
Croup	4	4	6	8	Ulceration (of Intestines, &c.)	1	2
Thrush	12	12	9	5	Hernia	1	1	2	2
Diarrhœa	32	2	6	40	27	12	Colic or Ileus.....	2	1	..	3	.7	..
Dysentery	2	1	3	5	3	Intussusception5	..
Cholera	1	1	2	4	1	Stricture (of the Intestinal Canal)	..	1	..	1	.5	..
Influenza	1	2	Hæmatemesis	1	..	1	.5	..
Ague	1	1	.2	.3	Dis. of Stomach, &c.	1	1	1	3	5	4
Remittent Fever.....	1	1	.5	.5	Dis. of Pancreas.....
Typhus	13	16	5	34	28	31	Hepatitis.....	1	1
Erysipelas	3	4	1	8	4	5	Jaundice	1	2	..	3	2	2
Syphilis7	.6	Dis. of Liver, &c. ..	1	5	..	6	9	6
Hydrophobia1	..	Dis. of Spleen
II.—Inflammation	1	1	6	7	VII.—Nephritis4	..
Hæmorrhage	1	2	1	4	3	3	Ischuria1	..
Dropsy	1	10	5	16	30	35	Diabetes4	..
Abscess	3	..	2	5	3	4	Cystitis2	..
Mortification	1	1	1	3	4	5	Stone	1	1	.6	..
Purpura	1	..	1	.4	.3	Stricture (of the Urethra)	3	1	4	.4	..
Scrofula	1	..	1	3	2	Dis. of Kidneys, &c.	5	..	5	3	3
Carcinoma	6	1	7	9	8	VIII.—Childbirth	11	..	11	6	7
Tumour	2	2	Paramenia	1	..	1	.2	..
Gout8	1	Ovarian Dropsy4	..
Atrophy	12	..	2	14	10	7	Dis. of Uterus, &c..	..	5	2	7	2	2
Debility	15	2	..	17	21	21	IX.—Arthritis
Malformations	2	2	1	1	Rheumatism	1	1	..	2	2	3
Sudden Deaths	3	3	3	*10	12	15	Dis. of Joints, &c..	2	2	1	5	3	3
III.—Cephalitis	11	2	..	13	13	12	X.—Carbuncle1	..
Hydrocephalus	34	34	38	36	Phlegmon3	..
Apoplexy	2	8	6	*17	16	18	Ulcer3	..
Paralysis	5	3	8	14	16	Fistula3	..
Convulsions	65	65	63	58	Dis. of Skin, &c....4	..
Tetanus	1	..	1	.3	.4	XI.—Old Age	51	51	56	71
Chorea	3	..	XII.—Intemperance9	..
Epilepsy	1	3	1	5	..	4	Privation.....4	..
Insanity9	1	Violent Deaths	4	10	4	*19	24	25
Delirium Tremens..	..	2	..	2	2	2	Causes not Specified.	1	1	..	2	4	5
Dis. of Brain, &c....	2	5	2	9	9	9							

* The ages of 3 persons who are included respectively under *Apoplexy*, *Violence*, and *Sudden Deaths*, are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
<i>West districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James..... }	17.2	301,326	138	129	141
<i>North districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	176
<i>Central districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,759	188	179	151
<i>East districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,247	207	204	171
<i>South districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	227	257
TOTALS.....		86.8	1,915,104	946	900	896

Population corrected for July 1st, 1844	{ Males... 940,300 Females.. 1,067,250 Total.. 2,007,550	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	{ Males.... 483 Females.. 463 Total.. 946	Deaths in the Week	{ Males 454 Females .. 442 Total.. 896
---	--	---	---	--------------------------	---

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penze); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—Of the 37 persons who died of *small pox*, 24 had not been vaccinated. In 1 case the circumstance of vaccination is not reported. Among the unvaccinated are reckoned a male aged 6 months, who had been vaccinated imperfectly; a male aged 1 year, who had been "vaccinated without effect;" a female aged 1 year, who had been vaccinated only "one day before her eruption;" and a female aged 1 year, and a male 29 years, who had been vaccinated "with doubtful success." The deaths of the *vaccinated* occurred at the following ages:—One, under 1 year; one, 1 year; one, 2; one, 3; two, 4; one, 6; one, 9; one, 13; one, 27; one, 38, and one, 39 years; of the *unvaccinated*:—six, under 1 year; four, 1 year; two, 2; three, 3; two, 4; two, 9; one, 19; one, 24; one, 29; one, 45; and one, 83. With reference to the last-mentioned case, the following note has been received from Dr. Gregory, of the Small Pox Hospital: "Sarah Robinson, Widow, died at the Small-Pox Hospital on the 10th July, at the advanced age of 83 years. She had confluent small-pox, unvaccinated, and died on the 7th day of the eruption. The death of so aged a person by small-pox is of very rare occurrence."

3.—Under *scarlatina*, is included "effects of a large mortification on each shoulder caused by vaccination, being followed by scarlatina 2 days after the operation," a female, 1 year. Under *purpura*, "scurvy," a male, 56 years. Under *atrophy*, 1 cases of "want of breast milk," males, all under 1 year. Under *malformation*, "cyanosis," a male, 2 days. Under *hydrocephalus*, "water on the spine," a male, 1 year. Under *disease of the brain*, &c. "tumor in the ear penetrating the brain (2 weeks)," a female 7 weeks; "otitis (3 hours)," a male, 22 years; and "suppuration in the brain," a female, 24 years. Under *pleurisy*, "empyema," a male, 45 years. Under *worms*, "infantile remittent fever," a male, 25 days; and "infantile fever," a female, 8 months. Under *hematemesis*, "melana," a female, 57 years. And under *disease of the kidneys*, "granular disease of the kidneys—chronic bronchitis," a female, 47 years.

4.—The following are the cases of *death by violence*, which appear in the present table:—"accidental, by a fall from a window," a male, 60; "drowning," about 30; "tetanus from a wound in the heel of his foot," a male, 26; "found dead with a wound on the head in the hold of a ship, having apparently fallen," a male, 57; "old age; death probably accelerated by a fractured arm," a male, 85; "accidentally drowned," a male, 26; "accidental death," a male, 18; "accidentally drowned by falling into the river Thames from a barge," a male 33; "accidentally drowned, bathing in the river Thames," a male, 13; "found drowned," a male, 32; "accidental suffocation by foul air arising from a privy," a male, 22; "found dead in the river Thames," a male, about 13; "poisoned himself, while temporarily deranged," a male, 42; "injuries from an accidental fall," a male, 75; "inadvertently taking an overdose of Prussic acid," a male, 67; "found dead in the river Thames," age not stated; "accidental by a horse and cab," a female, 6; "drowned herself in the river Thames, being at the time of unsound mind from habits of intemperance," a female, 30; "accidental drowning," a female, 49; and "poison administered to her by mistake," a female, 1.

5.—ANALYSIS of the preceding list of *Violent Deaths*:—FRACTURE or CONTUSION, 5 cases, of which 1 was by a carriage, and 3 by falls. WOUND, 1 case. POISON, 3 cases, of which 2 were accidental, and 1 a suicide. DROWNING 9 cases, of which 4 were accidents, 1 suicide, and in 4 it is not stated whether they were accidental or otherwise. SUFFOCATION by foul air, 1 case. And an "accidental" (an imperfect verdict), 1 case. TOTAL 16 males (including 1 case put to *tetanus*) and 4 females.

General Register Office, Tuesday, July 23rd, 1844.

ANNUAL SERIES.
V.

1844.—No. 30.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, 27th July.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 ..	446	310	188										
ALL CAUSES	582	317	165	*1066	900	946	IV.—Laryngitis5	.5
SPECIFIED CAUSES	581	316	165	*1064	897	942	Quinsey	3	3	2	2
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	245	30	14	289	192	178	Bronchitis	3	6	4	13	6	12
SPORADIC DISEASES—							Pleurisy	1	..	1	1	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	51	34	22	*108	106	111	Pneumonia	45	5	..	50	53	79
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	137	40	30	207	159	157	Hydrothorax	1	..	1	3	5
IV.—Diseases of the Lungs, and of the other Organs of Respiration	74	127	24	225	233	286	Asthma	5	7	12	9	24
V.—Diseases of the Heart, and Blood-vessels	1	24	5	30	19	21	Phthisis (or Consumption)	20	101	9	130	148	147
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	66	27	13	*107	88	69	Dis. of Lungs, &c..	3	8	4	15	10	15
VII.—Diseases of the Kidneys, &c.	6	2	8	5	5	V.—Pericarditis	1	..	1	.7	.8
VIII.—Childbirth, Diseases of the Uterus, &c.	10	..	10	9	10	Aneurism	1	1	.6	.7
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	1	2	4	5	6	Dis. of Heart, &c..	1	23	4	28	18	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	23	1	..	24	24	19
XI.—Old Age	53	53	56	71	Gastritis	1	1	29	19
XII.—Violence, Privation, Cold and Intemperance	6	17	..	23	25	26	Enteritis	21	5	4	30	1	1
I.—Small Pox	45	4	..	49	11	15	Peritonitis	1	1	1	3	7	6
Measles	22	22	33	28	Tabes Mesenterica ..	15	15	.5	.4
Scarlatina	79	3	..	82	32	34	Worms	2	2	.9	.8
Hooping Cough	18	18	22	33	Ascites	2	..	2	2	2
Croup	6	6	6	8	Ulceration (of Intestines, &c.)	2	..	2	1	2
Thrush	15	15	9	5	Hernia	2	2
Diarrhoea	36	4	5	45	27	12	Colic or Ileus	1	2	1	4	.7	.5
Dysentery	1	..	5	6	5	3	Intussusception5	.4
Cholera	5	..	1	6	4	1	Stricture (of the Intestinal Canal)	1	..	1	.5	.4
Influenza	1	1	1	2	Hamatemesis	2	1	3	.5	..
Ague2	.3	Dis. of Stomach, &c.	2	3	2	7	5	4
Remittent Fever	1	1	.5	.5	Dis. of Pancreas
Typhus	16	19	2	37	28	31	Hepatitis	1	1	2	1	1
Erysipelas	1	1	4	5	Jaundice	1	..	1	2	2
Syphilis7	.6	Dis. of Liver, &c.	6	3	*10	9	8
Hydrophobia1	..	Dis. of Spleen
II.—Inflammation	1	1	6	7	VII.—Nephritis	2	..	2	.4	.5
Hæmorrhage	2	..	2	3	3	Ischuria1	..
Dropsy	4	11	8	23	30	35	Diabetes	1	..	1	.4	..
Abscess	1	1	..	2	3	4	Cystitis2	..
Mortification	2	..	3	5	4	5	Stone	1	1	.6	..
Purpura	1	1	.4	.3	Stricture (of the Urethra)	1	1	.4	..
Scrofula	3	1	..	4	3	2	Dis. of Kidneys, &c.	3	..	3	3	3
Carcinoma	7	6	13	9	8	VIII.—Childbirth	6	..	6	6	7
Tumour	1	2	..	3	2	2	Paramenia2	.4
Gout	1	1	2	.8	1	Ovarian Dropsy	1	..	1	.4	..
Atrophy	15	2	1	18	10	7	Dis. of Uterus, &c..	..	3	..	3	2	2
Debility	19	2	..	21	21	21	IX.—Arthritis
Malformations	3	3	1	1	Rheumatism	1	1	2	2	3
Sudden Deaths	1	5	3	*10	12	15	Dis. of Joints, &c..	1	..	1	2	3	3
III.—Cephalitis	15	2	..	17	13	12	X.—Carbuncle1	..
Hydrocephalus	42	1	..	43	38	36	Phlegmon
Apoplexy	2	16	14	32	16	18	Ulcer3	.4
Paralysis	7	13	20	14	16	Fistula3	.4
Convulsions	72	1	..	73	63	58	Dis. of Skin, &c..4	.4
Tetanus3	.4	XI.—Old Age	53	53	56	71
Chorea	3	..	XII.—Intemperance	1	..	1	.9	.6
Epilepsy	1	6	..	7	12	10	Privation4	.5
Insanity	2	1	3	.9	1	Violent Deaths	6	16	..	22	24	25
Delirium Tremens	3	..	3	2	2	Causes not Specified ..	1	1	..	2	4	5
Dis. of Brain, &c..	5	2	2	9	9	9							

* The ages of 2 persons included respectively under *Disease of the Liver*, and *Sudden Deaths*, are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)						Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Summers	
<i>West districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }					17.2	301,326	138	129	160
<i>North districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney					17.3	366,303	171	161	210
<i>Central districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London					2.8	374,759	188	179	189
<i>East districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar					8.8	399,247	207	204	246
<i>South districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich					40.7	479,469	242	227	241
TOTALS.....						86.8	1,915,104	946	900	1066

Population corrected for July 1st, 1841	Males.... 940,300	Weekly Average for 1844, deduced from the Deaths in 1839—40—1—2—3 ..	Males 483	Deaths in the Week	Males 514
	Females.. 1,067,250		Females .. 463		Females .. 552
	Total.. 2,007,550		Total.. 946		Total.. 1066

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.															
DEATHS (except from Violence)	860	795	843	864	856	892	836	873	898	853	820	877	1041		
in Diseases of the Respiratory Organs	273	241	243	239	246	249	247	233	227	238	221	208	225		
in small Pox	31	27	30	36	31	49	47	30	51	36	43	37	49		
in all Diseases at 60 and upwards	158	155	168	171	172	166	151	142	159	141	130	135	165		
Mean Temperature	51.0	56.7	52.1	52.9	50.9	59.5	62.7	60.8	60.5	58.9	61.5	57.9	67.5		

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Eenge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—Of the 49 persons who died by *small pox*, 35 had not been vaccinated. In 2 cases the circumstance of vaccination not reported. Among the unvaccinated are reckoned 2 males, aged respectively 1 and 3 years, and a female aged 1 year, who had been vaccinated only one week previous to the eruption; 2 males aged 1 year and 3 years, who had each been vaccinated twice without effect; and a male, aged 21 years, who had been “*inoculated* for small pox in infancy—two good catrices.” The deaths of the vaccinated occurred at the following ages:—one under 1 year; one 1 year; three 2; two 4; one 5; one 6; one 8; one 23; and one 24 years:—of the unvaccinated:—five under 1 year; nine 1 year; six 2; eight 3; one 4; one 5; one 7; one 9; one 21; and one 22 years. It is remarked by the Registrar, with reference to one person reported to him as having been vaccinated, that “there is reason to believe that he had *not* been vaccinated, the medical attendant having received information to this effect at the house,” and that “false statements are often made, to avoid the disgrace of having neglected vaccination.”

3.—Under *thrush* is included “marasmus supervening on aphthæ—want of breastmilk,” a female, 1 month. Under *diarrhæa*, “want of breastmilk—diarrhæa 2 months, convulsions, 2 days,” a female, 5 months. Under *atrophy*, “inanition from dysphagia, 10 days,” a female, 55 years; and “atrophy—want of breastmilk,” a female, 7 months. Under *malformation*, retention of urine and enteritis, the effect of spina bifida,” a female, 11 months; and “cleft palate,” a male, 1 year. Under *quinsey*, “diphtheria,” a male, 4 years. Under *phthisis*, “consumption supervening chronic fistula in ano (*p. mort.*),” a male, 37. Under *worms*, “infantile fever,” 2 males, aged 4 months and 5 months. Under *colic*, “painter’s colic,” a male, 52 years. Under *stricture of the intestinal canal*, &c., “stricture of œsophagus,” a female, 49 years. Under *disease of the liver*, “gall stones,” a female, 75 years. Under *disease of the uterus*, “malignant polypus of the womb,” a female, 45 years. And under *disease of the joints*, “ulcerated knee,” a female, 61 years.

4.—The following are the cases of deaths by violence which appear in the present table:—“suicide by drowning,” a male, 40; “suicide by cutting his throat,” a male, 44; “accidentally drowned,” a male, 21; “accidentally drowned by falling from a boat,” a male, 23; “accidentally drowned from a boat,” a male, 18; “strangulation—found suspended by the neck in his cell, having been in a state of temporary insanity,” a male, 44; “accidental by a fall from a new building,” a male, 47; “accidentally drowned,” a male, 9; “accidentally suffocated in bed by a pillow,” a male, 1 month; “hanging himself in temporary insanity,” a male, 59; “accidental drowning,” a male, 16; “accidentally drowned in bathing,” a male, 30; “accidentally drowned in bathing,” a male, 16; “accidentally drowned whilst bathing,” a male, 16; “congestion of the lungs, &c., by being accidentally thrown into the river Thames,” a male, 37; “accidentally drowned, bathing in the river Thames,” a male, 12; “accidentally drowned whilst bathing in the Surrey canal,” a male, 12; “accidentally drowned, bathing in the Surrey canal,” a male, 19; “accidentally killed by being thrown from a wash-butt,” a male, 22; “drowned by being accidentally thrown into the river Thames,” a male, 25; “inflammation of the bowels, produced by swallowing pins,” a female, 1; and “suffocated and drowned by accidentally falling into a certain ditch,” a female, 1.

5.—ANALYSIS of the preceding list of violent deaths:—FALLS, 2 cases. WOUND, 1 case (suicide). SWALLOWING PINS, 1 case. HANGING, 2 cases (suicides). DROWNING, 15 cases, of which 6 were accidental in bathing, and 1 suicide. And SUFFOCATION IN BED, 1 case. TOTAL, 20 Males and 2 Females.

General Register Office, Tuesday, July 30th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday July 27, 1844.

[illegible][illegible]

The average temperature for 35 years is furnished by Mr. Henry Aschmann at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich.

ANNUAL SERIES.
V.

1844.—No. 31.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, August 3rd.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844	416	310	188
ALL CAUSES	561	297	150	*1014	900	946
SPECIFIED CAUSES	561	295	150	*1009	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	225	35	17	277	191	178
SPORADIC DISEASES—II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	46	35	17	98	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	126	26	17	169	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	80	137	22	*210	233	286
V.—Diseases of the Heart, and Blood-vessels	2	15	7	24	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	66	15	9	90	88	69
VII.—Diseases of the Kidneys, &c.	4	5	9	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	11	..	11	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	2	1	5	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	51	51	56	71
XII.—Violence, Privation, Cold and Intemperance	14	15	4	*35	25	26
I.—Small Pox	35	9	..	44	11	15
Measles	13	13	33	28
Scarlatina	73	2	..	75	39	34
Whooping Cough	13	13	22	33
Croup	10	10	6	8
Thrush	11	11	9	5
Diarrhœa	45	1	8	54	27	12
Dysentery	3	2	..	5	5	3
Cholera	7	3	2	12	4	1
Influenza	1	2
Ague
Remittent Fever
Typhus	13	15	5	33	28	31
Erysipelas	1	3	2	6	4	5
Syphilis	1	1
Hydrophobia
II.—Inflammation	6	7
Hæmorrhage	1	..	1	3	3
Dropsy	4	16	11	31	30	35
Abscess	1	..	1	3	4
Mortification	1	..	2	3	4	5
Purpura	1	1	..	2
Scrofula	2	3	..	5
Carcinoma	4	1	5	9	8
Tumour	1	..	1	2	2
Gout
Atrophy	13	13	10	7
Debility	22	4	..	26	21	21
Malformations	2	2	1	1
Sudden Deaths	1	4	3	8	12	15
III.—Cephalitis	11	4	..	15	13	12
Hydrocephalus	31	1	..	32	38	36
Apoplexy	3	8	5	16	16	18
Paralysis	1	10	14	14	16
Convulsions	77	77	63	58
Tetanus
Chorea
Epilepsy	2	1	3
Insanity
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	4	5	1	10	9	9
IV.—Laryngitis
Quinsey	2	1	..	3	2	2
Bronchitis	5	2	7	6	1
Pleurisy	1	1	..	2	1	1
Pneumonia	11	9	1	51	54	7
Hydrothorax	2	2	1	5	5	5
Asthma	5	5	10	10	2
Phthisis (or Consumption)	32	108	5	145	145	14
Dis. of Lungs, &c.	2	6	5	*14	*14	1
V.—Pericarditis	1	1	..	2
Aneurism	1	1
Dis. of Heart, &c.	14	7	21	18	2
VI.—Teething	25	25	21	1
Gastritis	2	1	3	29	1
Enteritis	22	1	1	24
Peritonitis	2	2	1	5	1	..
Tabes Mesenterica	7	..	1	8	7	..
Worms	1	1
Ascites	2	1	3
Ulceration (of Intestines, &c.)	2	1	..	3	2	..
Hernia	1	..	1	1	..
Colic or Ileus	1	..	1	2	..
Intussusception
Stricture (of the Intestinal Canal)
Hæmatemesis
Dis. of Stomach, &c.	5	2	3	10	5	4
Dis. of Pancreas
Hepatitis	1	..	1	1	..
Jaundice	1	1	2	2
Dis. of Liver, &c.	1	2	1	4	9	8
Dis. of Spleen
VII.—Nephritis
Iseburia
Diabetes
Cystitis	1	1	2
Stone
Stricture (of the Urethra)	1	1	2
Dis. of Kidneys, &c.	3	3	6	3	3
VIII.—Childbirth	9	..	9	6	7
Paramenia
Ovarian Dropsy
Dis. of Uterus, &c.	2	..	2	2	2
IX.—Arthritis
Rheumatism	2	3
Dis. of Joints, &c.	2	2	1	5	3	3
X.—Carbuncle
Phlegmon
Ulcer
Fistula
Dis. of Skin, &c.
XI.—Old Age	51	51	56	71
XII.—Intemperance	1	..	1
Privation	1	..	1
Violent Deaths	14	13	4	*33	24	25
Causes not Specified	3	2	..	5	4	5

* The ages of 3 persons, of whom 1 is included under *Disease of the Lungs*, and 2 under *Violence*, are not stated.

Districts of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
West Districts	Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	129	147
North Districts	St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	202
Central Districts	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	371,759	188	179	220
East Districts	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	201	204
South Districts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Wandsworth and Clapham; Camberwell; Rotherhithe; Greenwich	40.7	479,469	242	227	241
TOTALS.....		86.8	1,915,104	946	900	1014
Population corrected for July 1st, 1844		Males.... 940,300 Females.. 1,067,250 Total.. 2,007,550		Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3..		Males.... 483 Females.. 463 Total.. 946
				Deaths in the Week		Males.... 546 Females.. 468 Total.. 1014

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods															
ALL DEATHS (except from Violence)	795	813	864	856	892	836	873	898	853	820	877	1011	981		
from Diseases of the Respiratory Organs	211	213	239	216	219	247	233	227	238	221	208	225	240		
from small Pox	27	30	36	31	49	47	30	51	36	43	37	49	44		
from all Diseases at 60 and upwards	155	168	171	172	166	151	142	159	141	130	135	165	146		
Mean Temperature	56.7	52.1	52.9	50.9	59.5	62.7	60.8	60.5	58.9	61.5	57.9	67.5	58.3		

NOTES.

- 1.—The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox*:—
 - (1) *SMALL POX* (natural). Without previous vaccination of any kind is to be always understood.
 - (2) *SMALL POX* (second attack).
 - (3) *SMALL POX* (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which in such cases, pursues its natural course, and should be registered, “Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption).”
 - (4) *SMALL POX* (vaccinated in the year ——— without effect; *or*, without cicatrices). When no cicatrix has been detected, “without effect” is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. “Without cicatrices” is to be inserted where the medical attendant states that no “cicatrices” or “marks” of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long previously to the eruption vaccination had been performed. The following is an example:—
“Small Pox, 5 days (vaccinated in 1830 without effect).”
The petechial, confluent, semiconfluent, distinct, variceloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—“Small pox, ——— days; Pneumonia, ——— days.”
- 2.—Of the 44 persons whose deaths are included in the present table, 32 had not been vaccinated. In one case the circumstance of vaccination is not reported. Among the unvaccinated is reckoned a female aged 7 weeks, who had “been vaccinated at the age of 4 weeks.” The deaths of the *vaccinated* occurred at the following ages:—two under 1 year; three 1 year; one 4; one 5; one 6; one 22; one 32; and one 41 years.—of the *unvaccinated*, 10 under 1 year; one 1 year; three 2; seven 3; two 4; one 5; two 9; one 18; one 20; two 25; and two 43 years.
- 3.—Under *thrush* is included “thrush and want of breastmilk,” a male, 10 days. Under *diarrhoea*, “want of breastmilk—diarrhoea (1 week),” a male, 15 days. Under *typhus*, “fever parotitis,” a male, 3 years. Under *purpura*, “scurvy,” a male, 54 years. Under *atrophy*, “atrophy from want of natural nourishment, owing to the death of the mother,” a female, 7 weeks. Under *malformation*, “atrophia from inability to take the breast, caused by double hare lip and cleft palate,” a male, 3 months; and “inability to take food from congenital malformation of the roof of the mouth,” a female, 13 days. Under *disease of the heart*, “angina pectoris,” a male, 63 years. Under *worms*, “infantile fever,” a male, 3 years. Under *disease of the liver*, “enlargement of the liver and gallstones,” a male, 61 years. Under *disease of the kidneys*, “ulceration of the bladder,” a male, 72 years; and “extravasation of urine,” a male, 62 years. Under *intemperance*, “exhaustion from irregularity of living,” a male, 47 years. Under *privation*, “exhaustion from want of the common necessities of life,” a male, 31 years. And under *causes not specified*, “natural death (great neglect in not obtaining medical assistance),” a male, 6 weeks.
- 4.—The following are the cases of *death by violence* which appear in the present table:—“accidentally drowned when bathing,” a male, 16; “accidentally crushed by a wheel,” a male, 37; “cut his throat in a state of insanity,” a male, 2; “accidentally fall down a flight of stairs,” a male, 36; “scalded,” a male, 1; “accidentally run over by a cabriolet,” a male, 6; “accidentally run over by a carriage,” a male, 10; “poison taken while labouring under temporary insanity,” a male, 38; “fracture of the ribs,” a male, 13; “cutting his throat in temporary insanity,” a male, 35; “accidentally run over by a waggon,” a male, about 13; “accidentally drowned by a wooden bridge breaking,” a male, 4; “accidentally drowned in bathing,” a male, 19; “accidentally run over by a cart,” a male, 66; “accidentally drowned,” a male, 14; “accidental fall down the Tunnel stairs,” a male, 50; “accidentally drowned,” a male, 17; “unknown—found dead, apparently drowned,” a male, age unknown; “sloughing of an ulcer in the groin from a blow,” a male, 38; “drowned,” a male, apparently about 18; “drowned,” a male, 27; “old age and fracture,” a female, 84; “accidental,” a female, 5; “accidental burns,” a female, 7; “accidental injury of the leg,” a female, 80; “accidentally run over by a cart,” a female, 2; “accidentally drowned,” a female, 9; “accidentally drowned by a wooden bridge breaking,” a female, 14; “accidentally drowned by a wooden bridge breaking,” a female, 10; “accidentally drowned by a wooden bridge breaking,” a female, 22; “accidental death from being run over by a waggon, having fallen from a chaise-cart,” a female, 7; “found drowned, without marks of violence,” a female, age unknown; and “inanition from its food not being digested, from the use of syrup of poppies,” a female, 7 months. Total—21 males and 12 females.

General Register Office, Tuesday, August 6th, 1844.

ANNUAL SERIES.
V.

1844.—No. 32.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, August 10th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT,

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
					Summer	Years
Weekly Average for 1844	446	310	188
ALL CAUSES	535	248	151	934	900	946
SPECIFIED CAUSES	533	243	151	927	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	233	35	20	288	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	52	24	19	95	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves, and Senses	117	23	13	153	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	67	117	27	211	233	286
V.—Diseases of the Heart, and Blood-vessels	5	8	7	20	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	53	17	12	82	88	69
VII.—Diseases of the Kidneys, &c.	2	2	4	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	4	2	6	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	..	1	4	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	2	..	2	1	1
XI.—Old Age	47	47	56	71
XII.—Violence, Privation, Cold, and Intemperance	3	11	1	15	25	26
I.—Small Pox	41	5	..	46	11	15
Measles	14	14	33	28
Scarlatina	79	1	..	80	39	34
Whooping Cough	12	12	22	33
Croup	5	5	6	8
Thrush	10	10	9	5
Diarrhoea	51	4	7	62	27	12
Dysentery	1	1	2	4	5	3
Cholera	1	4	5	4	1
Influenza	1	2
Ague	2	3
Remittent Fever	1	1	..	2	5	5
Typhus	15	19	5	39	28	31
Erysipelas	3	3	2	8	4	5
Syphilis	1	1	7	6
Hydrophobia	1	..
II.—Inflammation	6	7
Hæmorrhage	1	..	1	3	3
Dropsy	7	10	8	25	30	35
Abscess	1	1	1	3	3	4
Mortification	2	2	4	5
Purpura	1	1	4	3
Scrofula	2	2	3	2
Carcinoma	6	4	10	9	8
Tumour	2	2
Gout	8	1
Atrophy	19	1	2	22	10	7
Debility	18	5	..	23	21	21
Malformations	5	5	1	1
Sudden Deaths	1	1	12	15
III.—Cephalitis	11	2	..	16	13	12
Hydrocephalus	37	37	34	36
Apoplexy	1	9	9	19	16	18
Paralysis	3	4	7	11	16
Convulsions	61	1	..	62	63	58
Tetanus	3	4
Chorea	3	..
Epilepsy	2	..	2	..	4
Insanity	2	..	2	9	1
Delirium Tremens	2	2
Dis. of Brain, &c.	4	4	..	8	9	9
IV.—Laryngitis	1	2	..	3	..	5
Quinsey	1	1	2	2
Bronchitis	6	3	4	13	6	12
Pleurisy	3	..	3	1	2
Pneumonia	29	2	5	36	54	79
Hydrothorax	3	1	3	7	5	5
Asthma	1	2	8	11	10	24
Phthisis (or Consumption)	25	101	6	132	115	147
Dis. of Lungs, &c.	1	3	1	5	*14	15
V.—Pericarditis	1	1	.7	.8
Aneurism	1	..	1	.6	.7
Dis. of Heart, &c.	4	7	7	18	18	20
VI.—Teething	19	19	24	19
Gastritis	1	1	29	19
Enteritis	14	1	3	18	1	1
Peritonitis	1	1	..	2	7	6
Tabes Mesenterica	10	10	.5	.4
Worms9	.8
Ascites	1	1	2	2
Ulceration (of Intestines, &c.)	1	..	1	1	2
Hernia	1	2	3	2	2
Colic or Ileus	1	2	1	4	.7	.5
Intussusception5	.6
Stricture (of the Intestinal Canal)5	.4
Hæmatemesis	1	1	2	5	4
Dis. of Stomach, &c.	5	..	3	8	5	4
Dis. of Pancreas
Hepatitis	3	..	3	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	1	6	..	7	9	8
Dis. of Spleen1
VII.—Nephritis4	.5
Ischuria1	.2
Diabetes4	.4
Cystitis2	.3
Stone	1	1	.6	.4
Stricture (of the Urethra)4	.5
Dis. of Kidneys, &c.	2	1	3	3	3
VIII.—Childbirth	2	..	2	6	7
Paramenia2	.2
Ovarian Dropsy4	.3
Dis. of Uterus, &c.	2	2	4	2	2
IX.—Arthritis
Rheumatism	1	1	2	3
Dis. of Joints, &c.	3	3	3	3
X.—Carbuncle1	..
Phlegmon	1	..	1
Ulcer3	.4
Fistula	1	..	1	.3	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	47	47	56	71
XII.—Intemperance9	.6
Privation4	.5
Violent Deaths	3	11	1	15	24	25
Causes not Specified	2	5	..	7	4	5

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday August 10, 1844.

1844 Day	Phase of the Moon	Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature			WIND					Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Dry		Dew Point	In the Water of the Thames at Greenwich, registering Thermometer, read at 9 o'clock next morning		Lowest on the Grass, as shown by a self-register- ing Thermometer		Highest in the sun, as shown by a self-register- ing Thermometer		Mean of 12 Diffs.		Greatest	Air Temperature		General Direction		Pressure in lbs. on the square foot						Amount of Horizontal Movement of the Air in each day	Mean Amount of Cloud, 0-10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			High- est	Low- est		Mean from 12 to 12	Mean from 12 to 12	Highest	Lowest	Mean of 12	Least	A.M.	P.M.		Greatest	Lead	Mean of 12	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			in.	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o					o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o

The height of the eastern of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be very nearly a first class standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 1, and a very cloudy sky by 2. The observations are taken every two hours, day and night with the exception of the 24 hours, when the observations are taken every hour. The observations of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every hour, and the mean of the two is taken as the temperature of the air. The observations of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every hour, and the mean of the two is taken as the temperature of the air. The observations of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every hour, and the mean of the two is taken as the temperature of the air.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

In reading the 15th column, it will be borne in mind that + is read "higher," and - is read "lower," than the average.

The amount of rain is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 3 feet below the surface of the water. The general direction of the wind during the week has been S.W.

G. B. AIRY, Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, August 17th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
	15	60	upwards		Summers	Years
Weekly Average for 1844 ..	446	310	188
ALL CAUSES	496	299	137	932	900	946
SPECIFIED CAUSES	495	299	137	931	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	219	24	8	251	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	49	38	13	100	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	104	26	28	158	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	59	134	23	216	233	286
V.—Diseases of the Heart, and Blood-vessels	3	20	8	31	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	52	29	10	91	88	69
VII.—Diseases of the Kidneys, &c.	1	5	2	8	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	5	1	6	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	3	3	7	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	41	41	56	71
XII.—Violence, Privation, Cold and Intemperance	6	15	..	21	25	26
I.—Small Pox	53	5	..	58	11	15
Measles	21	21	33	28
Scarlatina	68	68	39	34
Whooping Cough	8	8	22	33
Croup	4	4	6	8
Thrush	8	8	9	5
Diarrhoea	37	..	3	40	27	12
Dysentery	4	2	..	6	5	3
Cholera	4	4	4	1
Influenza	1	1	1	2
Ague	2	3
Remittent Fever	1	..	1	5	5
Typhus	9	13	4	26	28	31
Erysipelas	2	3	1	6	4	5
Syphilis	7	6
Hydrophobia	1	..
II.—Inflammation	1	..	1	6	7
Hæmorrhage	1	2	1	4	3	3
Dropsy	2	9	8	19	30	35
Abscess	2	2	3	4
Mortification	1	1	2	4	5
Purpura	4	3
Scrofula	1	5	..	6	3	2
Carcinoma	1	8	3	12	9	8
Tumour	2	2
Gout	1	..	1	8	1
Atrophy	16	2	..	18	10	7
Debility	21	5	..	26	21	21
Malformations	3	3	1	1
Sudden Deaths	2	4	..	6	12	15
III.—Cephalitis	10	3	..	13	13	12
Hydrocephalus	26	26	38	36
Apoplexy	1	10	11	22	16	18
Paralysis	4	10	14	14	16
Convulsions	60	60	63	58
Tetanus	1	..	1	3	4
Chorea	1	1	3	..
Epilepsy	1	4	1	6	..	4
Insanity	9	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c.	5	1	6	12	9	9
IV.—Laryngitis	5
Quinsey	5	5	2	2
Bronchitis	1	3	1	5	6	12
Pleurisy	1	1	1	2
Pneumonia	34	10	8	52	54	79
Hydrothorax	2	2	4	5	5
Asthma	3	3	6	10	24
Phthisis (or Consumption)	16	110	4	130	145	147
Dis. of Lungs, &c.	2	6	5	13	14	15
V.—Pericarditis	2	..	2	7	..
Aneurism	6	..
Dis. of Heart, &c.	3	18	8	29	18	20
VI.—Teething	20	20	24	19
Gastritis	1	1	2	29	19
Enteritis	13	11	2	26	1	1
Peritonitis	7	6
Tabes Mesenterica	7	7	5	..
Worms	9	..
Ascites	2	..	2	2	2
Ulceration (of Intestines, &c.) ..	1	1	..	2	2	2
Hernia	3	..	3	1	2
Colic or Ileus	1	2	2	5	2	2
Intussusception	7	..
Stricture (of the Intestinal Canal)	5	..
Hæmatemesis	1	1	5	..
Dis. of Stomach, &c.	8	..	3	11	5	4
Dis. of Pancreas
Hepatitis	5	..	5	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c.	1	3	1	5	9	8
Dis. of Spleen
VII.—Nephritis	4	..
Ischuria	1	..
Diabetes	4	..
Cystitis	2	..
Stone	6	..
Stricture (of the Urethra)	1	1	4	..
Dis. of Kidneys, &c.	5	2	7	3	3
VIII.—Childbirth	4	..	4	6	7
Paramenia	2	2
Ovarian Dropsy	1	..	1	4	3
Dis. of Uterus, &c.	1	1	2	2
IX.—Arthritis
Rheumatism	1	2	3	2	3
Dis. of Joints, &c.	1	2	1	4	3	3
X.—Carbuncle	1	..
Phlegmon	3	4
Ulcer	3	4
Fistula	4	4
Dis. of Skin, &c.	1	1
XI.—Old Age	41	41	56	71
XII.—Intemperance	1	..	1	9	6
Privation	4	5
Violent Deaths	6	14	..	20	24	25
Causes not Specified	1	1	4	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Eneume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
<i>West</i> {	Keusington; Chelsea; St. George, Hanover-square; Westminster; } <i>Districts</i> { St. Martin in the Fields; St. James..... }	17.2	301,326	138	129	147
<i>North</i> {	St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	161
<i>Central</i> {	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } <i>Districts</i> { East London; West London; City of London	2.8	374,759	188	179	177
<i>East</i> {	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } <i>Districts</i> { Stepney; Poplar	8.8	393,247	207	204	223
<i>South</i> {	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } <i>Districts</i> { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich	40.7	479,469	242	227	224
TOTALS.....		86.8	1,915,104	946	900	932

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	{ Males.. 435 Females 419 Total 854	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	{ Males 483 Females .. 463 Total.. 946	Deaths in the Week	{ Males 485 Females .. 447 Total.. 932
--	---	---	---	--------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.													
ALL DEATHS (except from Violence)	864	856	892	836	873	898	853	820	877	1044	981	919	912
From Diseases of the Respiratory Organs	239	246	249	247	233	227	238	221	208	225	240	211	216
From Small Pox.....	36	31	49	47	30	51	36	43	37	49	44	46	58
From all Diseases at 60 and upwards	171	172	166	151	142	159	141	130	135	165	146	150	137
Mean Temperature	52.9	50.9	59.5	62.7	60.8	60.5	58.9	61.5	57.9	67.5	58.3	58.7	58.2

NOTES.

- The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox* :—
 - SMALL POX (natural).** Without previous vaccination of any kind is to be always understood.
 - SMALL POX (second attack).**
 - SMALL POX (after cowpox).**—This entry is never to be used, *unless the vaccination shall have left a cicatrix* ; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, “Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption).”
 - SMALL POX (vaccinated in the year ——— without effect ; or, without cicatrices).** When no cicatrix has been detected, “without effect” is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. “Without cicatrices” is to be inserted where the medical attendant states that no “cicatrices” or “marks” of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox ; and how long vaccination had been performed previously to the eruption. The following is an example :—
 “Small Pox, 5 days (vaccinated in 1830 without effect).”
 The petechial, confluent, semiconfluent, distinct, varicelloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—“Small pox, ——— days ; pneumonia, ——— days.”
- The 58 deaths from *small pox*, occurred at the following ages :—twelve under 1 year ; twenty-three 1-3 ; ten 3-5 ; five 5-10 ; three 10-15 ; and five 20-30 years.
- Under *small-pox*, is included “chicken-pox (natural) and dentition,” a female 8 months. Under *diarrhœa*, “want of breast milk, diarrhœa (7 days),” a female 3 months. Under *atrophy*, 5 cases of “want of breast milk,” a male aged 6 weeks, and 4 females aged respectively 6 weeks, 3 months, 3 months, and 4 months. Under *malformation*, “cyanosis,” a male 1 hour. Under *quinsey*, “spasms of the glottis following cynanche tonsillaris,” a male 7 years. Under *disease of the heart*, “angina pectoris,” a female 55 years. Under *tabes mesenterica*, “tabes mesenterica, without breastmilk from birth,” a female 7 months. Under *colic*, “diarrhœa and wasting from repeated attacks of lead colic,” a male 59 years. Under *disease of the kidneys*, “granular disease of the kidneys,” a male 25 years. And under *disease of the skin*, “lepra,” a female under 1 year. The death of a male, caused by “natural decay,” occurred at the age of 101 years.
- The following are the cases of *death by violence*, which appear in the present table :—“accidentally drowned,” a male 13 ; “hanged himself, insane,” a male 32 ; “accidental immersion in the soil of a privy,” a male 2 ; “accidental from a fall down stairs, injuring the spine,” a male 48 ; “suicide by cutting his throat, insane,” a male 35 ; “found dead, apparently from suffocation,” a male 4 months, “injury on the head from the fall of a derrick on board ship,” a male 22 ; “concussion of the brain by a kick from a horse,” a male 55 ; “accidental by a fall from a railway carriage,” a male 33 ; “accidentally run over by an omnibus,” a male 9 ; “compound fracture of the skull and the thigh by a fall from a loft,” a male 45 ; “fracture of the skull by the fall of a block,” a male 27 ; “suffocation,” a male just born ; “found dead in the River Thames,” a male 35 ; “lockjaw from injuries received in the head by an accidental fall,” a male 35 ; “self destruction by hanging in temporary insanity,” a male 35 ; “croup accelerated by being scalded by misadventure on the part of his mother,” a male 1 ; “accidentally drowned by the upsetting of a boat,” a female 44 ; “accidental fall from the roof of a house to a water butt,” a female 38 ; “found dead in the Grand Surrey Canal,” a female 38 ; and “drowning whilst temporarily deranged,” a female 17.
- ANALYSIS of the preceding list of *violent deaths* ;—FRACTURE or CONTUSION 9 cases, of which 4 were by falls, and 3 by horses and carriages. WOUND 1 case (suicide). DROWNING 5 cases, of which 1 was stated to be suicide. HANGING 2 cases (suicides). SCALD 1 case. And SUFFOCATION, 3 cases. TOTAL 17 males (including 1 case put to *tetanus*) and 4 females.

General Register Office, Tuesday, August 20th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday August 17, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers										Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years			WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		In the open air, as shown by a self-registering thermometer					In the shade, as shown by a self-registering thermometer					In the water at Greenwich, by the self-registering thermometer, read at 9 o'clock next morning			General Direction		Pressure in lbs. on the square foot							Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Highest	Lowest	Mean	of 12	Diff.	Greatest	Least	Mean	of 12	Obs.	A.M.	P.M.	Greatest	Lead	Mean	A.M.	P.M.						Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Aug.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

The height of the station of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the aneroid. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, not intended to be used for the purpose of determining the exact temperature of the air, but only for the purpose of showing the general character of the weather. Whewell's anemometer (from the indication of which the estimation of horizontal wind velocity is made), and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Dreadnought.

G. B. AIRY, Astronomer Royal.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, August 24th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summer	5 Years
	15	60	upwards		5 Summer	5 Years
Causes of Death.	0 to 15	15 to 60	60 and upwards	Total	5 Summer	5 Years
Weekly Average for 1844	416	310	188
ALL CAUSES	503	284	148	*936	900	946
SPECIFIED CAUSES	503	284	148	936	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	229	32	7	268	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	52	31	17	103	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	90	37	14	141	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	63	109	22	194	233	286
V.—Diseases of the Heart, and Blood-vessels	2	21	9	32	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	56	18	11	85	88	69
VII.—Diseases of the Kidneys, &c.	7	1	8	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	11	..	11	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	7	1	9	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	63	63	56	71
XII.—Violence, Privation, Cold and Intemperance	10	8	2	*21	25	26
I.—Small Pox	44	3	..	47	11	15
Measles	23	23	33	28
Scarlatina	91	2	..	93	39	34
Whooping Cough	9	9	22	33
Croup	8	8	6	8
Thrush	11	11	9	5
Diarrhoea	25	2	2	29	27	12
Dysentery	2	2	..	4	5	3
Cholera	1	1	1	3	4	1
Influenza	1	2
Ague	1	..	1	.2	.3
Remittent Fever	1	1	.5	.5
Typhus	11	18	3	32	28	31
Erysipelas	3	2	1	6	4	5
Syphilis	1	..	1	.7	.6
Hydrophobia1	..
II.—Inflammation	6	7
Hæmorrhage	2	..	2	3	3
Dropsy	3	14	10	27	30	35
Abscess	3	1	..	4	3	4
Mortification	2	2	4	5
Purpura4	.3
Scrofula	2	2	3	2
Carcinoma	7	3	10	9	8
Tumour	2	2
Gout	1	1	.8	1
Atrophy	17	..	1	18	10	7
Debility	21	1	..	22	21	21
Malformations	3	3	1	1
Sudden Deaths	3	9	..	12	12	15
III.—Cephalitis	9	..	1	10	13	12
Hydrocephalus	32	32	38	36
Apoplexy	1	13	5	19	16	18
Paralysis	7	5	12	14	16
Convulsions	41	1	..	42	63	58
Tetanus	1	1	2	.3	.4
Chorea	3	..
Epilepsy	1	4	..	5	..	4
Insanity	3	1	4	.9	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c.	6	7	1	14	9	9
IV.—Laryngitis	1	1	..	.5
Quinsey	2	1	..	3	2	2
Bronchitis	3	2	4	9	6	12
Pleurisy	2	..	2	1	2
Pneumonia	32	11	6	49	54	79
Hydrothorax	1	2	3	5	5
Asthma	1	4	5	10	24
Phthisis (or Consumption)	92	89	5	186	145	147
Dis. of Lungs, &c.	3	2	1	6	*14	15
V.—Pericarditis	1	1	.7	..
Aneurism	1	..	1	.6	..
Dis. of Heart, &c.	1	20	9	30	18	20
VI.—Teething	21	21	24	19
Gastritis	1	1	29	19
Enteritis	13	3	2	18	1	1
Peritonitis	1	1	..	2	7	6
Tabes Mesenterica	12	12	.5	..
Worms9	.8
Ascites	1	..	1	2	2
Ulceration (of Intestines, &c.)	1	2	..	3	1	2
Hernia	2	2
Colic or Ileus	1	1	1	3	.7	.5
Intussusception5	.6
Stricture (of the Intestinal Canal)5	.4
Hæmatemesis5	.4
Dis. of Stomach, &c.	5	1	2	8	5	4
Dis. of Pancreas	1	1
Hepatitis	1	..	1	2	2
Jaundice	2	1	..	3	9	8
Dis. of Liver, &c.	7	5	12	..	.1
Dis. of Spleen
VII.—Nephritis4	.5
Ischuria1	.2
Diabetes4	.4
Cystitis2	.3
Stone	1	1	2	.6	.4
Stricture (of the Urethra)	2	..	2	.4	.5
Dis. of Kidneys, &c.	5	..	5	3	3
VIII.—Childbirth	6	..	6	6	7
Paramenia2	.2
Ovarian Dropsy	1	..	1	.4	.3
Dis. of Uterus, &c.	4	..	4	2	2
IX.—Arthritis
Rheumatism	2	..	2	2	3
Dis. of Joints, &c.	1	5	1	7	3	3
X.—Carbuncle1	..
Phlegmon
Ulcer3	.4
Fistula	1	1	2	.3	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	63	63	56	71
XII.—Intemperance9	.6
Privation4	.5
Violent Deaths	10	8	2	*21	24	25
Causes not Specified	4	5

The age of one person found in the Thames unknown.

Districts of the Metropolis, (Amounting to 31 in number, and comprising 129* Registrars' Districts)			Area in square Miles		Population Enu- merated in 1841		Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
							5 Years	5 Summers	
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } Districts { St. Martin in the Fields; St. James..... }			17.2		301,326		138	129	152
North { St. Marylebone; St. Pancras; Islington; Hackney			17.3		366,303		171	161	180
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } Districts { East London; West London; City of London			2.8		374,759		188	179	179
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Districts { Stepney; Poplar			8.8		393,247		207	204	194
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } Districts { ington; Lambeth; Wandsworth and Clapton; Camberwell; Rother- } hithe; Greenwich			40.7		479,469		242	227	231
TOTALS.....			86.8		1,915,101		946	900	936

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males... 439
Females 417
Total 856

Weekly Average for 1841, deduced from the Deaths in 1839 40-1-2-3..

Males 483
Females .. 463
Total.. 946

Deaths in the Week

Males 485
Females .. 451
Total.. 936

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.														
ALL DEATHS (except from Violence)	856	892	844	873	898	853	820	877	1044	981	919	912	915	
from Diseases of the Respiratory Organs	246	249	217	233	227	238	221	208	225	210	211	216	194	
from Small Pox	31	49	47	30	51	36	43	37	49	44	46	58	47	
from all Diseases at 60 and upwards	172	166	151	142	159	141	130	135	165	146	150	137	137	
Mean Temperature	50.9	59.5	62.7	60.8	60.5	58.9	61.5	57.9	67.5	58.3	58.7	58.2	58.4	

NOTES.

1. The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox* :—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, "Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption)."
- (4) SMALL POX (vaccinated in the year — without effect; or, without cicatrices). When no cicatrix has been detected, "without effect" is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. "Without cicatrices" is to be inserted where the medical attendant states that no "cicatrices" or "marks" of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example :—
"Small Pox, 5 days (vaccinated in 1830 without effect)."
The petechial, confluent, semiconfluent, distinct, variceloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—"Small pox, ——— days; pneumonia, ——— days."

2.—The 47 deaths caused by *small-pox* occurred at the following ages:—fifteen under 1 year; eight 1-3; ten 3-5; eleven 5-10; one 15-20; one 20-30; and one 32, a female 7 days after childbirth.

3.—Under *scarlatina* is included "angina maligna," a female, 5 years; under *diarrhoea*, "diarrhoea and want of breast-milk," a male, 3 months; under *atrophy*, 2 cases of "atrophy and want of breast-milk, a male, 6 weeks, and a female, 15 weeks; "imperfect nutrition, being deprived of its natural food," a male, 2 months; and "no breast-milk, tabes mesenterica from birth," a female, 5 months. Under *debility*, "inanition arising from want of breast-milk," a male under 1 year. And under *joints* (disease of) "necrosis of the cranium," a female, 43.

4.—The following are the cases of *death by violence* which appear in the present table :—"injuries from an accidental fall," a male, 72; "suicide by hanging—temporary insanity," a male, 37; "from injury to the spinal marrow, accidentally received," a male, 7; "dislocation of hip joint—accidental by a fall from some blocks 2 years since," a male, 6; "found dead, apparently suffocated," a male, 5; "accidentally poisoned," a male, 20 months; "found drowned," a male, 8; "accidentally drowned, hatching," a male, 10; "accidentally drowned," a male, 22; "accidentally drowned," a male, 8; "accidental from a blow, from a fall and effusion on the brain by concussion," a male, 8; "hanged himself, being of unsound mind," a male, 54; "accidentally suffocated in bed," a male, 3 weeks; "killed by being thrown from a certain house accidentally," a male, 42; "found dead in the river Thames," a male, age unknown; "accidental from burns," a female, 7; "from fractured ribs, how caused unknown," a female, 56; "fall from a window, how caused unknown," a female, 58; "cut her throat in a temporary fit of insanity," a female, 70; "partly from an accidental fall, which broke her high, and partly from a paralytic fit," a female, 54; "hanged herself, being of unsound mind," a female, 49.

5.—ANALYSIS of the preceding list of *violent deaths* :—FRACTURE or CONTUSION, 8 cases, of which 6 were by falls. WOUND, 1 case, suicide. DROWNING, 5 cases. POISON, 1 case. HANGING, 3 cases. SUFFOCATION, 2 cases, and BURNS, 1 case. TOTAL, 15 males and 6 females.

General Register Office, Tuesday, August 27th 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday August 24, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers												Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years			WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Dry			Dew Point	In the Water at the time, by the self- registering Thermometer, read at 9 o'clock next morning		Lowest in the grass, as shown by a self-registering Thermometer		Highest in the sun, as shown by a self-registering Thermometer		Air Temperature		Pressure in lbs. on the square foot		General Direction	lbs.	lbs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		High- est	Low- est	Mean from 12 to 12		Obs.	Mean from 12 to 12	Obs.	Mean of 12 Obs.	Greatest	Least	Diff.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
													in.	°	°					°						°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, August 31st.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	428	240	130	798	900	946	IV.—Laryngitis5	..
SPECIFIED CAUSES.....	428	240	130	798	897	942	Quinsey	1	2	..	3	2	..
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	192	25	8	225	191	178	Bronchitis	2	5	4	11	6	..
SPORADIC DISEASES—							Pleurisy	1	1	1	..
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	41	27	14	85	106	111	Pneumonia	45	4	1	50	54	..
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	73	25	21	119	159	157	Hydrothorax	2	..	2	5	..
IV.—Diseases of the Lungs, and of the other Organs of Respiration	71	98	24	196	233	286	Asthma	1	7	8	10	..
V.—Diseases of the Heart, and Blood-vessels	5	9	9	23	19	21	Phthisis (or Consumption)	24	82	10	116	145	1
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	37	19	9	65	88	69	Dis. of Lungs, &c... }	2	2	1	5	14	1
VII.—Diseases of the Kidneys, &c.	2	4	6	5	5	V.—Pericarditis.....	1	1	..	2	.7	..
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	9	10	Aneurism6	..
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	4	..	6	5	6	Dis. of Heart, &c... }	4	8	9	21	18	..
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	VI.—Teething	18	18	24	1
XI.—Old Age	39	39	56	71	Gastritis	29	..
XII.—Violence, Privation, Cold, and Intemperance	1	24	1	26	25	26	Enteritis	5	5	..	10
I.—Small Pox	31	5	..	36	11	15	Peritonitis	1	..	1	2	1	..
Measles	21	21	33	28	Tabes Mesenterica..	8	1	..	9	7	..
Scarlatina	80	2	..	82	39	34	Worms	1	1	.5	..
Whooping Cough	12	12	22	33	Ascites	4	1	5	.9	..
Croup	7	7	6	8	Ulceration (of Intestines, &c.) .. }	2	..
Thrush	8	8	9	5	Hernia	2	2	1	..
Diarrhoea	20	1	2	23	27	12	Colic or Ileus	1	1	2	..
Dysentery	2	1	3	5	3	Intussusception	1	1	.7	..
Cholera	2	1	2	5	4	1	Stricture (of the Intestinal Canal) }5	..
Influenza	1	2	Hæmatemesis	3	..	3	.5	..
Ague	1	..	1	.2	.3	Dis. of Stomach, &c. }	1	3	2	6	5	..
Remittent Fever	1	1	.5	.5	Dis. of Pancreas.....
Typhus	8	10	3	21	28	31	Hepatitis	1	..	1	1	..
Erysipelas	1	2	..	3	4	5	Jaundice	1	..	1	2	2	..
Syphilis	1	1	..	2	.7	.6	Dis. of Liver, &c.	2	2	4	9	..
Hydrophobia1	..	Dis. of Spleen
II.—Inflammation	6	7	VII.—Nephritis	1	..	1	.4	..
Hæmorrhage	1	2	..	3	3	3	Ischuria1	..
Dropsy	4	10	5	19	30	35	Diabetes4	..
Abscess	1	1	3	4	Cystitis	1	..	1	.2	..
Mortification	4	5	Stone	1	1	.6	..
Purpura4	.3	Stricture (of the Urethra)4	..
Scrofula	4	..	1	5	3	2	Dis. of Kidneys, &c. }	3	3	3	3
Carcinoma	3	3	6	9	8	VIII.—Childbirth	5	..	5	6	..
Tumour	1	..	1	2	2	Paramenia2	..
Gout	1	..	1	.8	1	Ovarian Dropsy4	..
Atrophy	14	..	2	16	10	7	Dis. of Uterus, &c... }	..	2	1	3	2	..
Debility	19	4	..	23	21	21	IX.—Arthritis
Malformations	1	1	1	1	Rheumatism	2	1	..	3	2	..
Sudden Deaths	1	6	2	9	12	15	Dis. of Joints, &c... }	..	3	..	3	3	..
III.—Cephalitis	5	1	..	6	13	12	X.—Carbuncle1	..
Hydrocephalus	22	1	..	23	38	36	Phlegmon
Apoplexy.....	1	8	12	21	16	18	Ulcer3	..
Paralysis	5	7	12	14	16	Fistula3	..
Convulsions	42	2	..	44	63	58	Dis. of Skin, &c....4	..
Tetanus	1	1	.3	.4	XI.—Old Age	39	39	56	71
Chorea	1	1	3	..	XII.—Intemperance.....9	..
Epilepsy	2	..	2	..	4	Privation.....4	..
Insanity	1	1	.9	1	Violent Deaths	1	24	1	26	24	25
Delirium Tremens..	..	1	..	1	2	2	Causes not Specified.4	5
Dis. of Brain, &c....	1	5	1	7	9	9							

DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	129	129
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	158
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	179	132
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	204	174
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Wandsworth and Clapham; Camberwell; Rotherhithe; Greenwich	40.7	479,469	242	227	203
TOTALS.....		86.8	1,915,104	946	900	798

Weekly average of deaths deduced from 12 weeks of 1840-41-12-13, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 441

Females 419

Total 860

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..

Males 483

Females .. 463

Total. 946

Deaths in the Week

Males 405

Females .. 393

Total.. 798

NOTES.

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, “Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption).”
- (4) SMALL POX (vaccinated in the year ——— without effect; *or*, without cicatrices). When no cicatrix has been detected, “without effect” is to be always inserted, *unless* some person distinctly recollects that a regular vaccine pustule was produced. “Without cicatrices” is to be inserted where the medical attendant states that no “cicatrices” or “marks” of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example:—“Small Pox, 5 days (vaccinated in 1830 without effect).”

2.—The 36 deaths caused by *small-pox* occurred at the following ages:—six under 1 year; eight 1-3; nine 3-5; five 5-10; three 10-15; four 20-30; and one 31 years.

4 —The following are the cases of *death by violence* which appear in the present table:—

5.—Analysis of the preceding list of *violent deaths*:—FRACTURE OR CONTUSION, 14 cases, of which 7 were by falls. DROWNING, 9 cases, one case stated to be *suicida*; 2 accident; and in 6 cases, the Jury did not succeed in ascertaining or neglected to state whether the drowning was the result of accident, suicide or murder. HANGING, 2 cases (suicides). And POISON, 1 case (suicide). TOTAL, 21 males and 5 females.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday August 31, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature			WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)					In the Water of the Thames at Greenwich, by the self- registering Thermometer, read at 9 o'clock the next morning					Lowest on the grass, as shown by a self-registering Thermometer		Highest in the sun, as shown by a self-registering Thermometer		Dew Point		Dry						Air Temperature		Difference between the mean temperature of the day and on an average of 25 years.	General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		High.	Low.	est	est	Obs.	Mean	from 12	from 12	Mean	from 12	from 12	Mean	from 12	from 12	Mean	from 12	from 12	from 12	from 12	from 12	from 12		from 12	from 12			from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12	from 12

The height of the cistern of the barometer is considered to be 159 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on ergas fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read. The estimation of horizontal movement is made by the aneroid, from the difference between the readings of the aneroid at 9 a.m. and 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the aneroid is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. In reading the 15th column, it will be borne in mind that $\frac{1}{4}$ is read "fourths" and — is read "tenths" than the average. The readings of a self-registering thermometer, assigned from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Dreadnought. † The general direction of the wind was, during the first part of the week, N.W.; during the latter part, it was E.

G. BAIRY, Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 36.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, September 7th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summer	5 Years
	15	60	upwards		5 Summer	5 Years
Weekly Average for 1844	446	310	188
ALL CAUSES	505	250	158	*915	900	946
SPECIFIED CAUSES	505	247	158	912	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	220	31	13	266	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	50	19	18	87	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	92	24	18	134	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	77	114	19	210	233	286
V.—Diseases of the Heart, and Blood-vessels	6	10	9	25	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	50	17	11	78	88	69
VII.—Diseases of the Kidneys, &c.	4	4	8	5	5
VIII.—Childbirth. Diseases of the Uterus, &c.	11	2	13	9	10
IX.—Rheumatism. Diseases of the Bones, Joints, &c.	4	6	..	10	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	..	2	1	1
XI.—Old Age	57	57	56	71
XII.—Violence, Privation, Cold and Intemperance	5	10	7	22	25	26
I.—Small Pox	43	6	..	49	11	15
Measles	26	26	33	28
Scarlatina	98	1	..	99	39	34
Whooping Cough	12	12	22	33
Croup	1	..	1	2	6	8
Thrush	6	6	9	5
Diarrhoea	14	1	4	19	27	12
Dysentery	1	1	1	3	5	3
Cholera	4	1	..	5	4	1
Influenza	1	..	1	1	2
Ague2	.3
Remittent Fever	1	1	.5	.5
Typhus	13	18	6	39	28	31
Erysipelas	1	2	1	4	4	5
Syphilis7	.6
Hydrophobia1	..
II.—Inflammation	6	7
Hæmorrhage	1	4	1	6	3	3
Dropsy	4	5	9	18	30	35
Abscess	1	1	3	4
Mortification	1	1	3	5	4	5
Purpura4	.3
Scrofula	3	1	..	4	3	2
Carcinoma	4	3	7	9	8
Tumour	2	..	2	2	2
Gout	1	..	1	.8	1
Atrophy	16	..	2	18	10	7
Debility	24	24	21	21
Malformations	1	1
Sudden Deaths	1	..	1	12	15
III.—Cephalitis	6	3	1	10	13	12
Hydrocephalus	32	1	..	33	38	36
Apoplexy	2	8	8	18	16	18
Paralysis	3	4	7	14	16
Convulsions	51	51	63	58
Tetanus3	.4
Chorea	3	..
Epilepsy	1	2	3	..	4
Insanity	2	..	2	.9	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c.	1	5	3	9	9	9
IV.—Laryngitis5	..
Quinsy	2	2	2	2
Bronchitis	5	4	5	14	6	12
Pleurisy	2	2	1	2
Pneumonia	36	9	6	51	54	79
Hydrothorax	5	5
Asthma	2	3	5	10	24
Phthisis (or Consumption)	31	94	4	129	145	147
Dis. of Lungs, &c.	1	5	1	7	14	15
V.—Pericarditis	2	2	4	.7	.8
Aneurism6	.7
Dis. of Heart, &c.	6	8	7	21	18	20
VI.—Teething	16	16	21	19
Gastritis	1	1	29	19
Enteritis	9	4	4	17	1	1
Peritonitis	1	1	2	7	6
Tubercles Mesenterica	14	..	1	15	.5	.4
Worms9	.8
Ascites	1	1	2	2	2
Ulceration (of Intestines, &c.)	1	2
Hernia	1	1	..	2	2	2
Colic or Ileus	1	1	2	.7	.5
Intussusception5	.6
Stricture (of the Intestinal Canal)	1	1	.5	.4
Hæmatemesis	1	1	..	2	5	4
Dis. of Stomach, &c.	5	2	..	7	5	4
Dis. of Pancreas
Hepatitis	1	..	1	1	1
Jaundice	1	1	2	2
Dis. of Liver, &c.	2	5	2	9	9	8
Dis. of Spleen1
VII.—Nephritis	2	..	2	.4	.5
Ischuria1	.2
Diabetes4	.4
Cystitis2	.3
Stone6	.4
Stricture (of the Urethra)4	.5
Dis. of Kidneys, &c.	2	4	6	3	3
VIII.—Childbirth	8	..	8	6	7
Parametria2	.2
Ovarian Dropsy4	.3
Dis. of Uterus, &c.	3	2	5	2	2
IX.—Arthritis
Rheumatism	3	..	3	2	3
Dis. of Joints, &c.	4	3	..	7	3	3
X.—Carbuncle1	..
Phlegmon
Ulcer3	.4
Fistula	1	1	.3	.4
Dis. of Skin, &c.	1	..	1	.4	.4
XI.—Old Age	57	57	56	71
XII.—Intemperance9	.6
Privation	1	1	.4	.5
Violent Deaths	5	10	6	21	24	25
Causes not Specified	3	..	3	4	5

* The ages of two persons who died from Typhus are not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James. }	17.2	301,326	138	129	157
<i>North Districts</i>	{ St. Marylebone; S t. Paneras; Islington; Hackney	17.3	366,303	171	161	162
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,759	188	179	148
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,247	207	204	205
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,169	242	227	243
TOTALS.....		86.8	1,915,104	946	900	915

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 447
Females 428
Total 875

Weekly Average for 1841,
deduced from the Deaths
in 1839-40-1-2-3 ..

Males 483
Females .. 463
Total.. 946

Deaths
in the
Week { Males 463
Females .. 432
Total.. 915

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.															
ALL DEATHS (except from Violence)	836	873	898	853	820	877	1011	981	919	912	915	772	892		
From Diseases of the Respiratory Organs	247	233	227	238	221	208	225	210	211	216	194	196	210		
From Small Pox	47	30	51	36	43	37	19	44	46	58	47	36	49		
From all Diseases at 60 and upwards	151	142	159	141	130	135	165	146	150	137	148	130	158		
Mean Temperature	62.7	60.8	60.5	58.9	61.5	57.9	67.5	58.3	58.7	58.2	58.4	56.5	62.7		

NOTES.

1. The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox* :—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which in such cases, pursues its natural course, and should be registered, "Natural Small Pox (vaccination performed only — days before the Small Pox eruption)."
- (4) SMALL POX (vaccinated in the year — without effect; or, without cicatrices). When no cicatrix has been detected, "without effect" is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. "Without cicatrices" is to be inserted where the medical attendant states that no "cicatrices" or "marks" of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example :—
"Small Pox, 5 days (vaccinated in 1830 without effect)."

The petechial, confluent, semiconfluent, distinct, varicelloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—"Small pox, — days; pneumonia, — days."

2.—The 49 deaths caused by *small-pox* occurred at the following ages:—twelve under 1 year; eleven 1-3; fourteen 3-5; five 5-10; one 10-15; one 15-20; two 20-30; two 30-40; and one 42 years.

3.—Under *small-pox* is included, "exhaustion from the irritation and discharge of a pustular eruption after vaccination," (2 months) a female 6 months, and "small-pox after vaccination, 4 days after childbirth," a female 42; under *hemorrhage*, "epistaxis," a female 11; under *atrophy*, "wasting and want of breast milk," a male 1; "atrophy from want of breast milk," a female 3 weeks; and "debility from want of breast milk," a female 18 days; under *cephalitis*, "meningitis (15 days) delicate from birth," a male 5; "meningitis," a male 44; and "meningitis the consequence of acute rheumatism," a male 23; under *insanity*, "monomania epilepsy," a male 45; under *disease of lungs*, "caries of the cartilages of the larynx," a female 27; under *pericarditis*, "endocarditis," a male 35; and under *disease of uterus*, "polypus of the uterus," a female 51.

4.—The following are the cases of *death by violence* which appear in the present table :—

- | | |
|---|---|
| <p>"Injuries from having been knocked down by a carriage," a male 35;
"Injuries by a fall from a horse," a male 20;
"Injury to his spine by a fall," a male 37;
"Pneumonia from fractured rib," a male 69;
"Accidental, a fall from a gig," a female 74;
"Accidental fracture of the thigh," a female 66;
"Accidental fracture of her leg by a fall," a female 60;
"Drowned," a male 50;
"Accidentally drowned whilst bathing," a male 22;
"Accidentally drowned whilst bathing," a male 10;
"Drowned himself in a water tub," a male 58;</p> | <p>"Drowned," a male supposed about 55;
"Suicide by drowning," a female 16;
"Drowned herself—insane," a female 22;
"A burn accidentally received," a male 6;
"Burnt by her clothes taking fire," a female about 40;
"Burnt by her clothes taking fire," a female 71;
"Willfully murdered by some person unknown," a male under 1;
"Willful murder by some person unknown," a female infant;
"Suicide, by hanging," a male 73;
"Accidentally scalded," a male 1;</p> |
|---|---|

5.—ANALYSIS of the preceding list of *violent deaths* :—FRACTURE or CONTUSION, 7 cases, of which 4 were by falls, 1 by a carriage, and 2 not stated how caused. DROWNING, 7 cases, of which 3 were suicides, 2 accidental, and 2 not stated. BURNS, 3 cases. MURDER, 2 cases. HANGING, 1 case—suicide. And CALD, 1 case. TOTAL, 13 males and 8 females.

General Register Office, Tuesday, September 10th, 1844.

In the General Remarks of the last Week in—
Aug. 25, for the read the.
26, for cirastratus, read cirrostratus.

Aug. 28, for exceptions, read exceptions.
and for G. BAIRY, read G. B. AIRY.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday September 7, 1844.

1844 Day	Places of the Moon	Readings of Thermometers										Difference between the Dew Point and Air Temperature				Difference between the mean temperature of the day, and the mean temperature of the same day on an average of 25 years			WIND				Rain in inches, read at 9 o'clock the next morning		ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Dry				Dew Point		In the Water at Greenwith, by the self- registering Thermometer, read at 9 o'clock next morning		Lowest in the sun, as shown by self-register- ing thermometer		Lowest on the grass, as shown by self-register- ing thermometer		Mean		Greatest		Direction		Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day		Mean Amount of Cloud, 0-10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		High- est	Low- est	Mean from 12 to 12	Obs.	Mean from 12 to 12	Ris.	Mean	of 12	Highest	Lowest	Mean	of 12	Greatest	A.M.	P.M.	lbs.	lbs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°					°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The height of the column of the barometer is considered to be 129 feet above the mean level of the sea. The readings of the barometer are considered to be for coincident with those of the Royal Society's first standard barometer, the amount of change in the number of inches of the column of mercury being taken into account. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and the temperature of the air is taken at 12 o'clock, 3 o'clock, 6 o'clock, 9 o'clock, and at 12 o'clock at night. When an observation is made of the air, the thermometer is placed in the shade, and the observation is made at 10 a.m., and the result given is for the 21st of the month. The observations of the wind are taken at 10 a.m., and the result given is for the 21st of the month.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence. In read-off the 14th column, it will be borne in mind that + is read "lower," and - is read "higher," than the average. The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, and is recorded under the superintendence of Lieutenant Sainsbury, R.N., and the temperature of the air is recorded under the superintendence of the Superintendent. The mean direction of the wind during the first five days was E.N.E., and during the last two days it was S.S.W.

G. B. AIRY, Astronomer Royal.

ANNUAL SERIES.
V.

1844.—No. 37.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, September 14th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.		Causes of Death.	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years		0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844 .	446	310	188							
ALL CAUSES	428	277	137	*813	900	946	IV.—Laryngitis5	.5
SPECIFIED CAUSES	425	277	137	840	897	942	Quinsey	1	1	2	2
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	187	39	10	236	191	178	Bronchitis	3	3	3	9	6	12
SPORADIC DISEASES—							Pleurisy	1	..	1	2	1	2
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	35	32	17	84	106	111	Pneumonia	40	3	3	46	54	79
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	86	31	15	132	159	157	Hydrothorax	1	1	..	2	5	5
IV.—Diseases of the Lungs, and of the other Organs of Respiration	64	111	21	197	233	286	Asthma	6	6	10	24
V.—Diseases of the Heart, and Blood-vessels	6	14	1	21	19	21	Phthisis (or Consumption)	15	97	8	121	145	147
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	40	12	11	63	88	69	Dis. of Lungs, &c..	3	7	..	10	14	15
VII.—Diseases of the Kidneys, &c.	5	2	7	5	5	V.—Pericarditis	2	3	..	5	.7	.8
VIII.—Childbirth. Diseases of the Uterus, &c.	8	1	9	9	10	Aneurism6	.7
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	4	..	7	5	6	Dis. of Heart, &c..	4	11	1	16	18	20
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1	VI.—Teething	13	13	24	19
XI.—Old Age	55	55	56	71	Gastritis	29	19
XII.—Violence, Privation, Cold and Intemperance	4	21	3	28	25	26	Enteritis	13	3	2	18	1	1
I.—Small Pox	34	3	..	37	11	15	Peritonitis	1	2	1	4	7	6
Measles	18	18	33	28	Tabes Mesenterica ..	7	7	.5	.4
Scarlatina	70	70	39	34	Worms9	.8
Whooping Cough	16	16	22	33	Ascites	1	2	3	2	2
Croup	8	8	6	8	Ulceration (of Intestines, &c.)	1	..	1	1	2
Thrush	8	8	9	5	Hernia	2	2
Diarrhoea	13	2	4	19	27	12	Colic or Ileus	2	..	2	4	.7	.5
Dysentery	1	3	..	4	5	3	Intussusception	1	1	.5	.6
Cholera	1	1	4	1	Stricture (of the Intestinal Canal)5	.4
Influenza	2	..	1	3	1	2	Hæmatemesis	5	4
Ague	1	1	.2	.3	Dis. of Stomach, &c.	1	1	2	4	1	1
Remittent Fever	1	1	.5	.5	Dis. of Pancreas	1	1
Typhus	14	24	3	41	28	31	Hepatitis	1	..	1	2	2
Erysipelas	1	6	1	8	4	5	Jaundice	1	1	..	2	9	8
Syphilis	1	..	1	.7	.6	Dis. of Liver, &c.	1	2	2	5	..	.1
Hydrophobia1	..	Dis. of Spleen
II.—Inflammation	6	7	VII.—Nephritis4	.5
Hæmorrhage	1	1	3	3	Ischuria1	.2
Dropsy	2	14	5	21	30	35	Diabetes	1	..	1	.4	.4
Abscess	1	1	2	3	4	Cystitis2	.3
Mortification	2	1	3	4	5	Stone	1	1	.6	.4
Purpura4	.3	Stricture (of the Urethra)	1	..	1	.4	.5
Scrofula	1	1	..	2	3	2	Dis. of Kidneys, &c.	3	1	4	3	3
Carcinoma	6	6	12	9	8	VIII.—Childbirth	7	..	7	6	7
Tumour	1	1	2	2	2	Paramenia2	.2
Gout	1	1	.8	1	Ovarian Dropsy4	.3
Atrophy	12	3	..	15	10	7	Dis. of Uterus, &c..	..	1	1	2	2	2
Debility	16	1	..	17	21	21	IX.—Arthritis
Malformations	1	1	1	1	Rheumatism	3	..	3	2	3
Sudden Deaths	2	3	2	7	12	15	Dis. of Joints, &c..	3	1	..	4	3	3
III.—Cephalitis	5	1	..	6	13	12	X.—Carbuncle1	..
Hydrocephalus	33	33	38	36	Phlegmon
Apoplexy	9	6	15	16	18	Ulcer	1	1	.3	.4
Paralysis	7	7	14	14	16	Fistula3	.4
Convulsions	45	45	63	58	Dis. of Skin, &c..4	.4
Tetanus	1	..	1	.3	.4	XI.—Old Age	55	55	56	71
Chorea	3	..	XII.—Intemperance	2	..	2	.9	.6
Epilepsy	2	2	..	4	..	4	Privation4	.5
Insanity	2	..	2	.9	1	Violent Deaths	4	19	3	26	24	25
Delirium Tremens	1	..	1	2	2	Causes not Specified.	3	3	4	5
Dis. of Brain, &c..	1	8	2	11	9	9							

* The age of one person who died of Consumption is not stated.

DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Summers	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James..... }	17.2	301,326	138	129	135
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	161	172
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2.8	374,759	188	179	178
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,247	207	204	175
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	227	183
TOTALS.....		86.8	1,915,104	946	900	843

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males... 449 Females 431 Total 880	Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3..	Males 483 Females .. 463 Total.. 946	Deaths in the Week { Males 443 Females .. 400 Total.. 843
--	--	---	---	--

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.															
ALL DEATHS (except from Violence)	873	898	853	820	877	1044	981	919	912	915	772	893	814		
from Diseases of the Respiratory Organs	233	227	238	221	208	225	240	211	216	194	196	210	197		
from Small Pox.....	30	51	36	43	37	49	44	46	58	47	36	49	37		
from all Diseases at 60 and upwards	142	159	141	130	135	165	146	150	137	148	130	158	137		

Mean Temperature 60.8 | 60.5 | 58.9 | 61.5 | 57.9 | 67.5 | 58.3 | 58.7 | 58.2 | 58.4 | 56.5 | 62.7 | 58.1

NOTES.

1.—The REGISTRARS are requested to attend to the following instructions in registering deaths by small pox:—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, unless the vaccination shall have left a cicatrix; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, "Natural Small Pox (vaccination performed only — days before the Small Pox eruption)."
- (4) SMALL POX (vaccinated in the year — without effect; or, without cicatrices). When no cicatrix has been detected, "without effect" is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. "Without cicatrices" is to be inserted where the medical attendant states that no "cicatrices" or "marks" of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in all cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example:—
"Small Pox, 5 days (vaccinated in 1830 without effect)."

The petechial, confluent, semiconfluent, distinct, varicelloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—"Small pox, — days; pneumonia, — days."

2.—The 37 deaths caused by small-pox occurred at the following ages:—nine under 1 year; nine 1-3; six 3-5; ten 5-10; two 20-30; and one 32 years.

3.—Under hæmorrhage is included, "hæmorrhage at birth from want of proper medical advice," a male infant; and under atrophy, "atrophy from want of breast milk," a male 21 days; "inanition," a male 9 months; "inanition from failure in the powers of nutrition," a female 3 weeks; and 2 cases of "diarrhœa and want of breast milk," a male 1, and a female 10 days.

4.—The following are the cases of death by violence which appear in the present table:—

- | | |
|--|---|
| <ul style="list-style-type: none"> "Accidental injuries of leg crushed by a waggon," a male 34; "Delirium tremens during fracture of arm," a male 43; "Accidental fracture of bones of leg," a male 46; "Accidental injuries of the chest and abdomen from the fall of a log of wood," a male 27; "Injury of the spinal column from a fall 4 months since," a male 53; "Fracture of his skull by a fall from a window," a male 17; "Fracture of his skull by a fall," a male 26; "Accidental, by the wheel of a cart passing over his body," a male 8; "Injuries received from a fall from a scaffold," a male 47; "Injuries of the head from a fall whilst drunk," a female 45; "Suicide, by throwing herself out of a window," a female 60; "Accidental, from a fall by a blow from a horse in a cart," a female 60; | <ul style="list-style-type: none"> "Accidental, by a fall down stairs," a female 74; "A blow or blows, how caused unknown," a female 19; "Accidentally drowned," a male 5; "Drowning himself—temporary insanity," a male 25; "Accidentally drowned," a male 24; "Found drowned with marks of injury—cause unknown," a female 33; "Found drowned," a female 56; "Suicide, by hanging," a male 45; "Hanging himself whilst in a state of temporary derangement," a male 18; "Accidental burn," a male 4; "An accidental scald," a female 9 months; "Suicide from fumes of charcoal," a male 24; "Accidental penetration of the heart by a steel gouge," a male 35; "Manslaughter," a male 45. |
|--|---|

5.—ANALYSIS of the preceding list of violent deaths:—FRACTURE OR CONTUSION, 14 cases, of which 6 were by falls, 3 by horses and carriages, 1 suicide, 1 by the fall of a log of wood, and 3 not stated how caused. DROWNING, 5 cases, of which 2 were accidental, 2 found drowned, and 1 suicide. HANGING, 2 cases, suicides. BURNS, 1 case. SCALD, 1 case; SUFFOCATION, 1 case, suicide. WOUND, 1 case, and MANSLAUGHTER, 1 case. Total 18 Males and 8 Females.

General Register Office, Tuesday, September 17th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday September 14, 1844.

1844 Day	Place of the Moon	Mean height of the Barometer, (corrected to 32 degrees Fahrenheit.)	Readings of Thermometers										Difference between Temperature and Air Temperature			WIND				Rain in inches, total at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			Dry				In the Water at Greenwich, by the self- registering thermometer, reading at 9 o'clock next morning				Lowest in the sun, as shown by a self-regis- tering thermometer		Lowest in the shade, as shown by a self-regis- tering thermometer		Mean of 12 Diffs.		Greatest and Least		General Direction					Pressing in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day	Mean Amount of Cloud, — 10—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			High- est		Low- est		Mean	Lowest	Mean	Greatest	Lead	Mean	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			High- est	Low- est	Mean	Lowest								Mean	Greatest	Lead	Mean	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																								High- est	Low- est			Mean	Lowest	Mean	Greatest	Lead	Mean	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																																			High- est	Low- est	Mean	Lowest	Mean	Greatest	Lead	Mean	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Mean	Greatest	Least	Obs.	A.M.	P.M.	Hrs.	Lbs.	Miles	Hrs.	Lbs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
SEPT. Su. 8		in.	62	55.6	58.8	57.3	72.5	54.7	65.0	64.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The height of the column of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be corrected for refraction by means of the method proposed by Laplace. The observations were taken every two hours, from 8 a.m. to 8 p.m., and the readings of the thermometer are taken at intervals of ten minutes during each day. The observations are taken every two hours, from 8 a.m. to 8 p.m., and the readings of the thermometer are taken at intervals of ten minutes during each day. The observations are taken every two hours, from 8 a.m. to 8 p.m., and the readings of the thermometer are taken at intervals of ten minutes during each day.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at the residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that a "lower" and — a read "warmer" than the average.

The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dr.-almouth Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieut.-amiral Sir R. S. S. Superintendent of the Dredging.

† The observations were made on N.E. and for the last five days. It was W.N.W.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, September 21st.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
	15	60	upwards		5 Summers	5 Years
Weekly Average for 1844.	446	310	188
ALL CAUSES	176	252	129	857	900	916
SPECIFIED CAUSES	175	250	129	854	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	207	35	8	250	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	59	32	17	108	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves, and Senses	88	25	18	131	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	65	113	11	192	233	286
V.—Diseases of the Heart, and Blood-vessels	1	11	11	23	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	51	15		74	88	69
VII.—Diseases of the Kidneys, &c.	3	5	8	5	5
VIII.—Childbirth, Diseases of the Uterus, &c.	9	1	10	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	5	..	5	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	45	45	56	71
XII.—Violence, Privation, Cold, and Intemperance	1	2	1	7	25	26
I.—Small Pox	33	4	..	37	11	15
Measles	18	18	33	28
Scarlatina	83	4	..	87	39	34
Whooping Cough	14	14	22	33
Croup	5	5	6	8
Thrush	8	8	9	5
Diarrhoea	26	..	2	28	27	12
Dysentery	3	..	3	5	3
Cholera	2	1	3	4	1
Influenza	1	2
Ague	1	..	1	2	3
Remittent Fever	2	2	5	5
Typhus	17	14	2	33	28	31
Erysipelas	1	7	3	11	4	5
Syphilis	7	6
Hydrophobia	1	..
II.—Inflammation	2	2	6	7
Hæmorrhage	3	3
Dropsy	11	12	9	32	30	35
Abscess	4	1	..	5	3	4
Mortification	2	1	3	4	5
Purpura	1	3
Scrofula	4	2	..	6	3	2
Carcinoma	2	8	4	14	9	8
Tumour	1	..	1	2	2
Gout	1	1	8	1
Atrophy	12	..	2	14	10	7
Debility	21	4	..	25	21	21
Malformations	2	2	1	1
Sudden Deaths	1	2	..	3	12	15
III.—Cephalitis	7	2	..	9	13	12
Hydrocephalus	26	1	..	27	38	36
Apoplexy	3	5	5	13	16	18
Paralysis	9	10	19	14	16
Convulsions	51	51	63	58
Tetanus	3	4
Chorea	3	..
Epilepsy	2	1	3	..	4
Insanity	1	..	1	9	1
Delirium Tremens	2	2
Dis. of Brain, &c.	1	5	2	8	9	9
IV.—Laryngitis	1	..	1	..	5
Quinsey	2	2
Bronchitis	6	2	2	10	6	12
Pleurisy	1	2
Pneumonia	29	4	4	37	54	79
Hydrothorax	2	2	5	5
Asthma	4	2	6	10	24
Phthisis (or Consumption)	22	98	4	124	145	147
Dis. of Lungs, &c.	6	4	2	12	14	15
V.—Pericarditis	1	1	7	8
Aneurism	2	1	3	6	7
Dis. of Heart, &c.	1	9	9	19	18	20
VI.—Teething	23	23	24	19
Gastritis	1	1	29	19
Enteritis	10	5	2	17	1	1
Peritonitis	7	6
Tabes Mesenterica	12	12	5	4
Worms	9	8
Ascites	2	2
Ulceration (of Intestines, &c.)	1	2
Hernia	1	1	2	2	2
Colic or Hæmorrhoids	1	1	..	2	7	5
Intussusception	5	6
Stricture (of the Intestinal Canal)	5	4
Hæmatemesis	5	4
Dis. of Stomach, &c.	2	1	2	5	1	1
Dis. of Pancreas	2	2
Hepatitis	1	1	2	9	8
Jaundice	1	1	..	2	..	1
Dis. of Liver, &c.	1	5	2	8	..	1
Dis. of Spleen
VII.—Nephritis	4	5
Ischuria	1	2
Diabetes	4	4
Cystitis	2	3
Stone	1	..	1	6	4
Stricture (of the Urethra)	2	2	4	5
Dis. of Kidneys, &c.	2	3	5	3	3
VIII.—Childbirth	9	..	9	6	7
Parametritis	2	2
Ovarian Dropsy	4	3
Dis. of Uterus, &c.	1	1	2	2
IX.—Arthritis
Rheumatism	3	..	3	2	3
Dis. of Joints, &c.	2	..	2	3	3
X.—Carbuncle	1	1	1	..
Phlegmon	3	4
Ulcer	3	4
Fistula	4	4
Dis. of Skin, &c.
XI.—Old Age	45	45	56	71
XII.—Intemperance	1	..	1	9	6
Privation	4	5
Violent Deaths	4	1	1	6	24	25
Causes not Specified	1	2	..	3	4	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)						Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
						5 Years	5 Summers	
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } Districts { St. Martin in the Fields; St. James..... }						17.2	301,326	138 129 128
North { St. Marylebone; St. Paneras; Islington; Hackney }						17.3	366,303	171 161 164
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } Districts { East London; West London; City of London }						2.8	374,759	188 179 152
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Districts { Stepney; Poplar }						8.8	393,247	207 204 183
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } Districts { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich }						40.7	479,469	242 227 230
TOTALS.....						86.8	1,915,104	946 900 857

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males.. 459		Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3 ..	Males 483		Deaths in the Week	Males 447	
	Females 442			Females .. 163			Females .. 410	
	Total 901			Total.. 916			Total.. 857	

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same period.															
ALL DEATHS (except from Violence)	898	853	820	877	1044	981	919	912	915	772	893	814	851		
from Diseases of the Respiratory Organs	227	238	221	208	225	210	211	216	191	196	210	197	194		
from Small Pox.....	51	36	43	37	49	41	46	58	47	36	49	37	37		
from all Diseases at 60 and upwards	159	141	130	135	165	146	150	137	148	130	158	137	129		
Mean Temperature	60.5	58.9	61.5	57.9	67.5	58.3	58.7	58.2	58.4	56.5	62.7	59.1	56.5		

NOTES.

1.—The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox* :—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, “Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption).”
- (4) SMALL POX (vaccinated in the year — without effect; or, without cicatrices). When no cicatrix has been detected, “without effect” is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. “Without cicatrices” is to be inserted where the medical attendant states that no “cicatrices” or “marks” of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example:—
“Small Pox, 5 days (vaccinated in 1830 without effect).”

The petechial, confluent, semiconfluent, distinct, varioloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—“Small pox, ——— days; pneumonia, ——— days.”

2.—The 37 deaths caused by *small-pox* occurred at the following ages :—eight under 1 year; fourteen 1-3; seven 3-5; three 5-10; one 10-15; three 20-30; and one 43 years.

3.—Under *diarrhoea* is included, “diarrhoea and want of breast milk,” a male 4 months; under *atrophy*, “atrophy from diarrhoea and want of breast milk,” a male 4 months; under *malformation*, spina bifida,” a male 17 days; under *disease of heart*, &c., “angina pectoris,” a female 63; under *colic*, “painter’s colic,” a male 35; and under *intemperance*, “disease of the brain caused by the use of intoxicating liquors,” (inquest) a male 31 years.

4.—The following are the cases of *death by violence* which appear in the present table :—

From an accidental fall in the street,” a male aged 7 years ;	“Found dead in the Regent’s Canal,” a female 56;
Found drowned,” a male 5;	“Wilful murder,” a female infant;
Drowned herself—state of mind at the time unknown,” a female 70 ;	“From slow suffocation occasioned by its mother being in a state of intoxication,” a male 8 months.

5.—ANALYSIS of the preceding list of *violent deaths* :—FRACTURE or CONTUSION, 1 case. DROWNING, 3 cases, one being a suicide and two not stated. MURDER, 1 case, and SUFFOCATION 1 case. Total 3 Males and 3 Females.

General Register Office, Tuesday, September 24th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday September 21, 1844.

1844 Day	Places of the Moon	Readings of Thermometers										Difference between the Dew Point and Air Temperature			WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		In the Water of the Thames, by the self- registering thermometer, the next morning					In the Air of the Thermometer, by the self- registering thermometer, the next morning					The Dew Point and Air Temperature		General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Highest	Low- est	Mean	Point from 12 Obs.	Rts	Highest	Low- est	Mean	Point from 12 Obs.	Rts	Mean	Greatest		Least	of 12 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
SEPT. Su. 15.		in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

The height of the column of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a cloud to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with clouds. The readings of the barometer are taken every morning at 9 a.m., and therefore, excepting the highest and lowest readings, respectively that have occurred in the previous 24 hours. When the barometer is read, the state of the sky is also noted, and the temperature is read in a room, and the result given in 2.5 for the 25.1 and vice versa. The wind is given in 10 for the 10.1 and vice versa, that on which the barometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. To reading the 15th column, it will be borne in mind that + is read "positive," and - is read "negative," and - is read "negative," and - is read "negative." The readings of this instrument are registered under the superintendence of Lieutenant Sandes, R.N., Superintendent of the Dreadnought. The mean direction of the wind during the first three days was W.S.W. and of the last four days it was N.E.

ANNUAL SERIES.
V.

1844.—No. 39.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, September 28th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Summers	5 Years
Weekly Average for 1844.	446	310	188
ALL CAUSES	468	308	155	*932	900	946
SPECIFIED CAUSES.....	168	307	155	931	897	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	195	25	11	*232	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	45	12	27	114	106	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	88	28	20	136	159	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	80	140	14	234	233	286
V.—Diseases of the Heart, and Blood-vessels	1	12	7	20	19	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	43	21	8	72	88	69
VII.—Diseases of the Kidneys, &c.	5	3	8	5	5
VIII.—Childbirth. Diseases of the Uterus, &c.	9	..	9	9	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	3	2	7	5	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	54	54	56	71
XII.—Violence, Privation, Cold and Intemperance	13	22	9	44	25	26
I.—Small Pox	33	4	..	37	11	15
Measles	15	15	33	28
Scarlatina	82	2	..	*85	39	34
Whooping Cough	11	11	22	33
Croup	6	6	6	8
Thrush	8	8	9	5
Diarrhœa	20	..	3	23	27	12
Dysentery	1	..	1	5	3
Cholera	1	1	4	1
Influenza	1	2
Ague2	.3
Remittent Fever5	.5
Typhus	15	15	4	34	28	31
Erysipelas	5	3	3	11	4	5
Syphilis7	.6
Hydrophobia1	..
II.—Inflammation	6	7
Hæmorrhage	1	..	1	3	3
Dropsy	3	12	13	28	30	35
Abscess	3	4
Mortification	3	2	5	4	5
Purpura	2	2	.4	.3
Scrofula	2	1	..	3	3	2
Carcinoma	7	3	10	9	8
Tumour	2	2
Gout	1	..	1	.8	1
Atrophy	12	1	..	13	10	7
Debility	20	3	..	23	21	21
Malformations	2	2	1	1
Sudden Deaths	4	13	9	26	12	15
III.—Cephalitis	17	4	..	21	13	12
Hydrocephalus	19	2	..	21	38	36
Apoplexy	2	1	14	17	16	18
Paralysis	8	3	11	14	16
Convulsions	43	43	63	58
Tetanus	1	2	..	3	.3	.4
Chorea	3	..
Epilepsy	1	4	..	5	..	4
Insanity	1	2	3	.9	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c....	5	3	1	9	9	9
IV.—Laryngitis	1	..	1	.5	.5
Quinsey	1	1	2	2
Bronchitis	3	4	2	9	6	12
Pleurisy	1	2
Pneumonia	49	8	2	59	54	79
Hydrothorax	1	1	5	5
Asthma	3	3	6	10	24
Phthisis (or Consumption)	24	111	3	138	145	147
Dis. of Lungs, &c....	2	13	4	19	14	15
V.—Pericarditis	3	..	3	.7	.8
Aneurism6	.7
Dis. of Heart, &c....	1	9	7	17	18	20
VI.—Teething	13	13	21	19
Gastritis	1	..	1	2	29	19
Enteritis	8	6	1	15	1	1
Peritonitis	1	..	1	7	6
Tabes Mesenterica	15	15	.5	.4
Worms9	.8
Ascites	1	1	..	2	2	2
Ulceration (of Intestines, &c.)	1	..	1	2	1	2
Hernia	1	1	2	2
Colic or Ileus	2	..	2	.7	.5
Intussusception5	.6
Stricture (of the Intestinal Canal)5	.4
Hæmatemesis	1	..	1	5	4
Dis. of Stomach, &c.	3	2	2	7	1	..
Dis. of Pancreas	2	2
Hepatitis	1	1	2	9	8
Jaundice	1	1	..	.1
Dis. of Liver, &c.	7	1	8
Dis. of Spleen
VII.—Nephritis4	.5
Ischuria1	.2
Diabetes4	.4
Cystitis	1	..	1	.2	.3
Stone6	.4
Stricture (of the Urethra)	1	..	1	.4	.5
Dis. of Kidneys, &c.	3	3	6	3	3
VIII.—Childbirth	7	..	7	6	7
Parametria2	.2
Ovarian Dropsy4	.3
Dis. of Uterus, &c....	..	2	..	2	2	2
IX.—Arthritis	1	..	1
Rheumatism	1	1	2	4	2	3
Dis. of Joints, &c....	1	1	..	2	3	3
X.—Carbuncle1	..
Phlegmon
Ulcer3	.4
Fistula3	.4
Dis. of Skin, &c....	1	1	.4	.4
XI.—Old Age	54	54	56	71
XII.—Intemperance9	.6
Privation4	.5
Violent Deaths	13	22	9	44	24	25
Causes not Specified.	1	..	1	4	5

* The age of 1 person who died of scarlatina is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)						Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
								5 Years	5 Summers	
West { Kensington; Chelsea; St. George, Hanover-square; Westminster; } Districts { St. Martin in the Fields; St. James..... }						17.2	301,326	138	129	135
North { St. Marylebone; St. Pancras; Islington; Hackney }						17.3	366,303	171	161	176
Central { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } Districts { East London; West London; City of London }						2.8	374,759	188	179	181
East { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Districts { Stepney; Poplar }						8.8	393,247	207	204	228
South { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } Districts { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } hithe; Greenwich }						40.7	479,469	242	227	212
TOTALS.....						86.8	1,915,104	946	900	932

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males... 472
Females 445
Total 917

Weekly Average for 1844,
deduced from the Deaths
in 1839-40-1-2-3..

Males.... 483
Females.. 163
Total.. 946

Deaths in the
Week { Males.... 488
Females.. 414
Total.. 932

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods													
ALL DEATHS (except from Violence)	853	820	877	1041	981	919	912	915	772	893	814	851	888
From Diseases of the Respiratory Organs 238	221	208	225	210	211	216	216	191	196	210	197	192	234
From Small Pox.....	36	43	37	49	44	46	58	47	36	49	37	37	37
From all Diseases at 60 and upwards	141	130	135	165	146	150	137	148	130	158	137	129	146
Mean Temperature	58.9	61.5	57.9	67.5	55.3	58.7	58.2	58.4	56.5	62.7	58.1	56.5	52.0

NOTES.

1.—The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox*:—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, “Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption).”
- (4) SMALL POX (vaccinated in the year — without effect; or, without cicatrices). When no cicatrix has been detected, “without effect” is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. “Without cicatrices” is to be inserted where the medical attendant states that no “cicatrices” or “marks” of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example:—
“Small Pox, 5 days (vaccinated in 1830 without effect).”

The petechial, confluent, semiconfluent, distinct, varicelloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—“Small pox, ——— days; pneumonia, ——— days.”

2.—The 37 deaths caused by *small-pox* occurred at the following ages:—eight under 1 year; eleven 1-3; five 3-5; seven 5-10; two 10-15; three 20-30; and one 34 years.

3.—Under *erysipelas* is included “diffuse inflammation of the cellular tissue from the imbibition of an animal poison,” a male 24 years. Under *atrophy*, “marasmus and want of breastmilk,” a male 1 year; and “atrophy from want of breastmilk,” a female 1 month. Under *malformation*, “cyanosis” a female 4 days. And under *tabes mesenterica*, “insufficient breastmilk from birth—diseased mesenteric glands,” a male 5 months.

4. The following are the cases of *death by violence* which appear in the present table:—

- | | |
|--|--|
| <p>“An accidental fall,” a male, aged 67 years;
 “Concussion of the brain by a fall,” a male 7;
 “Accidental fracture of the skull by a fall,” a male 15;
 “Lacerated in his hand and arm mortally by a wheel,” a male 14;
 “Fall from a window in a state of insanity,” a male 45;
 “Fractured pelvis from a fall from a scaffold, accidentally,” a male 44;
 “Accidentally run over by a horse and gig,” a male 13;
 “Fall from a chaise cart coming in contact with a 4-wheel chaise,” a male 56;
 “Accidental fall from a scaffold,” a male 45;
 “Natural death from dropsy, accelerated by a wound in consequence of an accidental fall,” a male 62;
 “Accidentally jammed in between the steps of two stationary railway carriages,” a male 30;
 “Erysipelas, which came on after fracture of leg, having been accidentally run over by a cart,” a male 64;
 “Diseased testicles from the kick of a horse,” a male 28;
 “Accidental—from a fall down stairs,” a female 75;
 “Lacerated wound of the head and scalp,” a female 70;
 “Accidental—by a horse and cart,” a female 87;
 “Suffocation from drowning,” a male 40;
 “Accidentally drowned,” a male 13;
 “Accidentally drowned,” a male 17;
 “Hung himself while in a fit of temporary insanity,” a male 35;
 “Suicide—hanging—temporary insanity,” a male 32;
 “Hung himself, as to state of mind not sufficient evidence,” a male 49;
 “Hanging himself, being of unsound mind,” a male 64;
 “Suicide by hanging,” a female 58;</p> | <p>“Suicide by hanging,” a female 44;
 “Accidentally burnt,” a male 4;
 “Accidentally burnt by her clothes taking fire,” a female 4;
 “An accidental burn,” a female 9;
 “Accidentally burnt,” a female 8;
 “Accidental, from burns,” a male 6;
 “Locked jaw, caused by being accidentally burnt,” a male 1;
 “Accidentally burnt,” a female 70;
 “Accidentally burnt,” a female 28;
 “Accidentally burnt,” a female 4;
 “Suicide—cut his throat—temporary mental derangement,” a male 48;
 “Suicide—a wound in the throat,” a male 57;
 “Locked jaw from pricking his toe with a needle,” a male 49;
 “Punctured leg and loss of blood, how caused unknown,” a male 70;
 “Tetanus, from a wound caused by a nail in his foot,” a male 25;
 “Suicide—cut his throat,” a male about 37;
 “Suicide—temporary insanity—laudanum and arsenic,” a male 44;
 “Poisoned himself whilst intoxicated,” a male 21;
 “Taking arsenic—temporary insanity,” a female 21;
 “Suffocated by accidentally falling into the soil of a privy,” a female 1;
 “Suffocation from being accidentally overlaid,” a female, 6 weeks;
 “Exhaustion in consequence of a severe scald,” a male, 16 months;
 “Manslaughter,” a male 15.</p> |
|--|--|

5.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 16 cases, of which 9 were by falls; 4 by horses and carriages; 1 by a wheel; 1 by railway carriages; and 1 not stated. DROWNING 3 cases. HANGING 6 cases—suicides. BURNS 9 cases. WOUNDS 6 cases, 3 being by suicides. POISON 3 cases—suicides. SUFFOCATION 2 cases. SCALDS 1 case; and MANSLAUGHTER 1 case. TOTAL 33 Males and 14 Females, including 3 cases put to tetanus.

General Register Office, Tuesday, October 1st, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday September 28, 1844.

[illegible][illegible]

ANNUAL SERIES.
V.

1844.—No. 40.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, October 5th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
	Autumn	Autumn	Autumn		Autumn	Autumn
Causes of Death.	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
	Autumn	Autumn	Autumn		Autumn	Autumn
Weekly Average for 1844 .	446	310	188
ALL CAUSES	528	280	153	961	990	946
SPECIFIED CAUSES.....	526	279	153	958	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	225	19	3	247	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	47	45	17	109	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	103	22	25	150	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	99	122	31	252	312	286
V.—Diseases of the Heart, and Blood-vessels	7	15	10	32	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	30	23	12	65	66	69
VII.—Diseases of the Kidneys, &c.	1	3	2	6	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	3	..	4	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	2	..	2	1	1
XI.—Old Age	47	47	74	74	71
XII.—Violence, Privation, Cold and Intemperance	13	18	5	36	26	26
I.—Small Pox	46	5	..	51	17	15
Measles	27	27	32	28
Scarlatina	86	1	..	87	45	34
Hooping Cough	16	16	31	33
Croup	6	6	9	8
Thrush	11	11	5	5
Diarrhœa	14	..	1	15	10	12
Dysentery	1	1	..	2	3	3
Cholera6	1
Influenza	1	1	2	2
Ague4	.3
Remittent Fever.....	..	1	..	1	.4	.5
Typhus	15	7	..	22	29	31
Erysipelas	2	3	2	7	6	5
Syphilis	1	..	1	.5	.6
Hydrophobia1	..
II.—Inflammation	1	..	1	2	7	7
Hæmorrhage	1	5	1	7	3	3
Dropsy	4	14	4	22	37	35
Abscess	2	2	1	5	3	4
Mortification	2	3	5	5	5
Purpura	1	..	1	.2	.3
Scrofula	2	2	2	2
Carcinoma	12	4	16	9	8
Tumour	2	2
Gout	1	..	1	1	1
Atrophy	12	12	8	7
Debility	18	3	..	21	21	21
Malformations	1	1
Sudden Deaths	7	5	3	15	16	15
III.—Cephalitis	11	3	1	15	11	12
Hydrocephalus	32	32	34	36
Apoplexy	9	9	18	19	18
Paralysis	3	12	15	17	16
Convulsions	55	55	55	58
Tetanus4	.4
Chorea	1	1	.1	..
Epilepsy	1	..	1	2	.4	.4
Insanity	1	1	1	1
Delirium Tremens...	1	..	1	2	2
Dis. of Brain, &c....	3	6	1	10	9	9
IV.—Laryngitis	1	..	1	..	.6
Quinsey	4	1	..	5	..	2
Bronchitis	4	..	6	10	..	14
Pleurisy	1	1	2	..	2
Pneumonia	53	9	2	64	107	107
Hydrothorax	1	..	4	5	..	5
Asthma	2	8	10	..	27
Phthisis (or Consumption)	33	104	6	143	110	110
Dis. of Lungs, &c....	4	4	4	12	..	15
V.—Pericarditis.....	2	1	..	3	..	.8
Aneurism7
Dis. of Heart, &c....	5	14	10	29	..	22
VI.—Teething	11	11	..	18
Gastritis	1	1	..	17
Enteritis	9	7	4	20	..	1
Peritonitis	1	..	1	..	6
Tabes Mesenterica..	4	4	..	1
Worms6
Ascites	1	1	..	1
Ulceration (of Intestines, &c.) ..	1	..	1	2	..	2
Hernia	2	2	..	2
Colic or Ileus	2	..	1	3	..	2
Intussusception3
Stricture (of the Intestinal Canal)5
Hæmatemesis.....	..	2	..	2	..	.4
Dis. of Stomach, &c.	4	..	4	..	4
Dis. of Pancreas....
Hepatitis	2	..	2	..	1
Jaundice	1	2	..	3	..	2
Dis. of Liver, &c....	2	5	2	9	..	8
Dis. of Spleen1
VII.—Nephritis	1	1	..	.6
Ischuria2
Diabetes3
Cystitis4
Stone	1	1	..	.3
Stricture (of the Urethra)6
Dis. of Kidneys, &c.	..	3	1	4	..	3
VIII.—Childbirth	7	..	7	..	8
Paramenia3
Ovarian Dropsy2
Dis. of Uterus, &c....	1	1	..	2
IX.—Arthritis1
Rheumatism	2	..	2	..	3
Dis. of Joints, &c....	1	1	..	2	..	3
X.—Carbuncle1
Phlegmon1
Ulcer	1	..	1	..	.5
Fistula4
Dis. of Skin, &c....	..	1	..	1	..	.4
XI.—Old Age	47	47	74	74
XII.—Intemperance7
Privation.....6
Violent Deaths	13	18	5	36	24	24
Causes not Specified.	2	1	..	3	8	8

* The Weekly Averages have been corrected for the present year, according to the rate of increase of population in the Metropolis since the census of 1841, which is assumed to be 1.55 per Cent. per Annum.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)			Area in square Miles		Population Enu- merated in 1841		Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
							5 Years	5 Autumns	
<i>West</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } <i>Districts</i> { St. Martin in the Fields; St. James.			17.2		301,326		138	139	162
<i>North</i> { St. Marylebone; St. Pancras; Islington; Hackney			17.3		366,303		171	175	140
<i>Central</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } <i>Districts</i> { East London; West London; City of London			2.8		374,759		188	195	181
<i>East</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } <i>Districts</i> { Stepney; Poplar			8.8		393,247		207	222	235
<i>South</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } <i>Districts</i> { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { lithie; Greenwich			40.7		479,469		242	259	243
TOTALS.....			86.8		1,915,104		946	990	961

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 469	Females 449
Total 918	

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..

Males 483	Females .. 463
Total.. 946	

Deaths in the Week

Males ... 477	Females .. 484
Total.. 961	

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods													
ALL DEATHS (except from Violence)	820	877	1044	981	919	912	915	772	893	814	851	888	925
From Diseases of the Respiratory Organs	221	208	225	240	211	216	194	196	210	197	192	234	252
From Small Pox	43	37	49	44	46	58	47	36	49	37	37	37	51
From all Diseases at 60 and upwards	130	135	165	146	150	137	148	130	158	137	129	146	148

Mean Temperature 61.5 | 57.9 | 67.5 | 58.3 | 58.7 | 58.2 | 58.4 | 56.5 | 62.7 | 58.1 | 56.5 | 52.0 | 54.6

NOTES.

1.—The REGISTRARS are requested to attend to the following instructions in registering deaths by *small pox*:—

- (1) SMALL POX (natural). Without previous vaccination of any kind is to be always understood.
- (2) SMALL POX (second attack).
- (3) SMALL POX (after cowpox).—This entry is never to be used, *unless the vaccination shall have left a cicatrix*; nor even then, until 30 days have elapsed after vaccination. It often happens in an epidemic, that children are vaccinated after infection by small pox, which, in such cases, pursues its natural course, and should be registered, "Natural Small Pox (vaccination performed only ——— days before the Small Pox eruption)."
- (4) SMALL POX (vaccinated in the year ——— without effect; or, without cicatrices). When no cicatrix has been detected, "without effect" is to be always inserted, unless some person distinctly recollects that a regular vaccine pustule was produced. "Without cicatrices" is to be inserted where the medical attendant states that no "cicatrices" or "marks" of vaccination are visible on the part said to have been vaccinated. The duration of the disease should be stated in *all* cases of small pox; and how long vaccination had been performed previously to the eruption. The following is an example:—"Small Pox, 5 days (vaccinated in 1830 without effect)."

The petechial, confluent, semiconfluent, distinct, varicelloid varieties of small pox may be distinguished. Pneumonia is often a fatal complication of small pox, and when it occurs should be registered—"Small pox, ——— days; pneumonia, ——— days."

2.—The 51 deaths from *small-pox* occurred at the following ages:—sixteen under 1 year; twelve 1—3; twelve 3—5; five 5—10; one 11; three 20—30; and two 30—40 years.

3.—Under *scrofula* is included "glandular enlargement of the fauces—spasm of glottis (14 days illness)" a male 2 years. Under *atrophy*, "debility from want of breastmilk," a male 1 month. Under *pleurisy*, "empyema (1 year)" a male, 65 years. Under *hamatemesis* "melæna," a female 19 years. Under *disease of the digestive organs*, "indigestion," a female 63 years; and "tympanties," a male 43 years. Under *stone*, "stone in the bladder after operation—sunk in 27 hours," a male 3 years. And under *disease of the skin*, "eczema rubrum," a male 37 years.

4.—The following are the cases of *death by violence*, which appear in the present table:—

- | | |
|---|---|
| <p>"Suicide with vitriol," a male 54;
 "Accidentally drowned, when bathing," a male 23;
 "Accidentally poisoned by a certain drug called fly water," a male 4;
 "Drowning," a male 61;
 "Accidentally knocked down by a horse," a male 84;
 "Suicide," a male 28;
 "Poisoned himself with essential oil of almonds," a male 30;
 "Injury of the brain by an accidental fall from an omnibus," a male 33;
 "Suicide by cutting his throat," a male 53;
 "Accidentally suffocated by turning on his face in bed," a male 3 months.
 "Found drowned," a male 18.
 "Accidental drowning," a male 19;
 "Found dead in the river Thames," a male new born;
 "Death from a fall," a male 18;
 "Found drowned in a ditch opposite his residence," a male 2;
 "Found drowned," a male 31;
 "Accidentally drowned in bathing," a male 11;
 "Found drowned," a male 4;
 "Concussion of the brain by an accidental fall from one floor to another in a warehouse in the City of London," a male 19;</p> | <p>"Accidentally drowned by falling from a boat," a male 17;
 "Accidentally drowned by falling out of a boat or barge," a male 12;
 "Accidental death," a male 36;
 "Suicide with essential oil of bitter almonds," a female 23;
 "Crushed by a cart-wheel," a female 1;
 "Drowning," a female 40;
 "Strangled by her mother," a female, part of 1 day;
 "Accidentally burnt," a female 10;
 "Debility after the healing of an extensive burn," a female 56;
 "Accidentally drowned by falling out of a boat," a female 24;
 "A burn accidentally received," a female 8.
 "Suicide by oxalic acid in a temporary state of insanity," a female 31;
 "Found suffocated in bed, how caused unknown," a female 4 weeks;
 "Paralysis and apoplexy accelerated by an over-draught of brandy," a female 67.
 "Natural death accelerated by a fall," a female 72;
 "Accidental by jumping from a chaise," a female 11;
 "Suicide—strangulation in temporary insanity," a female 61.</p> |
|---|---|

5.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE and CONTUSION by falls, 3 cases; and by horses and carriages, 4 cases. WOUND, 1 case (suicide). BURNS, 3 cases. POISON, 5 cases, of which 4 were suicides. OVER-DRAUGHT of brandy, 1 case. STRANGULATION, 2 cases, of which one was suicide and another murder. DROWNING, 13 cases, of which 6 were accidental—in the remainder it is not stated whether they occurred by accident or otherwise. SUFFOCATION in bed, 2 cases. And the 2 remaining cases are respectively accident and suicide, but by *what means* is not stated. TOTAL 22 males and 14 females.

General Register Office, Tuesday, October 8th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday October 5, 1844.

1844 Day	Phase of the Moon	Readings of Thermometers										Difference between the mean point temperature and the mean temperature of the day and the mean temperature of the day on an average of 45 years			WIND				Rain in inches, read at 9 o'clock	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)		Dry		Dew Point		In the Water at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning		Air Temperature		General Direction		Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day	Mean of 12 Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		in.		High- est	Low- est	Mean	Point	Mean	Highest in the sun, as shown by a self-register- ing thermometer	Lowest in the shade, as shown by a self-register- ing thermometer	Mean	Greatest	Least	Mean	Greatest			Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

The height of the column of the barometer is considered to be 100 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first class standard barometer. The clear sky, to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The readings are taken every two hours, day and night with the exception of Sundays. The readings of the self-registering thermometer are placed in the full rays of the sun, and the other placed on grass fully exposed to the sky. The thermometer is placed in the shade, and the other in the sun, on which the thermometer is placed. The readings of the self-registering thermometer are placed in the full rays of the sun, and the other placed on grass fully exposed to the sky. The thermometer is placed in the shade, and the other in the sun, on which the thermometer is placed. The readings of the self-registering thermometer are placed in the full rays of the sun, and the other placed on grass fully exposed to the sky. The thermometer is placed in the shade, and the other in the sun, on which the thermometer is placed.

ANNUAL SERIES.
V.

1844.—No. 41.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, October 12th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	15	60	upwards			
Weekly Average for 1844 .	446	310	188
ALL CAUSES	527	299	191	†1018	990	946
SPECIFIED CAUSES	527	298	191	†1017	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	224	25	10	259	191	178
SPORADIC DISEASES—II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	51	44	28	†124	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	108	26	28	162	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	106	138	38	282	312	286
V.—Diseases of the Heart, and Blood-vessels	5	15	11	31	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	27	18	13	58	66	69
VII.—Diseases of the Kidneys, &c.	6	1	7	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	15	2	17	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	1	1	4	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	1	1
XI.—Old Age	57	57	74	71
XII.—Violence, Privation, Cold and Intemperance	4	9	2	15	26	26
I.—Small Pox	30	6	..	36	17	15
Measles	30	30	32	28
Scarlatina	99	3	..	102	45	34
Whooping Cough	18	18	31	33
Croup	6	6	9	8
Thrush	7	7	5	5
Diarrhœa	13	2	4	19	10	12
Dysentery	1	2	3	3	3
Cholera6	1
Influenza	3	3	2	2
Ague4	.3
Remittent Fever4	.5
Typhus	15	12	..	27	29	31
Erysipelas	2	1	4	7	6	5
Syphilis	1	1	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	4	1	5	3	3
Dropsy	2	20	10	32	37	35
Abscess	1	2	..	3	3	4
Mortification	1	4	5	5	5
Purpura	1	..	1	.2	.3
Scrofula	1	1	2	2
Carcinoma	6	5	11	9	8
Tumour	1	1	2	2
Gout	2	† 3	1	1
Atrophy	13	1	2	16	8	7
Debility	24	5	..	29	21	21
Malformations	6	6	1	1
Sudden Deaths	3	4	4	11	16	15
III.—Cephalitis	15	2	1	18	11	12
Hydrocephalus	42	2	..	44	34	36
Apoplexy	2	10	10	22	19	18
Paralysis	5	13	18	17	16
Convulsions	48	..	1	49	55	58
Tetanus4	.4
Chorea1	..
Epilepsy	1	2	1	4	4	4
Insanity	2	1	3	1	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c.	2	1	3	9	9
IV.—Laryngitis6	.5
Quinsey	4	4	2	2
Bronchitis	6	7	9	22	14	12
Pleurisy	1	1	2	2	2
Pneumonia	68	9	6	83	107	79
Hydrothorax	4	2	6	5	5
Asthma	5	14	19	27	24
Phthisis (or Consumption)	25	103	4	132	140	147
Dis. of Lungs, &c.	3	9	2	14	15	15
V.—Pericarditis	1	1	1	3	.8	.8
Aneurism	1	1	2	.7	.7
Dis. of Heart, &c.	4	13	9	26	22	20
VI.—Teething	10	10	18	19
Gastritis	17	19
Enteritis	3	4	4	11	1	1
Peritonitis	1	1	2	6	6
Tabes Mesenterica	7	1	..	8	.6	.4
Worms	2	2	1	.8
Ascites	2	1	3	2	2
Ulceration (of Intestines, &c.)	1	..	1	.3	.5
Hernia	1	1	2	2
Colic or Ileus	1	..	1	2	2	2
Intussusception	1	1	.5	.6
Stricture (of the Intestinal Canal)4	.4
Hæmatemesis	4	4
Dis. of Stomach, &c.	2	1	2	5
Dis. of Pancreas	1	1
Hepatitis	1	..	1	2	2
Jaundice	1	..	3	4	8	8
Dis. of Liver, &c.	7	..	7	.1	.1
Dis. of Spleen
VII.—Nephritis	1	..	1	.6	.5
Ischuria2	.2
Diabetes	1	..	1	.3	.4
Cystitis4	.3
Stone	1	1	.3	.4
Stricture (of the Urethra)6	.5
Dis. of Kidneys, &c.	4	..	4	3	3
VIII.—Childbirth	9	..	9	8	7
Parametria3	.2
Ovarian Dropsy	1	..	1	.2	.3
Dis. of Uterus, &c.	5	2	7	2	2
IX.—Arthritis1	..
Rheumatism	2	2	3	3
Dis. of Joints, &c.	1	1	2	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer	1	..	1	.5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	57	57	74	71
XII.—Intemperance7	.6
Privation6	.5
Violent Deaths	4	9	2	15	24	25
Causes not Specified.	1	..	1	8	5

* The Weekly Averages have been corrected for the present year, according to the rate of increase of population in the Metropolis since the census of 1841, which is assumed to be 1.55 per Cent. per Annum.

† The age of 1 person who died from "diarrhœa after an attack of gout" is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	139	144
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	196
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	195	194
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	222	241
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New-ington; Lambeth; Wandsworth and Clapham; Camberwell; Rotherhithe; Greenwich	40.7	479,469	242	259	243
TOTALS.....		86.8	1,915,104	946	990	1018

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males.. 461	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	Males.... 483	Deaths in the Week	Males.... 507
	Females 444		Females.. 463		Females.. 511
	Total 905		Total.. 946		Total.. 1018

Deaths <i>not caused by Violence</i> , registered in the Metropolis in the last 13 weeks, with the <i>Mean Temperature</i> for the same periods															
ALL DEATHS (except from Violence)	877	1044	981	919	912	915	772	893	814	851	888	925	1003		
From Diseases of the Respiratory Organs	208	225	240	211	216	194	196	210	197	192	231	252	282		
From Small Pox.....	37	49	44	46	58	47	36	49	37	37	37	51	36		
From all Diseases at 60 and upwards	135	165	146	150	137	148	130	158	137	129	146	148	189		
Mean Temperature	57.9	67.5	58.3	58.7	58.2	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6		

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London *within and without the Walls*, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The 36 deaths from *small-pox* occurred at the following ages:—four under 1 year; nine 1—3; eight 3—5; nine 5—10; four 15—30; and two 30—40 years.

3.—Under *diarrhæa* is included, “diarrhæa and defective nutrition,” a male 5 weeks. Under *atrophy* “atrophia ablactatorium,” a male 9 months. Under *malformation*, 4 cases of imperforate anus, 1 male 3 days, 2 females respectively 4 days and 14 days, and a male under 1 year. Under *worms*, “infantile fever (4 weeks), enteritis (24 hours),” a male 9 years, and “infantile remittent fever,” a male 1 year. Under *disease of the kidneys*, “granular disease of the kidneys complicated with hypertrophy of the heart and dilated aorta,” a female 51 years. And under *disease of [the joints, &c.,* “diseased kidneys—leg amputated 5 months since for diseased knee-joint, injured 2 years ago,” a male 37 years; and “necrosis of the bones of the leg, and paraplegia,” a male 65 years.

4.—The following are the cases of *death by violence*, which appear in the present table:—

“Accidental fall from a scaffold,” a male 69;	“Poisoned herself by taking oxalic acid in temporary mental derangement brought on by unkind treatment,” a female 22;
“Internal injuries occasioned by violence inflicted on the abdomen apparently by some blunt substance—how caused there is no sufficient evidence,” a male 58;	“Drowned by accidentally falling into a cesspool,” a male 13;
“Accidental death by a fall from a truck,” a male 8;	“Drowned,” a male 35;
“Accidental by a horse and cart,” a female 8	“Accidentally drowned,” a male 21;
“Accidental fracture of the thigh,” a female 80;	“Drowned by accidentally falling out of a boat,” a male 21;
“Wilful murder against Alfred Edwards by poison,” a female 27;	“Suicide by hanging,” a male 50;
“Taking opium, but no sufficient evidence as to his state of mind at the time,” a male 34;	“Accidentally suffocated in bed by the arm of a maid-servant, while asleep,” a female 7 weeks;
	“Manslaughter against William Brown,” a female 57.

5.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 5 cases, of which 1 was by a fall, and 2 by horses and carriages. POISON, 3 cases, of which 1 was murder, and 2, suicide. DROWNING, 4 cases, stated to be accidental, except one, in which the circumstance is omitted. HANGING, 1 case (suicide). SUFFOCATION in bed, 1 case. And MANSLAUGHTER, 1 case, in which the jury have neglected to state the means employed. TOTAL, 9 males and 6 females.

General Register Office, Tuesday, October 15th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday October 12, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers										Difference between the Dew Point and Air Temperature			WIND				Mean Amount of Cloud, 0—10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Dry		Dew Point	In the Water of the Thames, at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning		Lowest on the grass, as shown by a self-registering thermometer		Lowest in the sun, as shown by a self-registering thermometer		Mean of 12 Diffs.		Greatest	Least	General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		High- est	Low- est		Mean	from 12	Mean	from 12	Highest	Lowest	Highest	Lowest				A.M.	P.M.							Greatest	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		Obs.	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12						12	12	12	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Oct.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

The height of the eastern of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first class standard barometer. The amount of clouds is estimated, considering a sky to be represented by 6, a clear sky by 1, and a cloudy sky by 2, and the number of clouds is calculated, considering the whole sky covered with clouds. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read. The readings of the aneroid barometer (from which the amount of horizontal movement is made) is read at 9 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the aneroid is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. In reading the tall column, it will be borne in mind that + is read "higher," and - is read "lower," than the average. The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N., Superintendent. The mean direction of the wind for the week has been S.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, October 19th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844 .	446	310	188
ALL CAUSES	457	277	161	895	990	946
SPECIFIED CAUSES	455	277	161	893	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	188	28	10	226	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	43	22	20	85	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	81	31	21	133	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	97	127	22	246	312	286
V.—Diseases of the Heart, and Blood-vessels	7	17	11	35	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	34	22	10	66	66	69
VII.—Diseases of the Kidneys, &c.	6	2	8	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	1	9	1	11	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	4	..	4	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	2	..	3	1	1
XI.—Old Age	63	63	74	71
XII.—Violence, Privation, Cold and Intemperance	3	9	1	13	26	26
I.—Small Pox	32	3	..	35	17	15
Measles	21	21	32	28
Scarlatina	79	1	1	81	45	34
Hooping Cough	12	12	31	33
Croup	10	10	9	8
Thrush	5	5	5	5
Diarrhœa	5	1	2	8	10	12
Dysentery	2	4	2	8	3	3
Cholera6	1
Influenza	1	1	1	3	2	2
Ague4	.3
Remittent Fever4	.5
Typhus	20	17	1	38	29	31
Erysipelas	1	3	4	6	5
Syphilis	1	1	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	1	..	1	3	3
Dropsy	4	9	9	22	37	35
Abscess	2	2	3	4
Mortification	1	..	1	2	5	5
Purpura2	.3
Scrofula	2	2
Carcinoma	2	7	8	17	9	8
Tumour	1	1	2	2
Gout	1	1	1	1
Atrophy	16	16	8	7
Debility	15	2	..	17	21	21
Malformations	2	2	1	1
Sudden Deaths	1	3	..	4	16	15
III.—Cephalitis	5	1	..	6	11	12
Hydrocephalus	27	27	34	36
Apoplexy	1	11	13	25	19	18
Paralysis	7	4	11	17	16
Convulsions	43	1	..	44	55	58
Tetanus	1	1	.4	.4
Chorea1	..
Epilepsy	1	2	3	6	4	4
Insanity	1	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c.	3	6	1	10	9	9
IV.—Laryngitis6	.5
Quinsey	2	1	..	3	2	2
Bronchitis	5	5	7	17	14	12
Pleurisy	1	1	2	2
Pneumonia	64	7	3	74	107	79
Hydrothorax	1	1	3	5	5	5
Asthma	4	1	5	27	24
Phthisis (or Consumption)	24	104	5	133	140	147
Dis. of Lungs, &c.	1	5	2	8	15	15
V.—Pericarditis	2	1	3	.8	.8
Aneurism7	.7
Dis. of Heart, &c.	7	15	10	32	22	20
VI.—Teething	9	9	18	19
Gastritis	1	1	..	2	17	19
Enteritis	8	9	1	18	1	1
Peritonitis	2	..	1	3	6	6
Tabes Mesenterica	9	9	.6	.4
Worms	1	.8
Ascites	1	1	1	3	2	2
Ulceration (of Intestines, &c.)	2	2
Hernia	2	2	2	2
Colic or Ileus	1	2	1	4	2	2
Intussusception3	.5
Stricture (of the Intestinal Canal)5	.6
Hæmatemesis	1	1	2	.4	.4
Dis. of Stomach, &c.	1	..	1	4	4
Dis. of Pancreas
Hepatitis	2	1	1	4	1	..
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	5	1	6	8	8
Dis. of Spleen1	.1
VII.—Nephritis	1	1	.6	.5
Ischuria2	.2
Diabetes3	.4
Cystitis4	.3
Stone	1	1	.3	.4
Stricture (of the Urethra)	2	..	2	.6	.5
Dis. of Kidneys, &c.	4	..	4	3	3
VIII.—Childbirth	6	..	6	8	7
Paramenia3	.2
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	1	3	1	5	2	2
IX.—Arthritis1	..
Rheumatism	2	..	2	3	3
Dis. of Joints, &c.	2	..	2	3	3
X.—Carbuncle1	..
Phlegmon	1	..	1	.1	..
Ulcer	1	1	.5	.4
Fistula	1	..	1	.4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	63	63	74	71
XII.—Intemperance	1	..	1	.7	.6
Privation6	.5
Violent Deaths	3	8	1	12	24	25
Causes not Specified	2	2	8	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	139	145
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	140
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	195	185
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	222	180
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	212	259	245
TOTALS.....		86.8	1,915,104	946	990	895

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 462
Females 451
Total 913

Weekly Average for 1844,
deduced from the Deaths
in 1839-40-1-2-3..

Males 483
Females .. 463
Total.. 946

Deaths in the
Week { Males 458
Females .. 437
Total.. 895

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods												
ALL DEATHS (except from Violence)	1044	981	919	912	915	772	893	814	851	888	925	1003
From Diseases of the Respiratory Organs	225	210	211	216	191	196	210	197	192	234	252	282
From Small Pox.....	49	44	46	58	47	36	49	37	37	37	51	36
From all Diseases at 60 and upwards	165	146	150	137	148	130	158	137	129	116	148	189
Mean Temperature	67.5	58.3	58.7	58.2	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The weekly averages of Deaths in the 34 Districts during the years 1839-40-1-2-3, were obtained by dividing the Deaths in the 5 years by 260, and those in the 5 Autumns by 65; and a correction has been made for the present year according to the increase of population since the census of 1841, which is assumed to be 1.55 per Cent. per Annum, this having been the rate of increase in the Metropolis during the ten years preceding the last enumeration.

3.—The 35 deaths from *small-pox* occurred at the following ages:—five under 1 year; eight 1-3; eleven 3-5; six 5-10; two 10-15; two 15-20; and one 47 years.

4.—Under *atrophy* are included 2 cases of “atrophy from want of breastmilk,” a male 6 weeks, and a female 15 days. Under *malformation*, “apoplexy and spina bifida,” a male 10 minutes. Under *disease of the brain*, “hernia cerebri,” a female 2 days. Under *disease of the heart*, “angina pectoris,” a female 77 years. Under *hematemesis*, “melæna,” a female 48 years. Under *stone*, “stone in the bladder—lithority, inflammation and mortification (2 days),” a male 80 years. Under *disease of the kidneys*, “albuminuria,” a male 48 years; and “abscess in the elbow joint, and Bright’s disease of the kidneys,” a male 40 years. And under *disease of the organs of generation*, “polypus of the womb—inflammation 14 days after an operation,” a female 41 years; and “hydrocele and mesenteric disease,” a male 7 weeks.

5.—The following are the cases of *death by violence*, which appear in the present table:—

“Injuries and fracture of the bones of the head and face, &c.,” a female 86.
“Broken neck from an accidental fall down stairs (24 hours) *p. mort.*,” a female 50.
“Tetanus produced by a wound of the knee-joint,” a female 6.
“Cut his throat, being insane,” a male 45.
“Cutting his throat in temporary insanity,” a male 28.
“Accidentally burnt, while making fireworks,” a male 22.
“Poisoned himself in a state of temporary mental derangement,” a male 52.

“Poison,” a male 19.
“Found dead in the River Thames, cause unknown—with marks of violence on the head, but whether received before or after death, unknown,” a male newborn.
“Drowning—how she came into the water, unknown,” a female 38.
“Suicide by hanging in temporary insanity,” a male 35.
“Accidentally suffocated,” a male 8 weeks.
“Found dead in a privy,” a male newborn.

6.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE, 2 cases, of which 1 was by a fall. WOUND, 3 cases, of which 2 were suicides. BURNS, 1 case. POISON, 2 cases, of which 1 was suicide. DROWNING, 2 cases (whether the result of accident, or otherwise, unknown). HANGING, 1 case (suicide). And SUFFOCATION, 2 cases. TOTAL, 9 males and 4 females (including one case put to *tetanus*).

* The verdict “poison” is defective. The jury should have stated whether it was accidental or otherwise—or that the fact could not be ascertained.

General Register Office, Tuesday, October 22nd, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday October 19, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers										Difference between the mean temperature of the day, and on an average of 25 years		WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Dry		Dew Point		Highest in the sun, as shown by a self-register- ing thermometer		Lowest on the grass, as shown by a self-register- ing thermometer		In the Water of the Thames at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning		Air Temperature		General Direction	Pressure in lbs. on the square foot		lbs.						Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		High- est	Low- est	Mean from 12	Mean from 12	Mean from 12	Mean from 12	Mean of 12	Greatest	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.	Obs.		Obs.	Obs.								Obs.	Obs.	Obs.	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Ocr.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

The height of the column of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be represented by 0, a cloudy sky by 10; and when partial clouds form the sky, the number of tenths of the whole sky covered with clouds. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. The readings of the self-registering thermometer are read at 9 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the first day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. In reading the 12th column, it will be borne in mind that + is read "higher," and - is read "lower" than the average. The readings of this instrument are required under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Drednoughts. The mean direction of the wind for the week has been S.W.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, October 26th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
					Autumns	Years
Causes of Death.	0 to 15	15 to 60	60 and upwards	Total	5 Autumns	5 Years
Weekly Average for 1844	446	310	188
ALL CAUSES	506	275	154	935	990	946
SPECIFIED CAUSES.....	505	273	154	932	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	207	33	8	248	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	50	33	12	95	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	98	23	20	141	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	104	128	35	267	312	286
V.—Diseases of the Heart, and Blood-vessels	5	20	10	35	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	30	15	12	57	66	69
VII.—Diseases of the Kidneys, &c.	1	1	2	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	1	8	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	5	1	..	6	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	2	1	1
XI.—Old Age	52	52	74	71
XII.—Violence, Privation, Cold, and Intemperance	5	12	2	19	26	26
I.—Small Pox	46	8	..	54	17	15
Measles	22	22	32	28
Scarlatina	86	2	..	88	45	34
Hooping Cough	18	18	31	33
Croup	5	5	9	8
Thrush	5	5	5	5
Diarrhœa	2	1	4	7	10	12
Dysentery	1	1	..	2	3	3
Cholera	1	1	.6	1
Influenza	1	1	2	2
Ague	1	1	1	3	.4	.3
Remittent Fever....	2	2	.4	.5
Typhus	14	14	1	29	29	31
Erysipelas	2	5	1	8	6	5
Syphilis	2	1	..	3	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	3	1	4	3	3
Dropsy	5	15	7	27	37	35
Abscess	3	4
Mortification	2	1	1	4	5	5
Purpura2	.3
Scrofula	4	2	..	6	2	2
Carcinoma	3	..	3	9	8
Tumour	2	2
Gout	1	1	1	1
Atrophy	12	2	..	14	8	7
Debility	24	4	..	28	21	21
Malformations	1	1	1	1
Sudden Deaths	2	3	2	7	16	15
III.—Cephalitis	7	5	..	12	11	12
Hydrocephalus ...	34	1	..	35	34	36
Apoplexy.....	..	5	9	14	19	18
Paralysis.....	1	3	8	12	17	16
Convulsions	53	..	1	54	55	58
Tetanus4	.4
Chorea1	..
Epilepsy	4	..	4	4	4
Insanity	1	1	2	1	1
Delirium Tremens....	2	2
Dis. of Brain, &c....	3	4	1	8	9	9
IV.—Laryngitis6	.5
Quinsey	1	..	1	2	2
Bronchitis	8	6	4	18	14	12
Pleurisy	2	2	4	2	2
Pneumonia	67	12	4	83	107	79
Hydrothorax	3	1	2	6	5	5
Asthma	8	9	17	27	24
Phthisis (or Consumption)	21	91	9	121	140	147
Dis. of Lungs, &c....	5	7	5	17	15	15
V.—Pericarditis.....	2	1	..	3	.8	.8
Aneurism7	.7
Dis. of Heart, &c....	3	19	10	32	22	20
VI.—Teething	10	10	18	19
Gastritis	1	1	..	2	17	19
Enteritis	6	5	2	13	1	1
Peritonitis	6	6
Tabes Mesenterica..	10	10	.6	.4
Worms	1	.8
Ascites	2	2
Ulceration (of Intestines, &c.)	1	1	2	2	2
Hernia	1	1	2	2
Colic or Ileus	1	1	2	2	2
Intussusception	2	1	1	4	.3	.5
Stricture (of the Intestinal Canal) }	1	1	.5	.6
Hæmatemesis.....	1	1	.4	.4
Dis. of Stomach, &c.	1	1	..	2	4	4
Dis. of Pancreas....
Hepatitis	1	1	2	1	1
Jaundice	1	1	2	2
Dis. of Liver, &c.	4	2	6	8	8
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes3	.4
Cystitis4	.3
Stone	1	1	.3	.4
Stricture (of the Urethra)6	.5
Dis. of Kidneys, &c.	1	..	1	3	3
VIII.—Childbirth	5	..	5	8	7
Paramenia3	.2
Ovarian Dropsy	1	1	.2	.3
Dis. of Uterus, &c....	..	2	..	2	2	2
IX.—Arthritis1	..
Rheumatism	2	1	..	3	3	3
Dis. of Joints, &c....	3	3	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer	1	1	.5	.4
Fistula.....4	.4
Dis. of Skin, &c....	1	1	.4	.4
XI.—Old Age	52	52	74	71
XII.—Intemperance.....7	.6
Privation.....6	.5
Violent Deaths	5	12	2	19	24	25
Causes not Specified.	1	2	..	3	8	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)						Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
						5 Years	5 Autumns	
<i>West Districts</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....						17.2	301,326	138 139 151
<i>North Districts</i> { St. Marylebone; St. Pancras; Islington; Hackney						17.3	366,303	171 175 149
<i>Central Districts</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London						2.8	374,759	188 195 167
<i>East Districts</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar						8.8	393,247	207 222 193
<i>South Districts</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich						40.7	479,469	242 259 275
TOTALS.....						86.8	1,915,104	916 990 935

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 473
Females 465
Total 941

Weekly Average for 1841,
deduced from the Deaths
in 1839-40-1-2-3..

Males.... 483
Females.. 463
Total.. 946

Deaths in the
Week { Males.... 478
Females.. 457
Total.. 935

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods													
ALL DEATHS (except from Violence)	981	919	912	915	772	893	814	851	888	925	1003	883	916
From Diseases of the Respiratory Organs	210	211	216	194	196	210	197	192	234	252	282	246	267
From Small Pox.....	41	46	58	47	36	49	37	37	37	51	36	35	54
From all Diseases at 60 and upwards	146	150	137	148	130	158	137	129	146	148	189	160	152
Mean Temperature	58.3	58.7	58.2	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6	48.6	46.1

NOTES.

The REGISTRAR GENERAL having submitted to DR. GREGORY the returns of the several Registrars who reported Deaths by Small Pox during the 9 weeks terminating October 19, 1844, has received from him the following brief analysis of these cases.

Total Number of Deaths by Small Pox reported as occurring in the Metropolis in the 9 weeks terminating October 19, 1844—365, viz., 326 from birth to 15 years of age, 39 above 15 years of age.

300 of these cases being specially examined, offered the following results:—

Natural cases occurring to the unprotected in early life (0—15 years), 243.

Fatal cases in early life after vaccination with cicatrices, 13; ditto, after vaccination with doubtful results, 8; alleged second attacks of small pox, 3; total cases in early life, 267.

Natural cases in advanced life (15 and upwards), 20; cases fatal in advanced life after vaccination with cicatrices, 8; ditto, after vaccination with doubtful results, 5.

Total Numbers living in the Metropolitan districts, under 15 years, 576,449.

Total Numbers living above 15 years of age, 1,294,969—that is, nearly 9 to 4.

The 13 fatal cases occurring in early life took place at various ages, from 21 months to eight years.

The interval from the date of vaccination to fatal seizure varied from six months to seven years.

3 of the children were vaccinated at Public Institutions for Vaccination in London. The remainder by private practitioners.

All cases where the operation of vaccination was attempted unsuccessfully, all where vaccination was proceeding concurrently with the small pox, and all where sufficient time had not elapsed for the full development of vaccine influence in the system, were returned as Natural cases occurring in the unprotected. Coupling the two series of observations, viz., those published in the supplement, and those now under review, there is a total of 797 deaths by small pox in London in the 19 weeks terminating October 19, 1844, of whom 23 were children and young persons under 15 years of age, vaccinated apparently in a satisfactory way—8 were young persons vaccinated with doubtful results, and eighteen were adults, vaccinated in early life, but with what success it is difficult to determine.

1.—Under *mortification* are included 2 cases of “*cancerum oris*,” a male and a female, aged severally 3 years. Under *atrophy*, “*exhaustion from want of breast-milk*,” a male 1 year. Under *epilepsy*, “*epilepsy brought on by previous excitement*,” a male 41 years. Under *pleurisy*, 2 cases of *empyema*, males aged respectively 38 and 67 years. Under *phthisis*, “*pulmonary consumption following amputation of the right arm 3 weeks ago, caused by a sprain 2 years since*,” a male 33 years. Under *disease of the respiratory organs*, “*stricture of the windpipe*,” a male 2 years. Under *disease of the liver*, “*effect of gall-stone*,” a male 58. And under *stone*, “*sacculated bladder—two sacculi of the size of oranges, one containing stones, (19 weeks)*,” a male 76 years. One female is reported to have died at the age of 100 years.

2.—The following are the cases of *death by violence* which appear in the present table:—

“*Sudden from enlargement of the heart after fracture in the ankle-joint, 12 days since*,” a male 72.

“*Erysipelas of the head and face, following injury of the head and face, being thrown from a cab, the horse having run away (10 days ago)*,” a male 53.

“*Accidental fall*,” a male 50.

“*Killed by the off wheel of a dray passing over his body accidentally*,” a male 59.

“*Inflammation caused by an accidental fall from a scaffold*,” a male 57.

“*Accidental, by falling down stairs*,” a female 62.

“*Accidental, by being jammed between a coal-waggon and a gate-post*,” a female 18.

“*Mortification from a wound in the leg*,” a female 11.

“*Manslaughter by Thomas Stokes, by casting and throwing the deceased upon stone steps*,” a male 28.

3.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 8 cases, of which 3 were by horses and carriages, and 4 by falls (of which 1 was manslaughter). WOUND, 2 cases, of which 1 was murder. BURNS, 1 case. OVERDOSE OF MEDICINE, 2 cases. DROWNING, 3 cases. HANGING, 1 case (suicide). SUFFOCATION in bed, 1 case. And Wilful murder by means not stated, 1 case. TOTAL, 13 males and 6 females.

“*Wilful murder by some person or persons unknown—found in the river with four stabs, any one of which would have been fatal, a male apparently about 40.*”

“*Wilfully murdered by her mother*,” a female newborn.

“*Burns received by his clothes accidentally taking fire*,” a male 5.

“*Misadventure from the administering of too great a quantity of paregoric*,” a male 3 months.

“*Overdose of laudanum administered to give relief, and not to cause death*,” a male 6 weeks.

“*Found dead in the River Thames*,” a male 34.

“*Drowning*,” a male 28.

“*Drowned by accidentally falling into the River Thames*,” a male 19.

“*Suicide by hanging, being of unsound mind from the excessive use of ardent spirits*,” a female 48.

“*Accidental, by being overlaid by the mother*,” a female 2 months.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday October 26, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers												Difference between the Dew Point Temperature Air Temperature			WIND				Mean Amount of Cloud, 0—10		Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the evolution of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Mean height of the Barometer, (corrected and reduced to 29.92 degrees Fahrenheit.)		Dry		Dew Point		Highest in the sun, as shown by a self-register- ing thermometer		Lowest on the grass, as shown by a self-register- ing thermometer		In the Water of the Thames by the self- registering thermometer, read at 9 o'clock next morning		Mean of 12 Obs.		Greatest	Least	Mean of 12 Obs.	Amount of Horizontal Movement of the Air in each day	lbs.	lbs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Ocr.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.
In reading the 13th column, it will be borne in mind that + is read "positive," and — is read "negative," and — is read "lower" than the average.
The readings of the lowest residing thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, placed here opposite to the civil day which provides that on which the thermometers are read.
A newell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which provides that on which the anemometer is read.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, November 2nd.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844 ..	446	310	188
ALL CAUSES	490	314	161	*966	990	946
SPECIFIED CAUSES	485	314	161	*961	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	174	31	10	215	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	55	32	14	101	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	98	28	21	147	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	118	142	26	*287	312	286
V.—Diseases of the Heart, and Blood-vessels	5	17	8	30	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	32	20	9	61	66	69
VII.—Diseases of the Kidneys, &c.	5	3	8	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	19	..	19	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	9	1	10	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	2	..	2	1	1
XI.—Old Age	66	66	74	71
XII.—Violence, Privation, Cold and Intemperance	3	9	3	15	26	26
I.—Small Pox	32	4	..	36	17	15
Measles	31	31	32	28
Scarlatina	70	2	..	72	45	34
Hooping Cough	15	15	31	33
Croup	5	5	9	8
Thrush	3	3	5	5
Diarrhoea	5	1	4	10	10	12
Dysentery	2	2	4	3	3
Cholera6	1
Influenza	1	1	2	2	2
Ague4	.3
Remittent Fever4	.5
Typhus	8	18	2	28	29	31
Erysipelas	5	2	1	8	6	5
Syphilis	1	..	1	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	3	3
Dropsy	5	18	9	32	37	35
Abscess	1	2	..	3	3	4
Mortification	3	2	1	6	5	5
Purpura2	.3
Scrofula	2	2	2	2
Carcinoma	6	3	9	9	8
Tumour	2	2
Gout	1	1
Atrophy	11	2	..	13	8	7
Debility	25	25	21	21
Malformations	1	1	1	1
Sudden Deaths	7	2	1	10	16	15
III.—Cephalitis	5	2	..	7	11	12
Hydrocephalus	27	2	..	29	34	36
Apoplexy	4	8	9	21	19	18
Paralysis	5	9	14	17	16
Convulsions	55	..	1	56	55	58
Tetanus4	.4
Chorea	1	1	.1	..
Epilepsy	1	3	1	5	4	.4
Insanity	1	..	1	1	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c.	5	6	1	12	9	9
IV.—Laryngitis	1	..	1	.6	.5
Quinsey	2	..	1	3	2	2
Bronchitis	11	11	6	28	14	12
Pleurisy	1	1	2	2
Pneumonia	79	12	5	*97	107	79
Hydrothorax	1	1	1	3	5	5
Asthma	7	6	13	27	24
Phthisis (or Consumption)	19	104	5	128	140	147
Dis. of Lungs, &c.	6	6	1	13	15	15
V.—Pericarditis	1	1	..	2	.8	.8
Aneurism7	.7
Dis. of Heart, &c.	4	16	8	28	22	20
VI.—Teething	15	15	18	19
Gastritis	1	..	1	17	19
Enteritis	6	4	2	12
Peritonitis	2	..	2	1	1
Tabes Mesenterica	8	8	6	6
Worms	2	2	.6	.4
Ascites	3	1	4	1	.8
Ulceration (of Intestines, &c.)	2	2
Hernia	1	1	2	2	2
Colic or Ileus	1	..	1	2	2
Intussusception3	.5
Stricture (of the Intestinal Canal)5	.6
Hæmatemesis	1	..	1	.4	.4
Dis. of Stomach, &c.	1	..	2	3	4	4
Dis. of Pancreas
Hepatitis	1	1
Jaundice	2	2	2	2
Dis. of Liver, &c.	7	1	8	8	8
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes	1	1	.3	.4
Cystitis4	.3
Stone3	.4
Stricture (of the Urethra)	1	1	.6	.5
Dis. of Kidneys, &c.	5	1	6	3	3
VIII.—Childbirth	15	..	15	8	7
Paramenia3	.2
Ovarian Dropsy	2	..	2	.2	.3
Dis. of Uterus, &c.	2	..	2	2	2
IX.—Arthritis1	..
Rheumatism	4	1	5	3	3
Dis. of Joints, &c.	5	..	5	3	3
X.—Carbuncle	1	..	1	.1	..
Phlegmon1	..
Ulcer	1	..	1	.5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	66	66	74	71
XII.—Intemperance	1	..	1	.7	.6
Privation	1	..	1	.6	.5
Violent Deaths	3	7	3	13	24	25
Causes not Specified	5	5	8	5

* The age of a female, who died of inflammation of the lungs, is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Eneume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	139	123
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	160
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	195	211
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	222	207
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	265
TOTALS.....		86.8	1,915,104	946	990	966

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.

Males.. 477
Females 470
Total 947

Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..

Males 483
Females .. 463
Total.. 946

Deaths in the Week

Males 486
Females .. 480
Total.. 966

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods

ALL DEATHS (except from Violence)	919	912	915	772	893	814	851	888	925	1003	883	916	953
From Diseases of the Respiratory Organs	211	216	194	196	210	197	192	234	252	282	246	267	287
From Small Pox.....	46	58	47	36	49	37	37	37	51	36	35	54	36
From all Diseases at 60 and upwards	150	137	148	130	158	137	129	146	148	189	160	152	158

Mean Temperature 58.7 | 58.2 | 58.4 | 56.5 | 62.7 | 58.1 | 56.5 | 52.0 | 54.6 | 51.6 | 48.6 | 46.1 | 44.2

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The weekly averages of Deaths in the 34 Districts during the years 1839-40-1-2-3, were obtained by dividing the Deaths in the 5 years by 260, and those in the 5 Autumns by 65; and a correction has been made for the present year according to the increase of population since the census of 1841, which is assumed to be 1.55 per Cent. per Annum, this having been the rate of increase in the Metropolis during the ten years preceding the last enumeration.

3.—The 36 deaths from *small pox* occurred at the following ages:—two under 1 year; eight 1-3; nine 3-5; eleven 5-10; three 10-20; and three 20-30 years.

4.—Under *mortification* is included “*cancrem oris*,” a male 22 years. Under *atrophy*, “*tabes* (6 weeks), without breast-milk,” a male 5 months; “*convulsions*—want of breastmilk,” a male 1 month; and “*natural death* from change of diet and want of breastmilk,” a female 3 months. Under *malformation*, “*imperforate intestine*,” a female under 1 year. Under *paralysis*, “*inflammation of the spinal chord, producing paralysis*,” a male 53 years. Under *bronchitis*, “*chronic bronchitis, without breastmilk from birth*,” a female 5 months. Under *worms*, “*infantile fever* (21 days),” a male 3 years; and “*infantile remittent fever*,” a female 9 months. Under *stricture*, “*effects of stricture and perineal abscess*,” a male 60 years. And under *privation*, “*natural death, accelerated by want and destitution*” (*inquest*), a female 32 years.

5.—The following are the cases of *death by violence* which appear in the present table:—

“From an accidental fall—rupture of intestines, 26 hours,” (<i>post mort.</i>) a male 35.	“Accidentally drowned,” a male 23.
“Accidental fall down stairs,” a male 95.	“Found dead, probably from asphyxia,” a male 4 months.
“Accidentally killed by a blow from the handle of a winch, while lowering a cask on board ship,” a male 23.	“Found dead, immersed in the soil of a privy,” a male 63.
“Insane, found dead—suicide by cutting his throat,” a male 54.	“Hanged himself—delirium tremens, arising from excessive drinking of spirits,” a male 61.
“Incision in the jugular of the throat, by forcing a knife down in a temporary state of insanity,” a male 36.	“Accidentally suffocated by falling through the rails of a chair,” a female 10 months.
“Accidentally drowned,” a male 25.	“Wilful murder against some person or persons unknown, by administering arsenic,” a male 56.
	“Accidentally scalded (24 hours),” a female 1.

6.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE or CONTUSION, 3 cases, of which 1 was by machinery, and 2 by falls. WOUND, 2 cases (suicides). DROWNING, 2 cases (both accidental). HANGING, 1 case (suicide). SUFFOCATION, 3 cases. POISON, 1 case (murder). And SCALD, 1 case. TOTAL, 11 males and 2 females.

General Register Office, Tuesday, November 5th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday November 2, 1844.

1844 Day	Phase of the Moon	Readings of Thermometers										Difference between the Air Temperature and Dew Point				WIND				Mean Amount of Cloud, 0-10	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)		Dry		Dew Point		In the Water at Greenwich, by the self- registering thermometer, read at 9 o'clock next morning		Lowest shown by self-registering thermometer		Highest shown by self-registering thermometer		Air Temperature		General Direction		Pressure in lbs. on the square foot						Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				High. est	Low. est	Mean from 12 to 12	Mean from 12 to 12	Obs.	Rite	Highest	Lowest	Mean of 12 Diff.	Greatest	Least	Air Temperature	A.M.	P.M.	Greatest	Least					Mean of 12 Obs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
OCT.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

The height of the Gierm of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with clouds. The observations are taken every two hours, day and night, with the exception of Sundays. The self-registering thermometer is placed on the grass, and the other placed on grass fully exposed to the sky, they are, however, placed here opposite to the east day which precedes that on which the thermometers are read. Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the east day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the Observatory. In reading the 14th column, it will be borne in mind that + is read "positive" and - is read "negative" than the average. The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Dreadnought. † The general direction of the wind for the week has been E.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, November 9th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	* Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844 .	446	310	188
ALL CAUSES	510	306	168	*989	990	946
SPECIFIED CAUSES	510	305	168	*988	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	175	31	8	214	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	47	28	20	95	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	94	30	22	*147	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	144	136	33	*314	312	286
V.—Diseases of the Heart, and Blood-vessels	7	19	5	*32	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	28	21	9	*59	66	69
VII.—Diseases of the Kidneys, &c.	1	5	3	9	6	5
VIII.—Childbirth. Diseases of the Uterus, &c.	9	2	11	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	6	6	2	14	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	..	1	2	1	1
XI.—Old Age	61	61	74	71
XII.—Violence, Privation, Cold, and Intemperance	7	20	2	*30	26	26
I.—Small Pox	38	4	..	42	17	15
Measles	22	22	32	28
Scarlatina	68	2	..	70	45	34
Whooping Cough	21	1	..	22	31	33
Croup	2	2	9	8
Thrush	5	5
Diarrhoea	8	1	2	11	10	12
Dysentery	1	2	1	4	3	3
Cholera6	1
Influenza	2	..	2	4	2	2
Ague	1	..	1	.4	.3
Remittent Fever4	.5
Typhus	10	19	3	32	29	31
Erysipelas	3	1	..	4	6	5
Syphilis5	.6
Hydrophobia1	..
II.—Inflammation	1	..	1	7	7
Hæmorrhage	1	1	1	3	3	3
Dropsy	2	8	6	16	37	35
Abscess	2	2	3	4
Mortification	2	2	8	12	5	5
Purpura2	.3
Scrofula	2	2	..	4	2	2
Carcinoma	8	1	9	9	8
Tumour	2	2
Gout	1	1
Atrophy	9	..	1	10	8	7
Debility	22	4	..	26	21	21
Malformations	1	1	1	1
Sudden Deaths	6	2	3	11	16	15
III.—Cephalitis	9	3	..	12	11	12
Hydrocephalus	25	1	..	26	34	36
Apoplexy	3	11	11	25	19	18
Paralysis	9	9	18	17	16
Convulsions	50	*51	55	58
Tetanus4	.4
Chorea	1	1	.1	..
Epilepsy	2	1	3	4	4
Insanity	1	1
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	6	2	1	9	9	9
IV.—Laryngitis6	.5
Quinsey	1	1	2	2
Bronchitis	8	9	9	26	14	12
Pleurisy	2	..	2	2	2
Pneumonia	95	13	1	*110	107	79
Hydrothorax	2	2	3	7	5	5
Asthma	11	8	19	27	24
Phthisis (or Consumption)	24	87	8	119	140	147
Dis. of Lungs, &c.	14	12	4	30	15	15
V.—Pericarditis	2	..	2	.8	.8
Aneurism	2	1	3	.7	.7
Dis. of Heart, &c.	7	15	4	*27	22	20
VI.—Teething	12	12	18	19
Gastritis	17	19
Enteritis	7	7	2	*17	1	1
Peritonitis	3	..	3	6	6
Tabes Mesenterica	4	4	.6	.4
Worms	1	1	1	.8
Ascites	1	1	2	2
Ulceration (of Intestines, &c.)	2	..	2	2	2
Hernia	1	1	2	2
Colic or Ileus	2	2	.3	.5
Intussusception5	.6
Stricture (of the Intestinal Canal)4	.4
Hæmatemeses4	.4
Dis. of Stomach, &c.	1	1	1	3	4	4
Dis. of Pancreas
Hepatitis	2	..	2	1	1
Jaundice	1	1	2	2	2
Dis. of Liver, &c.	1	5	3	9	8	8
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria	1	1	.2	.2
Diabetes3	.4
Cystitis	1	1	2	.4	.3
Stone	1	..	1	.3	.4
Stricture (of the Urethra)6	.5
Dis. of Kidneys, &c.	3	2	5	3	3
VIII.—Childbirth	8	..	8	8	7
Paramenia3	.2
Ovarian Dropsy	1	..	1	.2	.3
Dis. of Uterus, &c.	2	2	2	2
IX.—Arthritis1	..
Rheumatism	1	..	2	3	3	3
Dis. of Joints, &c.	5	6	..	11	3	3
X.—Carbuncle1	..
Phlegmon	1	1	.1	..
Ulcer	1	1	.5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	61	61	74	71
XII.—Intemperance7	.6
Privation	1	..	1	.6	.5
Violent Deaths	7	19	2	*29	24	25
Causes not Specified	1	..	1	8	5

* The deaths of 5 persons, whose ages are not stated, are included severally under *convulsions, pneumonia, disease of the heart, enteritis, and violence.*

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)			Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
Area in square Miles	Population in Enume- rated in 1841		5 Years	5 Autumns	
<i>West Districts</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	139	159
<i>North Districts</i> { St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	175
<i>Central Districts</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	195	152
<i>East Districts</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	222	218
<i>South Districts</i> { St. Savionr; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	285
TOTALS.....	86.8	1,915,104	946	990	989

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males.. 477 Females 476 Total 953	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..	Males.... 483 Females.. 463 Total.. 946	Deaths in the Week	Males.... 524 Females.. 465 Total.. 989
--	---	--	---	--------------------	---

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same period:—													
ALL DEATHS (except from Violence)	912	915	772	893	814	851	888	925	1003	883	916	953	960
From Diseases of the Respiratory Organs	216	194	196	210	197	192	231	252	282	246	267	287	314
From Small Pox.....	58	47	36	49	37	37	37	51	36	35	54	36	42
From all Diseases at 60 and upwards	137	148	130	158	137	129	146	148	189	160	152	158	166
Mean Temperature	58.2	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6	48.6	46.1	44.2	43.8

NOTES.

1.—Under the term METROPOLIS, are comprised the 34 Districts above-mentioned, which include the City of London within and without the Walls, the City and Liberties of Westminster, the Out Parishes within the Bills of Mortality;—and the Parishes of St. Marylebone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke; Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Wandsworth; Clapham; Battersea (exclusive of Penge); Putney; Streatham; Tooting Graveney; Camberwell; Greenwich; St. Nicholas and St. Paul, Deptford; and Woolwich. The population as enumerated in 1831, was 1,627,980; and in June 1841, 1,915,104.

2.—The weekly averages of Deaths in the 34 Districts during the years 1839-40-1-2-3, were obtained by dividing the Deaths in the 5 years by 260, and those in the 5 Autumns by 65; and a correction has been made for the present year according to the increase of population since the census of 1841, which is assumed to be 1.55 per Cent. per Annum, this having been the rate of increase in the Metropolis during the ten years preceding the last enumeration.

3.—The 42 deaths from small pox occurred at the following ages:—nine under 1 year; ten 1-3; nine 3-5; ten 5-10; three 15-30; and one 32 years.

4.—Under *hamorrhage* is included “epistaxis,” a female 81 years. Under *carcinoma*, “erysipelas after operation for cancer of the left breast. 10 days since (1 year in forming),” a female 48 years; and “malignant polypus of the womb (8 months),” a female 29 years. Under *malformation*, “cyanosis,” a male 2 days. Under *pleurisy*, “empyema,” a male 19 years. Under *disease of the liver*, “spasm of the heart from the passage of gallstones,” a female 34 years. Under *disease of the kidneys*, “granular kidneys,” a female 22 years. Under *disease of the joints, bones, &c.*, “necrosis of the temporal bone—ulcer of the brain,” a female 19 years. And under *privation*, “apoplexy from cold—voluntary exposure,” a male 57 years.

5.—The following are the cases of death by violence which appear in the present table:—

“Accidental death by the fall of a tent,” a male 2.	“Drowning,” a female 15.
“Accidental death by the fall of a tent,” a female 34.	“Found drowned,” a female 26.
“Accidental death from a fall,” a male 33.	“Hanged himself in a state of mental derangement,” a male 65.
“Injuries from being accidentally crushed,” a male 29.	“Hanged himself in a state of temporary insanity,” a male 52.
“Rupture of the liver,” a male 20.	“Hanging herself in temporary insanity,” a female 63.
“Erysipelas from injury to the head,” a male 3.	“Accidentally suffocated from being turned up in a turn-up bedstead,” a female 10 months.
“Accidental death by fall of bricks from a wall,” a female 19.	“Accidentally suffocated in bed,” a female 6 months.
“Phlebitis from the scratch of a cat,” a female 1.	“Accidental, from being overlaid,” a female 9 weeks.
“Drowning,” a male 26.	“Suicide with prussic acid,” a male 30.
“Drowning,” a male 18.	“Taking poison inadvertently,” a male 46.
“Drowning,” a male 41.	“Poisoning with meadow-saffron, taken to produce abortion,” a female 20.
“Drowning,” a male 30.	“Debility after an accidental burn (1 month, post mort.),” a female 4.
“Drowning,” a male 29.	
“Accidentally drowned,” a male 33.	
“Accidentally drowned,” a male 16.	
“Found in the River Thames,” a male, age unknown.	
“Suicide by drowning,” a male 22.	

6.—ANALYSIS of the preceding list of violent deaths:—FRACTURE or CONTUSION, 6 cases, of which 1 was by a fall, and 3 by the fall of hard bodies; the remaining 2 by means not stated. RUPTURE, 1 case (probably by violence, but the nature of it not described). WOUND, 1 case (by an animal). DROWNING, 11 cases, of which 1 was suicide, and 2 accidental—in the remaining 8 it could not be ascertained, or injuries have neglected to state, whether accidental or otherwise. HANGING, 3 cases (suicides). SUFFOCATION in bed, 3 cases. POISON, 3 cases, of which 1 was suicide, 1 accidental, and 1 from criminal intention, but not with a view to commit suicide. And BURN, 1 case. Total, 18 males, and 11 females.

General Register Office, Tuesday, November 12th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday November 9, 1844.

1844 Day	Phases of the Moon	Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature				WIND				Mean Amount of Cloud, 0-10	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																										
			Dry					Dew Point					In the Water at Greenwich, by the self- registering Thermometer, read at 9 o'clock next morning		Lowest on the grass, as shown by a self-register- ing thermometer		Highest in the sun, as shown by a self-register- ing thermometer		Lowest on the grass, as shown by a self-register- ing thermometer						In the Water at Greenwich, by the self- registering Thermometer, read at 9 o'clock next morning		Lowest on the grass, as shown by a self-register- ing thermometer		Highest in the sun, as shown by a self-register- ing thermometer		General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																
			High- est	Low- est	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12					Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12		Mean from 12 to 12	Mean from 12 to 12		Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12

The height of the column of the barometer is considered to be 150 feet above the mean level of the sea. The readings of the barometer are considered to be reduced to the level of the sea. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and the readings are corrected in the previous 24 hours. The readings of the two self-registering thermometers are read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here, opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park. In reading the 15th column, it will be borne in mind that + is read "higher," and - is read "lower" than the average. The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended in the side of the Drednought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant-General Sir John Lubbock, Bart. The general direction of the wind on the first two days was N., it was generally calm during the four following days, and it was S.S.W. on the last day of the week.

The sky was covered with cirrostratus and cloud during the whole of the day. A thin drizzling rain was falling during a part of the afternoon.

The sky was alternately partially clear and quite overcast with cirrostratus till 7h. p.m.; at that time it was cloudless, with the exception of a few cirrostratus near the horizon, and it continued clear till towards 11h., and it was cloudy before midnight.

Overcast throughout the day; during a part of the afternoon a great gloom prevailed; a few drops of rain fell at 9h. p.m.

Overcast till after 9h. a.m.; a thin rain was falling till 5h. a.m.; between 11h. a.m. and 9h. p.m. the sky was at times thickly clear, and at other times overcast; after 9h. p.m. it was quite overcast.

Alternately clear and cloudy, but the duration of clouds much longer than that of clear sky. Occasional thin rain fell till 11h. a.m., and broken clouds between 3h. and 5h. p.m. with heavy rain between 9h. a.m. and noon, and between noon and 3h. p.m.; at 5h. overcast, and at midnight, but heavy, and overcast again by 9h. p.m., and continued so till midnight.

Overcast till 5h. a.m., at which time rain was falling heavily; after which the sky was cloudless for a short time, and then overcast again.

Overcast, with heavy rain falling till 5h. a.m.; a few drops and masses of rain fell till 11h. a.m., and heavy rain was falling. At noon a glory appeared around the sun, and the clouds, as they passed near him, were deeply coloured red. The sun was of a deep copper colour. The afternoon was nearly cloudless.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, November 16th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844 .	446	310	188
ALL CAUSES	514	344	208	*1072	990	946
SPECIFIED CAUSES	513	343	207	*1069	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	214	30	11	255	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	41	36	23	*101	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	84	40	29	*154	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	129	127	43	*300	312	286
V.—Diseases of the Heart, and Blood-vessels	3	24	11	38	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	29	26	8	63	66	69
VII.—Diseases of the Kidneys, &c.	1	5	3	9	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	19	1	20	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	5	2	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	2	2	1	1
XI.—Old Age	69	69	74	71
XII.—Violence, Privation, Cold, and Intemperance	10	31	7	*51	26	26
I.—Small Pox	45	6	..	51	17	15
Measles	25	25	32	28
Scarlatina	83	1	..	84	45	34
Whooping Cough	23	23	31	33
Croup	7	7	9	8
Thrush	4	4	5	5
Diarrhoea	7	1	5	13	10	12
Dysentery	2	..	2	3	3
Cholera	1	1	.6	1
Influenza	1	..	1	2	2	2
Ague	1	1	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	12	17	3	32	29	31
Erysipelas	3	3	2	8	6	5
Syphilis	1	1	.5	.6
Hydrophobia1	..
II.—Inflammation	1	..	1	7	7
Hæmorrhage	2	2	3	3
Dropsy	5	11	8	24	37	35
Abscess	1	1	1	3	3	4
Mortification	1	3	4	5	5
Purpura	1	..	1	.2	.3
Scrofula	3	3	2	2
Carcinoma	9	7	16	9	8
Tumour	2	2
Gout	1	..	1	1	1
Atrophy	6	..	1	7	8	7
Debility	18	3	..	21	21	21
Malformations	1	1	1	1
Sudden Deaths	5	8	3	*17	16	15
III.—Cephalitis	10	5	..	15	11	12
Hydrocephalus	24	*25	34	36
Apoplexy	9	15	24	19	18
Paralysis	10	13	23	17	16
Convulsions	46	1	..	47	55	58
Tetanus	1	1	..	2	.4	.4
Chorea1	..
Epilepsy	8	..	8	.4	.4
Insanity	1	..	1	1	1
Delirium Tremens	4	..	4	2	2
Dis. of Brain, &c.	3	1	1	5	9	9
IV.—Laryngitis	1	3	..	4	.6	.5
Quinsey	2	1	..	3	2	2
Bronchitis	14	7	6	27	14	12
Pleurisy	3	..	3	2	2
Pneumonia	86	7	8	101	107	79
Hydrothorax	2	3	4	9	5	5
Asthma	7	11	18	27	24
Phthisis (or Consumption)	16	87	9	112	140	147
Dis. of Lungs, &c.	8	9	5	*23	15	15
V.—Pericarditis	1	..	1	.8	.8
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c.	3	22	11	36	22	20
VI.—Teething	10	10	18	19
Gastritis	1	1	..	2	17	19
Enteritis	4	5	2	11	1	1
Peritonitis	1	1	1	3	6	6
Tabes Mesenterica	10	10	.6	.4
Worms	1	.8
Ascites	1	1	2	2
Ulceration (of Intestines, &c.)	1	..	1	.3	.5
Hernia	3	..	3	.4	.4
Colic or Ileus	2	..	2	.1	.1
Intussusception6	.6
Stricture (of the Intestinal Canal)4	.4
Hæmatemesis4	.4
Dis. of Stomach, &c.	2	4	..	6	.1	.1
Dis. of Pancreas
Hepatitis	4	..	4	.1	.1
Jaundice	1	1	..	2	.3	.4
Dis. of Liver, &c.	4	4	8	.6	.5
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes	1	1	2	.3	.4
Cystitis	1	..	1	.4	.3
Stone	1	..	1	.3	.4
Stricture (of the Urethra)6	.5
Dis. of Kidneys, &c.	1	2	2	5	3	3
VIII.—Childbirth	14	..	14	8	7
Paramenia3	.2
Ovarian Dropsy	1	..	1	.2	.3
Dis. of Uterus, &c.	4	1	5	2	2
IX.—Arthritis1	..
Rheumatism	5	2	7	3	3
Dis. of Joints, &c.	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer	1	1	.5	.4
Fistula4	.4
Dis. of Skin, &c.	1	1	.4	.4
XI.—Old Age	69	69	74	71
XII.—Intemperance	1	..	1	.7	.6
Privation	1	1	.6	.5
Violent Deaths	10	30	6	*49	24	25
Causes not Specified	1	1	1	3	8	5

* The ages of 3 persons, whose deaths were caused by violence, and of 3 included respectively under hydrocephalus, disease of the respiratory organs, and sudden deaths, are not stated.

DISTRICTS of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
<i>West</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } <i>Districts</i> { St. Martin in the Fields; St. James..... }		17.2	301,326	138	139	147
<i>North</i> { St. Marylebone; St. Pancras; Islington; Hackney		17.3	366,303	171	175	191
<i>Central</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } <i>Districts</i> { East London; West London; City of London		2.8	374,759	188	195	183
<i>East</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } <i>Districts</i> { Stepney; Poplar		8.8	393,247	207	222	218
<i>South</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } <i>Districts</i> { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich		40.7	479,469	242	259	333
TOTALS.....		86.8	1,915,104	946	990	1072
Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.		Males.. 480 Females 472 Total 952	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..		Males 483 Females .. 463 Total.. 946	Deaths in the Week { Males 547 Females .. 525 Total.. 1072

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	915	772	893	814	851	888	925	1003	883	916	953	960	1022
From Diseases of the Respiratory Organs	194	196	210	197	192	231	252	282	246	267	287	314	300
From Small Pox.....	47	36	49	37	37	37	51	36	35	54	36	42	51
From all Diseases at 60 and upwards	148	130	158	137	129	146	148	189	160	152	158	166	202
Mean Temperature	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6	48.6	46.1	44.2	43.8	49.9

NOTES.

1.—The 51 deaths from *small pox* occurred at the following ages:—thirteen under 1 year; twelve 1-3; thirteen 3-5; five 5-10; three 10-20; four 20-30; and one 30 years.

2.—Under *malformation* is included “*spina bifida*,” a male 9 days. Under *phthisis*, “*pneumothorax*,” a male 3 years. Under *disease of the heart*, “*morbus cordis—prolapsus uteri et ani*,” a female 62 years. Under *disease of the kidneys*, “*granular degeneration of the kidney (post mort.)*,” a female 28 years, and “*ulceration of the bladder*,” a male 67 years. And under *privation*, “*old age and privation*,” a male 61 years.

*3.—The following are the cases of *death by violence* which appear in the present table:—

“Accidentally run over by a waggon drawn by 5 horses,” a male 53	“Drowned by falling from a barge,” a male 29
“Accidentally run over by a chaise,” a male 4	“Drowned, but how caused unknown,” a male, age unknown
“Accidentally run over by a waggon,” a male 4	“Drowning,” a male 45
“Injuries from being run over,” a male 23	“Drowning,” a male 67
“Accidental, by a piece of stone falling on him,” a male 25	“Found dead in the river Ravensbourne,” a male, age unknown
“Accidental death, by a fall down an area,” a male 49	“Drowning,” a male 38
“Accidentally killed by falling from the foreyard of the ship ‘Candidate,’ ” a male 39	“Drowning,” a male 27
“Fracture of his skull by a fall,” a male 13	“Hanged himself in a temporary state of insanity,” a male 53
“Gangrenous inflammation in his thigh and hip from a fall,” a male 40	“Accidental death from choking,” a male 68
“Accidental fracture of his right leg by a fall,” a male 69	“Suffocation—wilful murder against some person unknown,” age unknown
“Injuries to the head from a fall,” a male 58	“Found dead, apparently from suffocation,” a female 14 weeks
“Injuries from a fall,” a male 29	“Effects of poison taken in ignorance,” a female 18
“Injuries from a fall,” a female 17	“Oxalic acid—suicide,” a female 22
“The effects of a fractured leg after amputation,” a male 36	“Poison contained in a quantity of bitter almonds in his stomach,” a male 21
“Fractured leg—gangrene,” a male 79	“Accidental death from burns,” a female 7 months
“Tetanus from a fractured leg,” a male 40	“Accidental burn,” a female 2
“Mortification caused by injury to his right arm,” a male 57	“Injuries from being accidentally burnt,” a male 1
“Injuries from being accidentally crushed,” a male 33	“Accidental death from burns,” a male 3
“Injuries casually received in the body,” a male 8	“Accidental death by scalds from the bursting of the joints of the main-pipe of a steam-engine,” 7 males, whose respective ages are 18, 27, 27, 31, 33, 37, and 44.
“Injuries accidentally received,” a male 79	“Accidentally scalded,” a female 9 months
“Accidental injury to the leg,” a female 25	“Injuries from being accidentally burnt,” a female 61.
“Drowned,” a female 35	
“Drowned himself in the Thames, being of unsound mind at the time,” a male 41	

4.—ANALYSIS of the preceding list of *violent deaths*:—FRACTURE OR CONTUSION, 21 cases, of which 4 were by horses and carriages, 8 by falls, 1 by the fall of a hard body, and the remainder by means not stated. DROWNING, 9 cases, of which 1 was accidental, 1 a suicide: in the remainder injuries have neglected to state, or could not ascertain whether death was accidental or otherwise. HANGING, 1 case (suicide). SUFFOCATION, 3 cases, of which 1 was murder, 1 accident, and 1 probably from accident. POISON, 3 cases, of which 2 were from accident or mistake, and 1 a suicide. And BURNS and SCALDS, 13 cases. Total, 40 males and 10 females (including 1 case put to *tetanus*).

General Register Office, Tuesday, November 19th, 1844.

* Note.—The list of violent deaths in the present table is increased by 25 cases, which occurred in the districts of Greenwich and St. Olave's, and which were registered only during last week, though, on many of these, inquests had been held at former periods. The bursting of a steam-engine, as recorded above, is another cause of the increase.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday November 16, 1844.

1844 Day	Phase of the Moon	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature		WIND				Mean Amount of Cloud, 0-10	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Dry		Dew Point		Highest in the sun, as shown by self-register- ing thermometer		Lowest on the grass, as shown by self-register- ing thermometer		In the Water of the Thames at Greenwich, registered by the self- registering thermometer, read at 9 o'clock next morning		Air Temperature		General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		High- est	Low- est	Mean from 12 to 12	Mean from from 12 to 12	Highest	Lowest	Mean of 12 Diffs.	Greatest	Least	Mean	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.		Obs.	Rts.						Obs.	Rts.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Nov. Su. 10	New	in.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The height of the column of the barometer is considered to be 29.9 feet above the mean level of the sea. The readings of the barometer are considered to be coincident with those of the Royal Society's first glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night with the exception of Sundays.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky. They are, however, placed here opposite to the civil day which precedes that on which the thermometers are read, as the observations are given 21 hours. Where the anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

* In reading the 13th column, it will be borne in mind that + is read "minus", and - is read "plus", than the average.

The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, inserted under the superintendence of Lieut. Col. Lloyd, of the Royal Artillery, and the readings are given in the 11th column. The sequence of the readings for the maximum and for the minimum on the 11th day being nearly the same, that of the latter, however, being the higher, the mean of the observed readings has been taken, and inserted both as the maximum and as the minimum reading, on the supposition that there was little, or no variation in the temperature of the water during the previous 24 hours. The same remark applies to the 13th day.

† The general direction of the wind for the week has been S.W.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED

In the Week ending Saturday, November 23rd.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
					Autumn.	Years
Weekly Average for 1844	446	311	188
ALL CAUSES	459	301	153	*914	990	946
SPECIFIED CAUSES	459	301	153	*914	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious Diseases)	162	32	15	209	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable seat	45	30	18	93	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	69	30	23	122	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	135	127	26	288	312	286
V.—Diseases of the Heart, and Blood-vessels	3	23	7	33	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	33	22	6	61	66	69
VII.—Diseases of the Kidneys, &c.	2	1	3	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	14	2	16	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	3	3	1	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	50	50	74	71
XII.—Violence, Privation, Cold and Intemperance	9	18	4	*32	26	26
I.—Small Pox	31	9	..	40	17	15
Measles	24	24	32	28
Scarlatina	59	1	..	60	45	34
Whooping Cough	17	17	31	33
Croup	6	6	9	8
Thrush	1	1	5	5
Diarrhoea	3	1	3	7	10	12
Dysentery	1	2	..	3	3	3
Cholera6	1
Influenza	2	..	3	5	2	2
Ague	1	2	..	3	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	12	11	4	27	29	31
Erysipelas	3	5	5	13	6	5
Syphilis	1	1	..	2	.5	.6
Hydrophobia1	..
II.—Inflammation	1	1	7	7
Hæmorrhage	2	..	2	3	3
Dropsy	4	10	9	23	37	35
Abscess	3	3	3	4
Mortification	2	1	..	3	5	5
Purpura	1	1	.2	.3
Scrophula	3	3	..	6	2	2
Carcinoma	2	8	5	15	9	8
Tumour	1	..	1	2	2
Gout	1	..	1	1	1
Atrophy	11	..	1	12	8	7
Debility	16	2	..	18	21	21
Malformations	1	1
Sudden Deaths	2	2	3	7	16	15
III.—Cephalitis	7	2	1	10	11	12
Hydrocephalus	19	19	34	36
Apoplexy	4	11	10	25	19	18
Paralysis	9	9	18	17	16
Convulsions	37	37	55	58
Tetanus	1	..	1	.4	.4
Chorea	1	1	.1	..
Epilepsy	1	1	2	4	4
Insanity	1	..	1	1	1
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	1	3	2	6	9	9
IV.—Laryngitis	1	..	1	.6	.5
Quinsey	2	1	..	3	2	2
Bronchitis	8	4	6	18	14	12
Pleurisy	1	3	..	4	2	2
Pneumonia	103	13	2	118	107	79
Hydrothorax	4	1	5	5	5
Asthma	7	10	17	27	24
Phthisis (or Consumption)	17	86	2	105	110	147
Dis. of Lungs, &c.	4	8	5	17	15	15
V.—Pericarditis	1	..	1	2	.8	.8
Aneurism7	.7
Dis. of Heart, &c.	2	23	6	31	22	20
VI.—Teething	13	13	18	19
Gastritis	17	19
Enteritis	11	7	1	19	1	1
Peritonitis	3	..	3	6	6
Tubercles Mesenterica	4	4	.6	.4
Worms	2	.8
Ascites	2	..	2	1	.8
Ulceration (of Intestines, &c.)	2	1	..	3	2	2
Hernia	1	1	2	2
Colic or Hæmorrhoids	1	..	1	2	2
Intussusception3	.5
Stricture (of the Intestinal Canal)	1	1	.5	.6
Hæmatemesis4	.4
Dis. of Stomach, &c.	1	..	1	2	4	4
Dis. of Pancreas
Hepatitis	2	1	3	1	1
Jaundice	1	..	1	2	2
Dis. of Liver, &c.	1	4	2	7	8	8
Dis. of Spleen	1	..	1	.1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes3	.4
Cystitis4	.3
Stone3	.4
Stricture (of the Urethra)6	.5
Dis. of Kidneys, &c.	2	1	3	3	3
VIII.—Childbirth	11	..	11	8	7
Parametria3	.2
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	3	2	5	2	2
IX.—Arthritis1	..
Rheumatism	3	..	3	3	3
Dis. of Joints, &c.	3	..	1	4	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	50	50	74	71
XII.—Intemperance7	.6
Privation	1	1	..	2	.6	.5
Violent Deaths	8	17	4	*30	24	25
Causes not Specified	8	5

* The age of a person, who died from *poison*, is not stated.

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 <i>Registrars' Districts</i>)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumn	
<i>West Districts</i>	Kensington; Chelsea; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James.....	17.2	301,326	138	139	131
<i>North Districts</i>	St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	159
<i>Central Districts</i>	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	195	145
<i>East Districts</i>	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	222	212
<i>South Districts</i>	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Wandsworth and Clapham; Camberwell; Rotherhithe; Greenwich	10.7	479,469	212	259	267
TOTALS.....		36.8	1,915,104	946	990	914

Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four pre-ceeding and the four following the same.

Males.. 495
Females 479
Total 974

Weekly Average for 1844,
deduced from the Deaths
in 1839-40-1-2-3..

Males.... 483
Females.. 463
Total.. 946

Deaths
in the
Week

Males... 443
Females.. 471
Total.. 914

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	772	893	814	851	888	925	1003	883	916	953	960	1022	884
From Diseases of the Respiratory Organs	196	210	197	192	234	252	282	246	267	287	314	300	288
From Small Pox.....	36	49	37	37	37	51	36	35	54	36	42	51	40
From all Diseases at 60 and upwards	130	158	137	129	146	148	189	160	152	158	166	202	149
Mean Temperature	58.4	56.5	62.7	58.1	56.5	52.0	54.6	51.6	48.6	46.1	44.2	43.8	44.5

NOTES.

1.—The 40 deaths from small pox occurred at the following ages:—nine under 1 year; ten 1-3; two 3-5; nine 5-10; three 10-20; six 20-30; and one 39 years.

2.—Under *mortification* are included “phagedæna in a blistered surface,” a male 50 years, and “cancerum oris,” a male 13 years. Under *atrophy*, “debility from want of breast milk,” a male 2 months; and “debility without breast milk from birth” a female 3 months. Under *disease of the liver*, “obstruction of the biliary duct—rupture of a bloodvessel in the stomach” (*post mort.*) a female 5 weeks. Under *disease of the joints, bones, &c.* “a phlebia from mollities ossium,” a male 4 years. And under *privation*, “destitution,” a male 37 years; and “natural causes—want of proper nourishment,” a male 9 weeks.

3.—The following are the cases of death by violence which appear in the present table:—

“Suicide in temporary insanity—threw himself from a house” a male 29.
“Laceration of the brain by a fall from a scaffold,” a male 20.
“Accidental death by a fall down stairs,” a male 46.
“Injuries from a fall,” a male 55.
“Manslaughter against Henry Brenton, her husband, by giving her a mortal concussion of the spinal marrow, and other injuries,” a female 35.
“Accidental death by the fall of a floor loaded with flour,” a female 11.
“The effects of a fracture of his leg by a piece of timber striking him,” a male 52.
“Jammed between two chimneys,” a male 17.
“Accidentally injured by the wheel of an omnibus,” a male 9.
“Fracture of the pelvis by a cat,” a male 61.
“Hæmorrhage from rupture of the liver by an accident,” a male 52.
“Suicide, cut her throat in temporary derangement,” a female 37.
“Found drowned,” a female 46.
“Drowning,” a male 38.

“Drowning,” a male 7.
“Drowning,” a male 38.
“Drowning,” a male 45.
“Hanged himself, state of mind unknown” a male 73.
“Hanged himself, while insane” a male 19.
“Accidentally suffocated” a female 50.
“Burns from her clothes accidentally taking fire,” a female 67.
“Burnt by her clothes taking fire,” a female 5.
“Accidentally burnt by her clothes taking fire,” a female 74.
“Burnt by his clothes taking fire,” a male 5.
“Injuries from being burnt,” a male 1.
“Scalded by drinking hot water,” a male 3.
“Suicide by arsenic—temporary insanity, (11 hours)” *post mort.* a female 22.
“Suicide with oxalic acid,” (*post mort.*) a female 17.
“Oxalic acid—whether taken by accident or design unknown” a male, age not stated.
“Overdose of syrup of poppies, inadvertently given by his mother,” a male 3 weeks.

6.—ANALYSIS of the preceding list of violent deaths:—FRACTURE OR CONTUSION, 10 cases; of which 4 were by falls (1 being suicide), 2 by the fall of hard bodies, 1 by machinery, 2 by horses and carriages, and 1 a case of *manslaughter*, in which the jury have neglected to state the means by which death was caused. RUPTURE of the liver, 1 case; (accidental, but the cause not described). WOUND 1 case, (suicide). DROWNING, 5 cases, but whether accidental or from design, juries were unable to ascertain, or have neglected to state. HANGING, 2 cases, (suicides). SUFFOCATION, 1 case, (accidental). BURNS, 5 cases, of which 4 were by clothes taking fire. SCALD, 1 case (by drinking hot water). POISON, 3 cases, of which 2 were suicide—in one it could not be ascertained whether it was the result of accident or design. AND OVERDOSE OF MEDICINE, 1 case. TOTAL, 20 males and 10 females.

General Register Office, Tuesday, November 26th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday November 23, 1844.

1844 Day	Phase of the Moon	Readings of Thermometers												Difference between the Dew Point Temperature Air Temperature			WIND				Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		In the Water at Greenwich, by the self- registering Thermometer, read at 9 o'clock next morning						In the Sun, as shown by self-registering Thermometer						Greatest		Least		General Direction	Pressure in lbs. on the square foot							Amount of Horizontal Movement of the Air in each day																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Dry		Dew Point		Lowest		Highest		Lowest		Highest		Mean of 12	Obs.	A.M.	P.M.		lbs.	lbs.							Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		High est	Low- est	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean from 12 to 12	Mean of 12	Least	Greatest	lbs.	Miles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Nov.		in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

The height of the column of the barometer is considered to be 10 feet above the mean level of the sea. The readings of the barometer are considered to be the true readings of the barometer, the Royal Society's flat glass standard barometer. The amount of clouds is estimated, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with cloud. The observations are taken every two hours, day and night with the exception of Sundays.

The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and to the cylinder which precedes that on which the thermometers are read.

Whevel's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

In reading the 15th column, it will be borne in mind that + is read "positive," and - is read "negative," than the average.

The temperature of the water, which is the temperature of the surface, is read by a self-registering thermometer, suspended from the side of the Dreadnought Harbours, at a depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence of Lieutenant Mullins, R.N., Superintendent of the Dreadnought. On Nov. 18th the position of the index of the maximum thermometer was 3° from the mercury thus indicating a reading of 34°; which could not have been, and the reading of the instrument at the time has been adopted as the true reading.

† The mean direction of the wind for the week has been S.W. The apparent amount of rain is by deposition of moisture; no rain has fallen during the week in sufficient amount to affect the gauge.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, November 30th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.]

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844	446	310	188
ALL CAUSES	506	348	220	*1075	990	946
SPECIFIED CAUSES	505	348	220	*1074	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	189	26	5	220	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	44	44	35	123	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves, and Senses	87	36	25	148	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	128	148	47	323	312	286
V.—Diseases of the Heart, and Blood-vessels	3	25	11	39	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	44	23	13	80	66	69
VII.—Diseases of the Kidneys, &c.	1	9	3	13	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	11	1	12	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	2	1	4	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	72	72	74	71
XII.—Violence, Privation, Cold and Intemperance	8	24	6	*39	26	26
I.—Small Pox	43	3	..	46	17	15
Measles	30	30	32	28
Scarlatina	54	2	..	56	45	34
Whooping Cough	19	19	31	33
Croup	9	9	9	8
Thrush	4	4	5	5
Diarrhœa	6	1	..	7	10	12
Dysentery	1	1	3	3
Cholera6	1
Influenza	1	..	1	2	2	2
Ague	2	2	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	14	17	2	33	29	31
Erysipelas	6	3	1	10	6	5
Syphilis5	.6
Hydrophobia1	..
II.—Inflammation	1	..	1	7	7
Hæmorrhage	1	2	..	3	3	3
Dropsy	3	15	16	34	37	35
Abscess	3	4
Mortification	1	3	3	7	5	5
Purpura2	.3
Scrofula	2	1	..	3	2	2
Carcinoma	13	10	23	9	8
Tumour	2	2
Gout	1	1
Atrophy	9	9	8	7
Debility	14	3	..	17	21	21
Malformations	1	1
Sudden Deaths	14	6	6	26	16	15
III.—Cephalitis	8	2	..	10	11	12
Hydrocephalus	17	1	..	18	34	36
Apoplexy	2	13	11	26	19	18
Paralysis	7	11	18	17	16
Convulsions	51	1	..	52	55	58
Tetanus4	.4
Chorea	1	..	1	.1	..
Epilepsy	3	1	4	4	4
Insanity	1	1
Delirium Tremens	5	..	5	2	2
Dis. of Brain, &c.	9	3	2	14	9	9
IV.—Laryngitis	1	1	..	2	.6	.5
Quinsey	1	..	1	2	2
Bronchitis	14	8	12	34	14	12
Pleurisy	2	2
Pneumonia	95	18	7	120	107	79
Hydrothorax	1	1	2	4	5	5
Asthma	7	15	22	27	24
Phthisis (or Consumption)	10	102	8	120	140	147
Dis. of Lungs, &c.	7	10	3	20	15	15
V.—Pericarditis	3	..	3	.8	.8
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c.	3	21	11	35	22	20
VI.—Teething	18	18	18	19
Gastritis	17	19
Enteritis	5	4	4	13	1	1
Peritonitis	1	1	6	6
Tabes Mesenterica	15	15	.6	.4
Worms	1	1	1	.8
Ascites	1	1	2	2	2
Ulceration (of Intestines, &c.)	4	..	4	2	2
Hernia	2	2	4	2	2
Colic or Ileus	1	2	3	2	2
Intussusception	1	1	.3	.5
Stricture (of the Intestinal Canal)5	.6
Hæmatemesis4	.4
Dis. of Stomach, &c.	4	..	4	4	4
Dis. of Pancreas	1	1
Hepatitis	1	1	2	2
Jaundice	1	1	..	2	8	8
Dis. of Liver, &c.	3	5	2	10	.1	.1
Dis. of Spleen	1	..	1
VII.—Nephritis	1	..	1	.6	.5
Ischuria2	.2
Diabetes	1	..	1	.3	.4
Cystitis4	.3
Stone	1	..	1	.3	.4
Stricture (of the Urethra)	1	..	1	.6	.5
Dis. of Kidneys, &c.	1	5	3	9	3	3
VIII.—Childbirth	10	..	10	8	7
Paramenia3	.2
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	1	1	2	2	2
IX.—Arthritis1	..
Rheumatism	1	1	2	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer5	.4
Fistula4	.4
Dis. of Skin, &c.	1	1	.4	.4
XI.—Old Age	72	72	74	71
XII.—Intemperance	1	1	.7	.6
Privation6	.5
Violent Deaths	8	24	5	*38	24	25
Causes not Specified	1	1	8	5

* The age of 1 person, who died from violence, is not stated.

ANNUAL SERIES.
V.

1844.—No. 49.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, December 7th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-10-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844	446	310	188			
ALL CAUSES	189	299	206	988	990	946
SPECIFIED CAUSES	189	299	200	988	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	157	26	8	191	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	42	29	14	85	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	103	30	26	159	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	145	140	51	336	312	286
V.—Diseases of the Heart, and Blood-vessels	5	25	12	42	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	26	18	10	54	66	69
VII.—Diseases of the Kidneys, &c.	10	6	16	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	..	7	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	4	1	6	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	68	68	74	71
XII.—Violence, Privation, Cold and Intemperance	10	10	1	24	26	26
I.—Small Pox	26	5	..	31	17	15
Measles	39	39	32	28
Scarlatina	41	3	..	44	45	34
Whooping Cough	26	26	31	33
Croup	5	5	9	8
Thrush	3	3	5	5
Diarrhoea	3	1	..	4	10	12
Dysentery	1	..	1	3	3
Cholera6	1
Influenza	1	1	2	2
Ague	1	1	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	8	10	3	21	29	31
Erysipelas	2	6	5	13	6	5
Syphilis	1	1	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	2	2	..	4	3	3
Dropsy	6	5	6	17	37	35
Abscess	1	1	3	4
Mortification	1	1	5	5
Purpura2	.3
Scrofula	2	2
Carcinoma	14	3	17	9	8
Tumour	2	2
Gout	1	1	1	1
Atrophy	4	1	..	5	8	7
Debility	22	3	..	25	21	21
Malformations	1	1
Sudden Deaths	4	4	3	11	16	15
III.—Cephalitis	5	3	..	8	11	12
Hydrocephalus	33	33	34	36
Apoplexy	1	10	16	27	19	18
Paralysis	1	5	7	13	17	16
Convulsions	60	1	1	62	55	58
Tetanus4	.4
Chorea1	..
Epilepsy	4	..	4	4	4
Insanity	1	..	1	1	1
Delirium Tremens	3	..	3	2	2
Dis. of Brain, &c.	3	3	2	8	9	9
IV.—Laryngitis	2	1	..	3	..	.5
Quinsey	3	3	2	2
Bronchitis	8	14	8	30	14	12
Pleurisy	1	..	1	2	2
Pneumonia	111	10	6	127	107	79
Hydrothorax	1	2	3	6	5	5
Asthma	11	20	31	27	24
Phthisis (or Consumption)	17	87	8	112	140	147
Dis. of Lungs, &c.	3	11	6	23	15	15
V.—Pericarditis	3	..	3	.8	.8
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c.	5	21	12	38	22	20
VI.—Teething	10	10	18	19
Gastritis	1	..	1	17	19
Enteritis	4	2	1	7
Peritonitis	2	..	2	1	1
Tubercles Mesenterica	8	8	6	6
Worms	1	1	.6	.4
Ascites	1	..	1	1	.8
Ulceration (of Intestines, &c.)	2	2
Hernia	1	2	3	2	2
Colic or Ileus	2	2
Intussusception3	.5
Stricture (of the Intestinal Canal)5	.6
Hæmatemesis4	.4
Dis. of Stomach, &c.	2	1	2	8	4	4
Dis. of Pancreas	1	..	1
Hepatitis	1	1	1	1
Jaundice	1	1	2	2	2
Dis. of Liver, &c.	5	4	9	8	8
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes	1	1	2	.3	.4
Cystitis	1	1	.4	.3
Stone3	.4
Stricture (of the Urethra)	1	2	3	.6	.5
Dis. of Kidneys, &c.	8	2	10	3	3
VIII.—Childbirth	6	..	6	8	7
Parametria3	.2
Ovarian Dropsy2	.3
Dis. of Uterus, &c.	1	..	1	2	2
IX.—Arthritis1	..
Rheumatism	1	2	1	4	3	3
Dis. of Joints, &c.	2	..	2	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	68	68	74	71
XII.—Intemperance	1	..	1	.7	.6
Privation6	.5
Violent Deaths	10	9	4	23	21	25
Causes not Specified	8	5

Districts of the Metropolis, (Amounting to 31 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enume- rated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
West Districts	{ Kensington; Chelsæa; St. George, Hanover-square; Westminster; St. Martin in the Fields; St. James..... }	17.2	301,326	138	139	138
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	164
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	2.8	374,759	188	195	187
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	8.8	393,247	207	222	216
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- ington; Lambeth; Wandsworth and Clapham; Camherwell; Rother- hithe; Greenwich	40.7	479,469	242	259	283
TOTALS.....		86.8	1,915,104	916	990	988
Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.		Males.. 491 Females 467 Total 958		Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3 ..		Males 483 Females .. 463 Total.. 946
				Deaths in the Week	Males 518 Females .. 470 Total.. 988	

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	817	851	888	925	1003	883	916	953	960	1022	881	1037	965
Deaths (except from Violence) at 60 & up ^{ds} .	131	128	146	118	189	160	152	158	166	202	149	215	196
From Diseases of the Respiratory Organs	197	192	234	252	282	246	267	287	314	300	288	323	336
From Small Pox.....	37	37	37	51	36	35	54	36	42	51	40	46	31
Mean Temperature	58.1	56.5	52.0	51.6	51.6	48.6	46.1	44.2	43.8	49.9	44.5	37.6	31.7

NOTES.

1.—The 31 deaths from *small pox* occurred at the following ages:—eleven under 1 year; four 1-3; four 3-5; six 5-10; one 10 years; one 17; and four 20-30 years.

2.—Under *typhus* (for the sake of convenience) is included, “mumps,” a male 1 year. Under *hemorrhage*, “epistaxis,” a female 14 years. Under *phthisis*, “phthisis laryngeal,” a female 54 years. Under *disease of the heart*, “angina pectoris,” a female 50 years; and “dropsy and valvular disease of the heart, and granular kidneys,” a female 72 years. Under *worms*, “infantile fever,” a female 2 years. And under *disease of the kidneys*, “albuminuria,” a male 26 years; “albuminuria, bronchitis,” a male 49 years; and “dropsy and granular kidneys,” a female 54 years.”

3.—The following are the cases of *death by violence* which appear in the present table:—

FRACTURES:—

- (1) “The effects of a fractured thigh, caused by a coach-horse,” a male 91.”
- (2) “Fracture of his skull by falling from his cart,” a male 48.
- (3) “Accidentally knocked down by a horse and cart—contusion of the brain (38 hours)” a female 76.
- (4) “Fractured skull by a fall from a scaffold,” a male 35.
- (5) “Accidental death by a fall down a ship’s hold,” a male 41.
- (6) “Fracture of his skull caused by a fall,” a male 29.
- (7) “Accidental fracture of his spine, caused by a fall,” a male 43.
- (8) “Fracture of his skull, but no evidence how,” a male 12.

WOUNDS:—

- (9) “Hæmorrhage from a diseased wrist and hand, caused by the bursting of a gun 25 years previously,” a male 70.
- (10) “Cutting his throat in temporary insanity,” a male 72.

DROWNING:—

- (11) “Drowned accidentally,” a male 13.
- (12) “Found drowned,” a female about 15.

SUFFOCATION:—

- (13) “Death from suffocation, but without injury from any person, within the knowledge of the jury,” a female 8 weeks.
- (14) “Suffocated himself, while in a state of insanity,” a male 35.

BURNS AND SCALDS:—

- (15) “Accidentally burnt by her clothes taking fire,” a female 20.
- (16) “Accidentally burnt by her clothes taking fire,” a female 12.
- (17) “Accidentally burnt by her clothes taking fire,” a female 4.
- (18) “Accidentally burnt by his clothes taking fire,” a male 3.
- (19) “Burnt by his clothes accidentally taking fire,” a male 3.
- (20) “Accidentally burnt by her clothes taking fire,” a female 6.
- (21) “Burnt by her clothes accidentally taking fire,” a female 4.
- (22) “Accidental scald of the throat by drinking boiling water from the spout of a kettle,” a female 3.

Poison:—

- (23) “Taking laudanum in temporary insanity,” a female 48.

* Nos. 6, 7, and 13, are defective verdicts. The juries have neglected to state the *place* and other circumstances in which the accidents occurred. No. 12 is also defective; the jury should have stated either *how* the person came into the water—or that they had not sufficient evidence with regard to the fact.

It has been ascertained from subsequent enquiry, that the death of a female reported in the Registrar’s Return for the week ending 23rd November as having been caused by *trismus* should have been registered in the following terms:—*miscarriage before the third month of pregnancy—flooding—trismus probably caused by exposure to damp and cold in a debilitated state of the system.*

It has been ascertained, also, that the death of a female, aged 40 years, caused by “effusion of blood into the cavity of the womb from a rupture at its peritoneal surface,” and enumerated among the cases of *childbirth*, in the table of last week, did not occur during *parturition*, but that, on a *post mortem* examination previous to the *inquest*, a full-grown fetus was discovered in the womb.

General Register Office, Tuesday, December 10th, 1844.

During the Week ending Saturday·December 7, 1844.

The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

In reading the 1st column, it is read "michas," and — is read "lowers" than the average.

The general direction of the wind, as ascertained by the use of a self-registering thermometer, suspended from the side of the Dreadnought, shows at the depth of about 2 feet below the surface. The readings of this instrument are registered under the air-temperature.

Lieutenant Sanders, R.N., Superintendent of the Dreadnought. The general direction of the wind during the weeks been N.N.E.

The height of the eastern of the barometer is considered to be 10 feet above the mean level of the sea. The readings of the barometer are consequently reduced to the mean level of the sea. The readings of the aneroid are reduced to the mean level of the sea by means of a clear sky. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the two self-registering thermometers, one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and the observations about the highest and lowest readings respectively that have occurred in the previous 24 hours. Whewell's anemometer (from the indications of which the estimation of horizontal movement is made) is read at 10 a.m., and the result is given for the 24 hours preceding. It is placed here opposite to the eighth day which precedes that on which the anemometer is read.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED

In the Week ending Saturday, December 14th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL.



LONDON:

HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
Weekly Average for 1844	446	310	188
ALL CAUSES	529	401	271	1201	990	946
SPECIFIED CAUSES	527	399	270	1196	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	189	27	10	226	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	40	36	32	108	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	91	35	32	158	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	155	211	78	444	312	286
V.—Diseases of the Heart, and Blood-vessels	7	22	13	42	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	35	28	15	78	66	69
VII.—Diseases of the Kidneys, &c.	4	1	5	6	5
VIII.—Childbirth, Diseases of the Uterus, &c.	7	3	10	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	4	5	2	11	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	78	78	74	71
XII.—Violence, Privation, Cold and Intemperance	6	24	6	36	26	26
I.—Small Pox	49	2	..	51	17	15
Measles	33	33	32	28
Scarlatina	45	2	..	47	45	34
Whooping Cough	26	26	31	33
Croup	11	..	1	12	9	8
Thrush	2	2	5	5
Diarrhoea	6	3	1	10	10	12
Dysentery	2	2	3	3
Cholera6	1
Influenza	2	..	2	4	2	2
Ague4	.3
Remittent Fever	1	1	.4	.5
Typhus	10	16	2	28	29	31
Erysipelas	3	4	2	9	6	5
Syphilis	1	1	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	2	1	3	3	3
Dropsy	4	18	11	33	37	35
Abscess	1	..	1	2	3	4
Mortification	1	2	3	6	5	5
Purpura2	.3
Scrofula	2	..	2	2	2
Carcinoma	6	3	9	9	8
Tumour	1	..	1	2	2
Gout	1	1
Atrophy	10	..	4	14	8	7
Debility	16	1	..	17	21	21
Malformations	1	1	1	1
Sudden Deaths	7	4	9	20	16	15
III.—Cephalitis	14	14	11	12
Hydrocephalus	22	22	34	36
Apoplexy	2	12	15	29	19	18
Paralysis	10	12	22	17	16
Convulsions	50	50	55	58
Tetanus4	.4
Chorea1	..
Epilepsy	4	1	5	4	4
Insanity	1	1
Delirium Tremens	2	..	2	2	2
Dis. of Brain, &c.	3	7	4	14	9	9
IV.—Laryngitis	1	1	..	.5
Quinsey	3	1	..	4	2	2
Bronchitis	8	20	15	43	14	12
Pleurisy	3	..	3	2	2
Pneumonia	119	17	9	145	107	79
Hydrothorax	3	2	7	12	5	5
Asthma	1	34	30	65	27	24
Phthisis (or Consumption)	13	119	13	145	140	147
Dis. of Lungs, &c.	7	15	4	26	15	15
V.—Pericarditis	3	3	.8	.8
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c.	4	21	13	38	22	20
VI.—Teething	16	16	18	19
Gastritis	1	1	17	19
Enteritis	7	6	2	15	1	1
Peritonitis	1	1	2	6	6
Tabes Mesenterica	6	6	.6	.4
Worms	1	1	1	.8
Ascites	4	..	4	2	2
Ulceration (of Intestines, &c.)	2	2
Hernia	1	1	..	2	2	2
Colic or Ileus	1	..	1	.3	.5
Intussusception	1	1	.5	.6
Stricture (of the Intestinal Canal)	2	2	.4	.4
Hæmatemesis	1	1	4	4
Dis. of Stomach, &c.	1	..	2	3	1	1
Dis. of Pancreas	2	2
Hepatitis	2	..	2	5	8
Jaundice	1	2	2	5	8	8
Dis. of Liver, &c.	1	11	4	16	.1	.1
Dis. of Spleen6	.5
VII.—Nephritis2	.2
Ischuria3	.4
Diabetes	1	1	.4	.3
Cystitis3	.4
Stone6	.5
Stricture (of the Urethra)	2	..	2	3	3
Dis. of Kidneys, &c.	2	..	2	8	7
VIII.—Childbirth	7	..	7	.3	.2
Paramenia2	.3
Ovarian Dropsy	1	1	2	2
Dis. of Uterus, &c.	2	2	.1	..
IX.—Arthritis	3	3
Rheumatism	2	1	3	3	3
Dis. of Joints, &c.	4	3	1	8
X.—Carbuncle1	..
Phlegmon5	.4
Ulcer4	.4
Fistula4	.4
Dis. of Skin, &c.	74	71
XI.—Old Age	78	78	.7	.6
XII.—Intemperance	3	..	3	.6	.5
Privation	1	1	2	24	25
Violent Deaths	6	20	5	31	8	5
Causes not Specified	2	2	1	5

DISTRICTS of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
<i>West Districts</i>	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	139	176
<i>North Districts</i>	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	209
<i>Central Districts</i>	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	195	209
<i>East Districts</i>	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	222	268
<i>South Districts</i>	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	242	259	339
TOTALS.....		86.8	1,915,104	946	990	1201
Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.		Males.. 478 Females 466 Total 944	Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3..		Males 483 Females .. 463 Total.. 946	Deaths in the Week { Males 610 Females .. 591 Total.. 1201

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.													
ALL DEATHS (except from Violence)	851	883	925	1003	883	916	953	960	1022	884	1037	965	1170
Deaths (except from Violence) at 60 & up ^{ds} .	128	146	118	189	160	152	158	166	202	149	215	196	266
From Diseases of the Respiratory Organs	192	231	252	282	216	267	287	314	300	288	323	336	444
From Small Pox.....	37	37	51	36	35	51	36	42	51	40	46	13	51
Mean Temperature	56.5	52.0	54.6	51.6	48.6	46.1	44.2	43.8	49.9	44.5	37.6	31.7	28.2

NOTES.

1.—The 51 deaths from the *small pox* occurred at the following ages:—fifteen under 1 year; thirteen 1-3; ten 3-5; nine 5-10; two 10-15; and two 30-40 years.

2.—Under *small pox* are included, 2 cases of chicken pox, males, aged respectively 3 months and 3 years. Under *hæmorrhage*, “debility from hæmorrhage at the nose,” a male 70 years. Under *phthisis*, “laryngeal phthisis,” a male 62 years; and “*vomica*,” a female 39 years. Under *disease of the respiratory organs*, “ulceration of the pharynx and larynx (2 years),” a female 45 years; and “spasm in the glottis,” a male 7 weeks. Under *worms*, “infantile fever,” a female 1 year. Under *stricture of the œsophagus*, &c., “stricture of the gullet,” a male 61 years; and “stricture of the rectum,” a male 66 years. Under *disease of the digestive organs*, “imperfect nutrition from weak digestion,” a male 10 weeks; and “chronic gastric irritation induced by the premature use of artificial food,” a male 6 months. Under *disease of the liver*, “epistaxis and diseased liver,” a male 52 years. Under *disease of the kidneys*, “granulated kidneys,” a female 52 years. Under *disease of the joints, bones*, &c., “debility from the effects of a dislocated shoulder,” a female 80 years; and “disease of the bone of the head, and abscess,” a male under 1 year. Under *intemperance*, “asphyxia occurring during a fit while drunk,” (inquest) a male 15 years. And under *privation*, “natural disease occurring while in want of the common necessities of life,” a male 52 years; and “natural death accelerated by exposure to cold—and other privations,” (inquest) a male 63 years.

3.—The following are the cases of *death by violence* which appear in the present table:—

FRACTURES and CONTUSIONS:—

- (1) “Accidentally killed by the wheel of a cart,” a male 35.
- (2) “Injuries of the leg from the wheel of a dray,” a male 45.
- (3) “Accidental death by a fall from a cabriolet,” a male 42.
- (4) “Accidental death by a blow on the head from an engine,” a male 20.
- (5) “Fracture of the cranium from an accidental fall,” a male 51.
- (6) “Fell in the street,” a male 74.
- (7) “Fractures and loss of blood, caused by falling from the roof of a house accidentally,” a male 49.
- (8) “Natural causes, accelerated by a fall down stairs,” a male 58.
- (9) “Accidental death by a fall,” a female 27.
- (10) “Injuries from a fall,” a female 32.

WOUNDS:—

- (11) “Accidental death from a punctured finger, and locked-jaw,” a female 53.
- (12) “Suicide by cutting his throat with a razor, being at the time of unsound mind,” a male 25.

DROWNING:—

- (13) “Drowned—manslaughter against Samuel Sims,” a male 66.
- (14) “Manslaughter against Samuel Sims,” a male 19.

- (15) “Accidentally drowned,” a male 65.

- (16) “Found dead—apparently drowned,” a male about 15.
- (17) “Drowning,” a female 6.
- (18) “Drowning,” a female 20.
- (19) “Drowned—how, no evidence to shew,” a female 30.
- (20) “Drowned herself in the Surrey Canal, being of unsound mind,” a female 38.

HANGING and SUFFOCATION:—

- (21) “Suicide by hanging,” a male 63.
- (22) “Hanged himself in a temporary state of insanity,” a male 56.

- (23) “Asphyxia,” a male 81.

BURNS and SCALDS:—

- (24) “Died from burns received by an accidental explosion of gunpowder,” a female 18.
- (25) “Accidentally burnt,” a male 1.
- (26) “Accidentally burnt,” a female 21.
- (27) “Accidentally burnt,” a female 3.
- (28) “Accidental burn,” a female 6.
- (29) “Accidental death from burns,” a female 4.
- (30) “Accidental scalding of the air-passages by drinking hot-water,” a male 1.

POISON:—

- (31) “Suicide by arsenic, being of unsound mind (12 hours),” a male 35.

* No. 4 is a defective verdict: the *kind* of engine should have been stated. Query. Was it on land or water? Nos. 5, 9 and 10 are also imperfect—the *place* and other circumstances should have been included in the verdicts. In Nos. 17 and 18 it should have been recorded either *how* the persons came into the water, or—that sufficient evidence could not be obtained with regard to the facts. In Nos. 25-29 it should have been stated whether death was caused by the clothes taking fire, or by what other means. The entries of *manslaughter* (No. 14), and *asphyxia* (No. 23) are obviously insufficient. It is doubtful, indeed, whether the latter cause of death was *natural* or *violent*, and it is not stated by the Registrar, that it was returned by the Coroner.

General Register Office, Tuesday, December 17th, 1844.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,

During the Week ending Saturday December 14, 1844.

1844	Phases of the Moon	Readings of Thermometers										Difference between the Dew Point Temperature and Air Temperature			WIND				ELECTRICITY		Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Day		Dry		Dew Point		Lowest on the Grass, as shown by a self-registering thermometer		Highest in the sun, as shown by a self-registering thermometer		In the Water at Greenwich, by the self-registering thermometer, read at 9 o'clock next morning		Air Temperature		General Direction		Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day	Mean Amount of Cloud, 0-10	Rain in inches, read at 9 o'clock the next morning																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		High- est	Low- est	Mean from 12 to 12	Mean from 12 to 12	Obs.	Diff.	Mean of 12	Greatest	Least	Obs.	A.M.	P.M.	Greatest	Least	Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Dec. 8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
M. 9	Perigee new moon greatest declination S.	30.004	30.025	30.028	29.3	30.9	26.1	35.0	33.0	5.0	6.3	3.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The height of the column of the barometer is considered to be 60 feet above the mean level of the sea. The readings of the barometer are considered to be corrected for the influence of the temperature of the air, and the amount of clouds in the situation, considering a clear sky to be represented by 0, a cloudy sky by 10; and when partially cloudy, estimating the number of tenths of the whole sky covered with clouds. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. Whewell's anemometer (from the indications of which the estimation of horizontal motion is made) is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here opposite to the civil day which precedes that on which the anemometer is read.

The average temperature for 25 years is furnished by Mr. Henry, Assistant of the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

* In reading the 15th column, it will be borne in mind that + is read "higher," and — is read "lower" than the average.

The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, the bulb of which is placed in the water at a depth of 10 fathoms, and the instrument is read at 9 o'clock every day. The readings of this instrument are registered under the superintendence of Lieutenant Saunders, R.N., Superintendent of the Drednought. On the 11th day the readings were evidently erroneous; during the previous night a vessel got foul with the Drednought and the ship was much shaken. On Saturday afternoon a chain was affixed to the thermometer case of a sufficient length for a part of it to be always out of the water, it having been found that a three-quarter-inch rope became rotten in 4 or 5 weeks during the time of change the instrument were disturbed and their indexes are supposed to have been thrown out of order by the motion of the vessel.

During the whole of the week, the temperature has been below 31°, and the frost was severe; the clouds were only once broken for about one hour during the evening of Wednesday, and the sun has not been visible throughout the week.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,
SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,
REGISTERED
In the Week ending Saturday, December 21st.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL



LONDON:
HARTNELL, PRINTER, RED LION COURT.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5	5
					Autumn	Years
Causes of Death.	0 to 15	15 to 60	60 and upwards	Total	5 Autumn	5 Years
Weekly Average for 1844 .	446	310	188
ALL CAUSES	644	359	349	*1393	990	946
SPECIFIED CAUSES	642	399	348	*1390	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	210	33	15	258	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	41	38	28	107	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	137	33	30	200	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	193	203	114	*511	312	286
V.—Diseases of the Heart, and Blood-vessels	7	23	16	46	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	34	14	13	61	66	69
VII.—Diseases of the Kidneys, &c.	1	3	..	4	6	5
VIII.—Childbirth. Diseases of the Uterus, &c.	16	1	17	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	1	6	..	7	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1	1	1
XI.—Old Age	125	125	74	71
XII.—Violence, Privation, Cold and Intemperance	17	30	6	53	26	26
I.—Small Pox	43	5	..	48	17	15
Measles	52	52	32	28
Scarlatina	42	42	45	34
Hooping Cough	31	31	31	33
Croup	15	15	9	8
Thrush	4	4	5	5
Diarrhoea	4	3	2	9	10	12
Dysentery	1	..	1	2	3	3
Cholera	1	1	..	2	.6	1
Influenza	1	..	2	3	2	2
Ague	1	..	1	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	12	18	5	35	29	31
Erysipelas	2	4	5	11	6	5
Syphilis	1	1	..	2	.5	.6
Hydrophobia1	..
II.—Inflammation	7	7
Hæmorrhage	1	2	3	3	3
Dropsy	2	18	15	35	37	35
Abscess	3	..	3	3	4
Mortification	2	1	3	5	5
Purpura	1	1	.2	.3
Scrofula	3	2	..	5	2	2
Carcinoma	3	2	5	9	8
Tumour	2	2
Gout	1	1
Atrophy	15	2	2	19	8	7
Dehility	12	2	..	14	21	21
Malformations	2	2	1	1
Sudden Deaths	7	5	5	17	16	15
III.—Cephalitis	15	2	..	17	11	12
Hydrocephalus	36	36	34	36
Apoplexy	4	7	14	25	19	18
Paralysis	15	13	28	17	16
Convulsions	73	1	..	74	55	58
Tetanus4	.4
Chorea	1	1	.1	..
Epilepsy	3	1	..	4	4	4
Insanity	2	1	3	1	1
Delirium Tremens	1	..	1	2	2
Dis. of Brain, &c.	5	4	2	11	9	9
IV.—Laryngitis	2	2	..	.6
Quinsey	2	1	..	3	..	2
Bronchitis	28	18	35	81	14	12
Pleurisy	4	1	*6	2	2
Pneumonia	127	23	13	163	107	79
Hydrothorax	1	4	6	11	5	5
Asthma	30	38	68	27	24
Phthisis (or Consumption)	23	11	12	46	140	147
Dis. of Lungs, &c.	10	12	9	31	15	15
V.—Pericarditis	2	3	..	5	.8	.8
Aneurism7	.7
Dis. of Heart, &c.	5	20	16	41	22	20
VI.—Teething	15	15	18	19
Gastritis	17	19
Enteritis	8	3	5	16
Peritonitis	2	..	2	1	1
Tubercles Mesenterica	7	7	6	6
Worms	1	1	.6	.4
Ascites	1	1	1	.8
Ulceration (of Intestines, &c.)	1	..	1	2	2
Hernia	1	2	3	2	2
Colic or Ileus	2	2
Intussusception3	.5
Stricture (of the Intestinal Canal)	1	1	.5	.6
Hæmatemesis4	.4
Dis. of Stomach, &c.	1	3	..	4	4	4
&c.
Dis. of Pancreas	1	1
Hepatitis
Jaundice	1	..	3	4	2	2
Dis. of Liver, &c.	4	2	6	8	8
Dis. of Spleen1	1
VII.—Nephritis	1	..	1	.6	.5
Ischuria2	.2
Diabetes3	.4
Cystitis4	.3
Stone3	.4
Stricture (of the Urethra)	1	..	1	6	.5
Dis. of Kidneys, &c.	1	1	..	2	3	3
VIII.—Childbirth	10	..	10	8	7
Paramenia3	.2
Ovarian Dropsy	1	..	1	.2	.3
Dis. of Uterus, &c.	5	1	6	2	2
IX.—Arthritis1	..
Rheumatism	4	..	4	3	3
Dis. of Joints, &c.	1	2	..	3	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcér	1	1	.5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	125	125	74	71
XII.—Intemperance	2	..	2	.7	.6
Privation	1	1	.6	.5
Violent Deaths	17	28	5	50	24	25
Causes not Specified.	2	..	1	3	8	5

* The age of one person, who died of "pleuritis empyema", is not stated.

DISTRICTS of the Metropolis,

(Amounting to 31 in number, and comprising 129 Registrars' Districts)

	Area in square Miles	Population Enume- rated in 1811	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week						
			5 Years	5 Autumns							
<i>West Districts</i> { Kensington; Chelsea; St. George, Hanover-square; Westminster; } St. Martin in the Fields; St. James.....	17.2	301,326	138	139	194						
<i>North Districts</i> { St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	262						
<i>Central Districts</i> { St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } East London; West London; City of London	2.8	374,759	188	195	252						
<i>East Districts</i> { Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } Stepney; Poplar	8.8	393,247	207	222	303						
<i>South Districts</i> { St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- hithe; Greenwich	40.7	479,469	212	259	382						
TOTALS.....	86.8	1,915,104	946	990	1393						
<table> <tr> <td>Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.</td> <td>Males.. 512 Females 497 Total 1009</td> <td>Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..</td> <td>Males 483 Females .. 463 Total.. 946</td> <td>Deaths in the Week</td> <td>Males 703 Females .. 690 Total.. 1393</td> </tr> </table>						Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males.. 512 Females 497 Total 1009	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	Males 483 Females .. 463 Total.. 946	Deaths in the Week	Males 703 Females .. 690 Total.. 1393
Weekly average of deaths deduced from 12 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding and the four following the same.	Males.. 512 Females 497 Total 1009	Weekly Average for 1844, deduced from the Deaths in 1839-40-1-2-3..	Males 483 Females .. 463 Total.. 946	Deaths in the Week	Males 703 Females .. 690 Total.. 1393						

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	888	925	1003	883	916	953	960	1022	884	1037	965	1170	1313
Deaths (except from Violence) at 60 & up ^a , 146	148	189	160	152	158	166	202	149	215	196	266	314	311
From Diseases of the Respiratory Organs 231	252	282	246	267	287	314	300	288	323	336	444	511	48
From Small Pox.....	37	51	36	35	54	36	42	51	40	46	31	51	48
Mean Temperature	52.0	54.6	51.6	48.6	46.1	44.2	43.8	49.9	44.5	37.6	31.7	28.2	37.0

NOTES.

1.—The 48 deaths from *small pox* occurred at the following ages:—fourteen under 1 year; ten 1-3; nine 3-5; nine 5-10; two 10-20; three 20-30; and one 39 years.

2.—Under *hæmorrhage* is included “hæmorrhage from the nose,” a male 72 years. Under *mortification*, “dry gangrene of the great toe, brought on by the cutting of a bunion,” a female 63 years. Under *atrophy*, “debility without breastmilk from birth, or medical aid,” a male 10 weeks. Under *malformation*, “want of nourishment in consequence of a defective palate,” a male 6 weeks; and “atrophy—incapacity of taking food from defective palate,” a male 14 days. Under *disease of the liver*, “exhaustion from the obstruction of a gall-stone,” a female 36 years. Under *disease of the organs of generation*, “hydrocele,” a male 49 years. And under *privation*, “exhaustion from want of the common necessaries of life,” a female 79 years. The death of a male, at the age of 105 years and 7 months, is reported by the Registrar of Haggerstone West, in the district of Shoreditch.

3.—The following are the cases of *violent death* which appear in the present table:—

FRACTURES and CONTUSIONS:—

- (1) “Accidental from a fall at a building,” (*post. mort.*) a male 39.
- (2) “Accidental from a fall at a building,” (*post. mort.*) a male 54.
- (3) “Accidental fall down stairs—fracture of the skull—10 hours,” (*post. mort.*) a male 33.
- (4) “Accidental fall from a tree,” a male 37.
- (5) “Apoplexy of the brain from an accidental fall on the head,” a male 44.
- (6) “From a fall or other violence—fractured skull—49 hours,” a male 33.
- (7) “Injuries from a fall, while intoxicated,” a male 38.
- (8) “Accidental by a fall from a house,” a male 30.
- (9) “Injuries by a fall from a house,” a male 43.
- (10) “Erysipelas, and fracture of the back of the skull from a fall, supposed in an apoplectic fit,” a female 65.
- (11) “Accidental injury of the leg from a fall,” a female 41.
- (12) “Accidentally run over by a van drawn by two horses,” a male 35.
- (13) “Accidentally run over by a van drawn by three horses,” a male 16.
- (14) “Accidentally run over by a coal-waggon, drawn by three horses,” a male 59.
- (15) “Accidentally run over by a dray, drawn by two horses,” a male 35.
- (16) “Accidentally run over by a waggon, drawn by three horses,” a male 29.
- (17) “Accidental injuries to the head caused by a fall from a gig,” a male 40.
- (18) “Accidentally killed by being run over by a horse,” a male 7.
- (19) “Injuries from being accidentally struck by the shaft of a truck,” a male 15.
- (20) “Accidentally run over by a horse and chaise,” a female 61.
- (21) “Accidental, by a blow from a pole,” a male 16.
- (22) “Effect of accidental fracture of the thigh,” a male 65.

WOUNDS:—

- (23) “Injury of the brain from penetration with a pointed instrument,” a male 38.
- (24) “Cutting his throat—suicide,” a male 27.
- (25) “Cutting her throat—suicide,” a female about 50.

DROWNING:—

- (26) “Found in the River Thames—drowned by falling out of a barge accidentally,” a male 19.
- (27) “Found, apparently drowned,” a male 23.

BURNS AND SCALDS:—

- (28) “Accidentally burnt by his clothes taking fire—6 hours,” a male 5.
- (29) “Accidentally burnt,” a female 2.
- (30) “Accidental from burns,” a female 19.
- (31) “Accidental burns,” a female 3.
- (32) “Accidental burns while drunk,” a female 75.
- (33) “Accidental burns,” a female 8.
- (34) “Accidental from burns,” a male 1.
- (35) “Accidental burn,” a male 8.
- (36) “Accidental from burns,” a male 4.
- (37) “Accidental from burns,” a male 1.
- (38) “Accidentally scalded,” a male 2.
- (39) “Accidental from scalds,” a male 3.
- (40) “Accidentally scalded by hot water,” a male 3.
- (41) “Accidental scald,” a female 1.
- (42) “Accidental scald,” a female 1.
- (43) “Accidental scald,” a female 1.
- (44) “Accidental scald,” a female 10 months.

POISON:—

- (45) “Poisoned herself by essential oil of almonds,” a female 44.
 - (46) “Suicide by oxalic acid,” a female 63.
- UNSPECIFIED CAUSES, &c.:—
- (47) “Injury of the spine producing anasarca (9 months)” a female 27.
 - (48) “Accidental death,” a male 50.
 - (49) “Murdered by some person or persons unknown,” a female newly born.
 - (50) “Rupture of the posterior tibial artery—amputation of the leg—phlebitis,” a female 57.

* No. 48. This return is imperfect: the *nature* of the accident and the *means by which it was caused*, have been omitted. In No. 22, what was the cause of the fracture? In No. 23, it should have been stated whether the wound was accidental or otherwise. In No. 47, the *nature* of the injury and *how caused*, should have been described. All the returns of *burns and scalds* (with the exception of No. 28) are imperfect. Were the *burns* caused by the clothes taking fire, or by what other means? In No. 49, the *means* by which the child was murdered, should have been included in the return. It is doubtful whether the death recorded in No. 50, was the result of *accident*. It has been since ascertained that the cause of death entered “*asphyxia*,” in the Return of last week, should have been registered thus: “Accidental death by choking, whilst swallowing a large piece of meat.” It occurred in the Workhouse of Bethnal Green. It has been also ascertained that a case of “*rupture of the uterus*,” was caused by a fall during the latter period of pregnancy: age 22 years.

General Register Office, Tuesday, December 24th, 1844.

The WEEKLY TABLE OF MORTALITY FOR THE METROPOLIS, with the METEOROLOGICAL OBSERVATIONS AT GREENWICH, will be contained, in full, in No. I. of the HISTORICAL REGISTER, to be published on the 4th of January, 1845; and will continue to be printed both in that Journal, and in the Official Form as heretofore.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, During the Week ending Saturday December 21, 1844.

1841 Day	Phases of the Moon	Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)	Readings of Thermometers										Difference between the Dew Point Temperature Air Temperature			WIND				Mean Amount of Cloud, 0-10	Rain in the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Dry					Wet					In the Water of the Thames, at Greenwich, registering Thermometer, read at 9 o'clock next morning			Lowest on the Grass, as shown by a self-registering thermometer			Highest in the sun, as shown by a self-registering thermometer						Lowest in the shade, as shown by a self-registering thermometer			Greatest			Least			Mean of 12			Obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			High- est		Low- est		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12						Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean from 12 to 12		Mean 		

The height of the column of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are considered to be corrected for the influence of the temperature of the air, and for the influence of the curvature of the earth, and for the influence of the attraction of the moon and sun. The observations are taken every two hours, day and night with the exception of Sundays. The readings of the self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed to the sky, are taken every morning at 9 a.m., and therefore exhibit the highest and lowest readings respectively that have occurred in the previous 24 hours. They are, however, not from the indications of which the estimation of horizontal movement is made, is read at 10 a.m., and the result given is for the 24 hours preceding. It is placed here, opposite to the exact day which precedes that on which the anemometer is read. The average temperature for 25 years is furnished by Mr. Henry, Assistant at the Royal Observatory, from the observations made at his residence in the neighbourhood of Greenwich Park.

* In reading the 15th column, it will be borne in mind that it is read "roughly" and — is read "low" than the average. The sum of the readings of the self-registering thermometers appended from the side of the Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are rectified under the superintendence of Lieutenant Sanders, R.N., Superintendent of the Dreadnought. On Monday morning at 6h. a.m. the reading of a thermometer affixed to the mainmast was 56° 5 and the reading of one at the Royal Observatory read at the same time was 26° 8.

† The general direction of the wind has been from the E.N.E.

‡ In the General remark for Dec. 8, The colon inserted after "evening" should have followed 10h. a.m.

A TABLE
OF THE
MORTALITY IN THE METROPOLIS,

SHEWING THE
NUMBER OF DEATHS FROM ALL CAUSES,

REGISTERED


In the Week ending Saturday, December 28th.

PUBLISHED BY AUTHORITY OF THE REGISTRAR GENERAL



LONDON:

HARTNELL, PRINTER, RED LION COURT.

 The WEEKLY TABLE OF MORTALITY FOR THE METROPOLIS, with the METEOROLOGICAL OBSERVATIONS AT GREENWICH, will be contained, in full, in No. I. of the HISTORICAL REGISTER, to be published on the 4th of January, 1845; and will continue to be printed both in that Journal, and in the Official Form as heretofore.

Causes of Death	Age			Total	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3.	
	0 to 15	15 to 60	60 and upwards		5 Autumns	5 Years
	15	60	upwards			
Weekly Average for 1844	446	310	188
ALL CAUSES	529	423	297	1249	990	946
SPECIFIED CAUSES	523	421	295	1239	982	942
I.—Zymotic (or Epidemic, Endemic, and Contagious) Diseases	176	37	10	223	191	178
SPORADIC DISEASES—						
II.—Dropsy, Cancer, and other Diseases of uncertain or variable Seat	50	31	31	112	115	111
III.—Diseases of the Brain, Spinal Marrow, Nerves and Senses	111	38	31	180	152	157
IV.—Diseases of the Lungs, and of the other Organs of Respiration	107	213	95	415	312	286
V.—Diseases of the Heart, and Blood-vessels	7	20	12	39	23	21
VI.—Diseases of the Stomach, Liver, and other Organs of Digestion	46	37	8	91	66	69
VII.—Diseases of the Kidneys, &c.	3	3	5	11	6	5
VIII.—Childbirth. Diseases of the Uterus, &c.	14	3	17	11	10
IX.—Rheumatism, Diseases of the Bones, Joints, &c.	2	5	3	10	6	6
X.—Diseases of the Skin, Cellular Tissue, &c.	1	1
XI.—Old Age	90	90	74	71
XII.—Violence, Privation, Cold, and Intemperance	21	23	7	51	26	26
I.—Small Pox	38	12	..	50	17	15
Measles	29	29	32	28
Scarlatina	37	2	..	39	45	34
Whooping Cough	34	34	31	33
Croup	14	14	9	8
Thrush	3	3	5	5
Diarrhoea	4	3	2	9	10	12
Dysentery	3	3
Cholera	1	..	1	.6	1
Influenza	1	1	2	2
Ague	1	1	2	.4	.3
Remittent Fever	1	1	.4	.5
Typhus	11	17	5	33	29	31
Erysipelas	2	1	1	4	6	5
Syphilis	3	3	.5	.6
Hydrophobia1	..
II.—Inflammation	2	..	2	7	7
Hæmorrhage	1	..	2	3	3	3
Dropsy	10	10	20	37	35
Abscess	3	4
Mortification	2	..	1	3	5	5
Purpura	1	1	.2	.3
Scrofula	1	2	..	3	2	2
Carcinoma	1	5	1	7	9	8
Tumour	2	2
Gout	1	1	1	1
Atrophy	13	..	4	17	8	7
Debility	21	2	..	23	21	21
Malformations	2	2	1	1
Sudden Deaths	8	10	12	30	16	15
III.—Cephalitis	9	6	1	16	11	12
Hydrocephalus	26	26	34	36
Apoplexy	3	18	9	30	19	18
Paralysis	7	18	25	17	16
Convulsions	66	..	2	68	55	58
Tetanus4	.4
Chorea1	..
Epilepsy	1	2	..	3	4	4
Insanity	1	..	1	1	1
Delirium Tremens	2	2
Dis. of Brain, &c.	6	4	1	11	9	9
IV.—Laryngitis	1	1	..	2	.6	.5
Quinsey	1	1	2	2
Bronchitis	8	12	20	40	14	12
Pleurisy	1	1	2	2
Pneumonia	73	29	18	120	107	79
Hydrothorax	3	4	7	5	5
Asthma	24	38	62	27	24
Phthisis (or Consumption)	21	131	8	160	140	147
Dis. of Lungs, &c.	3	13	6	22	15	15
V.—Pericarditis	1	1	..	2	.8	.8
Aneurism	1	..	1	.7	.7
Dis. of Heart, &c.	6	18	12	36	22	20
VI.—Teething	22	22	18	19
Gastritis	1	3	1	5	17	19
Enteritis	5	6	1	12
Peritonitis	3	2	5	1	1
Tabes Mesenterica	8	8	6	6
Worms	2	2	.6	.4
Ascites	1	..	1	1	.8
Ulceration (of Intestines, &c.)	1	2	1	4	2	2
Hernia	1	1	..	2	2	2
Colic or Ileus	2	5	1	8	2	2
Intussusception	1	1	.3	.5
Stricture (of the Intestinal Canal)	1	..	1	.5	.6
Hæmatemesis	2	..	2	.4	.4
Dis. of Stomach, &c.	2	3	2	7	4	4
Dis. of Pancreas
Hepatitis	1	..	1	1	1
Jaundice	3	..	3	2	2
Dis. of Liver, &c.	1	6	..	7	8	8
Dis. of Spleen1	.1
VII.—Nephritis6	.5
Ischuria2	.2
Diabetes	1	1	..	2	.3	.4
Cystitis4	.3
Stone	1	1	..	2	.3	.4
Stricture (of the Urethra)	2	2	.6	.5
Dis. of Kidneys, &c.	1	1	3	5	3	3
VIII.—Childbirth	13	..	13	8	7
Paramenia3	.2
Ovarian Dropsy	1	..	1	.2	.3
Dis. of Uterus, &c.	3	3	2	2
IX.—Arthritis1	..
Rheumatism	1	2	3	3	3
Dis. of Joints, &c.	2	4	1	7	3	3
X.—Carbuncle1	..
Phlegmon1	..
Ulcer5	.4
Fistula4	.4
Dis. of Skin, &c.4	.4
XI.—Old Age	90	90	74	71
XII.—Intemperance7	.6
Privation	1	1	..	2	.6	.5
Violent Deaths	20	22	7	49	24	25
Causes not Specified	6	2	2	10	8	5

Districts of the Metropolis, (Amounting to 34 in number, and comprising 129 Registrars' Districts)		Area in square Miles	Population Enu- merated in 1841	Weekly Averages of 1844, deduced from the Deaths of 1839-40-1-2-3		Deaths in the Week
				5 Years	5 Autumns	
West Districts	{ Kensington; Chelsea; St. George, Hanover-square; Westminster; } { St. Martin in the Fields; St. James..... }	17.2	301,326	138	139	170
North Districts	{ St. Marylebone; St. Pancras; Islington; Hackney	17.3	366,303	171	175	234
Central Districts	{ St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; } { East London; West London; City of London	2 8	374 759	188	195	224
East Districts	{ Shoreditch; Bethnal Green; Whitechapel; St. George in the East; } { Stepney; Poplar	8.8	393,247	207	222	250
South Districts	{ St. Saviour; St. Olave; Bermondsey; St. George, Southwark; New- } { ington; Lambeth; Wandsworth and Clapham; Camberwell; Rother- } { hithe; Greenwich	40.7	479,469	242	259	371
TOTALS.....		86.8	1,915,104	946	990	1249
Weekly average of deaths deduced from 5 weeks of 1840-41-42-43, viz. the four corresponding to the present week, with the four preceding the same.		Males.. 521 Females 513 Total 1034		Weekly Average for 1841, deduced from the Deaths in 1839-40-1-2-3..		Males 483 Females .. 463 Total.. 946
				Deaths in the Week		Males 623 Females .. 626 Total.. 1249

Deaths not caused by Violence, registered in the Metropolis in the last 13 weeks, with the Mean Temperature for the same periods.

ALL DEATHS (except from Violence)	925	1003	883	916	953	960	1022	884	1037	965	1170	1343	1200
Deaths (except from Violence) at 60 & up ^{ds} .	148	189	160	152	158	166	202	149	215	196	266	344	290
From Diseases of the Respiratory Organs	252	282	246	267	287	314	300	288	323	336	444	511	415
From Small Pox.....	51	36	35	54	36	42	51	40	46	31	51	48	50
Mean Temperature	54.6	51.6	48.6	46.1	44.2	43.8	49.9	41.5	37.6	31.7	28.2	37.0	33.4

NOTES.

1.—The 50 deaths from *small pox* occurred at the following ages:—nine under 1 year; ten 1-3; eight 3-5; nine 5-10; two 10-15; three 15-20; seven 20-30; and two 30-40 years.

2.—Under *diarrhœa* is included “chronic diarrhœa supervening debility, and want of breastmilk from birth,” a female 3 years. Under *atrophy*, 4 cases of want of breastmilk, 3 males, aged respectively 7 weeks, 2 months, and 14 weeks; and 1 female aged 5 weeks. Under *malformation*, “*spina bifida*,” a male 5 days. Under *apoplexy*, “congestion of the brain from excitement (1 day),” a female 66 years. Under *disease of the brain, nerves, and senses*, “*ophthalmia*,” a female 11 months. Under *pleurisy*, “*empyema*,” a female 60 years. Under *disease of the heart*, “*disease of the heart—angina pectoris*,” a female 71 years. Under *scorums*, “*infantile fever*,” 1 male and 1 female, both between 1 and 3 years. Under *stone*, “stone in the bladder—lithotomy, lateral operation,” a male 11 years. Under *disease of the organs of generation*, “*hydrocele, age and debility*,” a male 66 years. And under *privation*, “*disease of lungs, and fever brought on by exposure to cold (3 weeks)*,” a male 25 years; and “*natural causes accelerated by the want of proper nourishment*,” a male 2 years. The deaths of 5 females occurred between 90 and 100 years.

3.—The following are the cases of *violent death* which appear in the present table:—

FRACTURES and CONTUSIONS:—

- (1) “Inflammation of the hip-joint by a fall,” a male 14.
- (2) “Injuries caused by a fall,” a male 52.
- (3) “Fracture of the kneecap, &c., from having accidentally fallen down stairs,” a male 75.
- (4) “Injuries from a fall,” a male 42.
- (5) “Injuries from a fall,” a male 28.
- (6) “Accidental fracture of her left leg by falling down stairs,” a female 64.
- (7) “Accidental death from the fall of a mast,” a male 49.
- (8) “Accidental death from a fractured skull by a fall of shears,” a male 39.
- (9) “Accidental fracture of his skull by the overturning of a cart,” a male 47.
- (10) “Accidental injury to his head, caused by a van,” a male 66.
- (11) “Concussion of the brain by an accidental fall from a cart (5 minutes),” a male 44.
- (12) “Falling from the mast-head of the schooner “*Torch*,” a male 21.
- (13) “Death by means of a horse and cart—manslaughter,” a female above 70.
- (14) “Fracture of her skull, but no evidence how caused,” a female 48.

WOUND:—

- (15) “Falling and wounding her head with a nail,” a female 1.

DROWNING:—

- (16) “Suicide by drowning,” a female 18.
- (17) “Suffocation from drowning,” a female 16.
- (18) “Drowned by accidentally falling into the River Thames,” a female 62.
- (19) “Accidentally drowned in the River Thames,” a male 46.
- (20) “Accidentally drowned,” a male 14.
- (21) “Accidentally drowned,” a male 27.
- (22)* “Found drowned in the Canal in the Royal Arsenal, Woolwich,” a male 24.
- (23)* “Drowned in the Surrey Canal,” a male 21.
- (24)* “Found drowned,” a male 61.
- (25)* “Found dead in the Surrey Canal,” a male 11.
- (26) “Found dead in the Surrey Canal, with marks of violence,” a female 9.

- (27)* “Drowned in the Grand Surrey Canal,” a male 54.
- (28)* “Drowning,” a male 4.
- (29)* “Drowning,” a male 16.

HANGING and SUFFOCATION:—

- (30) “Hanged himself in a temporary state of insanity,” a male 54.
- (31) “Hanged himself in a temporary state of insanity,” a male 58.
- (32) “Hanged herself in a state of temporary insanity,” a female 22.
- (33) “Accidental death from suffocation,” a male 68.

BURNS and SCALDS:—

- (34) “Burns from her clothes having accidentally taken fire,” a female 4.
- (35) “Accidentally burnt by her clothes taking fire,” a female 8.
- (36) “Accidentally burnt by his clothes taking fire,” a male 2.
- (37) “Accidentally burnt by his clothes taking fire,” a male 5.
- (38) “Accidentally burnt by his clothes taking fire,” a male 5.
- (39) “Accidentally burnt by her clothes taking fire,” a female 6.
- (40)* “Injuries from being accidentally burnt,” a male 3.
- (41)* “Accidental death from burns,” a male, 5.
- (42)* “Accidental deaths from burns,” a male 4.
- (43)* “Died from burns accidentally received, (53 hours)” a male 8.
- (44)* “An accidental scald,” a male 22.
- (45)* “An accidental scald,” a male, 1.
- (46)* “Accidentally scalded,” a male, 9 months
- (47)* “Accidental death from scalds,” a female 1,

POISON:—

- (48) Misadventure on the part of the mother, by having administered a quantity of liquid in which a poppy-head had been boiled,” a female 1.
- (49) Poisoned herself in a temporary state of insanity,” a female 40.

* In the returns 40-47, it should have been stated by what means the burns and scalds were caused. In the cases of drowning 22-25, and 27-29, it should have been recorded whether death was the result of *accident* or *design*; or that sufficient evidence could not be obtained with regard to the facts.

METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH,
During the Week ending Saturday December 28, 1844.

1844 Day	Phases of the Moon	Readings of Thermometers												Difference between the Dew Point Temperature and Air Temperature on an average of 24 years of the same day				WIND				Rain in inches, read at 9 o'clock the next morning	ELECTRICITY	Circumstances accompanying the exhibition of Electricity	GENERAL REMARKS		
		Mean height of the Barometer, (corrected and reduced to 32 degrees Fahrenheit.)				Dry		Dew Point	Highest in the sun, as shown by a self-registering thermometer		Lowest in the shade, as shown by a self-registering thermometer		In the Water at 10 o'clock, the thermometer read at 10 o'clock next morning		Air Temperature		General Direction	Pressure in lbs. on the square foot		Amount of Horizontal Movement of the Air in each day	Mean Amount of Cloud, 0—10						
		High- est		Low- est		Mean	from 12	from 12	Mean	from 12	from 12	from 12	Greatest	Least	Greatest	Least		Mean	Obs.								
		Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.	Rts.	Obs.												Rts.	Obs.
DEC. Su. 22		30.114	32.5	29.4	30.8	26.0	31.5	21.2	31.0	34.0	0	0	0	0	0	0	0	0	E.N.E. and N.E.	3.5	0.0	1.3	110	6.0-0.00		No electricity has been exhibited during the week.	The sky during the day was generally partially covered with detached cumuli, and fragments of acid. The wind was blowing during the day in strong gusts.
M. 23	Apogee Greatest N.	30.179	32.5	29.4	30.8	26.0	31.5	27.1	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	N. and Calm	0.3	0.0	0.0	25	10.0-0.00		Overcast, with cirrostratus and acid throughout the whole day.	The sky remained overcast during the whole day. At 4h. p.m. a thin rain began to fall, and it continued until after 10h. p.m.; the quantity, however, was not sufficient to be registered by the gauge.
Tu. 24	Full	30.179	32.4	29.8	31.5	28.2	32.5	29.6	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	E. and Calm	0.3	0.0	0.0	25	10.0-0.00		The sky continued overcast during the whole of this day. The air during the day was cold.	Overcast with fog throughout the day: at midnight the moon was visible through the fog with a fine corona around her. No break has appeared in the clouds since Sunday afternoon.
W. 25		29.991	34.5	30.8	32.8	32.1	38.6	19.5	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	Calm	0.1	0.0	0.0	0	10.0-0.00		A little blue sky was visible at different times during the middle of the day; the fog, however, continued until after midnight.	There were a few extensive breaks in the clouds in the early part of the morning, and about noon: with these exceptions the sky was covered with cirrostratus and scud. At about 6h. a.m. rain was falling, and also in the evening between 5h. and midnight. At 1h. 40m. a.m. an in- decided lunar halo was visible, and it continued until after 2h. a.m., its diameter was about 45°.
Th. 26		29.913	33.1	28.1	31.1	30.6	30.6	26.2	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	33.8	Calm	0.0	0.0	0.0	20	9.5-0.02			
F. 27		29.845	46.0	33.5	41.0	39.8	48.2	38.8	35.0	34.0	1.2	3.2	0.0	+5.6	Calm	S. by E.	0.5	0.0	0.0	115	8.9-0.08						
Sa. 28		30.011	35.7	30.3	33.3	31.3	37.6	27.7	33.9	33.8	2.1	4.0	0.7	-3.3	+ E.				Sum				Sum	9.2-0.10			
MEANS.																											

The height of the barometer is considered to be 139 feet above the mean level of the sea. The readings of the barometer are
considered to be corrected with the use of a self-registering thermometer, suspended from the side of the
cloud. The observations are taken every two hours, day and night with the exception of Sundays.
The readings of the two self-registering thermometers, the one placed in the full rays of the sun, and the other placed on grass fully exposed
to the sky, are taken every morning at 9 a.m., and therefore without the highest and lowest readings respectively that have occurred in the previous
24 hours. They are, however, placed here for the purpose of showing the estimation of horizontal movement is made is read at 10 a.m., and the result
given is for the 24 hours preceding. It is placed here, opposite to the day which precedes that on which the anemometer is read.
The average temperature for 25 years is furnished by Mr. Henne, Assistant at the Royal Observatory, from the observations made at his
residence in the neighbourhood of Greenwich Park.

* In reading the 15th column, it will be borne in mind that + is read "higher," and - is read "lower," than the average.
† The temperature of the water of the Thames is ascertained by the use of a self-registering thermometer, suspended from the side of the
Dreadnought Hospital Ship, at the depth of about 2 feet below the surface. The readings of this instrument are registered under the superintendence
of Lieutenant Sanders, R.N., Superintendent of the Dreadnought.
‡ The general direction of the wind has been Calm and E.

